# Title 30—Mineral Resources

(This book contains parts 200 to 699)

	Pari
CHAPTER II—Minerals Management Service, Department of the Interior	201
CHAPTER III—Board of Surface Mining and Reclamation Appeals, Department of the Interior	301
CHAPTER IV—Geological Survey, Department of the Interior	401

CROSS REFERENCES: Bureau of Land Management, Department of the Interior, regulations with respect to mineral lands:  $43\ CFR$ , chapter II, subchapter C.

Foreign Trade Statistics, Bureau of the Census, Department of Commerce: 15 CFR part 30. Forest Service regulations relating to mineral developments and mining in national forests: 36 CFR part 228.

General Services Administration regulations for stockpiling of strategic and critical materials: 41 CFR chapter 101, subchapter C.

Interstate Commerce Commission: 49 CFR chapter X.

Bureau of Indian Affairs, Department of the  $\hat{I}$ nterior, energy and minerals regulations: 25 CFR chapter I, subchapter I.

Other regulations issued by the Department of the Interior appear in title 25, chapters I and II; title 36, chapter I; title 41, chapter 114; title 43; and title 50, chapters I and IV.

# CHAPTER II—MINERALS MANAGEMENT SERVICE, DEPARTMENT OF THE INTERIOR

(Parts 200 to 699)

	SUBCHAPTER A—ROYALTY MANAGEMENT
Part	
201	General
202	Royalties
203	Relief or reduction in royalty rates
206	Product valuation
207	Sales agreements or contracts governing the disposal of lease products
208	Sale of Federal royalty oil
210	Forms and reports
212	Records and files maintenance
215	Accounting and auditing standards [Reserved]
216	Production accounting
217	Audits and inspections
218	Collection of royalties, rentals, bonuses and other monies due the Federal Government
219	Distribution and disbursement of royalties, rent- als, and bonuses
220	Accounting procedures for determining net profit share payment for Outer Continental Shelf oil and gas leases
227	Delegation to States
228	Cooperative activities with States and Indian tribes
229	Delegation to States
230	Recoupments and refunds [Reserved]
232	Interest payments [Reserved]
233	Escrow and investments [Reserved]
234	Bonding—payment liability [Reserved]
241	Penalties
242	Orders [Reserved]

#### 30 CFR Ch. II (7-1-04 Edition)

Part		Page
243	Suspensions pending appeal and bonding—Minerals revenue management	248
	SUBCHAPTER B—OFFSHORE	
250	Oil and gas and sulphur operations in the Outer Continental Shelf	254
251	Geological and geophysical (G & G) explorations of the Outer Continental Shelf	443
252	Outer Continental Shelf (OCS) oil and gas information program	455
253	Oil spill financial responsibility for offshore facilities	461
254	Oil-spill response requirements for facilities lo- cated seaward of the coast line	475
256	Leasing of sulphur or oil and gas in the Outer Continental Shelf	487
259	Mineral leasing: Definitions	515
260	Outer Continental Shelf oil and gas leasing	515
270	Nondiscrimination in the Outer Continental Shelf	523
280	Prospecting for minerals other than oil, gas, and sulfur on the Outer Continental Shelf	525
281	Leasing of minerals other than oil, gas, and sulphur in the Outer Continental Shelf	536
282	Operations in the Outer Continental Shelf for minerals other than oil, gas, and sulphur	549
	SUBCHAPTER C—APPEALS	
290	Appeals procedures	572

#### SUBCHAPTER A—ROYALTY MANAGEMENT

#### PART 201—GENERAL

Subpart A—General Provisions [Reserved]

Subpart B—Oil and Gas, General [Reserved]

Subpart C—Oil and Gas, Onshore

Sec.

201.100 Responsibilities of the Associate Director for Minerals Revenue Management

Subpart D—Oil, Gas and Sulphur, Offshore [Reserved]

Subpart E—Coal [Reserved]

Subpart F—Other Solid Minerals [Reserved]

Subpart G—Geothermal Resources [Reserved]

Subpart H—Indian Lands [Reserved]

AUTHORITY: The Act of February 25, 1920 (30 U.S.C. 181, et seq.), as amended; the Act of May 21, 1930 (30 U.S.C. 301-306); the Mineral Leasing Act for Acquired Lands (30 U.S.C. 351-359), as amended; the Act of March 3, 1909 (25 U.S.C. 396), as amended; the National Environmental Policy Act of 1969 (42 U.S.C. 4321, et seq.) as amended; the Act of May 11, 1938 (25 U.S.C. 396a-396q), as amended; the Act of February 28, 1891 (25 U.S.C. 397), as amended; the Act of May 29, 1924 (25 U.S.C. 398); the Act of March 3, 1927 (25 U.S.C. 398a-398e); the Act of June 30, 1919 (25 U.S.C. 399), as amended; R.S. §441 (43 U.S.C. 1457), see also Attorney General's Opinion of April 2, 1941 (40 Op. Atty. Gen. 41); the Federal Property and Administrative Services Act of 1949 (40 U.S.C. 471, et seq.), as amended; the National Environmental Policy Act of 1969 (42 U.S.C. 4321 et seq.), as amended; the Act of December 12, 1980 (Pub. L. 96-514, 94 Stat. 2964); the Combined Hydrocarbon Leasing Act of 1981 (Pub. L. 97-78, 95 Stat. 1070); the Outer Continental Shelf Lands Act (43 U.S.C. 1331, et seq.), as amended; section 2 of Reorganization Plan No. 3 of 1950 (64 stat. 1262); Secretarial Order No. 3071 of January 19, 1982, as amended; and Secretarial Order 3087, as amended.

# Subpart A—General Provisions [Reserved]

# Subpart B—Oil and Gas, General [Reserved]

Subpart C—Oil and Gas, Onshore

§ 201.100 Responsibilities of the Associate Director for Minerals Revenue Management.

The Associate Director is responsible for the collection of certain rents, royalties, and other payments; for the receipt of sales and production reports; for determining royalty liability; for maintaining accounting records; for any audits of the royalty payments and obligations; and for any and all other functions relating to royalty management on Federal and Indian oil and gas losses.

[47 FR 47768, Oct. 27, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983]

Subpart D—Oil, Gas and Sulphur, Offshore [Reserved]

Subpart E—Coal [Reserved]

Subpart F—Other Solid Minerals [Reserved]

Subpart G—Geothermal Resources [Reserved]

Subpart H—Indian Lands [Reserved]

PART 202—ROYALTIES

Subpart A—General Provisions [Reserved]

Subpart B—Oil, Gas, and OCS Sulfur, General

Sec.

202.51 Scope and definitions.

202.52 Royalties.

202.53 Minimum royalty.

#### Subpart C—Federal and Indian Oil

202.100 Royalty on oil.

202.101 Standards for reporting and paying royalties.

#### § 202.51

#### Subpart D—Federal Gas

- 202.150 Royalty on gas.
- 202.151 Royalty on processed gas.
- 202.152 Standards for reporting and paying royalties on gas.

# Subpart E—Solid Minerals, General [Reserved]

#### Subpart F-Coal

202.250 Overriding royalty interest.

# Subpart G—Other Solid Minerals [Reserved]

#### Subpart H—Geothermal Resources

- 202.350 Scope and definitions.
- 202.351 Royalties on geothermal resources.
- 202.352 Minimum royalty.
- 202.353 Measurement standards for reporting and paying royalties.

#### Subpart I—OCS Sulfur [Reserved]

#### Subpart J—Gas Production from Indian Leases

- 202.550 How do I determine the royalty due on gas production?
- 202.551 How do I determine the volume of production for which I must pay royalty if my lease is not in an approved Federal unit or communitization agreement (AFA)?
- 202.552 How do I determine how much royalty I must pay if my lease is in an approved Federal unit or communitization agreement (AFA)?
- 202.553 How do I value my production if I take more than my entitled share?
- 202.554 How do I value my production that I do not take if I take less than my entitled share?
- 202.555 What portion of the gas that I produce is subject to royalty?
- 202.556 How do I determine the value of avoidably lost, wasted, or drained gas?
- 202.557 Must I pay royalty on insurance compensation for unavoidably lost gas?
- 202.558 What standards do I use to report and pay royalties on gas?

AUTHORITY: 5 U.S.C. 301 et seq.; 25 U.S.C. 396 et seq., 396a et seq., 2101 et seq.; 30 U.S.C. 181 et seq., 351 et seq., 1001 et seq.; 1701 et seq.; 31 U.S.C. 9701; 43 U.S.C. 1301 et seq.; 1331 et seq., 1801 et seq.

#### Subpart A—General Provisions [Reserved]

# Subpart B—Oil, Gas, and OCS Sulfur, General

Source: 53 FR 1217, Jan. 15, 1988, unless otherwise noted.

#### § 202.51 Scope and definitions.

- (a) This subpart is applicable to Federal and Indian (Tribal and allotted) oil and gas leases (except leases on the Osage Indian Reservation, Osage County, Oklahoma) and OCS sulfur leases.
- (b) The definitions in subparts B, C, D, and E, of part 206 of this title are applicable to subparts B, C, D, and J of this part.

[53 FR 1217, Jan. 15, 1988, as amended at 64 FR 43513, Aug. 10, 1999]

#### § 202.52 Royalties.

- (a) Royalties on oil, gas, and OCS sulfur shall be at the royalty rate specified in the lease, unless the Secretary, pursuant to the provisions of the applicable mineral leasing laws, reduces, or in the case of OCS leases, reduces or eliminates, the royalty rate or net profit share set forth in the lease.
- (b) For purposes of this subpart, the use of the term *royalty(ies)* includes the term *net profit share(s)*.

#### § 202.53 Minimum royalty.

For leases that provide for minimum royalty payments, the lessee shall pay the minimum royalty as specified in the lease.

#### Subpart C—Federal and Indian Oil

#### § 202.100 Royalty on oil.

- (a) Royalties due on oil production from leases subject to the requirements of this part, including condensate separated from gas without processing, shall be at the royalty rate established by the terms of the lease. Royalty shall be paid in value unless MMS requires payment in-kind. When paid in value, the royalty due shall be the value, for royalty purposes, determined pursuant to part 206 of this title multiplied by the royalty rate in the lease.
- (b) (I) All oil (except oil unavoidably lost or used on, or for the benefit of, the lease, including that oil used offlease for the benefit of the lease when such off-lease use is permitted by the

MMS or BLM, as appropriate) produced from a Federal or Indian lease to which this part applies is subject to royalty.

(2) When oil is used on, or for the benefit of, the lease at a production facility handling production from more than one lease with the approval of the MMS or BLM, as appropriate, or at a production facility handling unitized or communitized production, only that proportionate share of each lease's production (actual or allocated) necessary to operate the production facility may be used royalty-free.

(3) Where the terms of any lease are inconsistent with this section, the lease terms shall govern to the extent

of that inconsistency.

(c) If BLM determines that oil was avoidably lost or wasted from an onshore lease, or that oil was drained from an onshore lease for which compensatory royalty is due, or if MMS determines that oil was avoidably lost or wasted from an offshore lease, then the value of that oil shall be determined in accordance with 30 CFR part 206.

(d) If a lessee receives insurance compensation for unavoidably lost oil, royalties are due on the amount of that compensation. This paragraph shall not apply to compensation through self-insurance.

(e)(1) In those instances where the lessee of any lease committed to a fedapproved unitization communitization agreement does not actually take the proportionate share of the agreement production attributable to its lease under the terms of the agreement, the full share of production attributable to the lease under the terms of the agreement nonetheless is subject to the royalty payment and reporting requirements of this title. Except as provided in paragraph (e)(2) of this section, the value, for royalty purposes, of production attributable to unitized or communitized leases will be determined in accordance with 30 CFR part 206. In applying the requirements of 30 CFR part 206, the circumstances involved in the actual disposition of the portion of the production to which the lessee was entitled but did not take shall be considered as controlling in arriving at the value, for royalty purposes, of that portion as though the person actually selling or disposing of the production were the lessee of the Federal or Indian lease.

(2) If a Federal or Indian lessee takes less than its proportionate share of agreement production, upon request of the lessee MMS may authorize a royalty valuation method different from that required by paragraph (e)(1) of this section, but consistent with the purposes of these regulations, for any volumes not taken by the lessee but for which royalties are due.

(3) For purposes of this subchapter, all persons actually taking volumes in excess of their proportionate share of production in any month under a unitization or communitization agreement shall be deemed to have taken ratably from all persons actually taking less than their proportionate share of the agreement production for that month.

(4) If a lessee takes less than its proportionate share of agreement production for any month but royalties are paid on the full volume of its proportionate share in accordance with the provisions of this section, no additional royalty will be owed for that lease for prior periods when the lessee subsequently takes more than its proportionate share to balance its account or when the lessee is paid a sum of money by the other agreement participants to balance its account.

(f) For production from Federal and Indian leases which are committed to federally-approved unitization communitization agreements, upon request of a lessee MMS may establish the value of production pursuant to a method other than the method required by the regulations in this title if: (1) The proposed method for establishing value is consistent with the requirements of the applicable statutes, lease terms, and agreement terms; (2) persons with an interest in the agreement, including, to the extent practical, royalty interests, are given notice and an opportunity to comment on the proposed valuation method before it is authorized; and (3) to the extent practical, persons with an interest in a Federal or Indian lease committed to the agreement, including royalty interests, must agree to use the proposed method for valuing production from the agreement for royalty purposes.

[53 FR 1217, Jan. 15, 1988]

# § 202.101 Standards for reporting and paying royalties.

Oil volumes are to be reported in barrels of clean oil of 42 standard U.S. gallons (231 cubic inches each) at 60 °F. When reporting oil volumes for royalty purposes, corrections must have been made for Basic Sediment and Water (BS&W) and other impurities. Reported American Petroleum Institute (API) oil gravities are to be those determined in accordance with standard industry procedures after correction to 60 °F.

[53 FR 1217, Jan. 15, 1988]

#### Subpart D—Federal Gas

Source:  $53\ FR\ 1271$ , Jan. 15, 1988, unless otherwise noted.

#### § 202.150 Royalty on gas.

(a) Royalties due on gas production from leases subject to the requirements of this subpart, except helium produced from Federal leases, shall be at the rate established by the terms of the lease. Royalty shall be paid in value unless MMS requires payment in kind. When paid in value, the royalty due shall be the value, for royalty purposes, determined pursuant to 30 CFR part 206 of this title multiplied by the royalty rate in the lease.

(b)(1) All gas (except gas unavoidably lost or used on, or for the benefit of, the lease, including that gas used offlease for the benefit of the lease when such off-lease use is permitted by the MMS or BLM, as appropriate) produced from a Federal lease to which this subpart applies is subject to royalty.

(2) When gas is used on, or for the benefit of, the lease at a production facility handling production from more than one lease with the approval of MMS or BLM, as appropriate, or at a production facility handling unitized or communitized production, only that proportionate share of each lease's production (actual or allocated) necessary to operate the production facility may be used royalty free.

(3) Where the terms of any lease are inconsistent with this subpart, the lease terms shall govern to the extent of that inconsistency.

(c) If BLM determines that gas was avoidably lost or wasted from an on-

shore lease, or that gas was drained from an onshore lease for which compensatory royalty is due, or if MMS determines that gas was avoidably lost or wasted from an OCS lease, then the value of that gas shall be determined in accordance with 30 CFR part 206.

(d) If a lessee receives insurance compensation for unavoidably lost gas, royalties are due on the amount of that compensation. This paragraph shall not apply to compensation through self-insurance.

(e)(1) In those instances where the lessee of any lease committed to a Fedapproved unitization communitization agreement does not actually take the proportionate share of the production attributable to its Federal lease under the terms of the agreement, the full share of production attributable to the lease under the terms of the agreement nonetheless is subject to the royalty payment and reporting requirements of this title. Except as provided in paragraph (e)(2) of this section, the value for royalty purposes of production attributable to unitized or communitized leases will be determined in accordance with 30 CFR part 206. In applying the requirements of 30 CFR part 206, the circumstances involved in the actual disposition of the portion of the production to which the lessee was entitled but did not take shall be considered as controlling in arriving at the value for royalty purposes of that portion, as if the person actually selling or disposing of the production were the lessee of the Federal lease.

(2) If a Federal lessee takes less than its proportionate share of agreement production, upon request of the lessee MMS may authorize a royalty valuation method different from that required by paragraph (e)(1) of this section, but consistent with the purpose of these regulations, for any volumes not taken by the lessee but for which royalties are due.

(3) For purposes of this subchapter, all persons actually taking volumes in excess of their proportionate share of production in any month under a unitization or communitization agreement shall be deemed to have taken ratably from all persons actually taking less

than their proportionate share of the agreement production for that month.

(4) If a lessee takes less than its proportionate share of agreement production for any month but royalties are paid on the full volume of its proportionate share in accordance with the provisions of this section, no additional royalty will be owed for that lease for prior periods at the time the lessee subsequently takes more than its proportionate share to balance its account or when the lessee is paid a sum of money by the other agreement participants to balance its account.

(f) For production from Federal leases which are committed to federally-approved unitization or communitization agreements, upon request of a lessee MMS may establish the value of production pursuant to a

method other than the method re-

quired by the regulations in this title if: (1) The proposed method for establishing value is consistent with the requirements of the applicable statutes, lease terms and agreement terms; (2) to the extent practical, persons with an interest in the agreement, including royalty interests, are given notice and an opportunity to comment on the proposed valuation method before it is authorized; and (3) to the extent practical, persons with an interest in a Federal lease committed to the agreement, including royalty interests, must agree to use the proposed method for valuing production from the agreement for roy alty purposes.

[53 FR 1271, Jan. 15, 1988, as amended at 64 FR 43513, Aug. 10, 1999]

#### § 202.151 Royalty on processed gas.

- (a)(1) A royalty, as provided in the lease, shall be paid on the value of:
- (i) Any condensate recovered downstream of the point of royalty settlement without resorting to processing; and
- (ii) Residue gas and all gas plant products resulting from processing the gas produced from a lease subject to this subpart.
- (2) MMS shall authorize a processing allowance for the reasonable, actual costs of processing the gas produced from Federal leases. Processing allowances shall be determined in accordance with 30 CFR part 206 subpart D for

gas production from Federal leases and 30 CFR part 206 subpart E for gas production from Indian leases.

- (b) A reasonable amount of residue gas shall be allowed royalty free for operation of the processing plant, but no allowance shall be made for boosting residue gas or other expenses incidental to marketing, except as provided in 30 CFR part 206. In those situations where a processing plant processes gas from more than one lease, only that proportionate share of each lease's residue gas necessary for the operation of the processing plant shall be allowed royalty free.
- (c) No royalty is due on residue gas, or any gas plant product resulting from processing gas, which is reinjected into a reservoir within the same lease, unit area, or communitized area, when the reinjection is included in a plan of development or operations and the plan has received BLM or MMS approval for onshore or offshore operations, respectively, until such time as they are finally produced from the reservoir for sale or other disposition off-lease.

[53 FR 1217, Jan. 15, 1988, as amended at 61 FR 5490, Feb. 12, 1996; 64 FR 43513, Aug. 10, 1999]

## § 202.152 Standards for reporting and paying royalties on gas.

- (a)(1) If you are responsible for reporting production or royalties, you must:
- (i) Report gas volumes and British thermal unit (Btu) heating values, if applicable, under the same degree of water saturation;
- (ii) Report gas volumes in units of 1,000 cubic feet (mcf); and
- (iii) Report gas volumes and Btu heating value at a standard pressure base of 14.73 pounds per square inch absolute (psia) and a standard temperature base of  $60\,^{\circ}\text{F}$ .
- (2) The frequency and method of Btu measurement as set forth in the lessee's contract shall be used to determine Btu heating values for reporting purposes. However, the lessee shall measure the Btu value at least semi-annually by recognized standard industry testing methods even if the lessee's contract provides for less frequent measurement.

#### § 202.250

- (b)(1) Residue gas and gas plant product volumes shall be reported as specified in this paragraph.
- (2) Carbon dioxide ( $CO_2$ ), nitrogen ( $N_2$ ), helium (He), residue gas, and any other gas marketed as a separate product shall be reported by using the same standards specified in paragraph (a) of this section.
- (3) Natural gas liquids (NGL) volumes shall be reported in standard U.S. gallons (231 cubic inches) at 60 °F.
- (4) Sulfur (S) volumes shall be reported in long tons (2,240 pounds).

[53 FR 1271, Jan. 15, 1988, as amended at 63 FR 26367, May 12, 1998]

# Subpart E—Solid Minerals, General [Reserved]

#### Subpart F—Coal

#### § 202.250 Overriding royalty interest.

The regulations governing overriding royalty interests, production payments, or similar interests created under Federal coal leases are in 43 CFR group 3400.

[54 FR 1522, Jan. 13, 1989]

# Subpart G—Other Solid Minerals [Reserved]

#### Subpart H—Geothermal Resources

SOURCE: 56 FR 57275, Nov. 8, 1991, unless otherwise noted

#### § 202.350 Scope and definitions.

- (a) This subpart is applicable to all geothermal resources produced from Federal geothermal leases issued pursuant to the Geothermal Steam Act of 1970, as amended (30 U.S.C. 1001 *et seq.*).
- (b) The definitions in 30 CFR 206.351 are applicable to this subpart.

## $\S 202.351$ Royalties on geothermal resources.

(a) Royalties on geothermal resources, including byproduct minerals and commercially demineralized water, shall be at the royalty rate(s) specified in the lease, unless the Secretary of the Interior temporarily waives, suspends, or reduces that rate(s). Royal-

ties shall be paid in value. The royalty due shall be the value determined pursuant to subpart H of 30 CFR part 206 multiplied by the royalty rate in the lease.

- (b)(1) Royalties are due on all geothermal resources, except those specified in paragraph (b)(2) of this section, that are produced from a lease and are sold or utilized by the lessee or are reasonably susceptible to sale or utilization by the lessee.
- (2) Geothermal resources that are unavoidably lost, as determined by the Bureau of Land Management (BLM), and geothermal resources that are reinjected prior to use on or off the lease, as approved by BLM, are not subject to royalty. The Minerals Management Service (MMS) will allow free of royalty a reasonable amount of geothermal energy necessary to generate electricity for internal powerplant operations or to generate electricity returned to the lease for lease operations. If a powerplant uses geothermal production from more than one lease. or uses unitized or communitized production, only that proportionate share of each lease's production (actual or allocated) necessary to operate the powerplant may be used royalty free. The MMS will also allow free of royalty a reasonable amount of commercially demineralized water necessary for powerplant operations or otherwise used on or for the benefit of the lease.
- (3) Royalties on byproducts are due at the time the recovered byproduct is used, sold, or otherwise finally disposed of. Byproducts produced and added to stockpiles or inventory do not require payment of royalty until the byproducts are sold, utilized, or otherwise finally disposed of. The MMS may ask BLM to increase the lease bond to protect the lessor's interest when BLM determines that stockpiles or inventories become excessive.
- (c) If BLM determines that geothermal resources (including byproducts) were avoidably lost or wasted from the lease, or that geothermal resources (including byproducts) were drained from the lease for which compensatory royalty is due, the value of those geothermal resources shall be determined in accordance with subpart H of 30 CFR part 206.

(d) If a lessee receives insurance or other compensation for unavoidably lost geothermal resources (including byproducts), royalties at the rates specified in the lease are due on the amount of that compensation. This paragraph shall not apply to compensation through self-insurance.

#### § 202.352 Minimum royalty.

In no event shall the lessee's annual royalty payments for any producing lease be less than the minimum royalty established by the lease.

# § 202.353 Measurement standards for reporting and paying royalties.

- (a) For geothermal resources used to generate electricity, the quantity on which royalty is due shall be reported on Form MMS-2014 (Report of Sales and Royalty Remittance) as follows:
- (1) For geothermal resources valued under arm's-length or non-arm's-length contracts, quantities shall be reported in:
- (i) Kilowatthours to the nearest whole kilowatthour if the contract specifies payment in terms of generated electricity,
- (ii) Thousands of pounds to the nearest whole thousand pounds if the contract specifies payment in terms of weight, or

(iii) Millions of Btu's to the nearest whole million Btu if the contract specifies payment in terms of heat or thermal energy.

- (2) For geothermal resources valued by the netback procedure pursuant to 30 CFR 206.352(c)(1)(ii) or (d)(1)(ii), the quantities shall be reported in kilowatthours to the nearest whole kilowatthour.
- (b) For geothermal resources used in direct utilization processes, the quantity on which royalty is due shall be reported on Form MMS-2014 in:
- (1) Millions of Btu's to the nearest whole million Btu if valuation is in terms of thermal energy used or displaced,
- (2) Hundreds of gallons to the nearest hundred gallons of geothermal fluid produced if valuation is in terms of volume, or
- (3) Other measurement unit approved by MMS for valuation and reporting purposes.

- (c) For byproduct minerals, the quantity on which royalty is due shall be reported on Form MMS-2014 consistent with MMS-established reporting standards.
- (d) For commercially demineralized water, the quantity on which royalty is due shall be reported on Form MMS-2014 in hundreds of gallons to the nearest hundred gallons.
- (e) Lessees are not required to report the quality of geothermal resources, including byproducts, to MMS. The lessee must maintain quality measurements for audit and valuation purposes. Quality measurements include, but are not limited to, temperatures and chemical analyses for fluid geothermal resources and chemical analyses, weight percent, or other purity measurements for byproducts.

#### Subpart I—OCS Sulfur [Reserved]

# Subpart J— Gas Production From Indian Leases

SOURCE: 64 FR 43514, Aug. 10, 1999, unless otherwise noted.

## § 202.550 How do I determine the royalty due on gas production?

If you produce gas from an Indian lease subject to this subpart, you must determine and pay royalties on gas production as specified in this section.

- (a) Royalty rate. You must calculate your royalty using the royalty rate in the lease.
- (b) Payment in value or in kind. You must pay royalty in value unless:
- (1) The Tribal lessor requires payment in kind; or
- (2) You have a lease on allotted lands and MMS requires payment in kind.
- (c) Royalty calculation. You must use the following calculations to determine royalty due on the production from or attributable to your lease.
- (1) When paid in value, the royalty due is the unit value of production for royalty purposes, determined under 30 CFR part 206, multiplied by the volume of production multiplied by the royalty rate in the lease.
- (2) When paid in kind, the royalty due is the volume of production multiplied by the royalty rate.

#### § 202.551

- (d) Reduced royalty rate. The Indian lessor and the Secretary may approve a request for a royalty rate reduction. In your request you must demonstrate economic hardship.
- (e) Reporting and paying. You must report and pay royalties as provided in part 218 of this title.

#### § 202.551 How do I determine the volume of production for which I must pay royalty if my lease is not in an approved Federal unit or communitization agreement (AFA)?

- (a) You are liable for royalty on your entitled share of gas production from your Indian lease, except as provided in §§ 202.555, 202.556, and 202.557.
- (b) You and all other persons paying royalties on the lease must report and pay royalties based on your takes. If another person takes some of your entitled share but does not pay the royalties owed, you are liable for those royalties.
- (c) You and all other persons paying royalties on the lease may ask MMS for permission to report and pay royalties based on your entitlements. In that event, MMS will provide valuation instructions consistent with this part and part 206 of this title.

#### § 202.552 How do I determine how much royalty I must pay if my lease is in an approved Federal unit or communitization agreement (AFA)?

You must pay royalties each month on production allocated to your lease under the terms of an AFA. To determine the volume and the value of your production, you must follow these three steps:

- (a) You must determine the volume of your entitled share of production allocated to your lease under the terms of an AFA. This may include production from more than one AFA.
- (b) You must value the production you take using 30 CFR part 206. If you take more than your entitled share of production, see §202.553 for information on how to value this production. If you take less than your entitled share of production, see §202.554 for information on how to value production you are entitled to but do not take.

# § 202.553 How do I value my production if I take more than my entitled share?

If you take more than your entitled share of production from a lease in an AFA for any month, you must determine the weighted-average value of all of the production that you take using the procedures in 30 CFR part 206, and use that value for your entitled share of production.

# § 202.554 How do I value my production that I do not take if I take less than my entitled share?

If you take none or only part of your entitled production from a lease in an AFA for any month, use this section to value the production that you are entitled to but do not take.

- (a) If you take a significant volume of production from your lease during the month, you must determine the weighted average value of the production that you take using 30 CFR part 206, and use that value for the production that you do not take.
- (b) If you do not take a significant volume of production from your lease during the month, you must use paragraph (c) or (d) of this section, whichever applies.
- (c) In a month where you do not take production or take an insignificant volume, and if you would have used \$206.172(b) to value the production if you had taken it, you must determine the value of production not taken for that month under \$206.172(b) as if you had taken it.
- (d) If you take none of your entitled share of production from a lease in an AFA, and if that production cannot be valued under §206.172(b), then you must determine the value of the production that you do not take using the first of the following methods that applies:
- (1) The weighted average of the value of your production (under 30 CFR part 206) in that month from other leases in the same AFA.
- (2) The weighted average of the value of your production (under 30 CFR part 206) in that month from other leases in the same field or area.
- (3) The weighted average of the value of your production (under 30 CFR part 206) during the previous month for production from leases in the same AFA.

- (4) The weighted average of the value of your production (under 30 CFR part 206) during the previous month for production from other leases in the same field or area.
- (5) The latest major portion value that you received from MMS calculated under 30 CFR 206.174 for the same MMS-designated area.
- (e) You may take less than your entitled share of AFA production for any month, but pay royalties on the full volume of your entitled share under this section. If you do, you will owe no additional royalty for that lease for that month when you later take more than your entitled share to balance your account. The provisions of this paragraph (e) also apply when the other AFA participants pay you money to balance your account.

# § 202.555 What portion of the gas that I produce is subject to royalty?

- (a) All gas produced from or allocated to your Indian lease is subject to royalty except the following:
  - (1) Gas that is unavoidably lost.
- (2) Gas that is used on, or for the benefit of, the lease.
- (3) Gas that is used off-lease for the benefit of the lease when the Bureau of Land Management (BLM) approves such off-lease use.
- (4) Gas used as plant fuel as provided in 30 CFR 206.179(e).
- (b) You may use royalty-free only that proportionate share of each lease's production (actual or allocated) necessary to operate the production facility when you use gas for one of the following purposes:
- (1) On, or for the benefit of, the lease at a production facility handling production from more than one lease with BLM's approval.
- (2) At a production facility handling unitized or communitized production.
- (c) If the terms of your lease are inconsistent with this subpart, your lease terms will govern to the extent of that inconsistency.

# § 202.556 How do I determine the value of avoidably lost, wasted, or drained gas?

If BLM determines that a volume of gas was avoidably lost or wasted, or a volume of gas was drained from your Indian lease for which compensatory royalty is due, then you must determine the value of that volume of gas under 30 CFR part 206.

# § 202.557 Must I pay royalty on insurance compensation for unavoidably lost gas?

If you receive insurance compensation for unavoidably lost gas, you must pay royalties on the amount of that compensation. This paragraph does not apply to compensation through self-insurance.

## § 202.558 What standards do I use to report and pay royalties on gas?

- (a) You must report gas volumes as follows:
- (1) Report gas volumes and Btu heating values, if applicable, under the same degree of water saturation. Report gas volumes and Btu heating value at a standard pressure base of 14.73 psia and a standard temperature of 60 degrees Fahrenheit. Report gas volumes in units of 1,000 cubic feet (Mcf).
- (2) You must use the frequency and method of Btu measurement stated in your contract to determine Btu heating values for reporting purposes. However, you must measure the Btu value at least semi-annually by recognized standard industry testing methods even if your contract provides for less frequent measurement.
- (b) You must report residue gas and gas plant product volumes as follows:
- (1) Report carbon dioxide  $(CO_2)$ , nitrogen  $(N_2)$ , helium (He), residue gas, and any gas marketed as a separate product by using the same standards specified in paragraph (a) of this section.
- (2) Report natural gas liquid (NGL) volumes in standard U.S. gallons (231 cubic inches) at 60 degrees F.
- (3) Report sulfur (S) volumes in long tons (2,240 pounds).

# PART 203—RELIEF OR REDUCTION IN ROYALTY RATES

#### Subpart A—General Provisions

Sec.

203.0 What definitions apply to this part?
203.1 What is MMS's authority to grant royalty relief?

#### Pt. 203

- 203.2 How can I get royalty relief?
- 203.3 Why must I pay a fee to request royalty relief?
- 203.4 How do the provisions in this part apply to different types of leases and projects? 203.5 What is MMS's authority to collect in-
- formation?

#### Subpart B—OCS Oil, Gas, and Sulfur General

- ROYALTY RELIEF FOR DRILLING DEEP GAS WELLS ON LEASES NOT SUBJECT TO DEEP WATER ROYALTY RELIEF
- 203.40 Which leases are eligible for royalty relief as a result of drilling deep wells?
- 203.41 If I have a qualified well, what royalty relief will my lease earn?
- 203.42 To which production do I apply the royalty suspension volume earned from qualified wells on my lease?
- 203.43 What administrative steps must I take to use the royalty suspension volume?
- 203.44 If I drill a certified unsuccessful well, what royalty relief will my lease earn?
- 203.45 To which production do I apply the royalty suspension supplements from drilling one or two certified unsuccessful wells on my lease?
- 203.46 What administrative steps do I take to obtain and use the royalty suspension supplement?
- 203.47 Do I keep royalty relief if prices rise significantly?
- 203.48 May I substitute the deep gas drilling provisions in §203.0 and §§203.40 through 203.47 for the deep gas royalty relief provided in my lease terms?

#### ROYALTY RELIEF FOR END-OF-LIFE LEASES

- 203.50 Who may apply for end-of-life royalty relief?
- 203.51 How do I apply for end-of-life royalty relief?
- 203.52 What criteria must I meet to get relief?
- 203.53 What relief will MMS grant?
- 203.54 How does my relief arrangement for an oil and gas lease operate if prices rise sharply?
- 203.55 Under what conditions can my end-oflife royalty relief arrangement for an oil and gas lease be ended?
- 203.56 Does relief transfer when a lease is assigned?
- ROYALTY RELIEF FOR DEEP WATER EXPAN-SION PROJECTS AND PRE-ACT DEEP WATER
- 203.60 Who may apply for deep water royalty relief?
- 203.61 How do I assess my chances for getting relief?
- 203.62 How do I apply for relief?

- 203.63 Does my application have to include all leases in the field?
- 203.64 How many applications may I file on a field or a development project?
- 203.65 How long will MMS take to evaluate my application?
- 203.66 What happens if MMS does not act in the time allowed?
- 203.67 What economic criteria must I meet to get royalty relief on an authorized field or project?
- 203.68 What pre-application costs will MMS consider in determining economic viability?
- 203.69 If my application is approved, what royalty relief will I receive?
- 203.70 What information must I provide after MMS approves relief?
- 203.71 How does MMS allocate a field's suspension volume between my lease and other leases on my field?
- 203.72 Can my lease receive more than one suspension volume?
- 203.73 How do suspension volumes apply to natural gas?
- 203.74 When will MMS reconsider its determination?
- 203.75 What risk do I run if I request a redetermination?
- 203.76 When might MMS withdraw or reduce the approved size of my relief?
- 203.77 May I voluntarily give up relief if
- conditions change? 203.78 Do I keep relief if prices rise significantly?
- 203.79 How do I appeal MMS's decisions related to Deep Water Royalty Relief?
- 203.80 When can I get royalty relief if I am not eligible for end-of-life or deep water royalty relief?

#### REQUIRED REPORTS

- 203.81 What supplemental reports do royalty-relief applications require?
- 203.82 What is MMS's authority to collect this information?
- 203.83 What is in an administrative information report?
- 203.84 What is in a net revenue and relief justification report?
- 203.85 What is in an economic viability and relief justification report?
- 203.86 What is in a G&G report?
- 203.87 What is in an engineering report?
- 203.88 What is in a production report? What is in a deep water cost report? 203 89
- 203.90 What is in a fabricator's confirmation report?
- 203.91 What is in a post-production development report?

#### Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D-Federal and Indian Gas [Reserved]

# Subpart E—Solid Minerals, General [Reserved]

#### Subpart F-Coal

203.250 Advance royalty.203.251 Reduction in royalty rate or rental.

# Subpart G—Other Solid Minerals [Reserved]

#### Subpart H—Geothermal Resources [Reserved]

#### Subpart I—OCS Sulfur [Reserved]

AUTHORITY: 25 U.S.C. 396 et seq.; 25 U.S.C. 396a et seq.; 25 U.S.C. 2101 et seq.; 30 U.S.C. 181 et seq.; 30 U.S.C. 351 et seq.; 30 U.S.C. 1001 et seq.; 30 U.S.C. 1701 et seq.; 31 U.S.C. 9701; 43 U.S.C. 1301 et seq.; 43 U.S.C. 1331 et seq.; and 43 U.S.C. 1801 et seq.

#### **Subpart A—General Provisions**

SOURCE: 63 FR 2616, Jan. 16, 1998, unless otherwise noted.

### § 203.0 What definitions apply to this part?

Authorized field means a field:

- (1) Located in a water depth of at least 200 meters and in the Gulf of Mexico (GOM) west of 87 degrees, 30 minutes West longitude;
- (2) That includes one or more pre-Act leases; and
- (3) From which no current pre-Act lease produced, other than test production, before November 28, 1995.

Certified unsuccessful well means an original well, or a sidetrack with a sidetrack measured depth of at least 10,000 feet, on your lease that:

- (1) You begin drilling on or after March 26, 2003, and before May 3, 2009, and before your lease produces gas or oil from a deep well with a perforated interval the top of which is at least 18,000 feet true vertical depth below the datum at mean sea level (TVD SS);
- (2) You drill to at least 18,000 feet TVD SS with a target reservoir on your lease, identified from seismic and related data, deeper than that depth;
- (3) Fails to meet the producibility requirements of 30 CFR part 250, subpart A, and does not produce gas or oil, or the MMS agrees is not commercially producible; and

(4) For which you have provided the notices and information in §203.46.

Complete application means an original and two copies of the six reports consisting of the data specified in 30 CFR 203.81, 203.83 and 203.85 through 203.89, along with one set of digital information, which MMS has reviewed and found complete.

Deep well means either an original well or a sidetrack with a perforated interval the top of which is at least 15,000 feet TVD SS. A deep well subsequently re-perforated less than 15,000 feet TVD SS in the same reservoir is still a deep well.

Determination means the binding decision by MMS on whether your field qualifies for relief or how large a royalty-suspension volume must be to make the field economically viable.

Development project means a project to develop one or more oil or gas reservoirs located on one or more contiguous leases that:

- (1) Were issued in a sale held after November 28, 2000;
- (2) Are located in a water depth of at least 200 meters and in the GOM wholly west of 87 degrees, 30 minutes West longitude; and
- (3) Have had no production (other than test production) before the current application for royalty relief.

Draft application means the preliminary set of information and assumptions you submit to seek a nonbinding assessment on whether a field could be expected to qualify for royalty relief.

Eligible lease means a lease that:

- (1) Is issued as part of an OCS lease sale held after November 28, 1995, and before November 28, 2000;
- (2) Is located in the Gulf of Mexico in water depths of 200 meters or deeper;
- (3) Lies wholly west of 87 degrees, 30 minutes West longitude; and
- (4) Is offered subject to a royalty suspension volume.

Expansion project means a project you propose in a Development Operations Coordination Document (DOCD) or a Supplement approved by the Secretary of the Interior after November 28, 1995, that will significantly increase the ultimate recovery of resources from one or more reservoirs that have not produced on a pre-Act lease or a lease issued in a sale held after November 28,

2000. A significant increase does not simply extend recovery from reservoirs already in production. For a pre-Act lease, the expansion project must also involve a substantial capital investment (e.g., fixed-leg platform, subsea template and manifold, tension-leg platform, multiple well project, etc.). For a lease issued after November 28, 2000, the expansion project must involve a new well drilled into a reservoir that has not previously produced. In all cases, all leases in an expansion project must be wholly located in a water depth of at least 200 meters and in the GOM wholly west of 87 degrees, 30 minutes West longitude.

Fabrication (or start of construction) means evidence of an irreversible commitment to a concept and scale of development. Evidence includes copies of a binding contract between you (as applicant) and a fabrication yard, a letter from a fabricator certifying that continuous construction has begun, and a receipt for the customary down payment.

Field means an area consisting of a single reservoir or multiple reservoirs all grouped on, or related to, the same general geological structural feature or stratigraphic trapping condition. Two or more reservoirs may be in a field, separated vertically by intervening impervious strata or laterally by local geologic barriers, or both.

Lease means a lease or unit.

New production means any production from a current pre-Act lease from which no royalties are due on production, other than test production, before November 28, 1995. Also, it means any additional production resulting from new lease-development activities on a lease issued in a sale after November 28, 2000, or a current pre-Act lease under a DOCD or a Supplement approved by the Secretary of the Interior after November, 28, 1995.

Nonbinding assessment means an opinion by MMS of whether your field could qualify for royalty relief. It is based on your draft application and does not entitle the field to relief.

Original well means a well that is drilled without utilizing an existing wellbore. An original well includes all sidetracks drilled from the original wellbore before the drilling rig moves

off the well location. A bypass from an original well (e.g., drilling around material blocking the hole or to straighten crooked holes) is part of the original well.

Participating area means that part of the unit area that MMS determines is reasonably proven by drilling and completion of producible wells, geological and geophysical information, and engineering data to be capable of producing hydrocarbons in paying quantities.

Performance conditions means minimum conditions you must meet, after we have granted relief and before production begins, to remain qualified for that relief. If you do not meet each one of these performance conditions, we consider it a change in material fact significant enough to invalidate our original evaluation and approval.

Pre-Act lease means a lease that:

- (1) Results from a sale held before November 28, 1995;
- $\left(2\right)$  Is located in the GOM in water depths of 200 meters or deeper; and

(3) Lies wholly west of 87 degrees, 30 minutes West longitude.

Production means all oil, gas, and other relevant products you save, remove, or sell from a tract or those quantities allocated to your tract under a unitization formula, as measured for the purposes of determining the amount of royalty payable to the United States.

*Project* means any activity that requires at least a permit to drill.

Qualified well means a deep well:

- (1) For which drilling begins on or after March 26, 2003;
- (2) That produces natural gas (other than test production), including gas associated with oil production, before May 3, 2009; and
- (3) For which you have met the requirements prescribed in § 203.43.

Redetermination means our reconsideration of our determination on royalty relief because you request it after:

- (Ĭ) We have rejected your application;
- (2) We have granted relief but you want a larger suspension volume;
  - (3) We withdraw approval; or
  - (4) You renounce royalty relief.

Renounce means action you take to give up relief after we have granted it and before you start production.

Reservoir means an underground accumulation of oil or natural gas, or both, characterized by a single pressure system and segregated from other such accumulations.

Royalty suspension (RS) lease means a lease that:

- (1) Is issued as part of an OCS lease sale held after November 28, 2000;
- (2) Is in locations or planning areas specified in a particular Notice of OCS Lease Sale offering that lease; and
- (3) Is offered subject to a royalty suspension specified in a Notice of OCS Lease Sale published in the FEDERAL REGISTER.

Royalty suspension supplement means a royalty suspension volume resulting from drilling a certified unsuccessful well that is applied to future natural gas and oil production generated at any drilling depth on, or allocated under an MMS-approved unit agreement to, the same lease.

Royalty suspension volume means a volume of production from a lease that is not subject to royalty under the provisions of this part.

Sidetrack means, for the purpose of this subpart, a well resulting from drilling an additional hole to a new objective bottom-hole location by leaving a previously drilled hole. A sidetrack also includes drilling a well from a platform slot reclaimed from a previously drilled well or re-entering and deepening a previously drilled well. A bypass from a sidetrack (e.g., drilling around material blocking the hole, or to straighten crooked holes) is part of the sidetrack.

Sidetrack measured depth means the actual distance or length in feet a sidetrack is drilled beginning where it exits a previously drilled hole to the bottom hole of the sidetrack, that is, to its total depth.

Sunk costs for an authorized field means the after-tax eligible costs that you (not third parties) incur for exploration, development, and production from the spud date of the first discovery on the field to the date we receive your complete application for royalty relief. The discovery well must be qualified as producible under part 250, subpart A of this title. Sunk costs include the rig mobilization and mate-

rial costs for the discovery well that you incurred before its spud date.

Sunk costs for an expansion or development project means the after-tax eligible costs that you (not third parties) incur for only the first well that encounters hydrocarbons in the reservoir(s) included in the application and that meets the producibility requirements under part 250, subpart A of this chapter on each lease participating in the application. Sunk costs include rig mobilization and material costs for the discovery wells that you incurred before their spud dates.

Withdraw means action we take on a field that has qualified for relief if you have not met one or more of the performance conditions.

[63 FR 2616, Jan. 16, 1998, as amended at 67 FR 1872, Jan. 15, 2002; 69 FR 3509, Jan. 26, 2004; 69 FR 24053, Apr. 30, 2004]

### § 203.1 What is MMS's authority to grant royalty relief?

The Outer Continental Shelf (OCS) Lands Act, 43 U.S.C. 1337, as amended by the OCS Deep Water Royalty Relief Act (DWRRA), Public Law 104-58, authorizes us to grant royalty relief in three situations.

- (a) Under 43 U.S.C. 1337(a)(3)(A), we may reduce or eliminate any royalty or a net profit share specified for an OCS lease to promote increased production.
- (b) Under 43 U.S.C. 1337(a)(3)(B), we may reduce, modify, or eliminate any royalty or net profit share to promote development, increase production, or encourage production of marginal resources on certain leases or categories of leases. This authority is restricted to leases in the Gulf of Mexico (GOM) that are west of 87 degrees, 30 minutes West longitude.
- (c) Under 43 U.S.C. 1337(a)(3)(C), we may suspend royalties for designated volumes of new production from any lease if:
- (1) Your lease is in deep water (water at least 200 meters deep);
- (2) Your lease is in designated areas of the GOM (west of 87 degrees, 30 minutes West longitude);
- (3) Your lease was acquired in a lease sale held before the DWRRA (before November 28, 1995);

- (4) We find that your new production would not be economic without royalty relief: and
- (5) Your lease is on a field that did not produce before enactment of the DWRRA, or if you propose a project to significantly expand production under a Development Operations Coordination Document (DOCD) or a supple-

mentary DOCD, that MMS approved after November 28, 1995.

#### § 203.2 How can I get royalty relief?

We may reduce or suspend royalties for Outer Continental Shelf (OCS) leases or projects that meet the criteria in the following table.

If you have a lease	And if you	Then we may grant you
(a) With earnings that cannot sustain production (i.e., <i>End-of-life lease</i> ).	Would abandon otherwise potentially re- coverable resources but seek to in- crease production by operating beyond the point at which the lease is eco- nomic under the existing royalty rate.	A reduced royalty rate on current month- ly production and a higher royalty rate on additional monthly production. (See §§ 203.50 through 203.56.)
(b) Located in a designated GOM deep water area, and acquired in a lease sale before November 28, 1995, or after November 28, 2000, and you propose in a DOCD or supplement to expand production significantly.	Are producing and seek to increase ultimate resource recovery from one or more reservoirs not previously or currently producing on the field or lease, not simply extend recovery of reservoirs that already produced. (Expansion project).	A royalty suspension for additional production large enough to make the project economic. (See §§ 203.60 through 203.79.)
(c) Located in a designated GOM deep water area and acquired in a lease sale held before November 28, 1995 ( <i>Pre-Act lease</i> ).	Are on a field from which no current pre- Act lease produced (other than test production) before November 28, 1995 (Authorized field).	A royalty suspension for a minimum pro- duction volume plus any additional vol- ume needed to make the field eco- nomic. (See §§ 203.60 through 203.79.)
(d) Located in a designated GOM deep water area and acquired in a lease sale held after November 28, 2000.	Have not produced and can demonstrate that the suspension volume, if any, in your lease is not enough to make development economic ( <i>Development project</i> ).	A royalty suspension for a minimum production volume plus any additional volume needed to make your project economic. (See §§ 203.60 through 203.79.)
(e) Where royalty relief would recover significant additional resources or, in certain areas of the GOM, would en- able development.	Are not eligible to apply for end-of-life or deep water royalty relief, but show us you meet certain elligibility conditions.	A royalty modification in size, duration, or form that makes your lease or project economic. (See § 203.80.)

[67 FR 1872, Jan. 15, 2002]

# § 203.3 Why must I pay a fee to request royalty relief?

(a) When you submit an application or ask for a preview assessment, you must include a fee to reimburse us for our costs of processing your application or assessment. Federal policy and law require us to recover the cost of services that confer special benefits to identifiable non-Federal recipients. The Independent Offices Appropriation Act (31 U.S.C. 9701), Office of Management and Budget Circular A-25, and the Omnibus Appropriations Bill (Pub. L. 104-133, 110 Stat. 1321, April 26, 1996) authorize us to collect these fees.

(b) We will specify the necessary fees for each of the types of royalty-relief applications and possible MMS audits in a Notice to Lessees. We will periodically update the fees to reflect changes in costs as well as provide other information necessary to administer royalty relief.

# § 203.4 How do the provisions in this part apply to different types of leases and projects?

The tables in this section summarize the similar application and approval provisions for the discretionary end-of-life and deep water royalty relief programs in §§ 203.50 to 203.91. Because royalty relief for deep gas on leases not subject to deep water royalty relief, as provided for under §§ 203.40 to 203.48, does not involve an application, its provisions do not parallel the other two royalty relief programs and are not summarized in this section.

(a) We require the information elements indicated by an X in the following table and described in §§ 203.51, 203.62, and 203.81 through 203.89 for applications for royalty relief.

Information elements	End-of-	Deep water			
	life lease	Expansion project	Pre-act lease	Development project	
(1) Administrative information report	X X	х	х	х	
physical (G&G), Engineering, Production, & Cost reports)		X	X	X	
(4) G&G report		X	X	X	
(6) Production report		X	x	X	
(7) Deep water cost report		X	X	X	

(b) We require the confirmation elements indicated by an X in the following table and described in  $\S 203.70$ ,

203.81 and 203.90 through 203.91 to retain royalty relief.

Confirmation elements	End-of- life Expansion project	Deep water		
		Pre-act lease	Development project	
(1) Fabricator's confirmation report		Х	х	Х
tified public accountant (CPA)		×	×	Х

(c) The following table indicates by an X, and  $\S$  203.50, 203.52, 203.60 and 203.67 describe, the prerequisites for

our approval of your royalty relief application.

Approval conditions	End-of-	Deep water		
	life lease	Expansion	Pre-act lease	Development project
(1) At least 12 of the last 15 months have the required level of production (2) Already producing	X X	x	x	x
plate)		X	x	х

(d) The following table indicates by an X, and  $\S 203.52$  and 203.74 through 203.75 describe, the prerequisites for a

redetermination of our royalty relief decision.

Dedekowsinston conditions	End-of-	Deep water		
Redetermination conditions	Life lease	Expansion project	Pre-act lease	Development project
After 12 months under current rate, criteria same as for approval     (2) For material change in geologic data, prices, costs, or available technology	Х	x	x	х

(e) The following table indicates by an X, and \$\$203.53 and 203.69 describe,

the characteristics of approved royalty relief.

	End-of-	Deep water			
Relief rate and volume, subject to certain conditions	life lease	Expansion project	Pre-act lease	Development project	
(1) One-half pre-application effective lease rate on the qualifying amount, 1.5 times pre-application effective lease rate on additional production up to twice the qualifying amount, and the pre-application effective lease rate for any larger volumes  (2) Qualifying amount is the average monthly production for 12 qualifying months  (3) Zero royalty rate on the suspension volume and the original lease rate on additional production  (4) Suspension volume is at least 17.5, 52.5 or 87.5 million barrels of oil equivalent (MMBOE)  (5) Suspension volume is at least the minimum set in the Notice of Sale,	x x	х	x x	x	
the lease, or the regulations		X X	x	X X	

# (f) The following table indicates by circumstances under which we disan X, and $\S 203.54$ and 203.78 describe, continue your royalty relief.

	Full royalty resumes when End-of-life lease	Deep water			
Full royalty resumes when		Expansion project	Pre-act lease	Development project	
(1) Average NYMEX price for last 12 months is at least 25 percent above the average for the qualifying months (2) Average NYMEX price for last calendar year exceeds \$28/bbl or \$3.50/mcf, escalated by the gross domestic product (GDP) deflator since 1994  (3) Average prices for designated periods exceed levels we specify in the Notice of Sale or the lease	х	x x	x	x	

# (g) The following table indicates by an X, and \$\$203.55 and 203.76 through which we end or reduce royalty relief.

		Deep water		
Relief withdrawn or reduced	life lease	Expansion project	Pre-act lease	Development project
(1) If recipient requests     (2) Lease royalty rate is at the effective rate for 12 consecutive months     (3) Conditions occur that we specified in the approval letter in individual cases     (4) Recipient does not submit post-production report that compares expected to actual costs     (5) Recipient changes development system     (6) Recipient excessively delays starting fabrication     (7) Recipient spends less than 80 percent of proposed pre-production costs prior to start of production     (8) Amount of relief volume is produced	X X	X X X X	X X X X	X X X X

 $[67\;\mathrm{FR}\;1873,\;\mathrm{Jan.}\;15,\;2002,\;\mathrm{as}\;\mathrm{amended}\;\mathrm{at}\;69\;\mathrm{FR}\;3509,\;\mathrm{Jan.}\;26,\;2004]$ 

# § 203.5 What is MMS's authority to collect information?

The Paperwork Reduction Act of 1995 (PRA) requires us to inform you that MMS may not conduct or sponsor and you are not required to respond to a collection of information unless it displays a currently valid OMB control number. OMB approved the informa-

tion collection requirements in this part 203 under 44 U.S.C. 3501 et seq. in two actions. The information collection requirements in §§ 203.50 through 203.91 are approved under OMB control number 1010–0071, and those in §§ 203.40 through 203.48 are approved under 1010–0153.

[69 FR 3509, Jan. 26, 2004]

# Subpart B—OCS Oil, Gas, and Sulfur General

SOURCE: 63 FR 2618, Jan. 16, 1998, unless otherwise noted.

ROYALTY RELIEF FOR DRILLING DEEP GAS WELLS ON LEASES NOT SUBJECT TO DEEP WATER ROYALTY RELIEF

Source: 69 FR 3510, Jan. 26, 2004, unless otherwise noted.

# § 203.40 Which leases are eligible for royalty relief as a result of drilling deep wells?

Your lease may receive a royalty suspension volume under §§ 203.41 through 203.43, and may receive a royalty suspension supplement under §§ 203.44 through 203.46, if it:

- (a) Was:
- (1) In existence on January 1, 2001;
- (2) Issued in a lease sale held after January 1, 2001 and before April 1, 2004 and the lessee has exercised the option provided for in §203.48; or
- (3) Issued in a lease sale held on or after April 1, 2004 and the lease terms provide for royalty relief under §§ 203.41 through 203.47;

(b) Is located:

- (1) In the GOM, wholly west of 87 degrees, 30 minutes West longitude;
- (2) Entirely in water less than 200 meters deep, or partly in water less than 200 meters deep and no deep-water royalty relief provisions in statutes or lease terms apply to the lease; and
- (c) Has not produced gas or oil from a deep well with a perforated interval the top of which is 18,000 feet TVD SS or deeper that commenced drilling before March 26, 2003.

## § 203.41 If I have a qualified well, what royalty relief will my lease earn?

(a) This paragraph and paragraph (b) of this section apply if your lease has not produced gas or oil from a deep well that commenced drilling before March 26, 2003. Subject to the administrative requirements of \$203.43, the provisions of \$203.44(d), and the price conditions in \$203.47, you earn a royalty suspension volume shown in the following table in billions of cubic feet (BCF) or in thousands of cubic feet (MCF) applicable to gas production as prescribed in \$203.42:

If you have a qualified well that is . . .

Then you earn a royalty suspension volume on this amount of gas production, as prescribed in this section and § 203.42:

- (1) An original well with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS.
- (2) A sidetrack with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS.
- (3) An original well with a perforated interval the top of which is 18,000 feet TVD SS or deeper.
- (4) A sidetrack with a perforated interval the top of which is 18,000 feet TVD SS or deeper.

15 BCF.

4 BCF plus 600 MCF times sidetrack measured depth (rounded to the nearest 100 feet) but no more than 15 BCF. 25 BCF.

4 BCF plus 600 MCF times sidetrack measured depth (rounded to the nearest 100 feet) but no more than 25 BCF.

(b) We will suspend royalties on gas volumes produced on or after May 3, 2004, reported on the Oil and Gas Operations Report, Part A (OGOR-A) for your lease under §216.53, as and to the extent prescribed in §203.42. All gas production from qualified wells reported on the OGOR-A, including production that is not subject to royalty (except for production to which a royalty suspension supplement under §\$203.44 and 203.45 applies), counts toward the lease royalty suspension volume.

Example 1. If you have a qualified well that is an original well with a perforated interval

the top of which is 16,000 feet TVD SS, you earn a royalty suspension volume of 15 BCF of gas production from qualified wells on your lease, as prescribed in §203.42. However, if the top of the perforated interval is 18,500 feet TVD SS, the royalty suspension volume is 25 BCF.

Example 2. If you have a qualified well that is a sidetrack with a perforated interval the top of which is 16,000 feet TVD SS, that has a sidetrack measured depth of 6,789 feet, we round the distance to 6,800 feet and you earn a royalty suspension volume of 8.08 BCF of gas production from qualified wells on your lease, as prescribed in §203.42.

Example 3. If you have a qualified well that is a sidetrack with a perforated interval the top of which is 16,000 feet TVD SS, that has a sidetrack measured depth of 19,500 feet,

you earn a royalty suspension volume of 15 BCF of gas production from qualified wells on your lease, as prescribed in §203.42, even though 4 BCF plus 600 MCF per foot of sidetrack measured depth equals 15.7 BCF.

(c) This paragraph and paragraph (d) of this section apply if your lease has produced gas or oil from a deep well with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS (regardless of whether drilling began before or after March 26, 2003), and you subsequently have a qualified well on your lease with a perforated interval the top of which is

the administrative requirements of §203.43, the provisions of §203.44(d), and the price conditions in §203.47, you earn a royalty suspension volume specified in the following table, applicable to gas production as prescribed in §203.42. This royalty suspension volume is in addition to any royalty suspension volume your lease already may have earned, if any, as a result of a qualified well with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS.

18,000 feet TVD or deeper. Subject to

If your lease has produced gas or oil from a deep well with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS, and you subsequently have a qualified well that is . . .

Then, you earn a royalty suspension volume on this amount of gas production, as prescribed in this section and §203.42

- (1) An original well or a sidetrack with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS. (2) An original well with a perforated interval the top of which is 18,000 feet TVD SS or deeper.
- (3) A sidetrack with a perforated interval the top of which is 18,000 feet TVD SS or deeper.

BCF.

10 BCF.

4 BCF plus 600 MCF times sidetrack measured depth (rounded to the nearest 100 feet) but no more than 10 BCF.

(d) We will suspend royalties on gas volumes produced on or after May 3, 2004, reported on the Oil and Gas Operations Report, Part A (OGOR-A) for your lease under §216.53, as and to the extent prescribed in §203.42. All gas production from qualified wells reported on the OGOR-A, including production that is not subject to royalty (except for production to which a royalty suspension supplement under §\$203.44 and 203.45 applies), counts toward the lease royalty suspension volume.

Example 1. If you have drilled and produced a well with a perforated interval the top of which is 16,000 feet TVD SS before March 26, 2003 (and therefore, it is not a qualified well and has earned no royalty suspension volume) and later drill:

- (i) A well with a perforated interval the top of which is 17,000 feet TVD SS, you earn no royalty suspension volume.
- (ii) A qualified well that is an original well with a perforated interval the top of which is 19,000 feet TVD SS, you earn a royalty suspension volume of 10 BCF of gas production from qualified wells on your lease, as prescribed in § 203.42.
- (iii) A qualified well that is a sidetrack with a perforated interval the top of which is 19,000 feet TVD SS, that has a sidetrack measured depth of 7,000 feet, you earn a royalty suspension volume of 8.2 BCF of gas pro-

duction from qualified wells on your lease, as prescribed in  $\S 203.42$ .

Example 2. If you have a qualified well (i.e., drilled after March 26, 2003) that is an original well with a perforated interval the top of which is 16,000 feet TVD SS and later drill a second qualified well that is an original well with a perforated interval the top of which is 19,000 feet TVD SS, we increase the total royalty suspension volume for your lease from 15 BCF to 25 BCF, as prescribed in §203.42.

Example 3. If you have a qualified well (i.e., drilled after March 26, 2003) that is a side-track with a perforated interval the top of which is 16,000 feet TVD SS, that has a side-track measured depth of 4,000 feet, and later drill a second qualified well that is a side-track with a perforated interval the top of which is 19,000 feet TVD SS, that has a side-track measured depth of 8,000 feet, we increase the total royalty suspension volume for your lease from 6.4 BCF to 15.2 BCF, as prescribed in §203.42. The difference of 8.8 BCF represents the royalty suspension volume earned by the second sidetrack.

- (e) After your lease has produced gas or oil from a deep well with a perforated interval the top of which is 18,000 feet TVD SS or deeper, your lease cannot earn a royalty suspension volume as a result of drilling any subsequent qualified wells.
- (f) The royalty suspension volume determined under this section for the

first qualified well on your lease (whether an original well or a side-track) establishes the total royalty suspension volume available for that drilling depth interval on your lease, regardless of the number of subsequent qualified wells you drill to that depth interval.

Example to paragraph (f): If your first qualified well is a sidetrack with a perforated interval the top of which is 16,000 feet TVD SS and earns a royalty suspension volume of 12.5 BCF, and you later drill a qualified original well to 17,000 feet TVD SS, the royalty suspension volume for your lease remains at 12.5 BCF and does not increase to 15 BCF. However, under paragraph (b) of this section, if you subsequently drill a qualified well to another depth interval 18,000 feet or greater TVD SS, you may earn an additional royalty suspension volume.

- (g) If a qualified well on your lease is within a unitized portion of your lease, the royalty suspension volume earned by that well under this section applies only to your lease and not to other leases within the unit.
- (h) If your qualified well is a directional well (either an original well or a sidetrack) drilled across a lease line, the lease with the perforated interval that initially produces earns the royalty suspension volume. However, if the perforated interval crosses a lease line, the lease where the surface of the well is located earns the royalty suspension volume.
- (i) Any royalty suspension volume earned under this section is in addition to any royalty suspension supplement for your lease under §203.44 that results from a different wellbore.
- (j) If your lease earns a royalty suspension volume under this section and later produces from a deep well that is not a qualified well, the royalty suspension volume is not forfeited or terminated. However, you may not apply the royalty suspension volume under this section to production from the deep well that is not a qualified well, even if it begins producing after your first qualified well.
- (k) You owe minimum royalties or rentals in accordance with your lease terms notwithstanding any royalty

suspension volumes allowed under paragraphs (a) and (b) of this section.

[69 FR 3510, Jan. 26, 2004, as amended at 69 FR 24053, Apr. 30, 2004]

### § 203.42 To which production do I apply the royalty suspension volume earned from qualified wells on my lease?

- (a) This paragraph applies to any lease that is not within an MMS-approved unit. Subject to the requirements of §§203.40, 203.41, 203.43, 203.44, and 203.47, you must apply the royalty suspension volumes prescribed in §203.41 to the earliest gas production:
- (1) Occurring on and after the later of May 3, 2004, or the date that the first qualified well that earns your lease the royalty suspension volume begins production (other than test production);
- (2) From all qualified wells, regardless of their depth, on your lease for which you have met the requirements in §203.43, up to the aggregate royalty suspension volume earned by your lease.

Example to paragraph (a): You began drilling an original well that was a qualified well with a perforated interval the top of which is 18,200 feet TVD SS on May 1, 2003 and it began producing on September 1, 2003. You subsequently drilled two more original wells that are qualified wells with a perforated interval the tops of which are 16,600 feet TVD SS. The first well earned a royalty suspension volume of 25 BCF. You must apply the royalty suspension volume each month beginning on March 1, 2004 to production from all three wells until the 25 BCF royalty suspension volume is fully utilized.

- (b) This paragraph applies to any lease all or part of which is within an MMS-approved unit. If your lease has a qualified well, a share of the production from all the qualified wells in the unit participating area will be allocated to your lease each month according to the participating area percentages. Subject to the requirements of §§ 203.40, 203.41, 203.43, 203.44, and 203.47, you must apply the royalty suspension volume to the earliest gas production occurring on and after the later of May 3, 2004, or the date that the first qualified well that earns your lease the royalty suspension volume begins production (other than test production):
- (1) From all qualified wells on the non-unitized area of your lease and

(2) Allocated to your lease from qualified wells on unitized areas of your lease and other leases in the unit under an MMS-approved unit agreement. That allocated share does not increase the royalty suspension volume for your lease. None of the volumes produced from a well that is not within a unit participating area may be allocated to other leases in the unit.

Example to paragraph (b): The east half of your lease A is unitized with all of lease B. There is one qualified well on the non-unitized portion of lease A, one qualified well on the unitized portion of lease A and a qualified well on lease B. The participating area percentages allocate 32 percent of production from both of the unit qualified wells to lease A and 68 percent to lease B. If the non-unitized qualified well on lease A produces 12,000 MCF and the unitized qualified well on lease A produces 15,000 MCF, and the qualified well on lease B produces 10,000 MCF, then the production volume from and allocated to lease A to which the lease A royalty suspension volume applies is 20,000 MCF [12,000 + (15,000 + 10,000)(32 percent)]. The production volume allocated to lease B to which the lease B royalty suspension volume applies is 17,000 MCF [(15,000 + 10,000)(68 percent)].

- (c) Unused royalty suspension volume transfers to a successor lessee and expires with the lease.
- (d) You may not apply the royalty suspension volume allowed under § 203.41:
- (1) To production from completions less than 15,000 feet TVD SS, except in cases where the qualified well is re-perforated in the same reservoir previously perforated deeper than 15,000 feet TVD SS;
- (2) To production from a deep well that commenced drilling before March 26, 2003; or
- (3) To production from a deep well on any other lease, except as provided in paragraph (b) of this section.
- (e) You must begin paying royalties when the cumulative production of gas from all qualified wells on your lease, or allocated to your lease under paragraph (b) of this section, reaches the applicable royalty suspension volume allowed under §203.41. For the month in which cumulative production reaches this royalty suspension volume, you owe royalties on the portion of gas production that exceeds the royalty suspension volume remaining at the beginning of that month.

(f) No royalty suspension volume may be applied to any liquid hydrocarbon (oil and condensate) volumes.

[69 FR 3510, Jan. 26, 2004, as amended at 69 FR 24054, Apr. 30, 2004]

# § 203.43 What administrative steps must I take to use the royalty suspension volume?

- (a) You must notify, in writing, the MMS Regional Supervisor for Production and Development of your intent to begin drilling operations on all deep wells; and
- (b) Within 30 days of the beginning of production from all wells that would become qualified wells by satisfying the requirements of this section, you must:
- (1) Provide written notification to the MMS Regional Supervisor for Production and Development that production has begun; and
- (2) Request confirmation of the size of the royalty suspension volume earned by your lease.
- (c) Before beginning production, you must meet any production measurement requirements that the MMS Regional Supervisor for Production and Development has determined are necessary under 30 CFR part 250, subpart I.
- (d) If you produced from a qualified well before May 3, 2004, you must provide the information in paragraph (b) of this section no later than August 3, 2004.
- (e) If you cannot produce from a well that otherwise meets the criteria for a qualified well before May 3, 2009, the MMS Regional Supervisor for Production and Development may extend the deadline for beginning production for up to 1 year, based on the circumstances of the particular well involved, provided you demonstrate that:
- (1) The delay occurred after reaching total depth in your well;
- (2) Production (other than test production) was expected to begin before March 1, 2009; and
- (3) The delay in beginning production is for reasons beyond your control, including but not limited to adverse weather and unavoidable accidents.

[69 FR 3510, Jan. 26, 2004, as amended at 69 FR 24054, Apr. 30, 2004]

# § 203.44 If I drill a certified unsuccessful well, what royalty relief will my lease earn?

Your lease may earn a royalty suspension supplement. Subject to paragraph (d) of this section, the royalty suspension supplement is in addition to any royalty suspension volume your lease may earn under §203.41.

(a) If you drill a certified unsuccessful well and you satisfy the administrative requirements of §203.46 and subject to the price conditions in §203.47, you earn a royalty suspension supplement shown in the following table (in billions of cubic feet of gas equivalent (BCFE) or in thousands of cubic feet of gas equivalent (MCFE)) applicable to oil and gas production as prescribed in §204.45:

If you have a certified unsuccessful well that is . . .

Then, you earn a royalty suspension supplement on this volume of oil and gas production as prescribed in this section and § 203.45:

- (1) An original well and your lease has not produced gas or oil from a deep well.
- (2) A sidetrack (with a sidetrack measured depth of at least 10,000 feet) and your lease has not produced gas or oil from a deep well.
- (3) An original well or a sidetrack (with a sidetrack measured depth of at least 10,000 feet) and your lease has produced gas or oil from a deep well with a perforated interval the top of which is from 15,000 to less than 18,000 feet TVD SS.

5 BCFE.

0.8 BCFE plus 120 MCFE times sidetrack measured depth (rounded to the nearest 100 feet) but no more than 5 BCFE.

2 BCFE

(b) We will suspend royalties on oil and gas volumes produced on or after May 3, 2004, reported on the Oil and Gas Operations Report, Part A (OGOR-A) for your lease under §216.53, as and to the extent prescribed in §203.45. All oil and gas production reported on the OGOR-A, including production that is not subject to royalty (except for production to which a royalty suspension volume under §§203.41 and 203.42 applies), counts toward the lease royalty suspension supplement.

Example 1. If you drill a certified unsuccessful well that is an original well to a target 19,000 feet TVD SS, you earn a royalty suspension supplement of 5 BCFE of gas and oil production if your lease has not previously produced from a deep well, or you earn a royalty suspension supplement of 2 BCFE of gas and oil production if your lease has previously produced from a deep well with a perforated interval from 15,000 to less than 18,000 feet TVD SS, as prescribed in §203.45.

Example 2. If you drill a certified unsuccessful well that is a sidetrack that reaches a target 19,000 feet TVD SS, that has a sidetrack measured depth of 12,545 feet, and your lease has not produced gas or oil from any deep well, we round the distance to 12,500 feet and you earn a royalty suspension supplement of 2.3 BCFE of gas and oil production as prescribed in §203.45.

- (c) The conversion from oil to gas for using the royalty suspension supplement is specified in §203.73.
- (d) Each lease is eligible for up to two royalty suspension supplements. Therefore, the total royalty suspension supplement for a lease cannot exceed 10 BCFE.
- (1) You may not earn more than one royalty suspension supplement from a single wellbore.
- (2) If you begin drilling a certified unsuccessful well on one lease but the completion target is on a second lease, the entire royalty suspension supplement belongs to the second lease. However, if the target straddles a lease line, the lease where the surface of the well is located earns the royalty suspension supplement.
- (e) If the same wellbore that earns a royalty suspension supplement as a certified unsuccessful well later produces from a perforated interval the top of which is 15,000 feet TVD SS or deeper before May 3, 2009, it will become a qualified well subject to the following conditions:
- (1) Beginning on the date production starts, you must stop applying the royalty suspension supplement earned by that wellbore to your lease production.
- (2) If the completion of this qualified well is on your lease or, in the case of a directional well, is on another lease,

then you must subtract from the royalty suspension volume earned by that qualified well the royalty suspension supplement amounts earned by that wellbore that have already been applied either on your lease or any other lease. The difference represents the royalty suspension volume earned by the qualified well.

(f) If the same wellbore that earned a royalty suspension supplement later has a sidetrack drilled from that wellbore, you are not required to subtract any royalty suspension supplement earned by that wellbore from the royalty suspension volume that may be earned by the sidetrack.

(g) You owe minimum royalties or rentals in accordance with your lease terms notwithstanding any royalty suspension supplements under this section.

[69 FR 3510, Jan. 26, 2004, as amended at 69 FR 24054, Apr. 30, 2004]

# § 203.45 To which production do I apply the royalty suspension supplements from drilling one or two certified unsuccessful wells on my lease?

(a) Subject to the requirements of §§ 203.40, 203.42, 203.44, 203.46 and 203.47, you must apply royalty suspension supplements in § 203.44 to the earliest oil and gas production:

(1) Occurring on and after the day you file the information under § 203.46(b),

(2) From, or allocated under an MMSapproved unit agreement to, the lease on which the certified unsuccessful well was drilled, without regard to the drilling depth of the well producing the gas or oil.

(b) If you have a royalty suspension volume for the lease under §203.41, you must use the royalty suspension volumes for gas produced from qualified wells on the lease before using royalty suspension supplements for gas produced from qualified wells.

Example to paragraph (b): ≤You have two shallow oil wells on your lease. Then you drill a certified unsuccessful well and earn a royalty suspension supplement of 5 BCFE. Thereafter, you begin production from an original well that is a qualified well that earns a royalty suspension volume of 15 BCF. You use only 2 BCFE of the royalty suspension supplement before the oil wells deplete.

You must use up the 15 BCF of royalty suspension volume before you use the remaining 3 BCFE of the royalty suspension supplement for gas produced from the qualified well.

- (c) If you have no current production on which to apply the royalty suspension supplement allowed under §203.44, your royalty suspension supplement applies to the earliest subsequent production of gas and oil from, or allocated under an MMS-approved unit agreement to, your lease.
- (d) Unused royalty suspension supplements transfer to a successor lessee and expire with the lease.
- (e) You may not apply the royalty suspension supplement allowed under §203.44 to production from any other lease, except for production allocated to your lease from an MMS-approved unit agreement. If your certified unsuccessful well is on a lease subject to an MMS-approved unit agreement, the lessees of other leases in the unit may not apply any portion of the royalty suspension supplement for your lease to production from the other leases in the unit.
- (f) You must begin or resume paying royalties when cumulative gas and oil production from, or allocated under an MMS-approved unit agreement to, your lease (excluding any gas produced from qualified wells subject to a royalty suspension volume allowed under § 203.41) reaches the applicable royalty suspension supplement. For the month in which the cumulative production reaches this royalty suspension supplement, you owe royalties on the portion of gas or oil production that exceeds the amount of the royalty suspension supplement remaining at the beginning of that month.

# § 203.46 What administrative steps do I take to obtain and use the royalty suspension supplement?

- (a) Before you start drilling a well on your lease targeted to a reservoir at least 18,000 feet TVD SS, you must notify, in writing, the MMS Regional Supervisor for Production and Development of your intent to begin drilling operations and the depth of the target.
- (b) After drilling the well, you must provide the MMS Regional Supervisor

for Production and Development within 60 days after reaching the total depth in your well:

(1) Information that allows MMS to confirm that you drilled a certified unsuccessful well as defined under §203.0, including:

(i) Well log data, if your original well or sidetrack does not meet the producibility requirements of 30 CFR part 250, subpart A; or

(ii) Well log, well test, seismic, and economic data, if your well does meet the producibility requirements of 30 CFR part 250, subpart A; and

(2) Information that allows MMS to confirm the size of the royalty suspension supplement for a sidetrack, including sidetrack measured depth and supporting documentation.

(c) If you commenced drilling a well that otherwise meets the criteria for a certified unsuccessful well on or after March 26, 2003, and finished it before May 3, 2004, provide the information in paragraph (b) of this section no later than August 3, 2004.

[69 FR 3510, Jan. 26, 2004, as amended at 69 FR 24054, Apr. 30, 2004]

# § 203.47 Do I keep royalty relief if prices rise significantly?

(a) You must pay royalties on all gas and oil production for which royalty suspension volume or royalty suspension supplement otherwise would be allowed under §§ 203.40 through 203.46 for any calendar year when the average daily closing NYMEX natural gas price exceeds the threshold of \$9.34 per MMBtu, adjusted annually after year 2004 for inflation. The threshold price for any calendar year after 2004 is found by adjusting the threshold price in the previous year by the percentage that the implicit price deflator for the gross domestic product as published by the Department of Commerce changed during the calendar year.
(b) You must pay any royalty due

(b) You must pay any royalty due under this paragraph, plus late payment interest from the end of the month after the month of production until the date of payment under 30 CFR 218.54, no later than 90 days after the end of the calendar year for which you owe royalty.

(c) Production volumes on which you must pay royalty under this section

count as part of your royalty suspension volumes and royalty suspension supplements.

#### \$203.48 May I substitute the deep gas drilling provisions in \$203.0 and \$\$203.40 through 203.47 for the deep gas royalty relief provided in my lease terms?

(a) You may exercise an option to replace the applicable lease terms for royalty relief related to deep-well drilling with those in \$203.0 and \$\$203.40 through 203.47 if you have a lease issued with royalty relief provisions for deep-well drilling. Such leases:

(1) Must be issued as part of an OCS lease sale held after January 1, 2001,

and before April 1, 2004; and

(2) Must be located wholly west of 87 degrees, 30 minutes West longitude in the GOM entirely or partly in water less than 200 meters deep.

(b) To exercise the option under paragraph (a) of this section, you must notify, in writing, the MMS Regional Supervisor for Production and Development of your decision before September 1, 2004 or 180 days after your lease is issued, whichever is later, and specify the lease and block number.

(c) Once you exercise the option under paragraph (a) of this section, you are subject to all the activity, timing, and administrative requirements pertaining to deep gas royalty relief as specified in §§ 203.40 through 203.47.

(d) Exercising the option under paragraph (a) of this section is irrevocable. If you do not exercise this option, then the terms of your lease apply.

#### ROYALTY RELIEF FOR END-OF-LIFE LEASES

## § 203.50 Who may apply for end-of-life royalty relief?

You may apply for royalty relief in two situations.

(a) Your end-of-life lease (as defined in §203.2) is an oil and gas lease and has average daily production of at least 100 barrels of oil equivalent (BOE) per month (as calculated in §203.73) in at least 12 of the past 15 months. The most recent of these 12 months are considered the qualifying months. These 12 months should reflect the basic operation you intend to use until your resources are depleted. If you changed

your operation significantly (e.g., begin re-injecting rather than recovering gas) during the qualifying months, or if you do so while we are processing your application, we may defer action on your application until you revise it to show the new circumstances.

(b) Your end-of-life lease is other than an oil and gas lease (e.g., sulphur) and has production in at least 12 of the past 15 months. The most recent of these 12 months are considered the qualifying months.

[63 FR 2618, Jan. 16, 1998, as amended at 63 FR 57249, Oct. 27, 1998]

## § 203.51 How do I apply for end-of-life royalty relief?

You must submit a complete application and the required fee to the appropriate MMS Regional Director. Your MMS regional office will provide specific guidance on the report formats. A complete application for relief includes:

- (a) An administrative information report (specified in § 203.83) and
- (b) A net revenue and relief justification report (specified in § 203.84).

### § 203.52 What criteria must I meet to get relief?

- (a) To qualify for relief, you must demonstrate that the sum of royalty payments over the 12 qualifying months exceeds 75 percent of the sum of net revenues (before-royalty revenues minus allowable costs, as defined in § 203.84).
- (b) To re-qualify for relief, e.g., either applying for additional relief on top of relief already granted, or applying for relief sometime after your earlier agreement terminated, you must demonstrate that:
- (1) You have met the criterion listed in paragraph (a) of this section, and
- (2) The 12 required qualifying months of operation have occurred under the current royalty arrangement.

#### § 203.53 What relief will MMS grant?

(a) If we approve your application and you meet certain conditions, we will reduce the pre-application effective royalty rate by one-half on production up to the relief volume amount. If you produce more than the relief volume amount:

- (1) We will impose a royalty rate equal to 1.5 times the effective royalty rate on your additional production up to twice the relief volume amount; and
- (2) We will impose a royalty rate equal to the effective rate on all production greater than twice the relief volume amount.
- (b) Regardless of the level of production or prices (see §203.54), royalty payments due under end-of-life relief will not exceed the royalty obligations that would have been due at the effective royalty rate.
- (1) The effective royalty rate is the average lease rate paid on production during the 12 qualifying months.
- (2) The relief volume amount is the average monthly BOE production for the 12 qualifying months.

# § 203.54 How does my relief arrangement for an oil and gas lease operate if prices rise sharply?

In those months when your current reference price rises by at least 25 percent above your base reference price, you must pay the effective royalty rate on all monthly production.

- (a) Your current reference price is a weighted average of daily closing prices on the NYMEX for light sweet crude oil and natural gas over the most recent full 12 calendar months;
- (b) Your base reference price is a weighted average of daily closing prices on the NYMEX for light sweet crude oil and natural gas during the qualifying months; and
- (c) Your weighting factors are the proportions of your total production volume (in BOE) provided by oil and gas during the qualifying months.

# § 203.55 Under what conditions can my end-of-life royalty relief arrangement for an oil and gas lease be ended?

(a) If you have an end-of-life royalty relief arrangement, you may renounce it at any time. The lease rate will return to the effective rate during the qualifying period in the first full month following our receipt of your renouncement of the relief arrangement.

- (b) If you pay the effective lease rate for 12 consecutive months, we will terminate your relief. The lease rate will return to the effective rate in the first full month following this termination.
- (c) We may stipulate in the letter of approval for individual cases certain events that would cause us to terminate relief because they are inconsistent with an end-of-life situation.

### § 203.56 Does relief transfer when a lease is assigned?

Yes. Royalty relief is based on the lease circumstances, not ownership. It transfers upon lease assignment.

ROYALTY RELIEF FOR DEEP WATER EX-PANSION PROJECTS AND PRE-ACT DEEP WATER LEASES

# § 203.60 Who may apply for deep water royalty relief?

You may apply for royalty relief under §§ 203.61(b) and 203.62 if:

- (a) You are a lessee of a lease in water at least 200 meters deep in the GOM and lying wholly west of 87 degrees, 30 minutes West longitude;
- (b) We have assigned your pre-Act lease to a field (as defined in §203.0); and
  - (c) You either:
- (1) Hold a pre-Act lease on an authorized field (as defined in §203.0) or
- (2) Propose an expansion project (as defined in  $\S 203.0$ ) or
- (3) Propose a development project (as defined in §203.0).

[67 FR 1875, Jan. 15, 2002]

### § 203.61 How do I assess my chances for getting relief?

You may ask for a nonbinding assessment (a formal opinion on whether a field would qualify for royalty relief) before turning in your first complete application on an authorized field. This field must have a qualifying well under 30 CFR part 250, subpart A, or be on a lease that has allocated production under an approved unit agreement.

- (a) To request a nonbinding assessment, you must:
- (1) Submit a draft application in the format and detail specified in guidance from the MMS regional office for the GOM;

- (2) Propose to drill at least one more appraisal well if you get a favorable assessment; and
  - (3) Pay a fee under §203.3.
- (b) You must wait at least 90 days after receiving our assessment to apply for relief under §203.62.
- (c) This assessment is not binding because a complete application may contain more accurate information that does not support our original assessment. It will help you decide whether your proposed inputs for evaluating economic viability and your supporting data and assumptions are adequate.

EFFECTIVE DATE NOTE: At 63 FR 2619, Jan. 16, 1998, §203.61 was revised. This section contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

#### § 203.62 How do I apply for relief?

You must send a complete application and the required fee to the MMS Regional Director for the GOM.

- (a) Your application for deep water royalty relief must include an original and two copies (one set of digital information) of:
- (1) Administrative information report;
- (2) Deep water economic viability and relief justification report;
  - (3) G&G report;
  - (4) Engineering report;
  - (5) Production report; and
  - (6) Deep water cost report.
- (b) Section 203.82 explains why we are authorized to require these reports.
- (c) Sections 203.81, 203.83, and 203.85 through 203.89 describe what these reports must include. The MMS regional office for the GOM will guide you on the format for the required reports, and we encourage you to contact this office prior to preparing your application for this guidance.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1875, Jan. 15, 2002]

# § 203.63 Does my application have to include all leases in the field?

(a) For authorized fields, we will accept only one joint application for all leases that are part of the designated field on the date of application, except as provided in paragraph (a)(3) of this section and §203.64. However, we will

evaluate all acreage that may eventually become part of the authorized field. Therefore, if you have any other leases that you believe may eventually be part of the authorized field, you must submit data for these leases according to §203.81.

- (1) The Regional Director maintains a Field Names Master List with updates of all leases in each designated field.
- (2) To avoid sharing proprietary data with other lessees on the field, you may submit your proprietary G&G report separately from the rest of your application. Your application is not complete until we receive all the required information for each lease on the field. We will not disclose proprietary data when explaining our assumptions and reasons for our determinations under §203.67.
- (3) We will not require a joint application if you show good cause and honest effort to get all lessees in the field to participate. If you must exclude a lease from your application because its lessee will not participate, that lease is ineligible for the royalty relief for the designated field.
- (b) If your application seeks only relief for a development project or an expansion project, your application does not have to include all leases in the field.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1875, Jan. 15, 2002]

# § 203.64 How many applications may I file on a field or a development project?

You may file one complete application for royalty relief during the life of the field or for a development project or an expansion project designed to produce a reservoir or set of reservoirs. However, you may send another application if:

- (a) You are eligible to apply for a redetermination under §203.74;
- (b) You apply for royalty relief for an expansion project;
- (c) You withdraw the application before we make a determination; or
- (d) You apply for end-of-life royalty relief.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1875, Jan. 15, 2002]

## § 203.65 How long will MMS take to evaluate my application?

- (a) We will determine within 20 working days if your application for royalty relief is complete. If your application is incomplete, we will explain in writing what it needs. If you withdraw a complete application, you may reapply.
- (b) We will evaluate your first application on a field within 180 days, evaluate your first application on a development project or an expansion project within 150 days and evaluate a redetermination under §203.75 within 120 days after we determine that it is complete.
- (c) We may ask to extend the review period for your application under the conditions in the following table.

If—	Then we may—
We need more records to audit sunk costs	Ask to extend the 120-day or 180-day evaluation period. The extension we request will equal the number of days between when you receive our request for records and the day we receive the records.
We cannot evaluate your application for a valid reason, such as missing vital information or inconsistent or inconclusive supporting data.	Add another 30 days. We may add more than 30 days, but only if you agree.
We need more data, explanations, or revision	Ask to extend the 120-day or 180-day evaluation period. The extension we request will equal the number of days between when you receive our request and the day we receive the information.

(d) We may change your assumptions under §203.62 if our technical evaluation reveals others that are more appropriate. We may consult with you be-

fore a final decision and will explain any changes.

- (e) We will notify all designated lease operators within a field when royalty relief is granted.
- [63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1875, Jan. 15, 2002]

### § 203.66 What happens if MMS does not act in the time allowed?

If we do not act within the time-frames established under §203.65, you get royalty relief according to the following table.

If you apply for royalty relief for	And we do not decide within the time specified	As long as you
(a) An authorized field	You get the minimum suspension volumes specified in § 203.69.	Abide by §§ 203.70 and 203.76.
(b) An expansion project	You get a royalty suspension for the first year of production.	Abide by §§ 203.70 and 203.76.
(c) A development project	You get a royalty suspension for initial production for the number of months that a decision is delayed beyond the stipulated timeframes set by § 203.65, plus all the royalty suspension volume for which you qualify.	Abide by §§ 203.70 and 203.76.

[67 FR 1875, Jan. 15, 2002]

# § 203.67 What economic criteria must I meet to get royalty relief on an authorized field or project?

We will not approve applications if we determine that royalty relief cannot make the field, development project, or expansion project economically viable. Your field or project must be uneconomic while you are paying royalties and must become economic with royalty relief.

# § 203.68 What pre-application costs will MMS consider in determining economic viability?

- (a) We will not consider ineligible costs as set forth in §203.89(h) in determining economic viability for purposes of royalty relief.
- (b) We will consider sunk costs according to the following table.

[67 FR 1876, Jan. 15, 2002]

We will	When determining
(1) Include sunk costs	Whether a field that includes a pre-Act lease which has not produced, other than test production, before the application or redetermination submission date needs relief to become economic.
(2) Not include sunk costs	Whether an authorized field, a development project, or an expansion project can become economic with full relief (see §203.67).
(3) Not include sunk costs	How much suspension volume is necessary to make the field, a development project, or an expansion project economic (see § 203.69(c)).
(4) Include sunk costs for the project discovery well on each lease.	Whether a development project or an expansion project needs relief to become economic.

 $[63\; FR\; 2618,\; Jan.\; 16,\; 1998,\; as\; amended\; at\; 67\; FR\; 1876,\; Jan.\; 15,\; 2002]$ 

# § 203.69 If my application is approved, what royalty relief will I receive?

If we approve your application, subject to certain conditions, we will not collect royalties on a specified suspension volume for your field, development project, or expansion project. Suspension volumes include volumes allocated to a lease under an approved unit agreement, but exclude any volumes of production that are not nor-

mally royalty-bearing under the lease or the regulations of this chapter (e.g., fuel gas).

- (a) For authorized fields, the minimum royalty-suspension volumes are:
- (1) 17.5 million barrels of oil equivalent (MMBOE) for fields in 200 to 400 meters of water;
- (2) 52.5 MMBOE for fields in 400 to 800 meters of water; and

- (3) 87.5 MMBOE for fields in more than 800 meters of water.
- (b) For development projects, any relief we grant applies only to project wells and replaces the royalty suspension volume with which we issued your

lease. If your project is economic given the royalty suspension volume with which we issued your lease, we will reject the application. Otherwise, the minimum royalty suspension volumes are as shown in the following table:

For	The minimum royalty suspension volume is	Plus
(1) RS leases	A volume equal to the combined royalty suspension volumes (or the volume equivalent based on the data in your approved application for other forms of royalty suspension) with which we issued the leases participating in the application that have or plan a well into a reservoir identified in the application.	10 percent of the median of the dis- tribution of known recoverable re- sources upon which we based ap- proval of your application from all reservoirs included in the project.
(2) Other deep water leases issued in sales after November 28, 2000.	A volume equal to 10 percent of the median of the distribution of known recoverable re- sources upon which we based approval of your application from all reservoirs included in the project.	

- (c) If your application includes pre-Act or eligible leases in different categories of water depth, we apply the minimum royalty suspension volume for the deepest such lease then assigned to the field. We base the water depth and makeup of a field on the water-depth delineations in the "Lease Terms and Economic Conditions" map and the "Field Names Master List" documents and updates in effect at the time your application is deemed complete. These publications are available from the MMS Regional Office for the GOM.
- (d) You will get a royalty suspension volume above the minimum if we determine that you need more to make the field or development project economic.
- (e) For expansion projects, the minimum royalty suspension volume equals 10 percent of the median of the distribution of known recoverable resources upon which we based approval of your application from all reservoirs included in your project plus any sus-

pension volumes required under § 203.66. If we determine that your expansion project may be economic only with more relief, we will determine and grant you the royalty suspension volume necessary to make the project economic.

(f) The royalty suspension volume applicable to specific leases will continue through the end of the month in which cumulative production reaches that volume. You must calculate cumulative production from all the leases in the authorized field or project that are entitled to share the royalty suspension volume.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1876, Jan. 15, 2002]

# § 203.70 What information must I provide after MMS approves relief?

You must submit reports to us as indicated in the following table. Sections 203.81, 203.90, and 203.91 describe what these reports must include. The MMS regional office for the GOM will prescribe the formats.

Required report	When due to MMS	Due date extensions
(a) Fabricator's confirmation report	Within 18 months after approval of relief	MMS Director may grant you an extension under §203.79(c) for up to 6 months.
(b) Post-production report	Within 120 days after the start of produc- tion that is subject to the approved royalty suspension volume.	With acceptable justification from you, MMS Regional Director for the GOM may extend due date up to 30 days.

[67 FR 1876, Jan. 15, 2002]

§ 203.71 How does MMS allocate a field's suspension volume between my lease and other leases on my field?

The allocation depends on when production occurs, when we issued the lease, when we assigned it to the field, and whether we award the volume suspension by an approved application or establish it in the lease terms, as prescribed in this section.

(a) If your authorized field has an approved royalty suspension volume under §§ 203.67 and 203.69, we will suspend payment of royalties on production from all leases in the field that participate in the application until their cumulative production equals the approved volume. The following conditions also apply:

If	Then	And
(1) We assign an eligible lease to your field after we approve relief.     (2) We assign a pre-Act or post-November 2000 deep water lease to your field	We will not change your field's royalty suspension volume. We will not change your field's royalty suspension volume.	The assigned lease(s) may share in any remaining royalty relief. The assigned lease(s) may share in any remaining royalty relief by filling the
after we approve your application.		short-form application specified in § 203.83 and authorized in § 203.82. An assigned RS lease also gets any portion of its royalty suspension volume remaining even after the field has produced the approved relief volume.
(3) We assign another lease(s) that you operate to your field while we are eval- uating your application.	We will change your field's minimum suspension volume if the assigned lease is a pre-Act or eligible lease enti-	(i) You toll the time period for evaluation until you modify your application to be consistent with the new field:
g ,	tled to a larger minimum or automatic suspension volume.	(ii) We have an additional 60 days to review the new information; and
		(iii) The assigned lease(s) shares the royalty suspension we grant to the new field. If you do not agree to toll, we will have to reject your application due to incomplete information. But, an eligible lease we assigned to the field kept its automatic suspension volume.
(4) We assign another operator's lease to your field while we are evaluating your application.	We will change your field's minimum suspension volume provided the as- signed lease joins the application and is entitled to a larger minimum suspen-	<ul> <li>(i) You both toll the time period for eval- uation until both of you modify your application to be consistent with the new field:</li> </ul>
	sion volume.	(ii) We have an additional 60 days to review the new information; and
		(iii) The assigned lease(s) shares the royalty suspension we grant to the new field. If you (the original applicant) do not agree to toll, the other operator's lease retains any suspension volume it has or may share in any relief that we grant by filing the short form application specified in §203.83 and authorized in §203.82.
(5) We reassign a well on a pre-Act, eli- gible, or post-November 2000 deep water lease to another field.	The past production from the well counts toward the royalty suspension volume of the field to which we assigned the well.	The past production from that well will not count toward any royalty suspen- sion volume granted to the field from which we reassigned it.

(b) If your authorized field has a royalty suspension volume established under §260.111 of this title (i.e., a field with a pre-Act lease where an eligible lease starts production first), we will

suspend payment of royalties on production from all eligible leases in the field until their cumulative production equals the established volume. The following conditions also apply:

If	Then	And
(1) We assign another eligible lease to your field.	Your field's royalty suspension volume does not change.	The assigned lease may share in any remaining royalty relief.

If	Then	And
(2) We assign an RS lease to your field	Your field's royalty suspension volume does not change.	The assigned lease gets only the volume suspension with which we issued it, and its production volume counts against the field's royalty suspension volume.
(3) We assign a pre-Act lease or a lease issued after November 2000 without royalty suspension to your field.	Your field's royalty suspension volume does not change.	We assign lease shares none of the vol- ume suspension, and its production does not count as part of the suspen- sion volume.
(4) A pre-Act or post-November 2000 deep water lease applies (along with the other leases in the field) and quali- fies (subject to any pre-existing sus- pension volumes) for royalty relief under §§ 203.67 and 203.69.	Your field's royalty suspension volume may increase or stay the same, but will not diminish.	(i) All leases in the field share the royalty suspension volume if we approve the application; or     (ii) The eligible or RS leases in the field keep their respective volumes if we reject the application.

- (c) When a project has more than one lease, the royalty suspension volume for each lease equals that lease's actual production from the project (or production allocated under an approved unit agreement) until total production for all leases in the project equals the project's approved royalty suspension volume.
- (d) You may receive a royalty-suspension volume only if your entire lease is west of 87 degrees, 30 minutes West longitude. If the field lies on both sides of this meridian, only leases located entirely west of the meridian will receive a royalty-suspension volume.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1877, Jan. 15, 2002]

### § 203.72 Can my lease receive more than one suspension volume?

Yes. You may apply for royalty relief that involves more than one suspension volume under §203.62 in two circumstances.

- (a) Each field that includes your lease may receive a separate royalty-suspension volume, if it meets the evaluation criteria of §203.67.
- (b) An expansion project on your lease may receive a separate royalty-suspension volume, even if we have already granted a royalty-suspension volume to the field that encompasses the project. But the reserves associated with the project must not have been part of our original determination, and the project must meet the evaluation criteria of §203.67.

# § 203.73 How do suspension volumes apply to natural gas?

You must measure natural gas production under the royalty-suspension volume as follows: 5.62 thousand cubic feet of natural gas, measured in accordance with 30 CFR part 250, subpart L, equals one barrel of oil equivalent.

### § 203.74 When will MMS reconsider its determination?

You may request a redetermination after we withdraw approval or after you renounce royalty relief, unless we withdraw approval due to your providing false or intentionally inaccurate information. Under certain conditions you may also request a redetermination if we deny your application or if you want your approved royalty suspension volume to change. In these instances, to be eligible for a redetermination, at least one of the following four conditions must occur.

- (a) You have significant new G&G data and you previously have not either requested a redetermination or reapplied for relief after we withdrew approval or you relinquished royalty relief. "Significant" means that the new G&G data:
- (1) Results from drilling new wells or getting new three-dimensional seismic data and information (but not reinterpreting old data);
- (2) Did not exist at the time of the earlier application; and
- (3) Changes your estimates of gross resource size, quality, or projected flow rates enough to materially affect the results of our earlier determination.
- (b) You demonstrate in your new application that the technology that

most efficiently develops this field or lease was not considered or deemed feasible in the original application. Your newly proposed technology must improve the profitability, under equivalent market conditions, of the field or lease relative to the development system proposed in the prior application.

(c) Your current reference price decreases by more than 25 percent from your base reference price as calculated

under this paragraph.

(1) Your current reference price is a weighted-average of daily closing prices on the NYMEX for light sweet crude oil and natural gas over the most recent full 12 calendar months;

(2) Your base reference price is a weighted average of daily closing prices on the NYMEX for light sweet crude oil and natural gas for the full 12 calendar months preceding the date of your most recently approved application for this royalty relief; and

(3) The weighting factors are the proportions of the total production volume (in BOE) for oil and gas associated with the most likely scenario (identified in §§ 203.85 and 203.88) from your most recently approved application for this royalty relief.

(d) Before starting to build your development and production system, you have revised your estimated development costs, and they are more than 120 percent of the eligible development costs associated with the most likely scenario from your most recently approved application for this royalty relief.

[63 FR 2618, Jan. 16, 1998; 63 FR 24747, May 5, 1998, as amended at 67 FR 1878, Jan. 15, 2002]

### § 203.75 What risk do I run if I request a redetermination?

If you request a redetermination after we have granted you a suspension volume, you could lose some or all of the previously granted relief. This can happen because you must file a new complete application and pay the required fee, as discussed in §203.62. We will evaluate your application under §203.67 using the conditions prevailing at the time of your redetermination request. In our evaluation, we may find that you should receive a larger, equivalent, smaller, or no suspension volume. This means we could find that

you do not qualify for the amount of relief previously granted or for any relief at all.

# § 203.76 When might MMS withdraw or reduce the approved size of my relief?

We will withdraw approval of relief for any of the following reasons.

- (a) You change the type of development system proposed in your application (e.g., change from a fixed platform to floating production system, or from an independent development and production system to one with subsea wells tied back to a host production facility, etc.).
- (b) You do not start building the proposed development and production system within18 months of the date we approved your application, unless the MMS Director grants you an extension under §203.79(c). If you start building the proposed system and then suspend its construction before completion, and you do not restart continuous building of the proposed system within 18 months of our approval, we will withdraw the relief we granted.
- (c) Your actual development costs are less than 80 percent of the eligible development costs estimated in your application's most likely scenario, and you do not report that fact in your post-production development report (§203.70). Development costs are those expenditures defined in §203.89(b) incurred between the application submission date and start of production. If you report this fact in the post-production development report, you may retain the lesser of 50 percent of the original royalty suspension volume or 50 percent of the median of the distribution of the potentially recoverable resources anticipated in your applica-
- (d) We granted you a royalty-suspension volume after you qualified for a redetermination under §203.74(c), and we find out your actual development costs are less than 90 percent of the eligible development costs associated with your application's most likely scenario. Development costs are those expenditures defined in §203.89(b) incurred between your application submission date and start of production.

(e) You do not send us the fabrication confirmation report or the post-production development report, or you provide false or intentionally inaccurate information that was material to our granting royalty relief under this section. You must pay royalties and late-payment interest determined under 30 U.S.C. 1721 and §218.54 of this chapter on all volumes for which you used the royalty suspension. You also may be subject to penalties under other provisions of law.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1878, Jan. 15, 2002]

### § 203.77 May I voluntarily give up relief if conditions change?

Yes, by sending a letter to that effect to the MMS Regional Director for the GOM.

[67 FR 1878, Jan. 15, 2002]

# § 203.78 Do I keep relief if prices rise significantly?

If prices rise above a base price for light sweet crude oil or natural gas, set by statute for pre-Act leases, indicated in your original lease agreement or Notice of Sale for post-November 2000 deep water leases, you must pay full royalties as prescribed in this section. For post-November 2000 deepwater leases, price thresholds apply on a lease basis, so different leases on the same field, development project, or expansion project may have different price thresholds.

(a) Suppose the arithmetic average of the daily closing NYMEX light sweet crude oil prices for the previous calendar year exceeds \$28.00 per barrel, as adjusted in paragraph (f) of this section. In this case, we retract the royalty relief authorized in this section and you must:

(1) Pay royalties on all oil production for the previous year at the lease stipulated royalty rate plus interest (under 30 U.S.C. 1721 and §218.54 of this chapter) by March 31 of the current calendar year, and

(2) Pay royalties on all your oil production in the current year.

(b) Suppose the arithmetic average of the daily closing NYMEX natural gas prices for the previous calendar year exceeds \$3.50 per million British thermal units (Btu), as adjusted in paragraph (f) of this section. In this case, we retract the royalty relief authorized in this section and you must:

(1) Pay royalties on all natural gas production for the previous year at the lease stipulated royalty rate plus interest (under 30 U.S.C. 1721 and §218.54 of this chapter) by March 31 of the current calendar year, and

(2) Pay royalties on all your natural gas production in the current year.

(c) Production under both paragraphs (a) and (b) of this section counts as part of the royalty-suspension volume.

(d) You are entitled to a refund or credit, with interest, of royalties paid on any production (that counts as part of the royalty-suspension volume):

(1) Of oil if the arithmetic average of the closing oil prices for the current calendar year is \$28.00 per barrel or less, as adjusted in paragraph (f) of this section, and

(2) Of gas if the arithmetic average of the closing natural gas prices for the current calendar year is \$3.50 per million Btu or less, as adjusted in paragraph (f) of this section.

(e) You must follow our regulations in part 230 of this chapter for receiving refunds or credits.

(f) We change the prices referred to in paragraphs (a), (b), and (d) of this section periodically. For pre-Act leases, these prices change during each calendar year after 1994 by the percentage that the implicit price deflator for the gross domestic product changed during the preceding calendar year. For post-November 2000 deepwater leases, these prices change as indicated in the lease instrument or in the Notice of Sale under which we issued the lease

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1878, Jan. 15, 2002]

# § 203.79 How do I appeal MMS's decisions related to Deep Water Royalty Relief?

(a) Once we have designated your lease as part of a field and notified you and other affected operators of the designation, you can request reconsideration by sending the MMS Director at letter within 15 days that also states your reasons. The MMS Director's response is the final agency action.

#### Minerals Management Service, Interior

- (b) Our decisions on your application for relief from paying royalty under §203.67 and the royalty-suspension volumes under §203.69 are final agency actions.
- (c) If you cannot start construction by the deadline in §203.76(b) for reasons beyond your control (e.g., strike at the fabrication yard), you may request an extension up to 1 year by writing the MMS Director and stating your reasons. The MMS Director's response is the final agency action.
- (d) We will notify you of all final agency actions by certified mail, return receipt requested. Final agency actions are not subject to appeal to the Interior Board of Land Appeals under 30 CFR part 290 and 43 CFR part 4. They are judicially reviewable under section 10(a) of the Administrative Procedure Act (5 U.S.C. 702) *only* if you file an action within 30 days of the date you receive our decision.

## § 203.80 When can I get royalty relief if I am not eligible for end-of-life or deep water royalty relief?

We may grant royalty relief when it serves the statutory purposes summarized in §203.1, and our formal relief programs provide inadequate encouragement to increase production or development. Unless your lease lies wholly west of 87 degrees, 30 minutes West longitude in the Gulf of Mexico, your lease must be producing to qualify for relief. Before you may apply for royalty relief apart from our end-of-life or deepwater programs, we must agree that your lease or project has two or more of the following characteristics:

- (a) The lease has produced for a substantial period and the lessee can recover significant additional resources. Significant additional resources means enough to allow production for at least a year more than would be profitable without royalty relief.
- (b) Valuable facilities (e.g., a platform or pipeline that would be removed upon lease relinquishment) exist that we do not expect a successor lessee to use. If the facilities are located off the lease, their preservation must depend on continued production from the lease applying for royalty relief. We will only consider an allocable share of costs for off-lease facilities in the relief application.
- (c) A substantial risk exists that no new lessee will recover the resources.
- (d) The lessee made major efforts to reduce operating costs too recently to use the formal program for royalty relief (e.g., recent significant change in operations).
- (e) Circumstances beyond the lessee's control, other than water depth, preclude reliance on one of the existing royalty relief programs.

[67 FR 1879, Jan. 15, 2002]

#### REQUIRED REPORTS

## \$203.81 What supplemental reports do royalty-relief applications require?

(a) You must send us the supplemental reports, indicated in the following table by an X, that apply to your field. Sections 203.83 through 203.91 describe these reports in detail.

Required reports	End-of- life lease	Deep water		
		Expansion project	Pre-act lease	Development project
(1) Administrative information Report (2) Net revenue & relief justification report (3) Economic viability & relief justification report (RSVP model imputs justified by other required reports). (4) G&G report. (5) Engineering report. (6) Production report. (7) Deep water cost report (8) Fabricator's confirmation report. (9) Post-production development report.	X	X X X X X X	X X X X X X	X X X X X X

(b) You must certify that all information in your application, fabricator's confirmation and post-production

development reports is accurate, complete, and conforms to the most recent content and presentation guidelines

#### § 203.82

available from the MMS GOM Regional Office.

- (c) With your application and postproduction development report, you must submit an additional report prepared by an independent CPA that:
- (1) Assesses the accuracy of the historical financial information in your report; and
- (2) Certifies that the content and presentation of the financial data and information conform to our most recent guidelines on royalty relief. This means the data and information must—
- (i) Include only eligible costs that are incurred during the qualification months; and
  - (ii) Be shown in the proper format.
- (d) You must identify the people in the CPA firm who prepared the reports referred to in paragraph (c) of this section and make them available to us to respond to questions about the historical financial information. We may also further review your records to support this information.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1879, Jan. 15, 2002]

### § 203.82 What is MMS's authority to collect this information?

The Office of Management and Budget (OMB) approved the information collection requirements in part 203 under 44 U.S.C. 3501 *et seq.* and assigned OMB control number 1010–0071.

- (a) We use the information to determine whether royalty relief will result in production that wouldn't otherwise occur. We rely largely on your information to make these determinations.
- (1) Your application for royalty relief must contain enough information on finances, economics, reservoirs, G&G characteristics, production, and engineering estimates for us to determine whether:
- (i) We should grant relief under the law, and
- (ii) The requested relief will ultimately recover more resources and return a reasonable profit on project investments.
- (2) Your fabricator confirmation and post-production development reports must contain enough information for us to verify that your application reasonably represented your plans.

- (b) Applicants (respondents) are Federal OCS oil and gas lessees. Applications are required to obtain or retain a benefit. Therefore, if you apply for royalty relief, you must provide this information. We will protect information considered proprietary under applicable law and under regulations at § 203.63(b) and part 250 of this chapter.
- (c) The Paperwork Reduction Act of 1995 requires us to inform you that we may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number.
- (d) Send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

[63 FR 2618, Jan. 16, 1998, as amended at 65 FR 2875, Jan. 19, 2000]

## § 203.83 What is in an administrative information report?

This report identifies the field or lease for which royalty relief is requested and must contain the following items:

- (a) The field or lease name;
- (b) The serial number of leases we have assigned to the field, names of the lease title holders of record, the lease operators, and whether any lease is part of a unit;
- (c) Well number, API number, location, and status of each well that has been drilled on the field or lease or project (not required for non-oil and gas leases);
- (d) The location of any new wells proposed under the terms of the application (not required for non-oil and gas leases):
- (e) A description of field or lease history;
- (f) Full information as to whether you will pay royalties or a share of production to anyone other than the United States, the amount you will pay, and how much you will reduce this payment if we grant relief;
- g) The type of royalty relief you are requesting;
- (h) Confirmation that we approved a DOCD or supplemental DOCD (Deep

Water expansion project applications only); and

(i) A narrative description of the development activities associated with the proposed capital investments and an explanation of proposed timing of the activities and the effect on production (Deep Water applications only).

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1879, Jan. 15, 2002]

## § 203.84 What is in a net revenue and relief justification report?

This report presents cash flow data for 12 qualifying months, using the format specified in the "Guidelines for the Application, Review, Approval, and Administration of Royalty Relief for Endof-Life Leases", U.S. Department of the Interior, MMS. Qualifying months for an oil and gas lease are the most recent 12 months out of the last 15 months that you produced at least 100 BOE per day on average. Qualifying months for other than oil and gas leases are the most recent 12 of the last 15 months having some production.

- (a) The cash flow table you submit must include historical data for:
- Lease production subject to royalty;
  - (2) Total revenues;
- (3) Royalty payments out of production;
  - (4) Total allowable costs; and
- (5) Transportation and processing costs.
- (b) Do not include in your cash flow table the non-allowable costs listed at 30 CFR 220.013 or:
- (1) OCS rental payments on the lease(s) in the application;
  - (2) Damages and losses;
  - (3) Taxes;
- (4) Any costs associated with exploratory activities;
- (5) Civil or criminal fines or penalties;
- (6) Fees for your royalty relief application; and
- (7) Costs associated with existing obligations (e.g., royalty overrides or other forms of payment for acquiring the lease, depreciation on previously acquired equipment or facilities).
- (c) We may, in reviewing and evaluating your application, disallow costs when you have not shown they are necessary to operate the lease, or if they

are inconsistent with end-of-life operations.

[63 FR 2618, Jan. 16, 1998, as amended at 63 FR 57249, Oct. 27, 1998]

## § 203.85 What is in an economic viability and relief justification report?

This report should show that your project appears economic without royalties and sunk costs using the RSVP model we provide. The format of the report and the assumptions and parameters we specify are found in the "Guidelines for the Application, Review, Approval and Administration of the Deep Water Royalty Relief Program," U.S. Department of the Interior, MMS. Clearly justify each parameter you set in every scenario you specify in the RSVP. You may provide supplemental information, including your own model and results. The economic viability and relief justification report must contain the following items for an oil and gas lease.

- (a) Economic assumptions we provide which include:
  - (1) Starting oil and gas prices;
  - (2) Real price growth;
- (3) Real cost growth or decline rate, if any;
  - (4) Base year;
  - (5) Range of discount rates; and
- (6) Tax rate (for use in determining after-tax sunk costs).
- (b) Analysis of projected cash flow (from the date of the application using annual totals and constant dollar values) which shows:
  - (1) Oil and gas production;
  - (2) Total revenues;
  - (3) Capital expenditures;
- (4) Operating costs;
- (5) Transportation costs; and
- (6) Before-tax net cash flow without royalties, overrides, sunk costs, and ineligible costs.
  - (c) Discounted values which include:
- (1) Discount rate used (selected from within the range we specify).
- (2) Before-tax net present value without royalties, overrides, sunk costs, and ineligible costs.
  - (d) Demonstrations that:
- (1) All costs, gross production, and scheduling are consistent with the data in the G&G, engineering, production, and cost reports (§§ 203.86 through 203.89) and

#### § 203.86

(2) The development and production scenarios provided in the various reports are consistent with each other and with the proposed development system. You can use up to three scenarios (conservative, most likely, and optimistic), but you must link each to a specific range on the distribution of resources from the RSVP Resource Module.

#### § 203.86 What is in a G&G report?

This report supports the reserve and resource estimates used in the economic evaluation and must contain each of the following elements.

- (a) Seismic data which includes:
- (1) Non-interpreted 2D/3D survey lines reflecting any available state-of-the-art processing technique in a format readable by MMS and specified by the deep water royalty relief guide-lines:
- (2) Interpreted 2D/3D seismic survey lines reflecting any available state-of-the-art processing technique identifying all known and prospective pay horizons, wells, and fault cuts;
- (3) Digital velocity surveys in the format of the GOM region's letter to lessees of 10/1/90;
  - (4) Plat map of "shot points;" and
- (5) "Time slices" of potential horizons.
  - (b) Well data which includes:
- (1) Hard copies of all well logs in which—
- (i) The 1-inch electric log shows pay zones and pay counts and lithologic and paleo correlation markers at least every 500-feet,
- (ii) The 1-inch type log shows missing sections from other logs where faulting occurs.
- (iii) The 5-inch electric log shows pay zones and pay counts and labeled points used in establishing resistivity of the formation, 100 percent water saturated ( $R_{\text{o}}$ ) and the resistivity of the undisturbed formation ( $R_{\text{i}}$ ), and
- (iv) The 5-inch porosity logs show pay zones and pay counts and labeled points used in establishing reservoir porosity or labeled points showing values used in calculating reservoir porosity such as bulk density or transit time;
- (2) Digital copies of all well logs spudded before December 1, 1995;

- (3) Core data, if available;
- (4) Well correlation sections:
- (5) Pressure data:
- (6) Production test results;
- (7) Pressure-volume-temperature analysis, if available; and
- (8) A table listing the wells and completions, and indicating which sands and fault blocks will be targeted for completion or recompletion.
- (c) Map interpretations which includes for each reservoir in the field:
- (1) Structure maps consisting of top and base of sand maps showing well and seismic shot point locations;
- (2) Isopach maps for net sand, net oil, net gas, all with well locations;
- (3) Maps indicating well surface and bottom hole locations, location of development facilities, and shot points; and
- (4) An explanation for excluding the reservoirs you are not planning to develop.
- (d) Reservoir-specific data which includes:
- (1) Probability of reservoir occurrence with hydrocarbons;
- (2) Probability the hydrocarbon in the reservoir is all oil and the probability it is all gas;
- (3) Distributions or point estimates (accompanied by explanations of why distributions less appropriately reflect the uncertainty) for the parameters used to estimate reservoir size, i.e., acres and net thickness;
- (4) Most likely values for porosity, salt water saturation, volume factor for oil formation, and volume factor for gas formation;
- (5) Distributions or point estimates (accompanied by explanations of why distributions less appropriately reflect the uncertainty) for recovery efficiency (in percent) and oil or gas recovery (in stock-tank-barrels per acre-foot or in thousands of cubic feet per acre foot):
- (6) A gas/oil ratio distribution or point estimate (accompanied by explanations of why distributions less appropriately reflect the uncertainty) for each reservoir:
- (7) A yield distribution or point estimate (accompanied by explanations of why distributions less appropriately reflect the uncertainty) for each gas reservoir; and

- (8) Reserve or resource distribution by reservoir.
- (e) Aggregated reserve and resource data which includes:
- (1) The aggregated distributions for reserves and resources (in BOE) and oil fraction for your field computed by the resource module of our RSVP model;
- (2) A description of anticipated hydrocarbon quality (i.e., specific gravity); and
- (3) The ranges within the aggregated distribution for reserves and resources that define the development and production scenarios presented in the engineering and production reports. Typically there will be three ranges specified by two positive reserve and resource points on the aggregated distribution. The range at the low end of the distribution will be associated with the conservative development and production scenario; the middle range will be related to the most likely development and production scenario; and, the high end range will be consistent with the optimistic development and production scenario.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1879, Jan. 15, 2002]

## § 203.87 What is in an engineering report?

This report defines the development plan and capital requirements for the economic evaluation and must contain the following elements.

- (a) A description of the development concept (e.g., tension leg platform, fixed platform, floater type, subsea tieback, etc.) which includes:
- (1) Its size along with basic design specifications and drawings; and
  - (2) The construction schedule.
- (b) An identification of planned wells which includes:
  - (1) The number;
- (2) The type (platform, subsea, vertical, deviated, horizontal);
  - (3) The well depth;
  - (4) The drilling schedule;
- (5) The kind of completion (single, dual, horizontal, etc.); and
  - (6) The completion schedule.
- (c) A description of the production system equipment which includes:
- (1) The production capacity for oil and gas and a description of limiting component(s);

- (2) Any unusual problems (low gravity, paraffin, etc.);
  - (3) All subsea structures;
  - (4) All flowlines; and
- (5) Schedule for installing the production system.
- (d) A discussion of any plans for multi-phase development which includes the conceptual basis for developing in phases and goals or milestones required for starting later phases.
- (e) A set of development scenarios consisting of activity timing and scale associated with each of up to three production profiles (conservative, most likely, optimistic) provided in the production report for your field (§203.88). Each development scenario and production profile must denote the likely events should the field size turn out to be within a range represented by one of the three segments of the field size distribution. If you send in fewer than three scenarios, you must explain why fewer scenarios are more efficient across the whole field size distribution.

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1880, Jan. 15, 2002]

## § 203.88 What is in a production report?

This report supports your development and production timing and product quality expectations and must contain the following elements.

- (a) Production profiles by well completion and field that specify the actual and projected production by year for each of the following products: oil, condensate, gas, and associated gas. The production from each profile must be consistent with a specific level of reserves and resources on the aggregated distribution of field size.
- (b) Production drive mechanisms for each reservoir.

## § 203.89 What is in a deep water cost report?

This report lists all actual and projected costs for your field, must explain and document the source of each cost estimate, and must identify the following elements.

- (a) Sunk costs. Report sunk costs in dollars not adjusted for inflation and only if you have documentation.
- (b) Appraisal, delineation and development costs. Base them on actual

#### § 203.90

spending, current authorization for expenditure, engineering estimates, or analogous projects. These costs cover:

(1) Platform well drilling and average depth;

(2) Platform well completion;

- (3) Subsea well drilling and average depth;
  - (4) Subsea well completion;
  - (5) Production system (platform); and
- (6) Flowline fabrication and installation.
- (c) Production costs based on historical costs, engineering estimates, or analogous projects. These costs cover:
  - (1) Operation;
  - (2) Equipment; and
- (3) Existing royalty overrides (we will not use the royalty overrides in evaluations).
- (d) Transportation costs, based on historical costs, engineering estimates, or analogous projects. These costs cover:
- (1) Oil or gas tariffs from pipeline or tankerage;
  - (2) Trunkline and tieback lines; and
- (3) Gas plant processing for natural gas liquids.
- (e) Abandonment costs, based on historical costs, engineering estimates, or analogous projects. You should provide the costs to plug and abandon only wells and to remove only production systems for which you have not incurred costs as of the time of application submission. You should also include a point estimate or distribution of prospective salvage value for all potentially reusable facilities and materials, along with the source and an explanation of the figures provided.
- (f) A set of cost estimates consistent with each one of up to three field-development scenarios and production profiles (conservative, most likely, optimistic). You should express costs in constant real dollar terms for the base year. You may also express the uncertainty of each cost estimate with a minimum and maximum percentage of the base value.
- (g) A spending schedule. You should provide costs for each year (in real dollars) for each category in paragraphs (a) through (f) of this section.
- (h) A summary of other costs which are ineligible for evaluating your need for relief. These costs cover:

- (1) Expenses before first discovery on the field;
  - (2) Cash bonuses;
- (3) Fees for royalty relief applications;
- (4) Lease rentals, royalties, and payments of net profit share and net revenue share;
  - (5) Legal expenses;
  - (6) Damages and losses;
  - (7) Taxes;
- (8) Interest or finance charges, including those embedded in equipment leases;
  - (9) Fines or penalties; and
- (10) Money spent on previously existing obligations (e.g., royalty overrides or other forms of payment for acquiring a financial position in a lease, expenditures for plugging wells and removing and abandoning facilities that existed on the application submission date).

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1880, Jan. 15, 2002]

## § 203.90 What is in a fabricator's confirmation report?

This report shows you have committed in a timely way to the approved system for production. This report must include the following (or its equivalent for unconventionally acquired systems):

- (a) A copy of the contract(s) under which the fabrication yard is building the approved system for you;
- (b) A letter from the contractor building the system to the MMS's GOM Regional Supervisor—Production and Development, certifying when construction started on your system; and
- (c) Evidence of an appropriate down payment or equal action that you've started acquiring the approved system.

## § 203.91 What is in a post-production development report?

For each cost category in the deep water cost report, you must compare actual costs up to the date when production starts to your planned pre-production costs. If your application included more than one development scenario, you need to compare actual costs with those in your scenario of most likely development. Also, you must have this report certified by an

#### Minerals Management Service, Interior

independent CPA according to §203.81(c).

[63 FR 2618, Jan. 16, 1998, as amended at 67 FR 1880, Jan. 15, 2002]

## Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D—Federal and Indian Gas [Reserved]

## Subpart E—Solid Minerals, General [Reserved]

#### Subpart F—Coal

#### § 203.250 Advance royalty.

Provisions for the payment of advance royalty in lieu of continued operation are contained at 43 CFR 3483.4.

[54 FR 1522, Jan. 13, 1989]

## § 203.251 Reduction in royalty rate or rental.

An application for reduction in coal royalty rate or rental shall be filed and processed in accordance with 43 CFR group 3400.

[54 FR 1522, Jan. 13, 1989]

## Subpart G—Other Solid Minerals [Reserved]

## Subpart H—Geothermal Resources [Reserved]

#### Subpart I—OCS Sulfur [Reserved]

#### PART 206—PRODUCT VALUATION

#### Subpart A—General Provisions

Sec.

206.10 Information collection.

#### Subpart B—Indian Oil

- 206.50 Purpose and scope.
- 206.51 Definitions.
- 206.52 Valuation standards.
- 206.53 Point of royalty settlement.
- 206.54 Transportation allowances—general.206.55 Determination of transportation al-

### 55 Determination of transportation a lowances.

#### Subpart C—Federal Oil

206.100 What is the purpose of this subpart?

206.101 What definitions apply to this sub-

Pt. 206

- part?
  206.102 How do I calculate royalty value for oil that I or my affiliate sell(s) under an arm's-length contract?
- 206.103 How do I value oil that is not sold under an arm's-length contract?
- 206.104 What index price publications are acceptable to MMS?
- 206.105 What records must I keep to support my calculations of value under this subpart?
- 206.106 What are my responsibilities to place production into marketable condition and to market production?
- 206.107 How do I request a value determination?
- 206.108 Does MMS protect information I provide?
- 206.109 When may I take a transportation allowance in determining value?
- 206.110 How do I determine a transportation allowance under an arm's-length transportation contract?
- 206.İ11 How do I determine a transportation allowance under a non-arm's-length transportation arrangement?
- 206.112 What adjustments and transportation allowances apply when I value oil using index pricing?
- 206.113 How will MMS identify market centers?
- 206.114 What are my reporting requirements under an arm's-length transportation contract?
- 206.115 What are my reporting requirements under a non-arm's-length transportation arrangement?
- 206.116 What interest and assessments apply if I improperly report a transportation allowance?
- 206.117 What reporting adjustments must I make for transportation allowances?
- 206.118 Are actual or theoretical losses permitted as part of a transportation allowance?
- 206.119 How are the royalty quantity and quality determined?
- 206.120 How are operating allowances determined?
- 206.121 Is there any grace period for reporting and paying royalties after this subpart becomes effective?

#### Subpart D—Federal Gas

- 206.150 Purpose and scope.
- 206.151 Definitions.
- 206.152 Valuation standards—unprocessed gas.
- 206.153 Valuation standards—processed gas.
- 206.154 Determination of quantities and qualities for computing royalties.
- 206.155 Accounting for comparison.
- 206.156 Transportation allowances—general.206.157 Determination of transportation allowances.

#### 30 CFR Ch. II (7-1-04 Edition)

#### § 206.10

- 206.158 Processing allowances—general.
- 206.159 Determination of processing allowances.
- 206.160 Operating allowances.

#### Subpart E—Indian Gas

- 206.170 What does this subpart contain?
- 206.171 What definitions apply to this subpart?
- 206.172 How do I value gas produced from leases in an index zone?
- 206.173 How do I calculate the alternative methodology for dual accounting?
- 206.174 How do I value gas production when an index-based method cannot be used?
- 206.175 How do I determine quantities and qualities of production for computing royalties?
- 206.176 How do I perform accounting for comparison?

#### TRANSPORTATION ALLOWANCES

- 206.177 What general requirements regarding transportation allowances apply to me?
- 206.178 How do I determine a transportation allowance?

#### PROCESSING ALLOWANCES

- 206.179 What general requirements regarding processing allowances apply to me?
- 206.180 How do I determine an actual processing allowance?
- 206.181 How do I establish processing costs for dual accounting purposes when I do not process the gas?

#### Subpart F—Federal Coal

- 206.250 Purpose and scope.
- 206.251 Definitions.
- 206.252 Information collection.
- 206.253 Coal subject to royalties—general provisions.
- 206.254 Quality and quantity measurement standards for reporting and paying royalties.
- 206.255 Point of royalty determination.
- 206.256 Valuation standards for cents-perton leases.
- 206.257 Valuation standards for ad valorem leases.
- 206.258 Washing allowances—general.
- 206.259 Determination of washing allowances.
- 206.260 Allocation of washed coal.
- 206.261 Transportation allowances—general. 206.262 Determination of transportation al-
- lowances. 206.263 [Reserved]
- 206.264 In-situ and surface gasification and liquefaction operations.
- 206.265 Value enhancement of marketable coal.

#### Subpart G—Other Solid Minerals

206.301 Value basis for royalty computation.

#### Subpart H—Geothermal Resources

- 206.350 Purpose and scope.
- 206.351 Definitions.
- 206.352 Valuation standards for electrical generation.
- 206.353 Determination of transmission deductions.
- 206.354 Determination of generating deductions.
- 206.355 Valuation standards for direct utilization.
- 206.356 Valuation standards for byproducts.
- 206.357 Byproduct transportation allowances—general.
- 206.358 Determination of byproduct transportation allowances.

#### Subpart I—OCS Sulfur [Reserved]

#### Subpart J—Indian Coal

- 206.450 Purpose and scope.
- 206.451 Definitions.
- 206.452 Coal subject to royalties—general provisions.
- 206.453 Quality and quantity measurement standards for reporting and paying royalties.
- 206.454 Point of royalty determination.
- 206.455 Valuation standards for cents-perton leases.
- 206.456 Valuation standards for ad valorem leases.
- 206.457 Washing allowances—general.
- 206.458 Determination of washing allowances.
- 206.459 Allocation of washed coal.
- 206.460 Transportation allowances—general.
- 206.461 Determination of transportation allowances.
- 206.462 [Reserved]
- 206.463 In-situ and surface gasification and liquefaction operations.
- 206.464 Value enhancement of marketable coal.

AUTHORITY: 5 U.S.C. 301 et seq.; 25 U.S.C. 396 et seq., 396a et seq., 2101 et seq.; 30 U.S.C. 181 et seq., 31 et seq., 1001 et seq., 1701 et seq.; 31 U.S.C. 9701.; 43 U.S.C. 1301 et seq., 1331 et seq., and 1801 et seq.

EDITORIAL NOTE: Nomenclature changes to part 206 appear at 67 FR 19111, Apr. 18, 2002.

#### **Subpart A—General Provisions**

#### § 206.10 Information collection.

The information collection requirements contained in this part have been approved by the Office of Management and Budget (OMB) under 44 U.S.C. 3501

et seq. The forms, filing date, and approved OMB clearance numbers are identified in 30 CFR 210.10.

[57 FR 41863, Sept. 14, 1992]

#### Subpart B—Indian Oil

SOURCE: 61 FR 5455, Feb. 12, 1996, unless otherwise noted.

#### § 206.50 Purpose and scope.

- (a) This subpart is applicable to all oil production from Indian (Tribal and allotted) oil and gas leases (except leases on the Osage Indian Reservation, Osage County, Oklahoma). The purpose of this subpart is to establish the value of production, for royalty purposes, consistent with the mineral leasing laws, other applicable laws, and lease terms.
- (b) If the specific provisions of any Federal statute, treaty, settlement agreement between the Indian lessor and a lessee resulting from administrative or judicial litigation, or oil and gas lease subject to the requirements of this subpart are inconsistent with any regulation in this subpart, then the statute, treaty, lease provision or settlement agreement shall govern to the extent of that inconsistency.
- (c) All royalty payments made to MMS or Indian Tribes are subject to audit and adjustment.
- (d) The regulations in this subpart are intended to ensure that the trust responsibilities of the United States with respect to the administration of Indian oil and gas leases are discharged in accordance with the requirements of the governing mineral leasing laws, treaties, and lease terms.

#### § 206.51 Definitions.

For the purposes of this subpart:

Allowance means an approved or an MMS-initially accepted deduction in determining value for royalty purposes. Transportation allowance means an allowance for the reasonable, actual costs incurred by the lessee for moving oil to a point of sale or point of delivery off the lease, unit area, or communitized area, excluding gathering, or an approved or MMS-initially accepted deduction for costs of such

transportation, determined by this subpart.

Area means a geographic region at least as large as the defined limits of an oil and/or gas field in which oil and/or gas lease products have similar quality, economic, and legal characteristics.

Arm's-length contract means a contract or agreement that has been arrived at in the market place between independent, nonaffiliated persons with opposing economic interests regarding that contract. For purposes of this subpart, two persons are affiliated if one person controls, is controlled by, or is under common control with another person. For purposes of this subpart, based on the instruments of ownership of the voting securities of an entity, or based on other forms of ownership: ownership in excess of 50 percent constitutes control; ownership of 10 through 50 percent creates a presumption of control; and ownership of less than 10 percent creates a presumption of noncontrol which MMS may rebut if it demonstrates actual or legal control, including the existence of interlocking directorates. Notwithstanding other provisions of this subpart, contracts between relatives, either by blood or by marriage, are not arm'slength contracts. MMS may require the lessee to certify ownership control. To be considered arm's-length for any production month, a contract must meet the requirements of this definition for that production month, as well as when the contract was executed.

Audit means a review, conducted in accordance with generally accepted accounting and auditing standards, of royalty payment compliance activities of lessees or other interest holders who pay royalties, rents, or bonuses on Indian leases.

*BIA* means the Bureau of Indian Affairs of the Department of the Interior.

*BLM* means the Bureau of Land Management of the Department of the Interior.

Condensate means liquid hydrocarbons (normally exceeding 40 degrees of API gravity) recovered at the surface without resorting to processing.

Condensate is the mixture of liquid hydrocarbons that results from condensation of petroleum hydrocarbons existing initially in a gaseous phase in an underground reservoir.

Contract means any oral or written agreement, including amendments or revisions thereto, between two or more persons and enforceable by law that with due consideration creates an obligation

Field means a geographic region situated over one or more subsurface oil and gas reservoirs encompassing at least the outermost boundaries of all oil and gas accumulations known to be within those reservoirs vertically projected to the land surface. Onshore fields are usually given names and their official boundaries are often designated by oil and gas regulatory agencies in the respective States in which the fields are located.

Gathering means the movement of lease production to a central accumulation or treatment point on the lease, unit, or communitized area, or to a central accumulation or treatment point off the lease, unit, or communitized area as approved by BLM operations personnel for onshore leases.

Gross proceeds (for royalty payment purposes) means the total monies and other consideration accruing to an oil and gas lessee for the disposition of the oil produced. Gross proceeds includes, but is not limited to, payments to the lessee for certain services such as dehydration, measurement, and/or gathering to the extent that the lessee is obligated to perform them at no cost to the Indian lessor. Gross proceeds, as applied to oil, also includes, but is not limited to, reimbursements for harboring or terminaling fees. Tax reimbursements are part of the gross proceeds accruing to a lessee even though the Indian royalty interest may be exempt from taxation. Monies and other consideration, including the forms of consideration identified in this paragraph, to which a lessee is contractually or legally entitled but which it does not seek to collect through reasonable efforts are also part of gross proceeds.

Indian allottee means any Indian for whom land or an interest in land is

held in trust by the United States or who holds title subject to Federal restriction against alienation.

Indian Tribe means any Indian Tribe, band, nation, pueblo, community, rancheria, colony, or other group of Indians for which any land or interest in land is held in trust by the United States or which is subject to Federal restriction against alienation.

Lease means any contract, profitshare arrangement, joint venture, or other agreement issued or approved by the United States under a mineral leasing law that authorizes exploration for, development or extraction of, or removal of lease products—or the land area covered by that authorization, whichever is required by the context.

Lease products means any leased minerals attributable to, originating from, or allocated to Indian leases.

Lessee means any person to whom an Indian Tribe, or an Indian allottee issues a lease, and any person who has been assigned an obligation to make royalty or other payments required by the lease. This includes any person who has an interest in a lease as well as an operator or payor who has no interest in the lease but who has assumed the royalty payment responsibility.

Like-quality lease products means lease products which have similar chemical, physical, and legal characteristics.

Load oil means any oil which has been used with respect to the operation of oil or gas wells for wellbore stimulation, workover, chemical treatment, or production purposes. It does not include oil used at the surface to place lease production in marketable condition.

Marketable condition means lease products which are sufficiently free from impurities and otherwise in a condition that they will be accepted by a purchaser under a sales contract typical for the field or area.

Marketing affiliate means an affiliate of the lessee whose function is to acquire only the lessee's production and to market that production.

Minimum royalty means that minimum amount of annual royalty that the lessee must pay as specified in the lease or in applicable leasing regulations.

*MMS* means the Minerals Management Service of the Department of the Interior.

Net-back method (or workback method) means a method for calculating market value of oil at the lease. Under this method, costs of transportation, processing, or manufacturing are deducted from the proceeds received for the oil and any extracted, processed, or manufactured products, or from the value of the oil or any extracted, processed, or manufactured products at the first point at which reasonable values for any such products may be determined by a sale under an arm's-length contract or comparison to other sales of such products, to ascertain value at the lease.

Net profit share (for applicable Indian lessees) means the specified share of the net profit from production of oil and gas as provided in the agreement.

Oil means a mixture of hydrocarbons that existed in the liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities and is marketed or used as such. Condensate recovered in lease separators or field facilities is considered to be oil. For purposes of royalty valuation, the term tar sands is defined separately from oil.

Oil shale means a kerogen-bearing rock (i.e., fossilized, insoluble, organic material). Separation of kerogen from oil shale may take place in situ or in surface retorts by various processes. The kerogen, upon distillation, will yield liquid and gaseous hydrocarbons.

Person means any individual, firm, corporation, association, partnership, consortium, or joint venture (when established as a separate entity).

Posted price means the price specified in publicly available posted price bulletins, onshore terminal postings, or other price notices net of all adjustments for quality (e.g., API gravity, sulfur content, etc.) and location for oil in marketable condition.

Processing means any process designed to remove elements or compounds (hydrocarbon and nonhydrocarbon) from gas, including absorption, adsorption, or refrigeration. Field processes which normally take place on or near the lease, such as natural pressure

reduction, mechanical separation, heating, cooling, dehydration, and compression are not considered processing. The changing of pressures and/or temperatures in a reservoir is not considered processing.

Selling arrangement means the individual contractual arrangements under which sales or dispositions of oil are made. Selling arrangements are described by illustration in MMS Royalty Management Program Oil and Gas Payor Handbook.

*Špot sales agreement* means a contract wherein a seller agrees to sell to a buyer a specified amount of oil at a specified price over a fixed period, usually of short duration, which does not normally require a cancellation notice to terminate, and which does not contain an obligation, nor imply an intent, to continue in subsequent periods.

Tar sands means any consolidated or unconsolidated rock (other than coal, oil shale, or gilsonite) that contains a hydrocarbonaceous material with a gas-free viscosity greater than 10,000 centipoise at original reservoir temperature.

[61 FR 5455, Feb. 12, 1996, as amended at 64 FR 43288, Aug. 10, 1999]

#### § 206.52 Valuation standards.

(a)(1) The value of production, for royalty purposes, of oil from leases subject to this subpart shall be the value determined under this section less applicable allowances determined under this subpart.

(2)(i) For any Indian leases which provide that the Secretary may consider the highest price paid or offered for a major portion of production (major portion) in determining value for royalty purposes, if data are available to compute a major portion, MMS will, where practicable, compare the value determined in accordance with this section with the major portion. The value to be used in determining the value of production, for royalty purposes, shall be the higher of those two values.

(ii) For purposes of this paragraph, major portion means the highest price paid or offered at the time of production for the major portion of oil production from the same field. The major portion will be calculated using like-

quality oil sold under arm's-length contracts from the same field (or, if necessary to obtain a reasonable sample, from the same area) for each month. All such oil production will be arrayed from highest price to lowest price (at the bottom).

The major portion is that price at which 50 percent (by volume) plus 1 barrel of the oil (starting from the bottom) is sold.

(b)(1)(i) The value of oil which is sold under an arm's-length contract shall be the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(1)(ii) and (b)(1)(iii) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value which the lessee reports, for royalty purposes, is subject to monitoring, review, and audit. For purposes of this section, oil which is sold or otherwise transferred to the lessee's marketing affiliate and then sold by the marketing affiliate under an arm's-length contract shall be valued in accordance with this paragraph based upon the sale by the marketing affiliate.

(ii) In conducting reviews and audits, MMS will examine whether the contract reflects the total consideration actually transferred either directly or indirectly from the buyer to the seller for the oil. If the contract does not reflect the total consideration, then  $\mbox{\sc MMS}$  may require that the oil sold under that contract be valued in accordance with paragraph (c) of this section. Value may not be less than the gross proceeds accruing to the lessee, including the additional consideration.

(iii) If MMS determines that the gross proceeds accruing to the lessee under an arm's-length contract do not reflect the reasonable value of the production because of misconduct by or between two contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the oil production be valued under the first applicable of paragraph (c)(2), (c)(3), (c)( $\frac{1}{4}$ ), or (c)(5) of this section. When MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's value. If the oil production is then valued under paragraph (c)(4) or (c)(5) of this section, the notification requirements of paragraph (e) of this section shall apply.

(2) MMS may require a lessee to certify that its arm's-length contract provisions include all of the consideration to be paid by the buyer, either directly

or indirectly, for the oil.

(c) The value of oil production from leases subject to this section which is not sold under an arm's-length contract shall be the reasonable value determined in accordance with the first applicable of the following paragraphs:

- (1) The lessee's contemporaneous posted prices or oil sales contract used in arm's-length transprices actions for purchases or sales of significant quantities of like-quality oil in the same field (or, if necessary to obtain a reasonable sample, from the same area); provided, however, that those posted prices or oil sales contract prices are comparable to other contemporaneous posted prices or oil sales contract prices used in arm's-length transactions for purchases or sales of significant quantities of like-quality oil in the same field (or, if necessary to obtain a reasonable sample, from the same area). In evaluating the comparability of posted prices or oil sales contract prices, the following factors shall be considered: Price, duration, market or markets served, terms, quality of oil, volume, and other factors as may be appropriate to reflect the value of the oil. If the lessee makes arm'slength purchases or sales at different postings or prices, then the volumeweighted average price for the purchases or sales for the production month will be used:
- (2) The arithmetic average of contemporaneous posted prices used in arm's-length transactions by persons other than the lessee for purchases or sales of significant quantities of likequality oil in the same field (or, if necessary to obtain a reasonable sample, from the same area);
- (3) The arithmetic average of other contemporaneous arm's-length contract prices for purchases or sales of significant quantities of like-quality oil in the same area or nearby areas;

- (4) Prices received for arm's-length spot sales of significant quantities of like-quality oil from the same field (or, if necessary to obtain a reasonable sample, from the same area), and other relevant matters, including information submitted by the lessee concerning circumstances unique to a particular lease operation or the salability of certain types of oil;
- (5) A net-back method or any other reasonable method to determine value;
- (6) For purposes of this paragraph, the term lessee includes the lessee's designated purchasing agent, and the term contemporaneous means postings or contract prices in effect at the time the royalty obligation is incurred.
- (d) Any Indian lessee will make available, upon request to the authorized MMS or Indian representatives, to the Office of the Inspector General of the Department of the Interior, or other persons authorized to receive such information, arm's-length sales and volume data for like-quality production sold, purchased, or otherwise obtained by the lessee from the field or area or from nearby fields or areas.
- (e)(1) Where the value is determined under paragraph (c) of this section, the lessee shall retain all data relevant to the determination of royalty value. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.
- (2) A lessee shall notify MMS if it has determined value under paragraph (c)(4) or (c)(5) of this section. The notification shall be by letter to MMS Associate Director for Minerals Revenue Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this paragraph is a one-time notification due no later than the end of the month following the month the lessee first reports royalties on a Form MMS-2014 using a valuation method authorized by paragraph (c)(4) or (c)(5) of this section and each time there is a change from one to the other of these two methods.

- (f) If MMS determines that a lessee has not properly determined value, the lessee shall pay the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also pay interest on the difference computed under 30 CFR 218.54. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.
- (g) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method and may use that value for royalty payment purposes until MMS issues a value determination. The lessee shall submit all available data relevant to its proposal. MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. In making a value determination, MMS may use any of the valuation criteria authorized by this subpart. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (f) of this section.
- (h) Notwithstanding any other provision of this section, under no circumstances shall the value of production, for royalty purposes, be less than the gross proceeds accruing to the lessee for lease production, less applicable allowances determined under this subpart.
- (i) The lessee is required to place oil in marketable condition at no cost to the Indian lessor unless otherwise provided in the lease agreement or this section. Where the value established under this section is determined by a lessee's gross proceeds, that value shall be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services the cost of which ordinarily is the responsibility of the lessee to place the oil in marketable condition.
- (j) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails

to take proper or timely action to receive prices or benefits to which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to an arm's-length contract. If the lessee makes timely application for a price increase or benefit allowed under its contract but the purchaser refuses, and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional royalties unless or until monies or consideration resulting from the price increase or additional benefits are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of oil.

(k) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding as against the Indian Tribes or allottees until the audit period is formally closed.

(l) Certain information submitted to MMS to support valuation proposals, including transportation allowances or extraordinary cost allowances, is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 552, or other Federal law. Any data specified by law to be privileged, confidential, or otherwise exempt, will be maintained in a confidential manner in accordance with applicable laws and regulations. All requests for information about determinations made under this part are to be submitted in accordance with the Freedom of Information Act regulation of the Department of the Interior, 43 CFR part 2. Nothing in this section is intended to limit or diminish in any manner whatsoever the right of an Indian lessor to obtain any and all information to which such lessor may be lawfully entitled from MMS or such lessor's lessee directly under the terms of the lease, 30 U.S.C. 1733, or other applicable law.

#### § 206.53 Point of royalty settlement.

- (a)(1) Royalties shall be computed on the quantity and quality of oil as measured at the point of settlement approved by BLM for onshore leases.
- (2) If the value of oil determined under §206.52 of this subpart is based upon a quantity and/or quality different from the quantity and/or quality at the point of royalty settlement approved by the BLM for onshore leases, the value shall be adjusted for those differences in quantity and/or quality.
- (b) No deductions may be made from the royalty volume or royalty value for actual or theoretical losses. Any actual loss that may be sustained prior to the royalty settlement metering or measurement point will not be subject to royalty provided that such actual loss is determined to have been unavoidable by BLM.
- (c) Except as provided in paragraph (b) of this section, royalties are due on 100 percent of the volume measured at the approved point of royalty settlement. There can be no reduction in that measured volume for actual losses beyond the approved point of royalty settlement or for theoretical losses that are claimed to have taken place either prior to or beyond the approved point of royalty settlement. Royalties are due on 100 percent of the value of the oil as provided in this subpart. There can be no deduction from the value of the oil for royalty purposes to compensate for actual losses beyond the approved point of royalty settlement or for theoretical losses that are claimed to have taken place either prior to or beyond the approved point of royalty settlement.

[61 FR 5455, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

## § 206.54 Transportation allowances—general.

(a) Where the value of oil has been determined under Section 206.52 of this subpart at a point (e.g., sales point or point of value determination) off the lease, MMS shall allow a deduction for the reasonable, actual costs incurred by the lessee to transport oil to a point off the lease; provided, however, that no transportation allowance will be

granted for transporting oil taken as Royalty-In-Kind (RIK); or

(b)(1) Except as provided in paragraph (b)(2) of this section, the transportation allowance deduction on the basis of a selling arrangement shall not exceed 50 percent of the value of the oil at the point of sale as determined under §206.52 of this subpart. Transportation costs cannot be transferred between selling arrangements or to other products.

(2) Upon request of a lessee, MMS may approve a transportation allowance deduction in excess of the limitation prescribed by paragraph (b)(1) of this section. The lessee must demonstrate that the transportation costs incurred in excess of the limitation prescribed in paragraph (b)(1) of this section were reasonable, actual, and necessary. An application for exception (using Form MMS-4393, Request to Exceed Regulatory Allowance Limitation) shall contain all relevant and supporting documentation necessary for MMS to make a determination. Under no circumstances shall the value, for royalty purposes, under any selling arrangement, be reduced to zero.

(c) Transportation costs must be allocated among all products produced and transported as provided in §206.55. Transportation allowances for oil shall be expressed as dollars per barrel.

(d) If, after a review and/or audit, MMS determines that a lessee has improperly determined a transportation allowance authorized by this subpart, then the lessee shall pay any additional royalties, plus interest determined in accordance with 30 CFR 218.54, or shall be entitled to a credit, without interest.

### § 206.55 Determination of transportation allowances.

(a) Arm's-length transportation contracts. (1)(i) For transportation costs incurred by a lessee under an arm's-length contract, the transportation allowance shall be the reasonable, actual costs incurred by the lessee for transporting oil under that contract, except as provided in paragraphs (a)(1)(ii) and (a)(1)(iii) of this section, subject to monitoring, review, audit, and adjustment. The lessee shall have the burden

of demonstrating that its contract is arm's-length. Such allowances shall be subject to the provisions of paragraph (f) of this section. Before any deduction may be taken, the lessee must submit a completed page one of Form MMS-4110 (and Schedule 1), Oil Transportation Allowance Report, in accordance with paragraph (c)(1) of this section. A transportation allowance may claimed retroactively for a period of not more than 3 months prior to the first day of the month that Form MMS-4110 is filed with MMS, unless MMS approves a longer period upon a showing of good cause by the lessee.

(ii) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the transporter for the transportation. If the contract reflects more than the total consideration, then MMS may require that the transportation allowance be determined in accordance with paragraph (b) of this section.

(iii) If MMS determines that the consideration paid under an arm's-length transportation contract does not reflect the reasonable value of the transportation because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the transportation allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the transportation may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's transportation costs.

(2)(i) If an arm's-length transportation contract includes more than one liquid product, and the transportation costs attributable to each product cannot be determined from the contract, then the total transportation costs shall be allocated in a consistent and equitable manner to each of the liquid products transported in the same proportion as the ratio of the volume of each product (excluding waste products which have no value) to the volume of all liquid products (excluding waste

products which have no value). Except as provided in this paragraph, no allowance may be taken for the costs of transporting lease production which is not royalty-bearing without MMS approval.

- (ii) Notwithstanding the requirements of paragraph (i), the lessee may propose to MMS a cost allocation method on the basis of the values of the products transported. MMS shall approve the method unless it determines that it is not consistent with the purposes of the regulations in this part.
- (3) If an arm's-length transportation contract includes both gaseous and liquid products, and the transportation costs attributable to each product cannot be determined from the contract, the lessee shall propose an allocation procedure to MMS. The lessee may use the oil transportation allowance determined in accordance with its proposed allocation procedure until MMS issues its determination on the acceptability of the cost allocation. The lessee shall submit all available data to support its proposal. The initial proposal must be submitted by June 30, 1988 or within 3 months after the last day of the month for which the lessee requests a transportation allowance, whichever is later (unless MMS approves a longer period). MMS shall then determine the oil transportation allowance based upon the lessee's proposal and any additional information MMS deems necessary.
- (4) Where the lessee's payments for transportation under an arm's-length contract are not on a dollar-per-unit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (5) Where an arm's-length sales contract price, or a posted price, includes a provision whereby the listed price is reduced by a transportation factor, MMS will not consider the transportation factor to be a transportation allowance. The transportation factor may be used in determining the lessee's gross proceeds for the sale of the product. The transportation factor may not exceed 50 percent of the base price of the product without MMS approval.

- (b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length transportation contract or has no contract, including those situations where the lessee performs transportation services for itself, the transportation allowance will be based upon the lessee's reasonable, actual costs as provided in this paragraph. All transportation allowances deducted under a non-arms-length or no-contract situation are subject to monitoring, review, audit, and adjustment. Before any estimated or actual deduction may be taken, the lessee must submit a completed Form MMS-4110 in its entirety in accordance with paragraph (c)(2) of this section. A transportation allowance may be claimed retroactively for a period of not more than 3 months prior to the first day of the month that Form MMS-4110 is filed with MMS, unless MMS approves a longer period upon a showing of good cause by the lessee. MMS will monitor the allowance deductions to determine whether lessees are taking deductions that are reasonable and allowable. When necessary or appropriate, MMS may direct a lessee to modify its actual transportation allowance deduction.
- (2) The transportation allowance for non-arms-length or no-contract situations shall be based upon the lessee's actual costs for transportation during the reporting period, including operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the initial capital investment in the transportation system multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the transportation system.
- (i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes; rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.

- (ii) Allowable maintenance expenses include: Maintenance of the transportation system; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document.
- (iii) Overhead directly attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.

(iv) A lessee may use either depreciation or a return on depreciable capital investment. After a lessee has elected to use either method for a transportation system, the lessee may not later elect to change to the other alternative without approval of MMS.

- (A) To compute depreciation, the lessee may elect to use either a straightline depreciation method based on the life of equipment or on the life of the reserves which the transportation system services or on a unit-of-production method. After an election is made, the lessee may not change methods without MMS approval. A change in ownership of a transportation system shall not alter the depreciation schedule established by the original transporter/ lessee for purposes of the allowance calculation. With or without a change in ownership, a transportation system shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.
- (B) MMS shall allow as a cost an amount equal to the initial capital investment in the transportation system multiplied by the rate of return determined under paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to transportation facilities first placed in service after March 1, 1988.
- (v) The rate of return shall be the industrial rate associated with Standard and Poor's BBB rating. The rate of return shall be the monthly average rate as published in Standard and Poor's Bond Guide for the first month of the reporting period for which the allowance is applicable and shall be effective during the reporting period. The rate shall be redetermined at the beginning

of each subsequent transportation allowance reporting period (which is determined under paragraph (c) of this section).

(3)(i) The deduction for transportation costs shall be determined on the basis of the lessee's cost of transporting each product through each individual transportation system. Where more than one liquid product is transported, allocation of costs to each of the liquid products transported shall be in the same proportion as the ratio of the volume of each liquid product (excluding waste products which have no value) to the volume of all liquid products (excluding waste products which have no value) and such allocation shall be made in a consistent and equitable manner. Except as provided in this paragraph, the lessee may not take an allowance for transporting lease production which is not royaltybearing without MMS approval.

(ii) Notwithstanding the requirements of paragraph (i), the lessee may propose to MMS a cost allocation method on the basis of the values of the products transported. MMS shall approve the method unless it determines that it is not consistent with the purposes of the regulations in this part.

(4) Where both gaseous and liquid products are transported through the same transportation system, the lessee shall propose a cost allocation procedure to MMS. The lessee may use the oil transportation allowance determined in accordance with its proposed allocation procedure until MMS issues its determination on the acceptability of the cost allocation. The lessee shall submit all available data to support its proposal. The initial proposal must be submitted by June 30, 1988 or within 3 months after the last day of the month for which the lessee requests a transportation allowance, whichever is later (unless MMS approves a longer period). MMS shall then determine the oil transportation allowance on the basis of the lessee's proposal and any additional information MMS deems nec-

(5) A lessee may apply to MMS for an exception from the requirement that it compute actual costs in accordance with paragraphs (b)(1) through (b)(4) of

this section. MMS will grant the exception only if the lessee has a tariff for the transportation system approved by the Federal Energy Regulatory Commission (FERC) for Indian leases. MMS shall deny the exception request if it determines that the tariff is excessive as compared to arm's-length transportation charges by pipelines, owned by the lessee or others, providing similar transportation services in that area. If there are no arm's-length transportation charges, MMS shall deny the exception request if:

- (i) No FERC cost analysis exists and the FERC has declined to investigate under MMS timely objections upon filing; and
- (ii) the tariff significantly exceeds the lessee's actual costs for transportation as determined under this section
- (c) Reporting requirements. (1) Arm'slength contracts. (i) With the exception of those transportation allowances specified in paragraphs (c)(1)(v) and (c)(1)(vi) of this section, the lessee shall submit page one of the initial Form MMS-4110 (and Schedule 1), Oil Transportation Allowance Report. prior to, or at the same time as, the transportation allowance determined, under an arm's-length contract, is reported on Form MMS-2014, Report of Sales and Royalty Remittance. A Form MMS-4110 received by the end of the month that the Form MMS-2014 is due shall be considered to be timely received.
- (ii) The initial Form MMS-4110 shall be effective for a reporting period beginning the month that the lessee is first authorized to deduct a transportation allowance and shall continue until the end of the calendar year, or until the applicable contract or rate terminates or is modified or amended, whichever is earlier.
- (iii) After the initial reporting period and for succeeding reporting periods, lessees must submit page one of Form MMS-4110 (and Schedule 1) within 3 months after the end of the calendar year, or after the applicable contract or rate terminates or is modified or amended, whichever is earlier, unless MMS approves a longer period (during which period the lessee shall continue

to use the allowance from the previous reporting period).

- (iv) MMS may require that a lessee submit arm's-length transportation contracts, production agreements, operating agreements, and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (v) Transportation allowances which are based on arm's-length contracts and which are in effect at the time these regulations become effective will be allowed to continue until such allowances terminate. For the purposes of this section, only those allowances that have been approved by MMS in writing shall qualify as being in effect at the time these regulations become effective.
- (vi) MMS may establish, in appropriate circumstances, reporting requirements which are different from the requirements of this section.
- (2) Non-arm's-length or no contract. (i) With the exception of those transportation allowances specified in para-(c)(2)(v),(c)(2)(vii) graphs (c)(2)(viii) of this section, the lessee shall submit an initial Form MMS-4110 prior to, or at the same time as, the transportation allowance determined under a non-arm's-length contract or no-contract situation is reported on Form MMS-2014. A Form MMS-4110 received by the end of the month that the Form MMS-2014 is due shall be considered to be timely received. The initial report may be based upon estimated costs.
- (ii) The initial Form MMS-4110 shall be effective for a reporting period beginning the month that the lessee first is authorized to deduct a transportation allowance and shall continue until the end of the calendar year, or until transportation under the non-arm's-length contract or the no-contract situation terminates, whichever is earlier.
- (iii) For calendar-year reporting periods succeeding the initial reporting period, the lessee shall submit a completed Form MMS-4110 containing the actual costs for the previous reporting period. If oil transportation is continuing, the lessee shall include on Form MMS-4110 its estimated costs for the next calendar year. The estimated

oil transportation allowance shall be based on the actual costs for the previous reporting period plus or minus any adjustments which are based on the lessee's knowledge of decreases or increases that will affect the allowance. MMS must receive the Form MMS-4110 within 3 months after the end of the previous reporting period, unless MMS approves a longer period (during which period the lessee shall continue to use the allowance from the previous reporting period).

(iv) For new transportation facilities or arrangements, the lessee's initial Form MMS-4110 shall include estimates of the allowable oil transportation costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the transportation system or, if such data are not available, the lessee shall use estimates based upon industry data for similar transportation systems.

- (v) Non-arm's-length contract or nocontract transportation allowances which are in effect at the time these regulations become effective will be allowed to continue until such allowances terminate. For the purposes of this section, only those allowances that have been approved by MMS in writing shall qualify as being in effect at the time these regulations become effective.
- (vi) Upon request by MMS, the lessee shall submit all data used to prepare its Form MMS-4110. The data shall be provided within a reasonable period of time, as determined by MMS.
- (vii) MMS may establish, in appropriate circumstances, reporting requirements which are different from the requirements of this section.
- (viii) If the lessee is authorized to use its FERC-approved tariff as its transportation cost in accordance with paragraph (b)(5) of this section, it shall follow the reporting requirements of paragraph (c)(1) of this section.
- (3) MMS may establish reporting dates for individual lessees different from those specified in this subpart in order to provide more effective administration. Lessees will be notified of any change in their reporting period.
- (4) Transportation allowances must be reported as a separate line item on

Form MMS-2014, unless MMS approves a different reporting procedure.

- (d) Interest assessments for incorrect or late reports and for failure to report. (1) If a lessee deducts a transportation allowance on its Form MMS-2014 without complying with the requirements of this section, the lessee shall pay interest only on the amount of such deduction until the requirements of this section are complied with. The lessee also shall repay the amount of any allowance which is disallowed by this section.
- (2) If a lessee erroneously reports a transportation allowance which results in an underpayment of royalties, interest shall be paid on the amount of that underpayment.
- (3) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.54.
- (e) Adjustments. (1) If the actual transportation allowance is less than the amount the lessee has taken on Form MMS-2014 for each month during the allowance form reporting period, the lessee shall be required to pay additional royalties due plus interest computed under 30 CFR 218.54, retroactive to the first day of the first month the lessee is authorized to deduct a transportation allowance. If the actual transportation allowance is greater than the amount the lessee has taken on Form MMS-2014 for each month during the allowance form reporting period, the lessee shall be entitled to a credit without interest.
- (2) For lessees transporting production from Indian leases, the lessee must submit a corrected Form MMS-2014 to reflect actual costs, together with any payment, in accordance with instructions provided by MMS.
- (f) Actual or theoretical losses. Notwithstanding any other provisions of this subpart, for other than arm's-length contracts, no cost shall be allowed for oil transportation which results from payments (either volumetric or for value) for actual or theoretical losses. This section does not apply when the transportation allowance is based upon a FERC or State regulatory agency approved tariff.
- (g) Other transportation cost determinations. The provisions of this section

shall apply to determine transportation costs when establishing value using a netback valuation procedure or any other procedure that requires deduction of transportation costs.

#### Subpart C—Federal Oil

Source: 65 FR 14088, Mar. 15, 2000, unless otherwise noted.

## § 206.100 What is the purpose of this subpart?

- (a) This subpart applies to all oil produced from Federal oil and gas leases onshore and on the Outer Continental Shelf (OCS). It explains how you as a lessee must calculate the value of production for royalty purposes consistent with the mineral leasing laws, other applicable laws, and lease terms.
- (b) If you are a designee and if you dispose of production on behalf of a lessee, the terms "you" and "your" in this subpart refer to you and not to the lessee. In this circumstance, you must determine and report royalty value for the lessee's oil by applying the rules in this subpart to your disposition of the lessee's oil.
- (c) If you are a designee and only report for a lessee, and do not dispose of the lessee's production, references to "you" and "your" in this subpart refer to the lessee and not the designee. In this circumstance, you as a designee must determine and report royalty value for the lessee's oil by applying the rules in this subpart to the lessee's disposition of its oil.
- (d) If the regulations in this subpart are inconsistent with:
  - (1) A Federal statute;
- (2) A settlement agreement between the United States and a lessee resulting from administrative or judicial litigation;
- (3) A written agreement between the lessee and the MMS Director establishing a method to determine the value of production from any lease that MMS expects at least would approximate the value established under this subpart; or
- (4) An express provision of an oil and gas lease subject to this subpart, then the statute, settlement agreement, written agreement, or lease provision

will govern to the extent of the inconsistency.

(e) MMS may audit and adjust all royalty payments.

## § 206.101 What definitions apply to this subpart?

The following definitions apply to this subpart:

Affiliate means a person who controls, is controlled by, or is under common control with another person. For purposes of this subpart:

- (1) Ownership or common ownership of more than 50 percent of the voting securities, or instruments of ownership, or other forms of ownership, of another person constitutes control. Ownership of less than 10 percent constitutes a presumption of noncontrol that MMS may rebut.
- (2) If there is ownership or common ownership of between 10 and 50 percent of the voting securities or instruments of ownership, or other forms of ownership, of another person, MMS will consider the following factors in determining whether there is control under the circumstances of a particular case:
- (i) The extent to which there are common officers or directors;
- (ii) With respect to the voting securities, or instruments of ownership, or other forms of ownership: the percentage of ownership or common ownership, the relative percentage of ownership or common ownership compared to the percentage(s) of ownership by other persons, whether a person is the greatest single owner, or whether there is an opposing voting bloc of greater ownership;
- (iii) Operation of a lease, plant, or other facility:
- (iv) The extent of participation by other owners in operations and day-today management of a lease, plant, or other facility; and
- (v) Other evidence of power to exercise control over or common control with another person.
- (3) Regardless of any percentage of ownership or common ownership, relatives, either by blood or marriage, are affiliates.

ANS means Alaska North Slope (ANS).

Area means a geographic region at least as large as the limits of an oil

field, in which oil has similar quality, economic, and legal characteristics.

Arm's-length contract means a contract or agreement between independent persons who are not affiliates and who have opposing economic interests regarding that contract. To be considered arm's length for any production month, a contract must satisfy this definition for that month, as well as when the contract was executed.

Audit means a review, conducted under generally accepted accounting and auditing standards, of royalty payment compliance activities of lessees, designees or other persons who pay royalties, rents, or bonuses on Federal leases.

*BLM* means the Bureau of Land Management of the Department of the Interior.

Condensate means liquid hydrocarbons (normally exceeding 40 degrees of API gravity) recovered at the surface without processing. Condensate is the mixture of liquid hydrocarbons resulting from condensation of petroleum hydrocarbons existing initially in a gaseous phase in an underground reservoir.

Contract means any oral or written agreement, including amendments or revisions, between two or more persons, that is enforceable by law and that with due consideration creates an obligation.

*Designee* means the person the lessee designates to report and pay the lessee's royalties for a lease.

Exchange agreement means an agreement where one person agrees to deliver oil to another person at a specified location in exchange for oil deliveries at another location. Exchange agreements may or may not specify prices for the oil involved. They frequently specify dollar amounts reflecting location, quality, or other differentials. Exchange agreements include buy/sell agreements, which specify prices to be paid at each exchange point and may appear to be two separate sales within the same agreement. Examples of other types of exchange agreements include, but are not limited to, exchanges of produced oil for specific types of crude oil (e.g., West Texas Intermediate); exchanges of produced oil for other crude oil at other

locations (Location Trades); exchanges of produced oil for other grades of oil (Grade Trades); and multi-party exchanges.

Field means a geographic region situated over one or more subsurface oil and gas reservoirs and encompassing at least the outermost boundaries of all oil and gas accumulations known within those reservoirs, vertically projected to the land surface. State oil and gas regulatory agencies usually name onshore fields and designate their official boundaries. MMS names and designates boundaries of OCS fields.

Gathering means the movement of lease production to a central accumulation or treatment point on the lease, unit, or communitized area, or to a central accumulation or treatment point off the lease, unit, or communitized area that BLM or MMS approves for onshore and offshore leases, respectively.

Gross proceeds means the total monies and other consideration accruing for the disposition of oil produced. Gross proceeds also include, but are not limited to, the following examples:

- (1) Payments for services such as dehydration, marketing, measurement, or gathering which the lessee must perform at no cost to the Federal Government;
- (2) The value of services, such as salt water disposal, that the producer normally performs but that the buyer performs on the producer's behalf;
- (3) Reimbursements for harboring or terminaling fees;
- (4) Tax reimbursements, even though the Federal royalty interest may be exempt from taxation;
- (5) Payments made to reduce or buy down the purchase price of oil to be produced in later periods, by allocating such payments over the production whose price the payment reduces and including the allocated amounts as proceeds for the production as it occurs: and
- (6) Monies and all other consideration to which a seller is contractually or legally entitled, but does not seek to collect through reasonable efforts.

Index pricing means using ANS crude oil spot prices, West Texas Intermediate (WTI) crude oil spot prices at

Cushing, Oklahoma, or other appropriate crude oil spot prices for royalty valuation.

*Index pricing point* means the physical location where an index price is established in an MMS-approved publication.

Lease means any contract, profitshare arrangement, joint venture, or other agreement issued or approved by the United States under a mineral leasing law that authorizes exploration for, development or extraction of, or removal of oil or gas—or the land area covered by that authorization, whichever the context requires.

Lessee means any person to whom the United States issues an oil and gas lease, an assignee of all or a part of the record title interest, or any person to whom operating rights in a lease have been assigned.

Location differential means an amount paid or received (whether in money or in barrels of oil) under an exchange agreement that results from differences in location between oil delivered in exchange and oil received in the exchange. A location differential may represent all or part of the difference between the price received for oil delivered and the price paid for oil received under a buy/sell exchange agreement.

Market center means a major point MMS recognizes for oil sales, refining, or transshipment. Market centers generally are locations where MMS-approved publications publish oil spot prices.

Marketable condition means oil sufficiently free from impurities and otherwise in a condition a purchaser will accept under a sales contract typical for the field or area.

*MMS-approved publication* means a publication MMS approves for determining ANS spot prices, other spot prices, or location differentials.

Netting means reducing the reported sales value to account for transportation instead of reporting a transportation allowance as a separate entry on Form MMS-2014.

Oil means a mixture of hydrocarbons that existed in the liquid phase in natural underground reservoirs, remains liquid at atmospheric pressure after passing through surface separating facilities, and is marketed or used as a

liquid. Condensate recovered in lease separators or field facilities is oil.

Outer Continental Shelf (OCS) means all submerged lands lying seaward and outside of the area of lands beneath navigable waters as defined in Section 2 of the Submerged Lands Act (43 U.S.C. 1301) and of which the subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.

*Person* means any individual, firm, corporation, association, partnership, consortium, or joint venture (when established as a separate entity).

Quality differential means an amount paid or received under an exchange agreement (whether in money or in barrels of oil) that results from differences in API gravity, sulfur content, viscosity, metals content, and other quality factors between oil delivered and oil received in the exchange. A quality differential may represent all or part of the difference between the price received for oil delivered and the price paid for oil received under a buy/ sell agreement.

Rocky Mountain Region means the States of Colorado, Montana, North Dakota, South Dakota, Utah, and Wyoming, except for those portions of the San Juan Basin and other oil-producing fields in the "Four Corners" area that lie within Colorado and Utah.

Sale means a contract between two persons where:

- (1) The seller unconditionally transfers title to the oil to the buyer and does not retain any related rights such as the right to buy back similar quantities of oil from the buyer elsewhere;
- (2) The buyer pays money or other consideration for the oil; and
- (3) The parties' intent is for a sale of the oil to occur.

*Spot price* means the price under a spot sales contract where:

- (1) A seller agrees to sell to a buyer a specified amount of oil at a specified price over a specified period of short duration;
- (2) No cancellation notice is required to terminate the sales agreement; and
- (3) There is no obligation or implied intent to continue to sell in subsequent periods.

#### Minerals Management Service, Interior

Tendering program means a producer's offer of a portion of its crude oil produced from a field or area for competitive bidding, regardless of whether the production is offered or sold at or near the lease or unit or away from the lease or unit.

Trading month means the span of time during which crude oil trading occurs and spot prices are determined, generally for deliveries of production in the following calendar month. For example, for ANS spot prices, the trading month includes all business days in the calendar month. For other spot prices, for example, the trading month may include the span of time from the 26th of the previous month through the 25th of the current month.

Transportation allowance means a deduction in determining royalty value for the reasonable, actual costs of moving oil to a point of sale or delivery off the lease, unit area, or communitized area. The transportation allowance does not include gathering costs.

EFFECTIVE DATE NOTE: At 69 FR 24975, May 5, 2004, §206.101 was amended by revising the introductory text and paragraph (2) of the definition of "affiliate;" removing the definitions of "index pricing" and "index pricing point;" revising the definitions of "MMS-approved publication" and "trading month;" and adding definitions of "NYMEX price," "prompt month," "roll," and " WTI differential," effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised and added text is set forth as follows:

## $\S$ 206.101 What definitions apply to this subpart?

\* \* \* \* \*

*Affiliate* means a person who controls, is controlled by, or is under common control with another person. For purposes of this subpart:

\* \* \* \* \*

(2) If there is ownership or common ownership of 10 through 50 percent of the voting securities or instruments of ownership, or other forms of ownership, of another person, MMS will consider the following factors in determining whether there is control under the circumstances of a particular case:

\* \* \* \* \*

MMS-approved publication means a publication MMS approves for determining ANS spot prices or WTI differentials.

\* \* \* \* \*

NYMEX price means the average of the New York Mercantile Exchange (NYMEX) settlement prices for light sweet crude oil delivered at Cushing, Oklahoma, calculated as follows:

- (I) Sum the prices published for each day during the calendar month of production (excluding weekends and holidays) for oil to be delivered in the prompt month corresponding to each such day; and
- (2) Divide the sum by the number of days on which those prices are published (excluding weekends and holidays).

\* \* \* \* \*

*Prompt month* means the nearest month of delivery for which NYMEX futures prices are published during the trading month.

\* \* \* \* \*

*Roll* means an adjustment to the NYMEX price that is calculated as follows:

 $Roll = .6667 \times (P_0 - P_1) + .3333 \times (P_0 - P_2),$ where:  $P_0$  = the average of the daily NYMEX settlement prices for deliveries during the prompt month that is the same as the month of production, as published for each day during the trading month for which the month of production is the prompt month;  $P_1$  = the average of the daily NYMEX settlement prices for deliveries during the month following the month of production, published for each day during the trading month for which the month of production is the prompt month; and  $P_2$  = the average of the daily NYMEX settlement prices for deliveries during the second month following the month of production, as published for each day during the trading month for which the month of production is the prompt month. Calculate the average of the daily NYMEX settlement prices using only the days on which such prices are published (excluding weekends and

(1) Example 1. Prices in Out Months are Lower Going Forward: The month of production for which you must determine royalty value is March. March was the prompt month (for year 2003) from January 22 through February 20. April was the first month following the month of production, and May was the second month following the month of production.  $P_0$  therefore is the average of the daily NYMEX settlement prices for deliveries during March published for each business day between January 22 and February 20.  $P_1$  is the average of the daily

NYMEX settlement prices for deliveries during April published for each business day between January 22 and February 20.  $P_2$  is the average of the daily NYMEX settlement prices for deliveries during May published for each business day between January 22 and February 20. In this example, assume that  $P_0 = \$28.00$  per bbl,  $P_1 = \$27.70$  per bbl, and  $P_2 = \$27.10$  per bbl. In this example (a declining market), Roll = .6667  $\times$  (\$28.00 - \$27.70)  $\times$  .333  $\times$  (\$28.00 - \$27.10) = \$.20 + \$.30 = \$.50. You add this number to the NYMEX price.

(2) Example 2. Prices in Out Months are Higher Going Forward: The month of production for which you must determine royalty value is July. July 2003 was the prompt month from May 21 through June 20. August was the first month following the month of production, and September was the second month following the month of production.  $P_0$ therefore is the average of the daily NYMEX settlement prices for deliveries during July published for each business day between May  $^{1}$ 21 and June 20. P<sub>1</sub> is the average of the daily NYMEX settlement prices for deliveries during August published for each business day between May 21 and June 20. P2 is the average of the daily NYMEX settlement prices for deliveries during September published for each business day between May 21 and June 20. In this example, assume that  $P_0 = $28.00$ per bbl,  $P_1 = \$28.90$  per bbl, and  $P_2 = \$29.50$  per bbl. In this example (a rising market), Roll =  $6667 \times ($28.00 - $28.90) + .3333 \times ($28.00 - $29.50)$ = (-\$.60) + (-\$.50) = -\$1.10. You add this negative number to the NYMEX price (effectively a subtraction from the NYMEX price).

\* \* \* \* \*

Trading month means the period extending from the second business day before the 25th day of the second calendar month preceding the delivery month (or, if the 25th day of that month is a non-business day, the second business day before the last business day preceding the 25th day of that month) through the third business day before the 25th day of the calendar month preceding the delivery month (or, if the 25th day of that month is a non-business day, the third business day before the last business day preceding the 25th day of that month), unless the NYMEX publishes a different definition or different dates on its official Web site, <a href="https://www.nymex.com">www.nymex.com</a>, in which case the NYMEX definition will apply.

\* \* \* \* \*

WTI differential means the average of the daily mean differentials for location and quality between a grade of crude oil at a market center and West Texas Intermediate (WTI) crude oil at Cushing published for each day for which price publications perform surveys for deliveries during the production month, calculated over the number of days

on which those differentials are published (excluding weekends and holidays). Calculate the daily mean differentials by averaging the daily high and low differentials for the month in the selected publication. Use only the days and corresponding differentials for which such differentials are published.

(1) Example. Assume the production month was March 2003. Industry trade publications performed their price surveys and determined differentials during January 26 through February 25 for oil delivered in March. The WTI differential (for example, the West Texas Sour crude at Midland, Texas, spread versus WTI) applicable to valuing oil produced in the March 2003 production month would be determined using all the business days for which differentials were published during the period January 26 through February 25 excluding weekends and holidays (22 days). To calculate the WTI differential, add together all of the daily mean differentials published for January 26 through February 25 and divide that sum by 22.

(2) [Reserved]

# § 206.102 How do I calculate royalty value for oil that I or my affiliate sell(s) under an arm's-length contract?

(a) The value of oil under this section is the gross proceeds accruing to the seller under the arm's-length contract, less applicable allowances determined under §§ 206.110 or 206.111. This value does not apply if you exercise an option to use a different value provided in paragraph (d)(1) or (d)(2)(i) of this section, or if one of the exceptions in paragraph (c) of this section applies. Use this paragraph (a) to value oil that:

- (1) You sell under an arm's-length sales contract; or
- (2) You sell or transfer to your affiliate or another person under a non-arm's-length contract and that affiliate or person, or another affiliate of either of them, then sells the oil under an arm's-length contract, unless you exercise the option provided in paragraph (d)(2)(i) of this section.
- (b) If you have multiple arm's-length contracts to sell oil produced from a lease that is valued under paragraph (a) of this section, the value of the oil is the volume-weighted average of the values established under this section for each contract for the sale of oil produced from that lease.

- (c) This paragraph contains exceptions to the valuation rule in paragraph (a) of this section. Apply these exceptions on an individual contract basis.
- (1) In conducting reviews and audits, if MMS determines that any arm's-length sales contract does not reflect the total consideration actually transferred either directly or indirectly from the buyer to the seller, MMS may require that you value the oil sold under that contract either under § 206.103 or at the total consideration received.
- (2) You must value the oil under §206.103 if MMS determines that the value under paragraph (a) of this section does not reflect the reasonable value of the production due to either:
- (i) Misconduct by or between the parties to the arm's-length contract; or
- (ii) Breach of your duty to market the oil for the mutual benefit of yourself and the lessor.
- (A) MMS will not use this provision to simply substitute its judgment of the market value of the oil for the proceeds received by the seller under an arm's-length sales contract.
- (B) The fact that the price received by the seller under an arm's length contract is less than other measures of market price, such as index prices, is insufficient to establish breach of the duty to market unless MMS finds additional evidence that the seller acted unreasonably or in bad faith in the sale of oil from the lease.
- (d)(1) If you enter into an arm's-length exchange agreement, or multiple sequential arm's-length exchange agreements, and following the exchange(s) you or your affiliate sell(s) the oil received in the exchange(s) under an arm's-length contract, then you may use either §206.102(a) or §206.103 to value your production for royalty purposes.
- (i) If you use \$206.102(a), your gross proceeds are the gross proceeds under your or your affiliate's arm's-length sales contract after the exchange(s) occur(s). You must adjust your gross proceeds for any location or quality differential, or other adjustments, you received or paid under the arm's-length exchange agreement(s). If MMS determines that any arm's-length exchange

- agreement does not reflect reasonable location or quality differentials, MMS may require you to value the oil under §206.103. You may not otherwise use the price or differential specified in an arm's-length exchange agreement to value your production.
- (ii) When you elect under \$206.102(d)(1) to use \$206.102(a) or \$206.103, you must make the same election for all of your production from the same unit, communitization agreement, or lease (if the lease is not part of a unit or communitization agreement) sold under arm's-length contracts following arm's-length exchange agreements. You may not change your election more often than once every 2 years.
- (2)(i) If you sell or transfer your oil production to your affiliate and that affiliate or another affiliate then sells the oil under an arm's-length contract, you may use either §206.102(a) or §206.103 to value your production for royalty purposes.
- (ii) When you elect under \$206.102(d)(2)(i) to use \$206.102(a) or \$206.103, you must make the same election for all of your production from the same unit, communitization agreement, or lease (if the lease is not part of a unit or communitization agreement) that your affiliates resell at arm's length. You may not change your election more often than once every 2 years.
- (e) If you value oil under paragraph (a) of this section:
- (1) MMS may require you to certify that your or your affiliate's arm'slength contract provisions include all of the consideration the buyer must pay, either directly or indirectly, for the oil.
- (2) You must base value on the highest price the seller can receive through legally enforceable claims under the contract.
- (i) If the seller fails to take proper or timely action to receive prices or benefits it is entitled to, you must pay royalty at a value based upon that obtainable price or benefit. But you will owe no additional royalties unless or until the seller receives monies or consideration resulting from the price increase or additional benefits, if:

- (A) The seller makes timely application for a price increase or benefit allowed under the contract;
- (B) The purchaser refuses to comply; and
- (C) The seller takes reasonable documented measures to force purchaser compliance.
- (ii) Paragraph (e)(2)(i) of this section will not permit you to avoid your royalty payment obligation where a purchaser fails to pay, pays only in part, or pays late. Any contract revisions or amendments that reduce prices or benefits to which the seller is entitled must be in writing and signed by all parties to the arm's-length contract.

## § 206.103 How do I value oil that is not sold under an arm's-length contract?

This section explains how to value oil that you may not value under §206.102 or that you elect under §206.102(d) to value under this section. First determine whether paragraph (a), (b), or (c) of this section applies to production from your lease, or whether you may apply paragraph (d) or (e) with MMS approval.

- (a) Production from leases in California or Alaska. Value is the average of the daily mean ANS spot prices published in any MMS-approved publication during the trading month most concurrent with the production month. (For example, if the production month is June, compute the average of the daily mean prices using the daily ANS spot prices published in the MMS-approved publication for all the business days in June.)
- (1) To calculate the daily mean spot price, average the daily high and low prices for the month in the selected publication.
- (2) Use only the days and corresponding spot prices for which such prices are published.
- (3) You must adjust the value for applicable location and quality differentials, and you may adjust it for transportation costs, under §206.112.
- (4) After you select an MMS-approved publication, you may not select a different publication more often than once every 2 years, unless the publication you use is no longer published or MMS revokes its approval of the publi-

cation. If you are required to change publications, you must begin a new 2-year period.

- (b) Production from leases in the Rocky Mountain Region. This paragraph provides methods and options for valuing your production under different factual situations.
- (1) If you have an MMS-approved tendering program, value your oil under paragraph (b)(2) of this section. If you do not have an MMS-approved tendering program, you may value your oil under either paragraph (b)(3) or paragraph (b)(4) of this section.
- (i) You must apply the same subparagraph of this section to value all of your production from the same unit, communitization agreement, or lease (if the lease is not part of a unit or communitization agreement) that you cannot value under §206.102 or that you elect under §206.102(d) to value under this section.
- (ii) After you select either paragraph (b)(3) or (b)(4) of this section, you may not change to the other method more often than once every 2 years, unless the method you have been using is no longer applicable and you must apply one of the other paragraphs. If you change methods, you must begin a new 2-year period.
- (2) If you have an MMS-approved tendering program, the value of production from leases in the area the tendering program covers is the highest winning bid price for tendered volumes.
- (i) You must offer and sell at least 30 percent of your production from both Federal and non-Federal leases in that area under your tendering program.
- (ii) You also must receive at least three bids for the tendered volumes from bidders who do not have their own tendering programs that cover some or all of the same area.
- (iii) MMS will provide additional criteria for approval of a tendering program in its revenue reporter handbook.
- (3) Value is the volume-weighted average gross proceeds accruing to the seller under your and your affiliates' arm's-length contracts for the purchase or sale of production from the field or area during the production month. The total volume purchased or sold under those contracts must exceed 50 percent of your and your affiliates'

production from both Federal and non-Federal leases in the same field or area during that month. Before calculating the volume-weighted average, you must normalize the quality of the oil in your or your affiliates' arms-length purchases or sales to the same gravity as that of the oil produced from the lease.

- (4) Value is the average of the daily mean spot prices published in any MMS-approved publication for WTI crude at Cushing, Oklahoma, during the trading month most concurrent with the production month. (For example, if the production month is June and the trading month is May 26—June 25, compute the average of the daily mean prices using the daily Cushing spot prices published in the MMS-approved publication for all the business days between and including May 26 and June 25.)
- (i) Calculate the daily mean spot price by averaging the daily high and low prices for the period in the selected publication.
- (ii) Use only the days and corresponding spot prices for which such prices are published.
- (iii) You must adjust the value for applicable location and quality differentials, and you may adjust it for transportation costs, under § 206.112.
- (iv) After you select an MMS-approved publication, you may not select a different publication more often than once every 2 years, unless the publication you use is no longer published or MMS revokes its approval of the publication. If you are required to change publications, you must begin a new 2-year period.
- (5) If you demonstrate to MMS's satisfaction that paragraphs (b)(2) through (b)(4) of this section result in an unreasonable value for your production as a result of circumstances regarding that production, the MMS Director may establish an alternative valuation method.
- (c) Production from leases not located in California, Alaska, or the Rocky Mountain Region. (1) Value is the average of the daily mean spot prices published in any MMS-approved publication:
- (i) For the market center nearest your lease for crude oil similar in qual-

ity to that of your production (for example, at the St. James, Louisiana, market center, spot prices are published for both Light Louisiana Sweet and Eugene Island crude oils—their quality specifications differ significantly); and

- (ii) During the trading month most concurrent with the production month. (For example, if the production month is June and the trading month is May 26–June 25, compute the average of the daily mean prices using the daily spot prices published in the MMS-approved publication for all the business days between and including May 26 and June 25 for the applicable market center.)
- (2) Calculate the daily mean spot price by averaging the daily high and low prices for the period in the selected publication. Use only the days and corresponding spot prices for which such prices are published. You must adjust the value for applicable location and quality differentials, and you may adjust it for transportation costs, under § 206.112.
- (3) After you select an MMS-approved publication, you may not select a different publication more often than once every 2 years, unless the publication you use is no longer published or MMS revokes its approval of the publication. If you are required to change publications, you must begin a new 2-year period.
- (d) Unavailable or unreasonable index prices. If MMS determines that any of the index prices referenced in paragraphs (a), (b), and (c) of this section are unavailable or no longer represent reasonable royalty value, in any particular case, MMS may establish reasonable royalty value based on other relevant matters.
- (e) Production delivered to your refinery and index price is unreasonable.(1) Instead of valuing your production under paragraph (a), (b), or (c) of this section, you may apply to the MMS Director to establish a value representing the market at the refinery if:
- (i) You transport your oil directly to your or your affiliate's refinery, or exchange your oil for oil delivered to your or your affiliate's refinery; and
- (ii) You must value your oil under this section at an index price; and

- (iii) You believe that use of the index price is unreasonable.
- (2) You must provide adequate documentation and evidence demonstrating the market value at the refinery. That evidence may include, but is not limited to:
- (i) Costs of acquiring other crude oil at or for the refinery;
- (ii) How adjustments for quality, location, and transportation were factored into the price paid for other oil:
- (iii) Volumes acquired for and refined at the refinery; and
- (iv) Any other appropriate evidence or documentation that MMS requires.
- (3) If the MMS Director establishes a value representing market value at the refinery, you may not take an allowance against that value under \$206.112(b) unless it is included in the Director's approval.

 $[65\ FR\ 14088,\ Mar.\ 15,\ 2002,\ as\ amended\ at\ 67\ FR\ 19111,\ Apr.\ 18,\ 2002]$ 

EFFECTIVE DATE NOTE: At 69 FR 24976, May 5, 2004, §206.103 was amended by revising paragraphs (b), (c), (d), (e) introductory text, (e)(1)(ii), and (e)(1)(iii), effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised text is set forth as follows:

## § 206.103 How do I value oil that is not sold under an arm's-length contract?

\* \* \* \* \*

- (b) Production from leases in the Rocky Mountain Region. This paragraph provides methods and options for valuing your production under different factual situations. You must consistently apply paragraph (b)(1), (b)(2), or (b)(3) of this section to value all of your production from the same unit, communitization agreement, or lease (if the lease or a portion of the lease is not part of a unit or communitization agreement) that you cannot value under §206.102 or that you elect under §206.102(d) to value under this section.
- (1) If you have an MMS-approved tendering program, you must value oil produced from leases in the area the tendering program covers at the highest winning bid price for tendered volumes.
- (i) The minimum requirements for MMS to approve your tendering program are:
- (A) You must offer and sell at least 30 percent of your or your affiliates' production from both Federal and non-Federal leases in the area under your tendering program; and

- (B) You must receive at least three bids for the tendered volumes from bidders who do not have their own tendering programs that cover some or all of the same area.
- (ii) If you do not have an MMS-approved tendering program, you may elect to value your oil under either paragraph (b)(2) or (b)(3) of this section. After you select either paragraph (b)(2) or (b)(3) of this section, you may not change to the other method more often than once every 2 years, unless the method you have been using is no longer applicable and you must apply the other paragraph. If you change methods, you must begin a new 2-year period.
- (2) Value is the volume-weighted average of the gross proceeds accruing to the seller under your or your affiliates' arm's-length contracts for the purchase or sale of production from the field or area during the production month.
- (i) The total volume purchased or sold under those contracts must exceed 50 percent of your and your affiliates' production from both Federal and non-Federal leases in the same field or area during that month.
- (ii) Before calculating the volume-weighted average, you must normalize the quality of the oil in your or your affiliates' arm's-length purchases or sales to the same gravity as that of the oil produced from the lease.
- (3) Value is the NYMEX price (without the roll), adjusted for applicable location and quality differentials and transportation costs under § 206.112.
- (4) If you demonstrate to MMS's satisfaction that paragraphs (b)(1) through (b)(3) of this section result in an unreasonable value for your production as a result of circumstances regarding that production, the MMS Director may establish an alternative valuation method.
- (c) Production from leases not located in California, Alaska, or the Rocky Mountain Region. (1) Value is the NYMEX price, plus the roll, adjusted for applicable location and quality differentials and transportation costs under § 206.112.
- (2) If the MMS Director determines that use of the roll no longer reflects prevailing industry practice in crude oil sales contracts or that the most common formula used by industry to calculate the roll changes, MMS may terminate or modify use of the roll under paragraph (c)(1) of this section at the end of each 2-year period following July 6, 2004, through notice published in the FEDERAL REGISTER not later than 60 days before the end of the 2-year period. MMS will explain the rationale for terminating or modifying the use of the roll in this notice.
- (d) *Unreasonable value*. If MMS determines that the NYMEX price or ANS spot price does not represent a reasonable royalty

#### Minerals Management Service, Interior

value in any particular case, MMS may establish reasonable royalty value based on other relevant matters.

(e) Production delivered to your refinery and the NYMEX price or ANS spot price is an unreasonable value.

(1) \* \* \*

- (ii) You must value your oil under this section at the NYMEX price or ANS spot price; and
- (iii) You believe that use of the NYMEX price or ANS spot price results in an unreasonable royalty value.

\* \* \* \* \*

#### § 206.104 What index price publications are acceptable to MMS?

- (a) MMS periodically will publish in the FEDERAL REGISTER a list of acceptable index price publications based on certain criteria, including but not limited to:
- (1) Publications buyers and sellers frequently use;
- (2) Publications frequently mentioned in purchase or sales contracts;
- (3) Publications that use adequate survey techniques, including development of spot price estimates based on daily surveys of buyers and sellers of ANS and other crude oil; and (4) Publications independent from MMS, other lessors, and lessees.
- (b) Any publication may petition MMS to be added to the list of acceptable publications.
- (c) MMS will reference the tables you must use in the publications to determine the associated index prices.
- (d) MMS may revoke its approval of a particular publication if it determines that the prices published in the publication do not accurately represent spot market values.

EFFECTIVE DATE NOTE: At 69 FR 24976, May 5, 2004, §206.104 was amended by revising the section heading and paragraphs (a) introductory text, (a)(3), (c), and (d), effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised text is set forth as follows:

### $\S 206.104$ What publications are acceptable to MMS?

(a) MMS periodically will publish in the FEDERAL REGISTER a list of acceptable publications for the NYMEX price and ANS spot

price based on certain criteria, including, but not limited to:

\* \* \* \* \*

(3) Publications that use adequate survey techniques, including development of estimates based on daily surveys of buyers and sellers of crude oil, and, for ANS spot prices, buyers and sellers of ANS crude oil; and

\* \* \* \* \*

- (c) MMS will specify the tables you must use in the acceptable publications.
- (d) MMS may revoke its approval of a particular publication if it determines that the prices or differentials published in the publication do not accurately represent NYMEX prices or differentials or ANS spot market prices or differentials.

## § 206.105 What records must I keep to support my calculations of value under this subpart?

If you determine the value of your oil under this subpart, you must retain all data relevant to the determination of royalty value.

- (a) You must be able to show:
- (1) How you calculated the value you reported, including all adjustments for location, quality, and transportation, and
- (2) How you complied with these rules.
- (b) Recordkeeping requirements are found at part 207 of this chapter.
- (c) MMS may review and audit your data, and MMS will direct you to use a different value if it determines that the reported value is inconsistent with the requirements of this subpart.

# § 206.106 What are my responsibilities to place production into marketable condition and to market production?

You must place oil in marketable condition and market the oil for the mutual benefit of the lessee and the lessor at no cost to the Federal Government. If you use gross proceeds under an arm's-length contract in determining value, you must increase those gross proceeds to the extent that the purchaser, or any other person, provides certain services that the seller normally would be responsible to perform to place the oil in marketable condition or to market the oil.

### § 206.107 How do I request a value determination?

- (a) You may request a value determination from MMS regarding any Federal lease oil production. Your request must:
  - (1) Be in writing;
- (2) Identify specifically all leases involved, the record title or operating rights owners of those leases, and the designees for those leases;
- (3) Completely explain all relevant facts. You must inform MMS of any changes to relevant facts that occur before we respond to your request;
- (4) Include copies of all relevant documents;
- (5) Provide your analysis of the issue(s), including citations to all relevant precedents (including adverse precedents); and
- (6) Suggest your proposed valuation method.
- (b) MMS will reply to requests expeditiously. MMS may either:
- (1) Issue a value determination signed by the Assistant Secretary, Land and Minerals Management; or
- (2) Issue a value determination by MMS; or
- (3) Inform you in writing that MMS will not provide a value determination. Situations in which MMS typically will not provide any value determination include, but are not limited to:
- (i) Requests for guidance on hypothetical situations; and
- (ii) Matters that are the subject of pending litigation or administrative appeals.
- (c)(1) A value determination signed by the Assistant Secretary, Land and Minerals Management, is binding on both you and MMS until the Assistant Secretary modifies or rescinds it.
- (2) After the Assistant Secretary issues a value determination, you must make any adjustments in royalty payments that follow from the determination and, if you owe additional royalties, pay late payment interest under 30 CFR 218.54.
- (3) A value determination signed by the Assistant Secretary is the final action of the Department and is subject to judicial review under 5 U.S.C. 701– 706.
- (d) A value determination issued by MMS is binding on MMS and delegated

- States with respect to the specific situation addressed in the determination unless the MMS (for MMS-issued value determinations) or the Assistant Secretary modifies or rescinds it.
- (1) A value determination by MMS is not an appealable decision or order under 30 CFR part 290 subpart B.
- (2) If you receive an order requiring you to pay royalty on the same basis as the value determination, you may appeal that order under 30 CFR part 290 subpart B.
- (e) In making a value determination, MMS or the Assistant Secretary may use any of the applicable valuation criteria in this subpart.
- (f) A change in an applicable statute or regulation on which any value determination is based takes precedence over the value determination, regardless of whether the MMS or the Assistant Secretary modifies or rescinds the value determination.
- (g) The MMS or the Assistant Secretary generally will not retroactively modify or rescind a value determination issued under paragraph (d) of this section, unless:
- (1) There was a misstatement or omission of material facts; or
- (2) The facts subsequently developed are materially different from the facts on which the guidance was based.
- (h) MMS may make requests and replies under this section available to the public, subject to the confidentiality requirements under § 206.108.

## § 206.108 Does MMS protect information I provide?

Certain information you submit to MMS regarding valuation of oil, including transportation allowances, may be exempt from disclosure. To the extent applicable laws and regulations permit, MMS will keep confidential any data you submit that is privileged, confidential, or otherwise exempt from disclosure. All requests for information must be submitted under the Freedom of Information Act regulations of the Department of the Interior at 43 CFR part 2.

## § 206.109 When may I take a transportation allowance in determining value?

- (a) Transportation allowances permitted when value is based on gross proceeds. MMS will allow a deduction for the reasonable, actual costs to transport oil from the lease to the point off the lease under §§ 206.110 or 206.111, as applicable. This paragraph applies when:
- (1) You value oil under §206.102 based on gross proceeds from a sale at a point off the lease, unit, or communitized area where the oil is produced, and
- (2) The movement to the sales point is not gathering.
- (b) Transportation allowances and other adjustments that apply when value is based on index pricing. If you value oil using an index price under §206.103, MMS will allow a deduction for certain location/quality adjustments and certain costs associated with transporting oil as provided under §206.112.
- (c) Limits on transportation allowances. (1) Except as provided in paragraph (c)(2) of this section, your transportation allowance may not exceed 50 percent of the value of the oil as determined under §206.102 or §206.103 of this subpart. You may not use transportation costs incurred to move a particular volume of production to reduce royalties owed on production for which those costs were not incurred.
- (2) You may ask MMS to approve a transportation allowance in excess of the limitation in paragraph (c)(1) of this section. You must demonstrate that the transportation costs incurred were reasonable, actual, and necessary. Your application for exception (using Form MMS-4393, Request to Exceed Regulatory Allowance Limitation) must contain all relevant and supporting documentation necessary for MMS to make a determination. You may never reduce the royalty value of any production to zero.
- (d) Allocation of transportation costs. You must allocate transportation costs among all products produced and transported as provided in §§ 206.110 and 206.111. You must express transportation allowances for oil as dollars per barrel.
- (e) Liability for additional payments. If MMS determines that you took an excessive transportation allowance, then

you must pay any additional royalties due, plus interest under 30 CFR 218.54. You also could be entitled to a credit with interest under applicable rules if you understated your transportation allowance. If you take a deduction for transportation on Form MMS-2014 by improperly netting the allowance against the sales value of the oil instead of reporting the allowance as a separate entry, MMS may assess you an amount under §206.116.

EFFECTIVE DATE NOTE: At 69 FR 24976, May 5, 2004, §206.109 was amended by revising paragraph (b), effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised text is set forth as follows:

### § 206.109 When may I take a transportation allowance in determining value?

(b) Transportation allowances and other adistments that apply when value is based on

justments that apply when value is based on NYMEX prices or ANS spot prices. If you value oil using NYMEX prices or ANS spot prices under §206.103, MMS will allow an adjustment for certain location and quality differentials and certain costs associated with transporting oil as provided under §206.112.

#### § 206.110 How do I determine a transportation allowance under an arm's-length transportation contract?

- (a) If you or your affiliate incur transportation costs under an arm's-length transportation contract, you may claim a transportation allowance for the reasonable, actual costs incurred for transporting oil under that contract, except as provided in paragraphs (a)(1) and (a)(2) of this section and subject to the limitation in §206.109(c). You must be able to demonstrate that your contract is arm's length. You do not need MMS approval before reporting a transportation allowance for costs incurred under an arm's-length transportation contract.
- (1) If MMS determines that the contract reflects more than the consideration actually transferred either directly or indirectly from you or your affiliate to the transporter for the transportation, MMS may require that

you calculate the transportation allowance under § 206.111.

- (2) You must calculate the transportation allowance under §206.111 if MMS determines that the consideration paid under an arm's-length transportation contract does not reflect the reasonable value of the transportation due to either:
- (i) Misconduct by or between the parties to the arm's-length contract; or
- (ii) Breach of your duty to market the oil for the mutual benefit of yourself and the lessor.
- (A) MMS will not use this provision to simply substitute its judgment of the reasonable oil transportation costs incurred by you or your affiliate under an arm's-length transportation contract.
- (B) The fact that the cost you or your affiliate incur in an arm's length transaction is higher than other measures of transportation costs, such as rates paid by others in the field or area, is insufficient to establish breach of the duty to market unless MMS finds additional evidence that you or your affiliate acted unreasonably or in bad faith in transporting oil from the lease.
- (b) If your arm's-length transportation contract includes more than one liquid product, and the transportation costs attributable to each product cannot be determined from the contract, then you must allocate the total transportation costs to each of the liquid products transported.
- (1) Your allocation must use the same proportion as the ratio of the volume of each product (excluding waste products with no value) to the volume of all liquid products (excluding waste products with no value).
- (2) You may not claim an allowance for the costs of transporting lease production that is not royalty-bearing.
- (3) You may propose to MMS a cost allocation method on the basis of the values of the products transported. MMS will approve the method unless it is not consistent with the purposes of the regulations in this subpart.
- (c) If your arm's-length transportation contract includes both gaseous and liquid products, and the transportation costs attributable to each product cannot be determined from the con-

tract, then you must propose an allocation procedure to MMS.

- (1) You may use your proposed procedure to calculate a transportation allowance until MMS accepts or rejects your cost allocation. If MMS rejects your cost allocation, you must amend your Form MMS-2014 for the months that you used the rejected method and pay any additional royalty and interest due.
- (2) You must submit your initial proposal, including all available data, within 3 months after first claiming the allocated deductions on Form MMS-2014.
- (d) If your payments for transportation under an arm's-length contract are not on a dollar-per-unit basis, you must convert whatever consideration is paid to a dollar-value equivalent.
- (e) If your arm's-length sales contract includes a provision reducing the contract price by a transportation factor, do not separately report the transportation factor as a transportation allowance on Form MMS-2014.
- (1) You may use the transportation factor in determining your gross proceeds for the sale of the product.
- (2) You must obtain MMS approval before claiming a transportation factor in excess of 50 percent of the base price of the product.

EFFECTIVE DATE NOTE: At 69 FR 24976, May 5, 2004, \$206.110 was amended by revising paragraph (a), redesignating existing paragraphs (b) through (e) as paragraphs (d) through (g), and adding new paragraphs (b) and (c), effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised and added text is set forth as follows:

## § 206.110 How do I determine a transportation allowance under an arm's-length transportation contract?

(a) If you or your affiliate incur transportation costs under an arm's-length transportation contract, you may claim a transportation allowance for the reasonable, actual costs incurred as more fully explained in paragraph (b) of this section, except as provided in paragraphs (a)(1) and (a)(2) of this section and subject to the limitation in §206.109(c). You must be able to demonstrate that your or your affiliate's contract is at arm's length. You do not need MMS approval before reporting a transportation allowance

for costs incurred under an arm's-length transportation contract.

\* \* \* \* \*

- (b) You may deduct any of the following actual costs you (including your affiliates) incur for transporting oil. You may not use as a deduction any cost that duplicates all or part of any other cost that you use under this paragraph.

  (1) The amount that you pay under your
- The amount that you pay under your arm's-length transportation contract or tariff.
- (2) Fees paid (either in volume or in value) for actual or theoretical line losses.
- (3) Fees paid for administration of a quality bank.
- (4) The cost of carrying on your books as inventory a volume of oil that the pipeline operator requires you to maintain, and that you do maintain, in the line as line fill. You must calculate this cost as follows:
- (i) Multiply the volume that the pipeline requires you to maintain, and that you do maintain, in the pipeline by the value of that volume for the current month calculated under §206.102 or §206.103, as applicable; and
- (ii) Multiply the value calculated under paragraph (b)(4)(i) of this section by the monthly rate of return, calculated by dividing the rate of return specified in \$206.111(i)(2) by 12.
- (5) Fees paid to a terminal operator for loading and unloading of crude oil into or from a vessel, vehicle, pipeline, or other convevance.
- (6) Fees paid for short-term storage (30 days or less) incidental to transportation as required by a transporter.
- (7) Fees paid to pump oil to another carrier's system or vehicles as required under a tariff.
- (8) Transfer fees paid to a hub operator associated with physical movement of crude oil through the hub when you do not sell the oil at the hub. These fees do not include title transfer fees.
- (9) Payments for a volumetric deduction to cover shrinkage when high-gravity petroleum (generally in excess of 51 degrees API) is mixed with lower-gravity crude oil for transportation.
- (10) Costs of securing a letter of credit, or other surety, that the pipeline requires you as a shipper to maintain.
- (c) You may not deduct any costs that are not actual costs of transporting oil, including but not limited to the following:
- (1) Fees paid for long-term storage (more than 30 days).
- (2) Administrative, handling, and accounting fees associated with terminalling.
- (3) Title and terminal transfer fees.
- (4) Fees paid to track and match receipts and deliveries at a market center or to avoid paying title transfer fees.

- (5) Fees paid to brokers.
- (6) Fees paid to a scheduling service provider.
- (7) Internal costs, including salaries and related costs, rent/space costs, office equipment costs, legal fees, and other costs to schedule, nominate, and account for sale or movement of production.
  - (8) Gauging fees.

§ 206.111 How do I determine a transportation allowance under a nonarm's-length transportation ar-

rangement?

- (a) If you or your affiliate have a non-arm's-length transportation contract or no contract, including those situations where you or your affiliate perform your own transportation services, calculate your transportation allowance based on your or your affiliate's reasonable, actual transportation costs using the procedures provided in this section.
- (b) Base your transportation allowance for non-arm's-length or no-contract situations on your or your affiliate's actual costs for transportation during the reporting period, including:
- (1) Operating and maintenance expenses under paragraphs (d) and (e) of this section;
- (2) Overhead under paragraph (f) of this section;
- (3) Depreciation under paragraphs (g) and (h) of this section;
- (4) A return on undepreciated capital investment under paragraph (i) of this section; and
- (5) Once the transportation system has been depreciated below ten percent of total capital investment, a return on ten percent of total capital investment under paragraph (j) of this section.
- (c) Allowable capital costs are generally those for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the transportation system.
- (d) Allowable operating expenses include:
- (i) Operations supervision and engineering;
- (ii) Operations labor;
- (iii) Fuel;
- (iv) Utilities;
- (v) Materials;

- (vi) Ad valorem property taxes;
- (vii) Rent;
- (viii) Supplies; and
- (ix) Any other directly allocable and attributable operating expense which you can document.
- (e) Allowable maintenance expenses include:
- (i) Maintenance of the transportation system:
  - (ii) Maintenance of equipment;
  - (iii) Maintenance labor; and
- (iv) Other directly allocable and attributable maintenance expenses which you can document.
- (f) Overhead directly attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (g) To compute depreciation, you may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves which the transportation system services, or a unit-of-production method. After you make an election, you may not change methods without MMS approval. You may not depreciate equipment below a reasonable salvage value.
- (h) This paragraph describes the basis for your depreciation schedule.
- (1) If you or your affiliate own a transportation system on June 1, 2000, you must base your depreciation schedule used in calculating actual transportation costs for production after June 1, 2000, on your total capital investment in the system (including your original purchase price or construction cost and subsequent reinvestment).
- (2) If you or your affiliate purchased the transportation system at arm's length before June 1, 2000, you must incorporate depreciation on the schedule based on your purchase price (and subsequent reinvestment) into your transportation allowance calculations for production after June 1, 2000, beginning at the point on the depreciation schedule corresponding to that date. You must prorate your depreciation for calendar year 2000 by claiming part-year depreciation for the period from June 1, 2000 until December 31, 2000. You may not adjust your transportation

costs for production before June 1, 2000, using the depreciation schedule based on your purchase price.

- (3) If you are the original owner of the transportation system on June 1, 2000, or if you purchased your transportation system before March 1, 1988, you must continue to use your existing depreciation schedule in calculating actual transportation costs for production in periods after June 1, 2000.
- (4) If you or your affiliate purchase a transportation system at arm's length from the original owner after June 1, 2000, you must base your depreciation schedule used in calculating actual transportation costs on your total capital investment in the system (including your original purchase price and subsequent reinvestment). You must prorate your depreciation for the year in which you or your affiliate purchased the system to reflect the portion of that year for which you or your affiliate own the system.
- (5) If you or your affiliate purchase a transportation system at arm's length after June 1, 2000, from anyone other than the original owner, you must assume the depreciation schedule of the person who owned the system on June 1, 2000.
- (i)(1) To calculate a return on undepreciated capital investment, multiply the remaining undepreciated capital balance as of the beginning of the period for which you are calculating the transportation allowance by the rate of return provided in paragraph (i)(2) of this section.
- (2) The rate of return is the industrial bond yield index for Standard and Poor's BBB rating. Use the monthly average rate published in "Standard and Poor's Bond Guide" for the first month of the reporting period for which the allowance applies. Calculate the rate at the beginning of each subsequent transportation allowance reporting period.
- (j)(1) After a transportation system has been depreciated at or below a value equal to ten percent of your total capital investment, you may continue to include in the allowance calculation a cost equal to ten percent of your total capital investment in the transportation system multiplied by a rate

of return under paragraph (i)(2) of this section.

- (2) You may apply this paragraph to a transportation system that before June 1, 2000, was depreciated at or below a value equal to ten percent of your total capital investment.
- (k) Calculate the deduction for transportation costs based on your or your affiliate's cost of transporting each product through each individual transportation system. Where more than one liquid product is transported, allocate costs consistently and equitably to each of the liquid products transported. Your allocation must use the same proportion as the ratio of the volume of each liquid product (excluding waste products with no value) to the volume of all liquid products (excluding waste products with no value).
- (1) You may not take an allowance for transporting lease production that is not royalty-bearing.
- (2) You may propose to MMS a cost allocation method on the basis of the values of the products transported. MMS will approve the method if it is consistent with the purposes of the regulations in this subpart.
- (l)(1) Where you transport both gaseous and liquid products through the same transportation system, you must propose a cost allocation procedure to MMS.
- (2) You may use your proposed procedure to calculate a transportation allowance until MMS accepts or rejects your cost allocation. If MMS rejects your cost allocation, you must amend your Form MMS-2014 for the months that you used the rejected method and pay any additional royalty and interest due.
- (3) You must submit your initial proposal, including all available data, within 3 months after first claiming the allocated deductions on Form MMS-2014.

EFFECTIVE DATE NOTE: At 69 FR 24977, May 5, 2004,  $\S206.111$  was amended by revising the section heading and paragraphs (a), (b) introductory text, (h)(5), and (i)(2), and by adding paragraphs (b)(6) and (b)(7), effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised and added text is set forth as follows:

#### §206.111 How do I determine a transportation allowance if I do not have an arm's-length transportation contract or arm's-length tariff?

- (a) This section applies if you or your affiliate do not have an arm's-length transportation contract, including situations where you or your affiliate provide your own transportation services. Calculate your transportation allowance based on your or your affiliate's reasonable, actual costs for transportation during the reporting period using the procedures prescribed in this section.
- (b) Your or your affiliate's actual costs include the following:

\* \* \* \* \*

- (6) To the extent not included in costs identified in paragraphs (d) through (j) of this section, you may also deduct the following actual costs. You may not use any cost as a deduction that duplicates all or part of any other cost that you use under this section:
- (i) Volumetric adjustments for actual (not theoretical) line losses.
- (ii) The cost of carrying on your books as inventory a volume of oil that the pipeline operator requires you as a shipper to maintain, and that you do maintain, in the line as line fill. You must calculate this cost as follows:
- (A) Multiply the volume that the pipeline requires you to maintain, and that you do maintain, in the pipeline by the value of that volume for the current month calculated under §206.102 or §206.103, as applicable; and
- (B) Multiply the value calculated under paragraph (b)(6)(ii)(A) of this section by the monthly rate of return, calculated by dividing the rate of return specified in §206.111(i)(2) by 12.
- (iii) Fees paid to a non-affiliated terminal operator for loading and unloading of crude oil into or from a vessel, vehicle, pipeline, or other conveyance.
- (iv) Transfer fees paid to a hub operator associated with physical movement of crude oil through the hub when you do not sell the oil at the hub. These fees do not include title transfer fees.
- (v) A volumetric deduction to cover shrinkage when high-gravity petroleum (generally in excess of 51 degrees API) is mixed with lower-gravity crude oil for transportation.
- (vi) Fees paid to a non-affiliated quality bank administrator for administration of a quality bank.
- (7) You may not deduct any costs that are not actual costs of transporting oil, including but not limited to the following:
- (i) Fees paid for long-term storage (more than 30 days).
- (ii) Administrative, handling, and accounting fees associated with terminalling.

- (iii) Title and terminal transfer fees
- (iv) Fees paid to track and match receipts and deliveries at a market center or to avoid paying title transfer fees.

(v)  $\bar{\text{F}}\text{ees}$  paid to brokers.

- (vi) Fees paid to a scheduling service provider.
- (vii) Internal costs, including salaries and related costs, rent/space costs, office equipment costs, legal fees, and other costs to schedule, nominate, and account for sale or movement of production.

(viii) Theoretical line losses.

- (ix) Gauging fees.
- (5) If you or your affiliate purchase a transportation system at arm's length after June 1, 2000, from anyone other than the original owner, you must assume the depreciation schedule of the person from whom you bought the system. Include in the depreciation schedule any subsequent reinvestment. (i) \* \* \*

(2) The rate of return is 1.3 times the industrial bond yield index for Standard & Poor's BBB bond rating. Use the monthly average rate published in "Standard & Poor's Bond Guide" for the first month of the reporting period for which the allowance applies. Calculate the rate at the beginning of each subsequent transportation allowance reporting period.

#### §206.112 What adjustments and transportation allowances apply when I value oil using index pricing?

When you use index pricing to calculate the value of production under §206.103, you must adjust the index price for location and quality differentials and you may adjust it for certain transportation costs, as specified in this section.

(a) If you dispose of your production under one or more arm's-length exchange agreements, then each of the conditions in this paragraph applies.

- (1) You must adjust the index price for location/quality differentials. You must determine those differentials from each of your arm's-length exchange agreements applicable to the exchanged oil.
- (i) Therefore, for example, if you exchange 100 barrels of production from a given lease under two separate arm'slength exchange agreements for 60 barrels and 40 barrels respectively, separately determine the location/quality differential under each of those ex-

change agreements, and apply each differential to the corresponding index price.

- (ii) As another example, if you produce 100 barrels and exchange that 100 barrels three successive times under arm's-length agreements to obtain oil at a final destination, total the three adjustments from those exchanges to determine the adjustment under this subparagraph. (If one of the three exchanges was not at arm's length, you must request MMS approval under paragraph (b) of this section for the location/quality adjustment for that exchange to determine the total location/quality adjustment for the three exchanges.) You also could have a combination of these examples.
- (2) You may adjust the index price for actual transportation costs, determined under § 206.110 or § 206.111:
- (i) From the lease to the first point where you give your oil in exchange; and
- (ii) From any intermediate point where you receive oil in exchange to another intermediate point where you give the oil in exchange again; and
- (iii) From the point where you receive oil in exchange and transport it without further exchange to a market center, or to a refinery that is not at a market center.
- (b) For non-arm's-length exchange agreements, you must request approval from MMS for any location/quality adjustment.
- (c) If you transport lease production directly to a market center or to an alternate disposal point (for example, your refinery), you may adjust the index price for your actual transportation costs, determined under § 206.110 or §206.111.
- (d) If you adjust for location/quality or transportation costs under paragraphs (a), (b), or (c) of this section, also adjust the index price for quality based on premia or penalties determined by pipeline quality bank specifications at intermediate commingling points or at the market center. Make this adjustment only if and to the extent that such adjustments were not already included in the location/quality differentials determined from your arm's-length exchange agreements.

- (e) For leases in the Rocky Mountain Region, for purposes of this section, the term "market center" means Cushing, Oklahoma, unless MMS specifies otherwise through notice published in the FEDERAL REGISTER.
- (f) If you cannot determine your location/quality adjustment under paragraph (a) or (c) of this section, you must request approval from MMS for any location/quality adjustment.
- (g) You may not use any transportation or quality adjustment that duplicates all or part of any other adjustment that you use under this section.

EFFECTIVE DATE NOTE: At 69 FR 24978, May 5, 2004,  $\S$  206.112 was revised, effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised text is set forth as follows:

#### § 206.112 What adjustments and transportation allowances apply when I value oil production from my lease using NYMEX prices or ANS spot prices?

This section applies when you use NYMEX prices or ANS spot prices to calculate the value of production under §206.103. As specified in this section, adjust the NYMEX price to reflect the difference in value between your lease and Cushing, Oklahoma, or adjust the ANS spot price to reflect the difference in value between your lease and the appropriate MMS-recognized market center at which the ANS spot price is published (for example, Long Beach, California, or San Francisco, California). Paragraph (a) of this section explains how you adjust the value be-tween the lease and the market center, and paragraph (b) of this section explains how you adjust the value between the market center and Cushing when you use NYMEX prices. Paragraph (c) of this section explains how adjustments may be made for quality differentials that are not accounted for through exchange agreements. Paragraph (d) of this section gives some examples. References in this section to "you" include your affiliates as applicable.

(a) To adjust the value between the lease and the market center:

(1)(i) For oil that you exchange at arm's length between your lease and the market center (or between any intermediate points between those locations), you must calculate a lease-to-market center differential by the applicable location and quality differentials derived from your arm's-length exchange agreement applicable to production during the production month.

(ii) For oil that you exchange between your lease and the market center (or between any intermediate points between those locations) under an exchange agreement that is not at arm's length, you must obtain approval from MMS for a location and quality differential. Until you obtain such approval, you may use the location and quality differential derived from that exchange agreement applicable to production during the production month. If MMS prescribes a different differential, you must apply MMS's differential to all periods for which you used your proposed differential. You must pay any additional royalties owed resulting from using MMS's differential plus late payment interest from the original royalty due date, or you may report a credit for any overpaid royalties plus interest under 30 U.S.C. 1721(h).

- (2) For oil that you transport between your lease and the market center (or between any intermediate points between those locations), you may take an allowance for the cost of transporting that oil between the relevant points as determined under §206.110 or §206.111, as applicable.
- (3) If you transport or exchange at arm's length (or both transport and exchange) at least 20 percent, but not all, of your oil produced from the lease to a market center, determine the adjustment between the lease and the market center for the oil that is not transported or exchanged (or both transported and exchanged) to or through a market center as follows:
- (i) Determine the volume-weighted average of the lease-to-market center adjustment calculated under paragraphs (a)(1) and (a)(2) of this section for the oil that you do transport or exchange (or both transport and exchange) from your lease to a market center.
- (ii) Use that volume-weighted average lease-to-market center adjustment as the adjustment for the oil that you do not transport or exchange (or both transport and exchange) from your lease to a market center.
- (4) If you transport or exchange (or both transport and exchange) less than 20 percent of the crude oil produced from your lease between the lease and a market center, you must propose to MMS an adjustment between the lease and the market center for the portion of the oil that you do not transport or exchange (or both transport and exchange) to a market center. Until you obtain such approval, you may use your proposed adjustment. If MMS prescribes a different adjustment, you must apply MMS's adjustment to all periods for which you used your proposed adjustment. You must pay any additional royalties owed resulting from using MMS's adjustment plus late payment interest from the original royalty due date, or you may report a credit for any overpaid royalties plus interest under 30 U.S.C. 1721(h).
- (5) You may not both take a transportation allowance and use a location and quality adjustment or exchange differential for the same oil between the same points.

(b) For oil that you value using NYMEX prices, adjust the value between the market center and Cushing, Oklahoma, as follows:

(1) If you have arm's-length exchange agreements between the market center and Cushing under which you exchange to Cushing at least 20 percent of all the oil you own at the market center during the production month, you must use the volume-weighted average of the location and quality differentials from those agreements as the adjustment between the market center and Cushing for all the oil that you produce from the leases during that production month for which that market center is used.

(2) If paragraph (b)(1) of this section does not apply, you must use the WTI differential published in an MMS-approved publication for the market center nearest your lease, for crude oil most similar in quality to your production, as the adjustment between the market center and Cushing. (For example, for light sweet crude oil produced offshore of Louisiana, use the WTI differential for Light Louisiana Sweet crude oil at St. James, Louisiana.) After you select an MMS-approved publication, you may not select a different publication more often than once every 2 years, unless the publication you use is no longer published or MMS revokes its approval of the publication. If you are required to change publications, you must begin a new 2-year period.

(3) If neither paragraph (b)(1) nor (b)(2) of this section applies, you may propose an alternative differential to MMS. Until you obtain such approval, you may use your proposed differential. If MMS prescribes a different differential, you must apply MMS's differential to all periods for which you used your proposed differential. You must pay any additional royalties owed resulting from using MMS's differential plus late payment interest from the original royalty due date, or you may report a credit for any overpaid royalties plus interest under 30 U.S.C. 1721(h).

(c)(1) If you adjust for location and quality differentials or for transportation costs under paragraphs (a) and (b) of this section, also adjust the NYMEX price or ANS spot price for quality based on premiums or penalties determined by pipeline quality bank specifications at intermediate commingling points or at the market center if those points are downstream of the royalty measurement point approved by MMS or BLM, as applicable. Make this adjustment only if and to the extent that such adjustments were not already included in the location and quality differentials determined from your arm's-length exchange agreements.

(2) If the quality of your oil as adjusted is still different from the quality of the representative crude oil at the market center after making the quality adjustments described in paragraphs (a), (b) and (c)(1) of

this section, you may make further gravity adjustments using posted price gravity tables. If quality bank adjustments do not incorporate or provide for adjustments for sulfur content, you may make sulfur adjustments, based on the quality of the representative crude oil at the market center, of 5.0 cents per one-tenth percent difference in sulfur content, unless MMS approves a higher adjustment.

(d) The examples in this paragraph illustrate how to apply the requirement of this section.

(1) Example. Assume that a Federal lessee produces crude oil from a lease near Artesia. New Mexico. Further, assume that the lessee transports the oil to Roswell, New Mexico, and then exchanges the oil to Midland, Texas. Assume the lessee refines the oil received in exchange at Midland. Assume that the NYMEX price is \$30.00/bbl, adjusted for the roll; that the WTI differential (Cushing to Midland) is -\$.10/bbl; that the lessee's exchange agreement between Roswell and Midland results in a location and quality differential of -\$.08/bbl; and that the lessee's actual cost of transporting the oil from Artesia to Roswell is \$.40/bbl. In this example, the royalty value of the oil is \$30.00 - \$.10 - \$.08 - \$.40 = \$29.42/bbl.

(2) Example. Assume the same facts as in the example in paragraph (1), except that the lessee transports and exchanges to Midland 40 percent of the production from the lease near Artesia, and transports the remaining 60 percent directly to its own refinery in Ohio. In this example, the 40 percent of the production would be valued at \$29.42/bbl, as explained in the previous example. In this example, the other 60 percent also would be valued at \$29.42/bbl.

(3) Example. Assume that a Federal lessee produces crude oil from a lease near Bakersfield, California. Further, assume that the lessee transports the oil to Hynes Station, and then exchanges the oil to Cushing which it further exchanges with oil it refines. Assume that the ANS spot price is \$20.00/bbl, and that the lessee's actual cost of transporting the oil from Bakersfield to Hynes Station is \$.28/bbl. The lessee must request approval from MMS for a location and quality adjustment between Hynes Station and Long Beach. For example, the lessee likely would propose using the tariff on Line 63 from Hynes Station to Long Beach as the adjustment between those points. Assume that adjustment to be \$.72, including the sulfur and gravity bank adjustments, and that MMS approves the lessee's request. In this example, the preliminary (because the location and quality adjustment is subject to MMS review) royalty value of the oil is \$20.00 - \$.72 - \$.28 = \$19.00/bbl. The fact that oil was exchanged to Cushing does not change use of ANS spot prices for royalty valuation.

## § 206.113 How will MMS identify market centers?

MMS periodically will publish in the FEDERAL REGISTER a list of market centers. MMS will monitor market activity and, if necessary, add to or modify the list of market centers and will publish such modifications in the FEDERAL REGISTER. MMS will consider the following factors and conditions in specifying market centers:

- (a) Points where MMS-approved publications publish prices useful for index purposes;
  - (b) Markets served;
- (c) Input from industry and others knowledgeable in crude oil marketing and transportation;
  - (d) Simplification; and
  - (e) Other relevant matters.

# § 206.114 What are my reporting requirements under an arm's-length transportation contract?

You or your affiliate must use a separate entry on Form MMS-2014 to notify MMS of an allowance based on transportation costs you or your affiliate incur. MMS may require you or your affiliate to submit arm's-length transportation contracts, production agreements, operating agreements, and related documents. Recordkeeping requirements are found at part 207 of this chapter.

# § 206.115 What are my reporting requirements under a non-arm's-length transportation arrangement?

- (a) You or your affiliate must use a separate entry on Form MMS-2014 to notify MMS of an allowance based on transportation costs you or your affiliate incur.
- (b) For new transportation facilities or arrangements, base your initial deduction on estimates of allowable oil transportation costs for the applicable period. Use the most recently available operations data for the transportation system or, if such data are not available, use estimates based on data for similar transportation systems. Section 206.117 will apply when you amend your report based on your actual costs.
- (c) MMS may require you or your affiliate to submit all data used to calculate the allowance deduction. Rec-

ordkeeping requirements are found at part 207 of this chapter.

# § 206.116 What interest and assessments apply if I improperly report a transportation allowance?

- (a) If you or your affiliate net a transportation allowance rather than report it as a separate entry against the royalty value on Form MMS-2014, you will be assessed an amount up to 10 percent of the netted allowance, not to exceed \$250 per lease selling arrangement per sales period.
- (b) If you or your affiliate deduct a transportation allowance on Form MMS-2014 that exceeds 50 percent of the value of the oil transported without obtaining MMS's prior approval under §206.109, you must pay interest on the excess allowance amount taken from the date that amount is taken to the date you or your affiliate file an exception request that MMS approves. If you do not file an exception request, or if MMS does not approve your request, you must pay interest on the excess allowance amount taken from the date that amount is taken until the date you pay the additional royalties owed.

## § 206.117 What reporting adjustments must I make for transportation allowances?

- (a) If your or your affiliate's actual transportation allowance is less than the amount you claimed on Form MMS-2014 for each month during the allowance reporting period, you must pay additional royalties plus interest computed under 30 CFR 218.54 from the date you took the deduction to the date you repay the difference.
- (b) If the actual transportation allowance is greater than the amount you claimed on Form MMS-2014 for any month during the allowance form reporting period, you are entitled to a credit plus interest under applicable rules.

# § 206.118 Are actual or theoretical losses permitted as part of a transportation allowance?

You are allowed a deduction for oil transportation which results from payments that you make (either volumetric or for value) for actual or theoretical losses only under an arm's-

length contract. You may not take such a deduction under a non-arm'slength contract.

EFFECTIVE DATE NOTE: At 69 FR 24979, May 5, 2004, § 206.118 was removed, effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004.

## § 206.119 How are royalty quantity and quality determined?

- (a) Compute royalties based on the quantity and quality of oil as measured at the point of settlement approved by BLM for onshore leases or MMS for offshore leases
- (b) If the value of oil determined under this subpart is based upon a quantity or quality different from the quantity or quality at the point of royalty settlement approved by the BLM for onshore leases or MMS for offshore leases, adjust the value for those differences in quantity or quality.
- (c) You may not claim a deduction from the royalty volume or royalty value for actual or theoretical losses except as provided in §206.118. Any actual loss that you may incur before the royalty settlement metering or measurement point is not subject to royalty if BLM or MMS, as appropriate, determines that the loss is unavoidable.
- (d) Except as provided in paragraph (b) of this section, royalties are due on 100 percent of the volume measured at the approved point of royalty settlement. You may not claim a reduction in that measured volume for actual losses beyond the approved point of royalty settlement or for theoretical losses that are claimed to have taken place either before or after the approved point of royalty settlement.

EFFECTIVE DATE NOTE: At 69 FR 24979, May 5, 2004, §206.119 was amended by revising paragraph (c), effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004. For the convenience of the user, the revised text is set forth as follows:

### § 206.119 How are royalty quantity and quality determined?

\* \* \* \* \* \*

(c) Any actual loss that you may incur before the royalty settlement metering or measurement point is not subject to royalty

if BLM or MMS, as appropriate, determines that the loss is unavoidable.

\* \* \* \* \*

## § 206.120 How are operating allowances determined?

MMS may use an operating allowance for the purpose of computing payment obligations when specified in the notice of sale and the lease. MMS will specify the allowance amount or formula in the notice of sale and in the lease agreement.

# § 206.121 Is there any grace period for reporting and paying royalties after this subpart becomes effective?

You may adjust royalties reported and paid for the three production months beginning June 1, 2000, without liability for late payment interest. This section applies only if the adjustment results from systems changes needed to comply with new requirements imposed under this subpart that were not requirements under the predecessor rule.

EFFECTIVE DATE NOTE: At 69 FR 24979, May 5, 2004, §206.121 was removed, effective July 6, 2004. At 69 FR 29432, May 24, 2004, the effective date was changed to Aug. 1, 2004.

#### Subpart D—Federal Gas

Source: 53 FR 1272, Jan. 15, 1988, unless otherwise noted.

#### § 206.150 Purpose and scope.

- (a) This subpart is applicable to all gas production from Federal oil and gas leases. The purpose of this subpart is to establish the value of production for royalty purposes consistent with the mineral leasing laws, other applicable laws and lease terms.
- (b) If the specific provisions of any statute or settlement agreement between the United States and a lessee resulting from administrative or judicial litigation, or oil and gas lease subject to the requirements of this subpart are inconsistent with any regulation in this subpart, then the lease, statute, or settlement agreement shall govern to the extent of that inconsistency.
- (c) All royalty payments made to MMS are subject to audit and adjustment.

(d) The regulations in this subpart are intended to ensure that the administration of oil and gas leases is discharged in accordance with the requirements of the governing mineral leasing laws and lease terms.

[61 FR 5464, Feb. 12, 1996]

#### § 206.151 Definitions.

For purposes of this subpart:

Allowance means a deduction in determining value for royalty purposes. Processing allowance means an allowance for the reasonable costs for processing gas determined under this subpart. Transportation allowance means an allowance for the cost of moving royalty bearing substances (identifiable, measurable oil and gas, including gas that is not in need of initial separation) from the point at which it is first identifiable and measurable to the sales point or other point where value is established under this subpart.

Area means a geographic region at least as large as the defined limits of an oil and/or gas field, in which oil and/or gas lease products have similar quality, economic, and legal characteristics.

Arm's-length contract means a contract or agreement that has been arrived at in the marketplace between independent, nonaffiliated persons with opposing economic interests regarding that contract. For purposes of this subpart, two persons are affiliated if one person controls, is controlled by, or is under common control with another person. For purposes of this subpart, based on the instruments of ownership of the voting securities of an entity, or based on other forms of ownership:

- (a) Ownership in excess of 50 percent constitutes control;
- (b) Ownership of 10 through 50 percent creates a presumption of control; and
- (c) Ownership of less than 10 percent creates a presumption of noncontrol which MMS may rebut if it demonstrates actual or legal control, including the existence of interlocking directorates.

Notwithstanding any other provisions of this subpart, contracts between relatives, either by blood or by marriage, are not arm's-length contracts. The

MMS may require the lessee to certify ownership control. To be considered arm's-length for any production month, a contract must meet the requirements of this definition for that production month as well as when the contract was executed.

Audit means a review, conducted in accordance with generally accepted accounting and auditing standards, of royalty payment compliance activities of lessees or other interest holders who pay royalties, rents, or bonuses on Federal leases.

*BLM* means the Bureau of Land Management of the Department of the Interior.

*Compression* means the process of raising the pressure of gas.

Condensate means liquid hydrocarbons (normally exceeding 40 degrees of API gravity) recovered at the surface without resorting to processing. Condensate is the mixture of liquid hydrocarbons that results from condensation of petroleum hydrocarbons existing initially in a gaseous phase in an underground reservoir.

Contract means any oral or written agreement, including amendments or revisions thereto, between two or more persons and enforceable by law that with due consideration creates an obligation.

Field means a geographic region situated over one or more subsurface oil and gas reservoirs encompassing at least the outermost boundaries of all oil and gas accumulations known to be within those reservoirs vertically projected to the land surface. Onshore fields are usually given names and their official boundaries are often designated by oil and gas regulatory agencies in the respective States in which the fields are located. Outer Continental Shelf (OCS) fields are named and their boundaries are designated by MMS.

Gas means any fluid, either combustible or noncombustible, hydrocarbon or nonhydrocarbon, which is extracted from a reservoir and which has neither independent shape nor volume, but tends to expand indefinitely. It is a substance that exists in a gaseous or rarefied state under standard temperature and pressure conditions.

Gas plant products means separate marketable elements, compounds, or mixtures, whether in liquid, gaseous, or solid form, resulting from processing gas, excluding residue gas.

Gathering means the movement of lease production to a central accumulation and/or treatment point on the lease, unit or communitized area, or to a central accumulation or treatment point off the lease, unit or communitized area as approved by BLM or MMS OCS operations personnel for onshore and OCS leases, respectively.

Gross proceeds (for royalty payment purposes) means the total monies and other consideration accruing to an oil and gas lessee for the disposition of the gas, residue gas, and gas plant products produced. Gross proceeds includes, but is not limited to, payments to the lessee for certain services such as dehydration, measurement, and/or gathering to the extent that the lessee is obligated to perform them at no cost to the Federal Government. Tax reimbursements are part of the gross proceeds accruing to a lessee even though the Federal royalty interest may be exempt from taxation. Monies and other consideration, including the forms of consideration identified in this paragraph, to which a lessee is contractually or legally entitled but which it does not seek to collect through reasonable efforts are also part of gross proceeds.

Lease means any contract, profitshare arrangement, joint venture, or other agreement issued or approved by the United States under a mineral leasing law that authorizes exploration for, development or extraction of, or removal of lease products—or the land area covered by that authorization, whichever is required by the context.

Lease products means any leased minerals attributable to, originating from, or allocated to Outer Continental Shelf or onshore Federal leases.

Lessee means any person to whom the United States issues a lease, and any person who has been assigned an obligation to make royalty or other payments required by the lease. This includes any person who has an interest in a lease as well as an operator or payor who has no interest in the lease

but who has assumed the royalty payment responsibility.

Like-quality lease products means lease products which have similar chemical, physical, and legal characteristics.

Marketable condition means lease products which are sufficiently free from impurities and otherwise in a condition that they will be accepted by a purchaser under a sales contract typical for the field or area.

Marketing affiliate means an affiliate of the lessee whose function is to acquire only the lessee's production and to market that production.

Minimum royalty means that minimum amount of annual royalty that the lessee must pay as specified in the lease or in applicable leasing regulations.

Net-back method (or work-back method) means a method for calculating market value of gas at the lease. Under this method, costs of transportation, processing, or manufacturing are deducted from the proceeds received for the gas, residue gas or gas plant products, and any extracted, processed, or manufactured products, or from the value of the gas, residue gas or gas plant products, and any extracted, processed, or manufactured products, at the first point at which reasonable values for any such products may be determined by a sale pursuant to an arm's-length contract or comparison to other sales of such products, to ascertain value at the lease.

*Net output* means the quantity of residue gas and each gas plant product that a processing plant produces.

Net profit share (for applicable Federal leases) means the specified share of the net profit from production of oil and gas as provided in the agreement.

Netting is the deduction of an allowance from the sales value by reporting a one line net sales value, instead of correctly reporting the deduction as a separate line item on the Form MMS-2014.

Outer Continental Shelf (OCS) means all submerged lands lying seaward and outside of the area of land beneath navigable waters as defined in section 2 of the Submerged Lands Act (43 U.S.C. 1301) and of which the subsoil and seabed appertain to the United States and

are subject to its jurisdiction and control.

*Person* means any individual, firm, corporation, association, partnership, consortium, or joint venture (when established as a separate entity).

Posted price means the price, net of all adjustments for quality and location, specified in publicly available price bulletins or other price notices available as part of normal business operations for quantities of unprocessed gas, residue gas, or gas plant products in marketable condition.

Processing means any process designed to remove elements or compounds (hydrocarbon and nonhydrocarbon) from gas, including absorption, adsorption, or refrigeration. Field processes which normally take place on or near the lease, such as natural pressure reduction, mechanical separation, heating, cooling, dehydration, and compression, are not considered processing. The changing of pressures and/or temperatures in a reservoir is not considered processing.

Residue gas means that hydrocarbon gas consisting principally of methane resulting from processing gas.

Section 6 lease means an OCS lease subject to section 6 of the Outer Continental Shelf Lands Act, as amended, 43 U.S.C. 1335.

Selling arrangement means the individual contractual arrangements under which sales or dispositions of gas, residue gas and gas plant products are made. Selling arrangements are described by illustration in the MMS Royalty Management Program Oil and Gas Payor Handbook.

Spot sales agreement means a contract wherein a seller agrees to sell to a buyer a specified amount of unprocessed gas, residue gas, or gas plant products at a specified price over a fixed period, usually of short duration, which does not normally require a cancellation notice to terminate, and which does not contain an obligation, nor imply an intent, to continue in subsequent periods.

Warranty contract means a long-term contract entered into prior to 1970, including any amendments thereto, for the sale of gas wherein the producer agrees to sell a specific amount of gas and the gas delivered in satisfaction of

this obligation may come from fields or sources outside of the designated fields.

[53 FR 1272, Jan. 15, 1988, as amended at 53 FR 45084, Nov. 8, 1988; 61 FR 5464, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

## § 206.152 Valuation standards—unprocessed gas.

(a)(1) This section applies to the valuation of all gas that is not processed and all gas that is processed but is sold or otherwise disposed of by the lessee pursuant to an arm's-length contract prior to processing (including all gas where the lessee's arm's-length contract for the sale of that gas prior to processing provides for the value to be determined on the basis of a percentage of the purchaser's proceeds resulting from processing the gas). This section also applies to processed gas that must be valued prior to processing in accordance with §206.155 of this part. Where the lessee's contract includes a reservation of the right to process the gas and the lessee exercises that right, §206.153 of this part shall apply instead of this section.

(2) The value of production, for royalty purposes, of gas subject to this subpart shall be the value of gas determined under this section less applicable allowances.

(b)(1)(i) The value of gas sold under an arm's-length contract is the gross proceeds accruing to the lessee except as provided in paragraphs (b)(1)(ii), (iii), and (iv) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value which the lessee reports, for royalty purposes, is subject to monitoring, review, and audit. For purposes of this section, gas which is sold or otherwise transferred to the lessee's marketing affiliate and then sold by the marketing affiliate pursuant to an arm'slength contract shall be valued in accordance with this paragraph based upon the sale by the marketing affiliate. Also, where the lessee's arm'slength contract for the sale of gas prior to processing provides for the value to be determined based upon a percentage of the purchaser's proceeds resulting from processing the gas, the value of production, for royalty purposes, shall never be less than a value equivalent to

100 percent of the value of the residue gas attributable to the processing of the lessee's gas.

(ii) In conducting reviews and audits, MMS will examine whether the contract reflects the total consideration actually transferred either directly or indirectly from the buyer to the seller for the gas. If the contract does not reflect the total consideration, then the MMS may require that the gas sold pursuant to that contract be valued in accordance with paragraph (c) of this section. Value may not be less than the gross proceeds accruing to the lessee, including the additional consideration.

(iii) If the MMS determines that the gross proceeds accruing to the lessee pursuant to an arm's-length contract do not reflect the reasonable value of the production because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the gas production be valued pursuant to paragraph (c)(2) or (c)(3) of this section, and in accordance with the notification requirements of paragraph (e) of this section. When MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's value.

(iv) How to value over-delivered volumes under a cash-out program. This paragraph applies to situations where a pipeline purchases gas from a lessee according to a cash-out program under a transportation contract. For all overdelivered volumes, the royalty value is the price the pipeline is required to pay for volumes within the tolerances for over-delivery specified in the transportation contract. Use the same value for volumes that exceed the over-delivery tolerances even if those volumes are subject to a lower price under the transportation contract. However, if MMS determines that the price specified in the transportation contract for over-delivered volumes is unreasonably low, the lessee must value all over-delivered volumes under paragraph (c)(2) or (c)(3) of this section.

(2) Notwithstanding the provisions of paragraph (b)(1) of this section, the

value of gas sold pursuant to a warranty contract shall be determined by MMS, and due consideration will be given to all valuation criteria specified in this section. The lessee must request a value determination in accordance with paragraph (g) of this section for gas sold pursuant to a warranty contract; provided, however, that any value determination for a warranty contract in effect on the effective date of these regulations shall remain in effect until modified by MMS.

(3) MMS may require a lessee to certify that its arm's-length contract provisions include all of the consideration to be paid by the buyer, either directly or indirectly, for the gas.

(c) The value of gas subject to this section which is not sold pursuant to an arm's-length contract shall be the reasonable value determined in accordance with the first applicable of the following methods:

(1) The gross proceeds accruing to the lessee pursuant to a sale under its nonarm's-length contract (or other disposition other than by an arm's-length contract), provided that those gross proceeds are equivalent to the gross proceeds derived from, or paid under, comparable arm's-length contracts for purchases, sales, or other dispositions of like-quality gas in the same field (or, if necessary to obtain a reasonable sample, from the same area). In evaluating the comparability of arm'slength contracts for the purposes of these regulations, the following factors shall be considered: price, time of execution, duration, market or markets served, terms, quality of gas, volume, and such other factors as may be appropriate to reflect the value of the

(2) A value determined by consideration of other information relevant in valuing like-quality gas, including gross proceeds under arm's-length contracts for like-quality gas in the same field or nearby fields or areas, posted prices for gas, prices received in arm's-length spot sales of gas, other reliable public sources of price or market information, and other information as to the particular lease operation or the saleability of the gas; or

(3) A net-back method or any other reasonable method to determine value.

(d)(1) Notwithstanding any other provisions of this section, except paragraph (h) of this section, if the maximum price permitted by Federal law at which gas may be sold is less than the value determined pursuant to this section, then MMS shall accept such maximum price as the value. For purposes of this section, price limitations set by any State or local government shall not be considered as a maximum price permitted by Federal law.

(2) The limitation prescribed in paragraph (d)(1) of this section shall not apply to gas sold pursuant to a warranty contract and valued pursuant to paragraph (b)(2) of this section.

(e)(1) Where the value is determined pursuant to paragraph (c) of this section, the lessee shall retain all data relevant to the determination of royalty value. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.

(2) Any Federal lessee will make available upon request to the authorized MMS or State representatives, to the Office of the Inspector General of the Department of the Interior, or other person authorized to receive such information, arm's-length sales and volume data for like-quality production sold, purchased or otherwise obtained by the lessee from the field or area or from nearby fields or areas.

(3) A lessee shall notify MMS if it has determined value pursuant to paragraph (c)(2) or (c)(3) of this section. The notification shall be by letter to the MMS Associate Director for Minerals Revenue Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this paragraph is a onetime notification due no later than the end of the month following the month the lessee first reports royalties on a Form MMS-2014 using a valuation method authorized by paragraph (c)(2) or (c)(3) of this section, and each time there is a change in a method under paragraph (c)(2) or (c)(3) of this section.

(f) If MMS determines that a lessee has not properly determined value, the lessee shall pay the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also pay interest on that difference computed pursuant to 30 CFR 218.54. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.

(g) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method, and may use that method in determining value for royalty purposes until MMS issues its decision. The lessee shall submit all available data relevant to its proposal. The MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. In making a value determination MMS may use any of the valuation criteria authorized by this subpart. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (f) of this section.

(h) Notwithstanding any other provision of this section, under no circumstances shall the value of production for royalty purposes be less than the gross proceeds accruing to the lessee for lease production, less applicable allowances.

(i) The lessee must place gas in marketable condition and market the gas for the mutual benefit of the lessee and the lessor at no cost to the Federal Government. Where the value established under this section is determined by a lessee's gross proceeds, that value will be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services the cost of which ordinarily is the responsibility of the lessee to place the gas in marketable condition or to market the gas.

(j) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. If there is no contract revision or amendment, and the lessee fails to take proper or timely action to receive prices or benefits to

which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to an arm's-length contract. If the lessee makes timely application for a price increase or benefit allowed under its contract but the purchaser refuses, and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional royalties unless or until monies or consideration resulting from the price increase or additional benefits are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of gas.

(k) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding as against the Federal Government or its beneficiaries until the audit period is formally closed.

(l) Certain information submitted to MMS to support valuation proposals, including transportation or extraordinary cost allowances, is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. §552, or other Federal law. Any data specified by law to be privileged, confidential, or otherwise exempt will be maintained in a confidential manner in accordance with applicable law and regulations. All requests for information about determinations made under this subpart are to be submitted in accordance with the Freedom of Information Act regulation of the Department of the Interior, 43 CFR part 2.

[53 FR 1272, Jan. 15, 1988, as amended at 56 FR 46530, Sept. 13, 1991; 61 FR 5464, Feb. 12, 1996; 62 FR 65761, 65762, Dec. 16, 1997]

## § 206.153 Valuation standards—processed gas.

(a)(1) This section applies to the valuation of all gas that is processed by the lessee and any other gas production to which this subpart applies and that is not subject to the valuation provisions of §206.152 of this part. This

section applies where the lessee's contract includes a reservation of the right to process the gas and the lessee exercises that right.

(2) The value of production, for royalty purposes, of gas subject to this section shall be the combined value of the residue gas and all gas plant products determined pursuant to this section, plus the value of any condensate recovered downstream of the point of royalty settlement without resorting to processing determined pursuant to §206.102 of this part, less applicable transportation allowances and processing allowances determined pursuant to this subpart.

(b)(1)(i) The value of residue gas or any gas plant product sold under an arm's-length contract is the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(1)(ii), (iii), and (iv) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value that the lessee reports for royalty purposes is subject to monitoring, review, and audit. For purposes of this section, residue gas or any gas plant product which is sold or otherwise transferred to the lessee's marketing affiliate and then sold by the marketing affiliate pursuant to an arm's-length contract shall be valued in accordance with this paragraph based upon the sale by the marketing affiliate.

(ii) In conducting these reviews and audits, MMS will examine whether or not the contract reflects the total consideration actually transferred either directly or indirectly from the buyer to the seller for the residue gas or gas plant product. If the contract does not reflect the total consideration, then the MMS may require that the residue gas or gas plant product sold pursuant to that contract be valued in accordance with paragraph (c) of this section. Value may not be less than the gross proceeds accruing to the lessee, including the additional consideration.

(iii) If the MMS determines that the gross proceeds accruing to the lessee pursuant to an arm's-length contract do not reflect the reasonable value of the residue gas or gas plant product because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to

the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the residue gas or gas plant product be valued pursuant to paragraph (c)(2) or (c)(3) of this section, and in accordance with the notification requirements of paragraph (e) of this section. When MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's value.

(iv) How to value over-delivered volumes under a cash-out program. This paragraph applies to situations where a pipeline purchases gas from a lessee according to a cash-out program under a transportation contract. For all overdelivered volumes, the royalty value is the price the pipeline is required to pay for volumes within the tolerances for over-delivery specified in the transportation contract. Use the same value for volumes that exceed the over-delivery tolerances even if those volumes are subject to a lower price under the transportation contract. However, if MMS determines that the price specified in the transportation contract for over-delivered volumes is unreasonably low, the lessee must value all over-delivered volumes under paragraph (c)(2) or (c)(3) of this section.

(2) Notwithstanding the provisions of paragraph (b)(1) of this section, the value of residue gas sold pursuant to a warranty contract shall be determined by MMS, and due consideration will be given to all valuation criteria specified in this section. The lessee must request a value determination in accordance with paragraph (g) of this section for gas sold pursuant to a warranty contract; provided, however, that any value determination for a warranty contract in effect on the effective date of these regulations shall remain in effect until modified by MMS.

(3) MMS may require a lessee to certify that its arm's-length contract provisions include all of the consideration to be paid by the buyer, either directly or indirectly, for the residue gas or gas plant product.

(c) The value of residue gas or any gas plant product which is not sold pursuant to an arm's-length contract shall be the reasonable value deter-

mined in accordance with the first applicable of the following methods:

(1) The gross proceeds accruing to the lessee pursuant to a sale under its nonarm's-length contract (or other disposition other than by an arm's-length contract), provided that those gross proceeds are equivalent to the gross proceeds derived from, or paid under, comparable arm's-length contracts for purchases, sales, or other dispositions of like quality residue gas or gas plant products from the same processing plant (or, if necessary to obtain a reasonable sample, from nearby plants). In evaluating the comparability of arm'slength contracts for the purposes of these regulations, the following factors shall be considered: price, time of execution, duration, market or markets served, terms, quality of residue gas or gas plant products, volume, and such other factors as may be appropriate to reflect the value of the residue gas or gas plant products;

(2) A value determined by consideration of other information relevant in valuing like-quality residue gas or gas plant products, including gross proceeds under arm's-length contracts for like-quality residue gas or gas plant products from the same gas plant or other nearby processing plants, posted prices for residue gas or gas plant products, prices received in spot sales of residue gas or gas plant products, other reliable public sources of price or market information, and other information as to the particular lease operation or the saleability of such residue gas or

gas plant products; or

(3) A net-back method or any other reasonable method to determine value.

(d)(1) Notwithstanding any other provisions of this section, except paragraph (h) of this section, if the maximum price permitted by Federal law at which any residue gas or gas plant products may be sold is less than the value determined pursuant to this section, then MMS shall accept such maximum price as the value. For the purposes of this section, price limitations set by any State or local government shall not be considered as a maximum price permitted by Federal law.

(2) The limitation prescribed by paragraph (d)(1) of this section shall not apply to residue gas sold pursuant to a

warranty contract and valued pursuant to paragraph (b)(2) of this section.

(e)(1) Where the value is determined pursuant to paragraph (c) of this section, the lessee shall retain all data relevant to the determination of royalty value. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines upon review or audit that the reported value is inconsistent with the requirements of these regulations.

(2) Any Federal lessee will make available upon request to the authorized MMS or State representatives, to the Office of the Inspector General of the Department of the Interior, or other persons authorized to receive such information, arm's-length sales and volume data for like-quality residue gas and gas plant products sold, purchased or otherwise obtained by the lessee from the same processing plant or from nearby processing plants.

(3) A lessee shall notify MMS if it has determined any value pursuant to paragraph (c)(2) or (c)(3) of this section. The notification shall be by letter to the MMS Associate Director for Minerals Revenue Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this paragraph is a onetime notification due no later than the end of the month following the month the lessee first reports royalties on a Form MMS-2014 using a valuation method authorized by paragraph (c)(2) or (c)(3) of this section, and each time there is a change in a method under paragraph (c)(2) or (c)(3) of this section.

(f) If MMS determines that a lessee has not properly determined value, the lessee shall pay the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also pay interest computed on that difference pursuant to 30 CFR 218.54. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.

(g) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method, and

may use that method in determining value for royalty purposes until MMS issues its decision. The lessee shall submit all available data relevant to its proposal. The MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. In making a value determination, MMS may use any of the valuation criteria authorized by this subpart. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (f) of this section.

(h) Notwithstanding any other provision of this section, under no circumstances shall the value of production for royalty purposes be less than the gross proceeds accruing to the lessee for residue gas and/or any gas plant products, less applicable transportation allowances and processing allowances determined pursuant to this subpart.

(i) The lessee must place residue gas and gas plant products in marketable condition and market the residue gas and gas plant products for the mutual benefit of the lessee and the lessor at no cost to the Federal Government. Where the value established under this section is determined by a lessee's gross proceeds, that value will be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services the cost of which ordinarily is the responsibility of the lessee to place the residue gas or gas plant products in marketable condition or to market the residue gas and gas plant products.

(j) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails to take proper or timely action to receive prices or benefits to which it is entitled it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to an arm's-length contract. If the lessee makes timely application for a price increase or benefit allowed under its contract but the purchaser

refuses, and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional royalties unless or until monies or consideration resulting from the price increase or additional benefits are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part, or timely, for a quantity of residue gas or gas plant product.

(k) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding against the Federal Government or its beneficiaries until the audit period is formally closed.

(l) Certain information submitted to MMS to support valuation proposals, including transportation allowances, processing allowances or extraordinary cost allowances, is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 552, or other Federal law. Any data specified by law to be privileged, confidential, or otherwise exempt, will be maintained in a confidential manner in accordance with applicable law and regulations. All requests for information about determinations made under this part are to be submitted in accordance with the Freedom of Information Act regulation of the Department of the Interior, 43 CFR part 2.

[53 FR 1272, Jan. 15, 1988, as amended at 56 FR 46530, Sept. 13, 1991; 61 FR 5465, Feb. 12, 1996; 62 FR 65762, Dec. 16, 1997]

## § 206.154 Determination of quantities and qualities for computing royalties.

(a)(1) Royalties shall be computed on the basis of the quantity and quality of unprocessed gas at the point of royalty settlement approved by BLM or MMS for onshore and OCS leases, respectively.

(2) If the value of gas determined pursuant to §206.152 of this subpart is based upon a quantity and/or quality that is different from the quantity and/or quality at the point of royalty settlement, as approved by BLM or MMS,

that value shall be adjusted for the differences in quantity and/or quality.

(b)(1) For residue gas and gas plant products, the quantity basis for computing royalties due is the monthly net output of the plant even though residue gas and/or gas plant products may be in temporary storage.

(2) If the value of residue gas and/or gas plant products determined pursuant to §206.153 of this subpart is based upon a quantity and/or quality of residue gas and/or gas plant products that is different from that which is attributable to a lease, determined in accordance with paragraph (c) of this section, that value shall be adjusted for the differences in quantity and/or quality.

(c) The quantity of the residue gas and gas plant products attributable to a lease shall be determined according

to the following procedure:

(1) When the net output of the processing plant is derived from gas obtained from only one lease, the quantity of the residue gas and gas plant products on which computations of royalty are based is the net output of the plant.

- (2) When the net output of a processing plant is derived from gas obtained from more than one lease producing gas of uniform content, the quantity of the residue gas and gas plant products allocable to each lease shall be in the same proportions as the ratios obtained by dividing the amount of gas delivered to the plant from each lease by the total amount of gas delivered from all leases.
- (3) When the net output of a processing plant is derived from gas obtained from more than one lease producing gas of nonuniform content, the quantity of the residue gas allocable to each lease will be determined by multiplying the amount of gas delivered to the plant from the lease by the residue gas content of the gas, and dividing the arithmetical product thus obtained by the sum of the similar arithmetical products separately obtained for all leases from which gas is delivered to the plant, and then multiplying the net output of the residue gas by the arithmetic quotient obtained. The net output of gas plant products allocable to each lease will be determined by multiplying the amount of gas delivered to

the plant from the lease by the gas plant product content of the gas, and dividing the arithmetical product thus obtained by the sum of the similar arithmetical products separately obtained for all leases from which gas is delivered to the plant, and then multiplying the net output of each gas plant product by the arithmetic quotient obtained.

(4) A lessee may request MMS approval of other methods for determining the quantity of residue gas and gas plant products allocable to each lease. If approved, such method will be applicable to all gas production from Federal leases that is processed in the same plant.

(d)(1) No deductions may be made from the royalty volume or royalty value for actual or theoretical losses. Any actual loss of unprocessed gas that may be sustained prior to the royalty settlement metering or measurement point will not be subject to royalty provided that such loss is determined to have been unavoidable by BLM or MMS, as appropriate.

(2) Except as provided in paragraph (d)(1) of this section and 30 CFR 202.151(c), royalties are due on 100 percent of the volume determined in accordance with paragraphs (a) through (c) of this section. There can be no reduction in that determined volume for actual losses after the quantity basis has been determined or for theoretical losses that are claimed to have taken place. Royalties are due on 100 percent of the value of the unprocessed gas, residue gas, and/or gas plant products as provided in this subpart, less applicable allowances. There can be no deduction from the value of the unprocessed gas, residue gas, and/or gas plant products to compensate for actual losses after the quantity basis has been determined, or for theoretical losses that are claimed to have taken place.

[53 FR 1272, Jan. 15, 1988, as amended at 61 FR 5465, Feb. 12, 1996]

#### § 206.155 Accounting for comparison.

(a) Except as provided in paragraph (b) of this section, where the lessee (or a person to whom the lessee has transferred gas pursuant to a non-arm's-length contract or without a contract) processes the lessee's gas and after

processing the gas the residue gas is not sold pursuant to an arm's-length contract, the value, for royalty purposes, shall be the greater of (1) the combined value, for royalty purposes, of the residue gas and gas plant products resulting from processing the gas determined pursuant to §206.153 of this subpart, plus the value, for royalty purposes, of any condensate recovered downstream of the point of royalty settlement without resorting to processing determined pursuant to §206.102 of this subpart; or (2) the value, for royalty purposes, of the gas prior to processing determined in accordance with §206.152 of this subpart.

(b) The requirement for accounting for comparison contained in the terms of leases will govern as provided in §206.150(b) of this subpart. When accounting for comparison is required by the lease terms, such accounting for comparison shall be determined in accordance with paragraph (a) of this section

[53 FR 1272, Jan. 15, 1988, as amended at 61 FR 5465, Feb. 12, 1996]

## § 206.156 Transportation allowances—general.

(a) Where the value of gas has been determined pursuant to §206.152 or §206.153 of this subpart at a point (e.g., sales point or point of value determination) off the lease, MMS shall allow a deduction for the reasonable actual costs incurred by the lessee to transport unprocessed gas, residue gas, and gas plant products from a lease to a point off the lease including, if appropriate, transportation from the lease to a gas processing plant off the lease and from the plant to a point away from the plant.

(b) Transportation costs must be allocated among all products produced and transported as provided in §206.157.

(c)(1) Except as provided in paragraph (c)(3) of this section, for unprocessed gas valued in accordance with \$206.152 of this subpart, the transportation allowance deduction on the basis of a selling arrangement shall not exceed 50 percent of the value of the unprocessed gas determined in accordance with \$206.152 of this subpart.

(2) Except as provided in paragraph (c)(3) of this section, for gas production

valued in accordance with §206.153 of this subpart the transportation allowance deduction on the basis of a selling arrangement shall not exceed 50 percent of the value of the residue gas or gas plant product determined in accordance with §206.153 of this subpart. For purposes of this section, natural gas liquids shall be considered one product.

(3) Upon request of a lessee, MMS may approve a transportation allowance deduction in excess of the limitations prescribed by paragraphs (c)(1) and (c)(2) of this section. The lessee must demonstrate that the transportation costs incurred in excess of the limitations prescribed in paragraphs (c)(1) and (c)(2) of this section were reasonable, actual, and necessary. An application for exception (using Form MMS-4393, Request to Exceed Regulatory Allowance Limitation) shall contain all relevant and supporting documentation necessary for MMS to make a determination. Under no circumstances shall the value for royalty purposes under any selling arrangement be reduced to zero.

(d) If, after a review and/or audit, MMS determines that a lessee has improperly determined a transportation allowance authorized by this subpart, then the lessee shall pay any additional royalties, plus interest, determined in accordance with 30 CFR 218.54, or shall be entitled to a credit, without interest. If the lessee takes a deduction for transportation on the Form MMS-2014 by improperly netting the allowance against the sales value of the unprocessed gas, residue gas, and gas plant products instead of reporting the allowance as a separate line item, he may be assessed an additional amount under 206.157(d).

[53 FR 1272, Jan. 15, 1988, as amended at 61 FR 5465, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

## § 206.157 Determination of transportation allowances.

(a) Arm's-length transportation contracts. (1)(i) For transportation costs incurred by a lessee under an arm's-length contract, the transportation allowance shall be the reasonable, actual costs incurred by the lessee for transporting the unprocessed gas, residue

gas and/or gas plant products under that contract, except as provided in paragraphs (a)(1)(ii) and (a)(1)(iii) of this section, subject to monitoring, review, audit, and adjustment. The lessee shall have the burden of demonstrating that its contract is arm's-length. MMS' prior approval is not required before a lessee may deduct costs incurred under an arm's-length contract. Such allowances shall be subject to the provisions of paragraph (f) of this section. The lessee must claim a transportation allowance by reporting it as a separate line entry on the Form MMS-2014.

(ii) In conducting reviews and audits, MMS will examine whether or not the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the transporter for the transportation. If the contract reflects more than the total consideration, then the MMS may require that the transportation allowance be determined in accordance with paragraph (b) of this section.

(iii) If the MMS determines that the consideration paid pursuant to an arm's-length transportation contract does not reflect the reasonable value of the transportation because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the transportation allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the transportation may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's transportation costs.

(2)(i) If an arm's-length transportation contract includes more than one product in a gaseous phase and the transportation costs attributable to each product cannot be determined from the contract, the total transportation costs shall be allocated in a consistent and equitable manner to each of the products transported in the same proportion as the ratio of the volume of each product (excluding waste products which have no value) to the volume of all products in the gaseous phase (excluding waste products which

have no value). Except as provided in this paragraph, no allowance may be taken for the costs of transporting lease production which is not royalty bearing without MMS approval.

- (ii) Notwithstanding the requirements of paragraph (i), the lessee may propose to MMS a cost allocation method on the basis of the values of the products transported. MMS shall approve the method unless it determines that it is not consistent with the purposes of the regulations in this part.
- (3) If an arm's-length transportation contract includes both gaseous and liquid products and the transportation costs attributable to each cannot be determined from the contract, the lessee shall propose an allocation procedure to MMS. The lessee may use the transportation allowance determined in accordance with its proposed allocation procedure until MMS issues its determination on the acceptability of the cost allocation. The lessee shall submit all relevant data to support its proposal. MMS shall then determine the gas transportation allowance based upon the lessee's proposal and any additional information MMS deems necessary. The lessee must submit the allocation proposal within 3 months of claiming the allocated deduction on the Form MMS-2014.
- (4) Where the lessee's payments for transportation under an arm's-length contract are not based on a dollar per unit, the lessee shall convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (5) Where an arm's-length sales contract price or a posted price includes a provision whereby the listed price is reduced by a transportation factor, MMS will not consider the transportation factor to be a transportation allowance. The transportation factor may be used in determining the lessee's gross proceeds for the sale of the product. The transportation factor may not exceed 50 percent of the base price of the product without MMS approval.
- (b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length transportation contract or has no contract, including those situations where the lessee performs transportation

services for itself, the transportation allowance will be based upon the lessee's reasonable actual costs as provided in this paragraph. All transportation allowances deducted under a non-arm's-length or no contract situation are subject to monitoring, review, audit, and adjustment. The lessee must claim a transportation allowance by reporting it as a separate line entry on the Form MMS-2014. When necessary or appropriate, MMS may direct a lessee to modify its estimated or actual transportation allowance deduction.

- (2) The transportation allowance for non-arm's-length or no-contract situations shall be based upon the lessee's actual costs for transportation during the reporting period, including operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the initial depreciable investment in the transportation system multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those costs for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the transportation system.
- (i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes; rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.
- (ii) Allowable maintenance expenses include: Maintenance of the transportation system; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document.
- (iii) Overhead directly attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (iv) A lessee may use either depreciation or a return on depreciable capital investment. After a lessee has elected

to use either method for a transportation system, the lessee may not later elect to change to the other alternative without approval of the MMS.

(A) To compute depreciation, the lessee may elect to use either a straightline depreciation method based on the life of equipment or on the life of the reserves which the transportation system services, or a unit of production method. After an election is made, the lessee may not change methods without MMS approval. A change in ownership of a transportation system shall not alter the depreciation schedule established by the original transporter/ lessee for purposes of the allowance calculation. With or without a change in ownership, a transportation system shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.

(B) The MMS shall allow as a cost an amount equal to the allowable initial capital investment in the transportation system multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to transportation facilities first placed in service after March 1, 1988.

(v) The rate of return must be the industrial rate associated with Standard and Poor's BBB rating. The rate of return must be the monthly average rate as published in Standard and Poor's Bond Guide for the first month for which the allowance is applicable. The rate must be redetermined at the beginning of each subsequent calendar year.

(3)(i) The deduction for transportation costs shall be determined on the basis of the lessee's cost of transporting each product through each individual transportation system. Where more than one product in a gaseous phase is transported, the allocation of costs to each of the products transported shall be made in a consistent and equitable manner in the same proportion as the ratio of the volume of each product (excluding waste products which have no value) to the volume of all products in the gaseous phase (excluding waste products which have no value). Except as provided in this paragraph, the lessee may not take an allowance for transporting a product which is not royalty bearing without MMS approval.

- (ii) Notwithstanding the requirements of paragraph (b)(3)(i), the lessee may propose to the MMS a cost allocation method on the basis of the values of the products transported. MMS shall approve the method unless it determines that it is not consistent with the purposes of the regulations in this part.
- (4) Where both gaseous and liquid products are transported through the same transportation system, the lessee shall propose a cost allocation procedure to MMS. The lessee may use the transportation allowance determined in accordance with its proposed allocation procedure until MMS issues its determination on the acceptability of the cost allocation. The lessee shall submit all relevant data to support its proposal. MMS shall then determine the transportation allowance based upon the lessee's proposal and any additional information MMS deems necessary. The lessee must submit the allocation proposal within 3 months of claiming the allocated deduction on the Form MMS-2014.
- (5) A lessee may apply to the MMS for an exception from the requirement that it compute actual costs in accordance with paragraphs (b)(1) through (b)(4) of this section. The MMS will grant the exception only if the lessee has a tariff for the transportation system approved by the Federal Energy Regulatory Commission (FERC) (for both Federal and Indian leases) or a State regulatory agency (for Federal leases). The MMS shall deny the exception request if it determines that the tariff is excessive as compared to arm's-length transportation charges by pipelines, owned by the lessee or others, providing similar transportation services in that area. If there are no arm's-length transportation charges, MMS shall deny the exception request if: (i) No FERC or State regulatory agency cost analysis exists and the FERC or State regulatory agency, as applicable, has declined to investigate pursuant to MMS timely objections upon filing; and (ii) the tariff significantly exceeds the lessee's actual costs

for transportation as determined under this section.

- (c) Reporting requirements. (1) Arm's-length contracts. (i) The lessee must notify MMS of an allowance based on incurred costs by using a separate line entry on the Form MMS-2014.
- (ii) The MMS may require that a lessee submit arm's-length transportation contracts, production agreements, operating agreements, and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (2) Non-arm's-length or no contract. (i) The lessee must notify MMS of an allowance based on the incurred costs by using a separate line entry on the Form MMS-2014.
- (ii) For new transportation facilities or arrangements, the lessee's initial deduction shall include estimates of the allowable gas transportation costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the transportation system or, if such data are not available, the lessee shall use estimates based upon industry data for similar transportation systems.
- (iii) Upon request by MMS, the lessee shall submit all data used to prepare the allowance deduction. The data shall be provided within a reasonable period of time, as determined by MMS.
- (iv) If the lessee is authorized to use its FERC-approved or State regulatory agency-approved tariff as its transportation cost in accordance with paragraph (b)(5) of this section, it shall follow the reporting requirements of paragraph (c)(1) of this section.
- (d) Interest and assessments. (1) If a lessee nets a transportation allowance against the royalty value on the Form MMS-2014, the lessee shall be assessed an amount of up to 10 percent of the allowance netted not to exceed \$250 per lease selling arrangement per sales period.
- (2) If a lessee deducts a transportation allowance on its Form MMS-2014 that exceeds 50 percent of the value of the gas transported without obtaining prior approval of MMS under \$206.156, the lessee shall pay interest on the excess allowance amount taken from the date such amount is taken to

the date the lessee files an exception request with MMS.

- (3) If a lessee erroneously reports a transportation allowance which results in an underpayment of royalties, interest shall be paid on the amount of that underpayment.
- (4) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.54.
- (e) Adjustments. (1) If the actual transportation allowance is less than the amount the lessee has taken on Form MMS-2014 for each month during the allowance reporting period, the lessee shall be required to pay additional royalties due plus interest computed under 30 CFR 218.54 from the allowance reporting period when the lessee took the deduction to the date the lessee repays the difference to MMS. If the actual transportation allowance is greater than the amount the lessee has taken on Form MMS-2014 for each month during the allowance reporting period, the lessee shall be entitled to a credit without interest.
- (2) For lessees transporting production from onshore Federal leases, the lessee must submit a corrected Form MMS-2014 to reflect actual costs, together with any payment, in accordance with instructions provided by MMS.
- (3) For lessees transporting gas production from leases on the OCS, if the lessee's estimated transportation allowance exceeds the allowance based on actual costs, the lessee must submit a corrected Form MMS-2014 to reflect actual costs, together with its payment, in accordance with instructions provided by MMS. If the lessee's estimated transportation allowance is less than the allowance based on actual costs, the refund procedure will be specified by MMS.
- (f) Allowable costs in determining transportation allowances. Lessees may include, but are not limited to, the following costs in determining the arm's-length transportation allowance under paragraph (a) of this section or the non-arm's-length transportation allowance under paragraph (b) of this section:
- (1) Firm demand charges paid to pipelines. You must limit the allowable costs for the firm demand charges to

the applicable rate per MMBtu multiplied by the actual volumes transported. You may not include any losses incurred for previously purchased but unused firm capacity. You also may not include any gains associated with releasing firm capacity. If you receive a payment or credit from the pipeline for penalty refunds, rate case refunds, or other reasons, you must reduce the firm demand charge claimed on the Form MMS-2014. You must modify the Form MMS-2014 by the amount received or credited for the affected reporting period;

(2) Gas supply realignment (GSR) costs. The GSR costs result from a pipeline reforming or terminating supply contracts with producers to implement the restructuring requirements of FERC Orders in 18 CFR part 284;

(3) *Commodity charges.* The commodity charge allows the pipeline to recover the costs of providing service;

- (4) Wheeling costs. Hub operators charge a wheeling cost for transporting gas from one pipeline to either the same or another pipeline through a market center or hub. A hub is a connected manifold of pipelines through which a series of incoming pipelines are interconnected to a series of outgoing pipelines;
- (5) Gas Research Institute (GRI) fees. The GRI conducts research, development, and commercialization programs on natural gas related topics for the benefit of the U.S. gas industry and gas customers. GRI fees are allowable provided such fees are mandatory in FERC-approved tariffs;
- (6) Annual Charge Adjustment (ACA) fees. FERC charges these fees to pipelines to pay for its operating expenses;
- (7) Payments (either volumetric or in value) for actual or theoretical losses. This paragraph does not apply to non-arm's-length transportation arrangements unless the transportation allowance is based on a FERC or State regulatory-approved tariff;
- (8) Temporary storage services. This includes short duration storage services offered by market centers or hubs (commonly referred to as "parking" or "banking"), or other temporary storage services provided by pipeline transporters, whether actual or provided as a matter of accounting. Temporary

storage is limited to 30 days or less; and

- (9) Supplemental costs for compression, dehydration, and treatment of gas. MMS allows these costs only if such services are required for transportation and exceed the services necessary to place production into marketable condition required under §§ 206.152(i) and 206.153(i) of this part.
- (g) Nonallowable costs in determining transportation allowances. Lessees may not include the following costs in determining the arm's-length transportation allowance under paragraph (a) of this section or the non-arm's-length transportation allowance under paragraph (b) of this section:
- (1) Fees or costs incurred for storage. This includes storing production in a storage facility, whether on or off the lease, for more than 30 days;
- (2) Aggregator/marketer fees. This includes fees you pay to another person (including your affiliates) to market your gas, including purchasing and reselling the gas, or finding or maintaining a market for the gas production;
- (3) Penalties you incur as shipper. These penalties include, but are not limited to:
- (i) Over-delivery cash-out penalties. This includes the difference between the price the pipeline pays you for over-delivered volumes outside the tolerances and the price you receive for over-delivered volumes within the tolerances:
- (ii) Scheduling penalties. This includes penalties you incur for differences between daily volumes delivered into the pipeline and volumes scheduled or nominated at a receipt or delivery point;
- (iii) Imbalance penalties. This includes penalties you incur (generally on a monthly basis) for differences between volumes delivered into the pipeline and volumes scheduled or nominated at a receipt or delivery point; and
- (iv) Operational penalties. This includes fees you incur for violation of the pipeline's curtailment or operational orders issued to protect the operational integrity of the pipeline;

(4) Intra-hub transfer fees. These are fees you pay to hub operators for administrative services (e.g., title transfer tracking) necessary to account for the sale of gas within a hub; and

(5) Other nonallowable costs. Any cost you incur for services you are required to provide at no cost to the lessor.

(h) Other transportation cost determinations. Use this section when calculating transportation costs to establish value using a netback procedure or any other procedure that requires deduction of transportation costs.

[53 FR 1272, Jan. 15, 1988, as amended at 53 FR 45762, Nov. 14, 1988; 61 FR 5465, Feb. 12, 1996; 62 FR 65762, Dec. 16, 1997]

### § 206.158 Processing allowances—general.

(a) Where the value of gas is determined pursuant to §206.153 of this subpart, a deduction shall be allowed for the reasonable actual costs of processing.

(b) Processing costs must be allocated among the gas plant products. A separate processing allowance must be determined for each gas plant product and processing plant relationship. Natural gas liquids (NGL's) shall be considered as one product.

(c)(1) Except as provided in paragraph (d)(2) of this section, the processing allowance shall not be applied against the value of the residue gas. Where there is no residue gas MMS may designate an appropriate gas plant product against which no allowance may be applied.

(2) Except as provided in paragraph (c)(3) of this section, the processing allowance deduction on the basis of an individual product shall not exceed 66% percent of the value of each gas plant product determined in accordance with §206.153 of this subpart (such value to be reduced first for any transportation allowances related to postprocessing transportation authorized by §206.156 of this subpart).

(3) Upon request of a lessee, MMS may approve a processing allowance in excess of the limitation prescribed by paragraph (c)(2) of this section. The lessee must demonstrate that the processing costs incurred in excess of the limitation prescribed in paragraph (c)(2) of this section were reasonable,

actual, and necessary. An application for exception (using Form MMS-4393, Request to Exceed Regulatory Allowance Limitation) shall contain all relevant and supporting documentation for MMS to make a determination. Under no circumstances shall the value for royalty purposes of any gas plant product be reduced to zero.

(d)(1) Except as provided in paragraph (d)(2) of this section, no processing cost deduction shall be allowed for the costs of placing lease products in marketable condition, including dehydration, separation, compression, or storage, even if those functions are performed off the lease or at a processing plant. Where gas is processed for the removal of acid gases, commonly referred to as "sweetening," no processing cost deduction shall be allowed for such costs unless the acid gases removed are further processed into a gas plant product. In such event, the lessee shall be eligible for a processing allowance as determined in accordance with this subpart. However, MMS will not grant any processing allowance for processing lease production which is not royalty bearing.

(2)(i) If the lessee incurs extraordinary costs for processing gas production from a gas production operation, it may apply to MMS for an allowance for those costs which shall be in addition to any other processing allowance to which the lessee is entitled pursuant to this section. Such an allowance may be granted only if the lessee can demonstrate that the costs are, by reference to standard industry conditions and practice, extraordinary, unusual, or unconventional.

(ii) Prior MMS approval to continue an extraordinary processing cost allowance is not required. However, to retain the authority to deduct the allowance the lessee must report the deduction to MMS in a form and manner prescribed by MMS.

(e) If MMS determines that a lessee has improperly determined a processing allowance authorized by this subpart, then the lessee shall pay any additional royalties, plus interest determined in accordance with 30 CFR 218.54, or shall be entitled to a credit, without interest. If the lessee takes a deduction for processing on the Form

MMS-2014 by improperly netting the allowance against the sales value of the gas plant products instead of reporting the allowance as a separate line item, he may be assessed an additional amount under 206.159(d).

[53 FR 1272, Jan. 15, 1988, as amended at 61 FR 5466, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

### § 206.159 Determination of processing allowances.

(a) Arm's-length processing contracts. (1)(i) For processing costs incurred by a lessee under an arm's-length contract, the processing allowance shall be the reasonable actual costs incurred by the lessee for processing the gas under that contract, except as provided in paragraphs (a)(1)(ii) and (a)(1)(iii) of this section, subject to monitoring, review, audit, and adjustment. The lessee shall have the burden of demonstrating that its contract is arm's-length. MMS' prior approval is not required before a lessee may deduct costs incurred under an arm's-length contract. The lessee must claim a processing allowance by reporting it as a separate line entry on the Form MMS-2014.

(ii) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the processor for the processing. If the contract reflects more than the total consideration, then the MMS may require that the processing allowance be determined in accordance with paragraph (b) of this section.

(iii) If MMS determines that the consideration paid pursuant to an arm'slength processing contract does not reflect the reasonable value of the processing because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and lessor, then MMS shall require that the processing allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the processing may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's processing costs.

(2) If an arm's-length processing contract includes more than one gas plant product and the processing costs attributable to each product can be determined from the contract, then the processing costs for each gas plant product shall be determined in accordance with the contract. No allowance may be taken for the costs of processing lease production which is not

royalty-bearing.

(3) If an arm's-length processing contract includes more than one gas plant product and the processing costs attributable to each product cannot be determined from the contract, the lessee shall propose an allocation procedure to MMS. The lessee may use its proposed allocation procedure until MMS issues its determination. The lessee shall submit all relevant data to support its proposal. MMS shall then determine the processing allowance based upon the lessee's proposal and additional information MMS deems necessary. No processing allowance will be granted for the costs of processing lease production which is not royalty bearing. The lessee must submit the allocation proposal within 3 months of claiming the allocated deduction on Form MMS-2014.

(4) Where the lessee's payments for processing under an arm's-length contract are not based on a dollar per unit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.

(b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length processing contract or has no contract, including those situations where the lessee performs processing for itself, the processing allowance will be based upon the lessee's reasonable actual costs as provided in this paragraph. All processing allowances deducted under a non-arm's-length or no-contract situation are subject to monitoring, review, audit, and adjustment. The lessee must claim a processing allowance by reflecting it as a separate line entry on the Form MMS-2014. When necessary or appropriate, MMS may direct a lessee to modify its estimated or actual processing allowance.

(2) The processing allowance for nonarm's-length or no-contract situations shall be based upon the lessee's actual costs for processing during the reporting period, including operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the initial depreciable investment in the processing plant multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those costs for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the processing plant.

(i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes; rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.

(ii) Allowable maintenance expenses include: Maintenance of the processing plant; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document.

(iii) Overhead directly attributable and allocable to the operation and maintenance of the processing plant is an allowable expense. State and Federal income taxes and severance taxes, including royalties, are not allowable expenses.

(iv) A lessee may use either depreciation or a return on depreciable capital investment. When a lessee has elected to use either method for a processing plant, the lessee may not later elect to change to the other alternative without approval of the MMS.

(A) To compute depreciation, the lessee may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves which the processing plant services, or a unit-of-production method. After an election is made, the lessee may not change methods without MMS approval. A change in ownership of a processing plant shall not alter the depreciation schedule established by

the original processor/lessee for purposes of the allowance calculation. With or without a change in ownership, a processing plant shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.

(B) The MMS shall allow as a cost an amount equal to the allowable initial capital investment in the processing plant multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to plants first placed in service after March 1, 1988

(v) The rate of return must be the industrial rate associated with Standard and Poor's BBB rating. The rate of return must be the monthly average rate as published in Standard and Poor's Bond Guide for the first month for which the allowance is applicable. The rate must be redetermined at the beginning of each subsequent calendar year.

(3) The processing allowance for each gas plant product shall be determined based on the lessee's reasonable and actual cost of processing the gas. Allocation of costs to each gas plant product shall be based upon generally accepted accounting principles. The lessee may not take an allowance for the costs of processing lease production which is not royalty bearing.

(4) A lessee may apply to MMS for an exception from the requirement that it compute actual costs in accordance with paragraphs (b)(1) through (b)(3) of this section. The MMS may grant the exception only if: (i) The lessee has arm's-length contracts for processing other gas production at the same processing plant; and (ii) at least 50 percent of the gas processed annually at the plant is processed pursuant to arm'slength processing contracts; if the MMS grants the exception, the lessee shall use as its processing allowance the volume weighted average prices charged other persons pursuant to arm's-length contracts for processing at the same plant.

- (c) Reporting requirements—(1) Arm's-length contracts. (i) The lessee must notify MMS of an allowance based on incurred costs by using a separate line entry on the Form MMS-2014.
- (ii) The MMS may require that a lessee submit arm's-length processing contracts and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (2) Non-arm's-length or no contract. (i) The lessee must notify MMS of an allowance based on the incurred costs by using a separate line entry on the Form MMS-2014.
- (ii) For new processing plants, the lessee's initial deduction shall include estimates of the allowable gas processing costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the plant or, if such data are not available, the lessee shall use estimates based upon industry data for similar gas processing plants.
- (iii) Upon request by MMS, the lessee shall submit all data used to prepare the allowance deduction. The data shall be provided within a reasonable period of time, as determined by MMS.
- (iv) If the lessee is authorized to use the volume weighted average prices charged other persons as its processing allowance in accordance with paragraph (b)(4) of this section, it shall follow the reporting requirements of paragraph (c)(1) of this section.
- (d) Interest and assessments. (1) If a lessee nets a processing allowance against the royalty value on the Form MMS-2014, the lessee shall be assessed an amount of up to 10 percent of the allowance netted not to exceed \$250 per lease selling arrangement per sales period.
- (2) If a lessee deducts a processing allowance on its Form MMS-2014 that exceeds 662/3 percent of the value of the gas processed without obtaining prior approval of MMS under §206.158, the lessee shall pay interest on the excess allowance amount taken from the date such amount is taken to the date the lessee files an exception request with MMS.
- (3) If a lessee erroneously reports a processing allowance which results in an underpayment of royalties, interest

- shall be paid on the amount of that underpayment.
- (4) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.54.
- (e) Adjustments. (1) If the actual processing allowance is less than the amount the lessee has taken on Form MMS-2014 for each month during the allowance reporting period, the lessee shall pay additional royalties due plus interest computed under 30 CFR 218.54 from the allowance reporting period when the lessee took the deduction to the date the lessee repays the difference to MMS. If the actual processing allowance is greater than the amount the lessee has taken on Form MMS-2014 for each month during the allowance reporting period, the lessee shall be entitled to a credit without in-
- (2) For lessees processing production from onshore Federal leases, the lessee must submit a corrected Form MMS-2014 to reflect actual costs, together with any payment, in accordance with instructions provided by MMS.
- (3) For lessees processing gas production from leases on the OCS, if the lessee's estimated processing allowance exceeds the allowance based on actual costs, the lessee must submit a corrected Form MMS-2014 to reflect actual costs, together with its payment, in accordance with instructions provided by MMS. If the lessee's estimated costs were less than the actual costs, the refund procedure will be specified by MMS.
- (f) Other processing cost determinations. The provisions of this section shall apply to determine processing costs when establishing value using a net back valuation procedure or any other procedure that requires deduction of processing costs.

[53 FR 1272, Jan. 15, 1988, as amended at 53 FR 45762, Nov. 14, 1988; 61 FR 5466, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

#### § 206.160 Operating allowances.

Notwithstanding any other provisions in these regulations, an operating allowance may be used for the purpose of computing payment obligations when specified in the notice of sale and the lease. The allowance amount or

formula shall be specified in the notice of sale and in the lease agreement.

[61 FR 3804, Feb. 2, 1996]

#### Subpart E—Indian Gas

SOURCE: 64 FR 43515, Aug. 10, 1999, unless otherwise noted.

## § 206.170 What does this subpart contain?

This subpart contains royalty valuation provisions applicable to Indian lessees.

- (a) This subpart applies to all gas production from Indian (tribal and allotted) oil and gas leases (except leases on the Osage Indian Reservation). The purpose of this subpart is to establish the value of production for royalty purposes consistent with the mineral leasing laws, other applicable laws, and lease terms. This subpart does not apply to Federal leases.
- (b) If the specific provisions of any Federal statute, treaty, negotiated agreement, settlement agreement resulting from any administrative or judicial proceeding, or Indian oil and gas lease are inconsistent with any regulation in this subpart, then the Federal statute, treaty, negotiated agreement, settlement agreement, or lease will govern to the extent of that inconsistency.
- (c) You may calculate the value of production for royalty purposes under methods other than those the regulations in this title require, but only if you, the tribal lessor, and MMS jointly agree to the valuation methodology. For leases on Indian allotted lands, you and MMS must agree to the valuation methodology.
- (d) All royalty payments you make to MMS are subject to monitoring, review, audit, and adjustment.
- (e) The regulations in this subpart are intended to ensure that the trust responsibilities of the United States with respect to the administration of Indian oil and gas leases are discharged in accordance with the requirements of the governing mineral leasing laws, treaties, and lease terms.

## § 206.171 What definitions apply to this subpart?

The following definitions apply to this subpart and to subpart J of part 202 of this title:

Accounting for comparison means the same as dual accounting.

Active spot market means a market where one or more MMS-acceptable publications publish bidweek prices (or if bidweek prices are not available, first of the month prices) for at least one index-pricing point in the index zone.

Allowance means a deduction in determining value for royalty purposes. Processing allowance means an allowance for the reasonable, actual costs of processing gas determined under this subpart. Transportation allowance means an allowance for the reasonable, actual cost of transportation determined under this subpart.

Approved Federal Agreement (AFA) means a unit or communitization agreement approved under departmental regulations.

Area means a geographic region at least as large as the defined limits of an oil or gas field, in which oil or gas lease products have similar quality, economic, or legal characteristics. An area may be all lands within the boundaries of an Indian reservation.

Arm's-length contract means a contract or agreement that has been arrived at in the marketplace between independent, nonaffiliated persons with opposing economic interests regarding that contract. For purposes of this subpart, two persons are affiliated if one person controls, is controlled by, or is under common control with another person. The following percentages (based on the instruments of ownership of the voting securities of an entity, or based on other forms of ownership) determine if persons are affiliated:

- (1) Ownership in excess of 50 percent constitutes control.
- (2) Ownership of 10 through 50 percent creates a presumption of control.
- (3) Ownership of less than 10 percent creates a presumption of noncontrol which MMS may rebut if it demonstrates actual or legal control, including the existence of interlocking directorates. Notwithstanding any

other provisions of this subpart, contracts between relatives, either by blood or by marriage, are not arm'slength contracts. MMS may require the lessee to certify the percentage of ownership or control of the entity. To be considered arm's-length for any production month, a contract must meet the requirements of this definition for that production month as well as when the contract was executed.

Audit means a review, conducted under generally accepted accounting and auditing standards, of royalty payment compliance activities of lessees or other persons who pay royalties, rents, or bonuses on Indian leases.

BIA means the Bureau of Indian Affairs of the Department of the Interior.

BLM means the Bureau of Land Management of the Department of the Interior.

Compression means raising the pressure of gas.

Condensate means liquid hydrocarbons (normally exceeding 40 degrees of API gravity) recovered at the surface without resorting to processing. Condensate is the mixture of liquid hydrocarbons that results from condensation of petroleum hydrocarbons existing initially in a gaseous phase in an underground reservoir.

Contract means any oral or written agreement, including amendments or revisions thereto, between two or more persons and enforceable by law that with due consideration creates an obligation.

Dedicated means a contractual commitment to deliver gas production (or a specified portion of production) from a lease or well when that production is specified in a sales contract and that production must be sold pursuant to that contract to the extent that production occurs from that lease or well.

Drip condensate means any condensate recovered downstream of the facility measurement point without resorting to processing. Drip condensate includes condensate recovered as a result of its becoming a liquid during the transportation of the gas removed from the lease or recovered at the inlet of a gas processing plant by mechanical means, often referred to as scrubber condensate.

Dual Accounting (or accounting for comparison) refers to the requirement to pay royalty based on a value which is the higher of the value of gas prior to processing less any applicable allowances as compared to the combined value of drip condensate, residue gas, and gas plant products after processing, less applicable allowances.

Entitlement (or entitled share) means the gas production from a lease, or allocable to lease acreage under the terms of an AFA, multiplied by the operating rights owner's percentage of interest ownership in the lease or the

acreage.

Facility measurement point (or point of royalty settlement) means the point where the BLM-approved measurement device is located for determining the volume of gas removed from the lease. The facility measurement point may be on the lease or off-lease with BLM

approval.

Field means a geographic region situated over one or more subsurface oil and gas reservoirs encompassing at least the outermost boundaries of all oil and gas accumulations known to be within those reservoirs vertically projected to the land surface. Onshore fields are usually given names and their official boundaries are often designated by oil and gas regulatory agencies in the respective States in which the fields are located.

Gas means any fluid, either combustible or noncombustible, hydrocarbon or nonhydrocarbon, which is extracted from a reservoir and which has neither independent shape nor volume, but tends to expand indefinitely. It is a substance that exists in a gaseous or rarefied state under standard temperature and pressure conditions.

Gas plant products means separate marketable elements, compounds, or mixtures, whether in liquid, gaseous, or solid form, resulting from processing gas. However, it does not include res-

idue gas.

Gathering means the movement of lease production to a central accumulation or treatment point on the lease, unit, or communitized area; or a central accumulation or treatment point off the lease, unit, or communitized area as approved by BLM operations personnel.

Gross proceeds (for royalty payment purposes) means the total monies and other consideration accruing to an oil and gas lessee for the disposition of unprocessed gas, residue gas, and gas plant products produced. Gross proceeds includes, but is not limited to, payments to the lessee for certain services such as compression, dehydration, measurement, or field gathering to the extent that the lessee is obligated to perform them at no cost to the Indian lessor, and payments for gas processing rights. Gross proceeds, as applied to gas, also includes but is not limited to reimbursements for severance taxes and other reimbursements. Tax reimbursements are part of the gross proceeds accruing to a lessee even though the Indian royalty interest is exempt from taxation. Monies and other consideration, including the forms of consideration identified in this paragraph, to which a lessee is contractually or legally entitled but which it does not seek to collect through reasonable efforts are also part of gross proceeds.

Index means the calculated composite price (\$/MMBtu) of spot-market sales published by a publication that meets MMS-established criteria for acceptability at the index-pricing point.

Index-pricing point (IPP) means any point on a pipeline for which there is an index.

Index zone means a field or an area with an active spot market and published indices applicable to that field or area that are acceptable to MMS under §206.172(d)(2).

Indian allottee means any Indian for whom land or an interest in land is held in trust by the United States or who holds title subject to Federal restriction against alienation.

Indian tribe means any Indian tribe, band, nation, pueblo, community, rancheria, colony, or other group of Indians for which any land or interest in land is held in trust by the United States or which is subject to Federal restriction against alienation.

Lease means any contract, profitshare arrangement, joint venture, or other agreement issued or approved by the United States under a mineral leasing law that authorizes exploration for, development or extraction of, or removal of lease products—or the land area covered by that authorization, whichever is required by the context. For purposes of this subpart, this definition excludes Federal leases.

Lease products means any leased minerals attributable to, originating from, or allocated to a lease.

Lessee means any person to whom the United States, a tribe, and/or individual Indian landowner issues a lease, and any person who has been assigned an obligation to make royalty or other payments required by the lease. This includes any person who has an interest in a lease (including operating rights owners) as well as an operator or payor who has no interest in the lease but who has assumed the royalty payment responsibility.

*Like-quality lease products* means lease products which have similar chemical, physical, and legal characteristics

Marketable condition means a condition in which lease products are sufficiently free from impurities and otherwise so conditioned that a purchaser will accept them under a sales contract typical for the field or area.

MMS means the Minerals Management Service, Department of the Interior. MMS includes, where appropriate, tribal auditors acting under agreements under the Federal Oil and Gas Royalty Management Act of 1982, 30 U.S.C. 1701 et seq. or other applicable agreements.

Minimum royalty means that minimum amount of annual royalty that the lessee must pay as specified in the lease or in applicable leasing regulations.

Natural gas liquids (NGL's) means those gas plant products consisting of ethane, propane, butane, or heavier liquid hydrocarbons.

Net-back method (or work-back method) means a method for calculating market value of gas at the lease under which costs of transportation, processing, and manufacturing are deducted from the proceeds received for, or the value of, the gas, residue gas, or gas plant products, and any extracted, processed, or manufactured products, at the first point at which reasonable values for any such products may be determined by a sale under an arm's-

length contract or comparison to other sales of such products.

*Net output* means the quantity of residue gas and each gas plant product that a processing plant produces.

Net profit share means the specified share of the net profit from production of oil and gas as provided in the agreement

Operating rights owner (or working interest owner) means any person who owns operating rights in a lease subject to this subpart. A record title owner is the owner of operating rights under a lease except to the extent that the operating rights or a portion thereof have been transferred from record title (see BLM regulations at 43 CFR 3100.0-5(d)).

*Person* means any individual, firm, corporation, association, partnership, consortium, or joint venture (when established as a separate entity).

Point of royalty measurement means the same as facility measurement point.

Processing means any process designed to remove elements or compounds (hydrocarbon and nonhydrocarbon) from gas, including absorption, adsorption, or refrigeration. Field processes which normally take place on or near the lease, such as natural pressure mechanical reduction. separation, dehydration, heating. cooling, desulphurization (or "sweetening"), and compression, are not considered processing. The changing of pressures and/ or temperatures in a reservoir is not considered processing.

Residue gas means that hydrocarbon gas consisting principally of methane resulting from processing gas.

Selling arrangement means the individual contractual arrangements under which sales or dispositions of gas, residue gas and gas plant products are made. Selling arrangements are described by illustration in the "MMS Royalty Management Program Oil and Gas Payor Handbook."

Spot sales agreement means a contract wherein a seller agrees to sell to a buyer a specified amount of unprocessed gas, residue gas, or gas plant products at a specified price over a fixed period, usually of short duration. It also does not normally require a cancellation notice to terminate, and does not contain an obligation, or imply an

intent, to continue in subsequent periods.

Takes means when the operating rights owner sells or removes production from, or allocated to, the lease, or when such sale or removal occurs for the benefit of an operating rights owner.

Work-back method means the same as net-back method.

## § 206.172 How do I value gas produced from leases in an index zone?

- (a) What leases this section applies to. This section explains how lessees must value, for royalty purposes, gas produced from Indian leases located in an index zone. For other leases, value must be determined under § 206.174.
- (1) You must use the valuation provision of this section if your lease is in an index zone and meets one of the following two requirements:
- (i) Has a major portion provision;
- (ii) Does not have a major portion provision, but provides for the Secretary to determine the value of production.
- (2) This section does not apply to carbon dioxide, nitrogen, or other non-hydrocarbon components of the gas stream. However, if they are recovered and sold separately from the gas stream, you must determine the value of these products under §206.174.
- (b) Valuing residue gas and gas before processing. (1) Except as provided in paragraphs (e), (f), and (g) of this section, this paragraph (b) explains how you must value the following four types of gas:
  - (i) Gas production before processing;
- (ii) Gas production that you certify on Form MMS-4410, Certification for Not Performing Accounting for Comparison (Dual Accounting), is not processed before it flows into a pipeline with an index but which may be processed later;
  - (iii) Residue gas after processing; and
  - (iv) Gas that is never processed.
- (2) The value of gas production that is not sold under an arm's-length dedicated contract is the index-based value determined under paragraph (d) of this section unless the gas was subject to a previous contract which was part of a gas contract settlement. If the previous contract was subject to a gas

contract settlement and if the royalty-bearing contract settlement proceeds per MMBtu added to the 80 percent of the safety net prices calculated at \$206.172(e)(4)(i) exceeds the index-based value that applies to the gas under this section (including any adjustments required under \$206.176), then the value determined under this section (including any adjustments required under \$206.176) or \$206.174.

- (3) The value of gas production that is sold under an arm's-length dedicated contract is the higher of the index-based value under paragraph (d) of this section or the value of that production determined under §206.174(b).
- (c) Valuing gas that is processed before it flows into a pipeline with an index. Except as provided in paragraphs (e), (f), and (g) of this section, this paragraph (c) explains how you must value gas that is processed before it flows into a pipeline with an index. You must value this gas production based on the higher of the following two values:
- (1) The value of the gas before processing determined under paragraph (b) of this section.
- (2) The value of the gas after processing, which is either the alternative dual accounting value under §206.173 or the sum of the following three values:
- (i) The value of the residue gas determined under paragraph (b)(2) or (3) of this section, as applicable;
- (ii) The value of the gas plant products determined under §206.174, less any applicable processing and/or transportation allowances determined under this subpart; and
- (iii) The value of any drip condensate associated with the processed gas determined under subpart B of this part.
- (d) Determining the index-based value for gas production. (1) To determine the index-based value per MMBtu for production from a lease in an index zone, you must use the following procedures:
- (i) For each MMS-approved publication, calculate the average of the highest reported prices for all index-pricing points in the index zone, except for any prices excluded under paragraph (d)(6) of this section;
- (ii) Sum the averages calculated in paragraph (d)(1)(i) of this section and

divide by the number of publications; and

- (iii) Reduce the number calculated under paragraph (d)(1)(ii) of this section by 10 percent, but not by less than 10 cents per MMBtu or more than 30 cents per MMBtu. The result is the index-based value per MMBtu for production from all leases in that index zone.
- (2) MMS will publish in the FEDERAL REGISTER the index zones that are eligible for the index-based valuation method under this paragraph. MMS will monitor the market activity in the index zones and, if necessary, hold a technical conference to add or modify a particular index zone. Any change to the index zones will be published in the FEDERAL REGISTER. MMS will consider the following five factors and conditions in determining eligible index zones:
- (i) Areas for which MMS-approved publications establish index prices that accurately reflect the value of production in the field or area where the production occurs;
  - (ii) Common markets served;
  - (iii) Common pipeline systems;
  - (iv) Simplification; and
- (v) Easy identification in MMS's systems, such as counties or Indian reservations.
- (3) If market conditions change so that an index-based method for determining value is no longer appropriate for an index zone, MMS will hold a technical conference to consider disqualification of an index zone. MMS will publish notice in the FEDERAL REGISTER if an index zone is disqualified. If an index zone is disqualified, then production from leases in that index zone cannot be valued under this paragraph.
- (4) MMS periodically will publish in the FEDERAL REGISTER a list of acceptable publications based on certain criteria, including, but not limited to the following five criteria:
- (i) Publications buyers and sellers frequently use;
- (ii) Publications frequently referenced in purchase or sales contracts;
- (iii) Publications that use adequate survey techniques, including the gathering of information from a substantial number of sales;

- (iv) Publications that publish the range of reported prices they use to calculate their index; and
- (v) Publications independent from DOI, lessors, and lessees.
- (5) Any publication may petition MMS to be added to the list of acceptable publications.
- (6) MMS may exclude an individual index price for an index zone in an MMS-approved publication if MMS determines that the index price does not accurately reflect the value of production in that index zone. MMS will publish a list of excluded indices in the FEDERAL REGISTER.
- (7) MMS will reference which tables in the publications you must use for determining the associated index prices
- (8) The index-based values determined under this paragraph are not subject to deductions for transportation or processing allowances determined under §§ 206.177, 206.178, 206.179, and 206.180.
- (e) Determining the minimum value for royalty purposes of gas sold beyond the first index pricing point. (1) Notwithstanding any other provision of this section, the value for royalty purposes of gas production from an Indian lease that is sold beyond the first index pricing point through which it flows cannot be less than the value determined under this paragraph (e).
- (2) By June 30 following any calendar year, you must calculate for each month of that calendar year your safety net price per MMBtu using the procedures in paragraph (e)(3) of this section. You must calculate a safety net price for each month and for each index zone where you have an Indian lease for which you report and pay royalties.
- (3) Your safety net price (S) for an index zone is the volume-weighted average contract price per delivered MMBtu under your or your affiliate's arm's-length contracts for the disposition of residue gas or unprocessed gas produced from your Indian leases in that index zone as computed under this paragraph (e)(3).
- (i) Include in your calculation only sales under those contracts that establish a delivery point beyond the first index pricing point through which the gas flows, and that include any gas pro-

- duced from or allocable to one or more of your Indian leases in that index zone, even if the contract also includes gas produced from Federal, State, or fee properties. Include in your volumeweighted average calculation those volumes that are allocable to your Indian leases in that index zone.
- (ii) Do not reduce the contract price for any transportation costs incurred to deliver the gas to the purchaser.
- (iii) For purposes of this paragraph (e), the contract price will not include the following amounts:
- (A) Any amounts you receive in compromise or settlement of a predecessor contract for that gas;
- (B) Deductions for you or any other person to put gas production into marketable condition or to market the gas; and
- (C) Any amounts related to marketable securities associated with the sales contract.
- (4) Next, you must determine for each month the safety net differential (SND). You must perform this calculation separately for each index zone.
- (i) For each index zone, the safety net differential is equal to: SND =  $[(0.80 \times S) (1.25 \times I)]$  where (I) is the index-based value determined under 30 CFR 206.172(d).
- (ii) If the safety net differential is positive you owe additional royalties.
- (5)(i) To calculate the additional royalties you owe, make the following calculation for each of your Indian leases in that index zone that produced gas that was sold beyond the first indexpricing point through which the gas flowed and that was used in the calculation in paragraph (e)(3) of this section:

Lease royalties owed =  $SND \times V \times R$ , where R = the lease royalty rate and V = the volume allocable to the lease which produced gas that was sold beyond the first index pricing point.

(ii) If gas produced from any of your Indian leases is commingled or pooled with gas produced from non-Indian properties, and if any of the combined gas is sold at a delivery point beyond the first index pricing point through which the gas flows, then the volume allocable to each Indian lease for which gas was sold beyond the first index pricing point in the calculation under

paragraph (e)(5)(i) of this section is the volume produced from the lease multiplied by the proportion that the total volume of gas sold beyond the first index pricing point bears to the total volume of gas commingled or pooled from all properties.

(iii) Add the numbers calculated for each lease under paragraph (e)(5)(i) of this section. The total is the additional

royalty you owe.

(6) You have the following responsibilities to comply with the minimum

value for royalty purposes:

- (i) You must report the safety net price for each index zone to MMS on Form MMS-4411, Safety Net Report, no later than June 30 following each calendar year:
- (ii) You must pay and report on Form MMS-2014 additional royalties due no later than June 30 following each calendar year; and
- (iii) MMS may order you to amend your safety net price within one year from the date your Form MMS-4411 is due or is filed, whichever is later. If MMS does not order any amendments within that one-year period, your safety net price calculation is final.
- (f) Excluding some or all tribal leases from valuation under this section. (1) An Indian tribe may ask MMS to exclude some or all of its leases from valuation under this section. MMS will consult with BIA regarding the request.
- (i) If MMS approves the request for your lease, you must value your production under §206.174 beginning with production on the first day of the second month following the date MMS publishes notice of its decision in the FEDERAL REGISTER.
- (ii) If an Indian tribe requests exclusion from an index zone for less than all of its leases, MMS will approve the request only if the excluded leases may be segregated into one or more groups based on separate fields within the reservation.
- (2) An Indian tribe may ask MMS to terminate exclusion of its leases from valuation under this section. MMS will consult with BIA regarding the request.
- (i) If MMS approves the request, you must value your production under § 206.172 beginning with production on the first day of the second month fol-

lowing the date MMS publishes notice of its decision in the FEDERAL REGISTER.

- (ii) Termination of an exclusion under paragraph (f)(2)(i) of this section cannot take effect earlier than 1 year after the first day of the production month that the exclusion was effective.
- (3) The Indian tribe's request to MMS under either paragraph (f)(1) or (2) of this section must be in the form of a tribal resolution.
- (g) Excluding Indian allotted leases from valuation under this section. (1)(i) MMS may exclude any Indian allotted leases from valuation under this section. MMS will consult with BIA regarding the exclusion.
- (ii) If MMS excludes your lease, you must value your production under §206.174 beginning with production on the first day of the second month following the date MMS publishes notice of its decision in the FEDERAL REGISTER
- (iii) If MMS excludes any Indian allotted leases under this paragraph (g)(1), it will exclude all Indian allotted leases in the same field.
- (2)(i) MMS may terminate the exclusion of any Indian allotted leases from valuation under this section. MMS will consult with BIA regarding the termination.
- (ii) If MMS terminates the exclusion, you must value your production under § 206.172 beginning with production on the first day of the second month following the date MMS publishes notice of its decision in the FEDERAL REGISTER.

# § 206.173 How do I calculate the alternative methodology for dual accounting?

- (a) Electing a dual accounting method. (1) If you are required to perform the accounting for comparison (dual accounting) under §206.176, you have two choices. You may elect to perform the dual accounting calculation according to either §206.176(a) (called actual dual accounting), or paragraph (b) of this section (called the alternative methodology for dual accounting).
- (2) You must make a separate election to use the alternative methodology for dual accounting for your Indian leases in each MMS-designated

area. Your election for a designated area must apply to all of your Indian leases in that area.

- (i) MMS will publish in the FEDERAL REGISTER a list of the lease prefixes that will be associated with each designated area for purposes of this section. The MMS-designated areas are as follows:
  - (A) Alabama-Coushatta;
  - (B) Blackfeet Reservation;
  - (C) Crow Reservation;
  - (D) Fort Belknap Reservation;
  - (E) Fort Berthold Reservation;
  - (F) Fort Peck Reservation;
  - (G) Jicarilla Apache Reservation;
- (H) MMS-designated groups of counties in the State of Oklahoma;
  - (I) Navajo Reservation;
  - (J) Northern Cheyenne Reservation;
  - (K) Rocky Boys Reservation;
  - (L) Southern Ute Reservation;
  - (M) Turtle Mountain Reservation;
  - (N) Ute Mountain Ute Reservation;
  - (O) Uintah and Ouray Reservation;
  - (P) Wind River Reservation; and
- $\left(Q\right)$  Any other area that MMS designates. MMS will publish a new area designation in the FEDERAL REGISTER.
- (ii) You may elect to begin using the alternative methodology for dual accounting at the beginning of any month. The first election to use the alternative methodology will be effective from the time of election through the end of the following calendar year. Thereafter, each election to use the alternative methodology must remain in effect for 2 calendar years. You may return to the actual dual accounting method only at the beginning of the next election period or with the written approval of MMS and the tribal lessor for tribal leases, and MMS for Indian allottee leases in the designated
- (iii) When you elect to use the alternative methodology for a designated area, you must also use the alternative methodology for any new wells commenced and any new leases acquired in the designated area during the term of the election.
- (b) Calculating value using the alternative methodology for dual accounting.
  (1) The alternative methodology adjusts the value of gas before processing determined under either §206.172 or §206.174 to provide the value of the gas

after processing. You must use the value of the gas after processing for royalty payment purposes. The amount of the increase depends on your relationship with the owner(s) of the plant where the gas is processed. If you have no direct or indirect ownership interest in the processing plant, then the increase is lower, as provided in the table in paragraph (b)(2)(ii) of this section. If you have a direct or indirect ownership interest in the plant where the gas is processed, the increase is higher, as provided in paragraph (b)(2)(ii) of this section.

- (2) To calculate the value of the gas after processing using the alternative methodology for dual accounting, you must apply the increase to the value before processing, determined in either § 206.172 or § 206.174, as follows:
- (i) Value of gas after processing = (value determined under either  $\S 206.172$  or  $\S 206.174$ , as applicable)  $\times$  (1 + increment for dual accounting); and
- (ii) In this equation, the increment for dual accounting is the number you take from the applicable Btu range, determined under paragraph (b)(3) of this section, in the following table:

BTU range	Increment if Lessee has no owner- ship interest in plant	Increment if lessee has an owner- ship interest in plant
1001 to 1050	.0275	.0375
1051 to 1100	.0400	.0625
1101 to 1150	.0425	.0750
1151 to 1200	.0700	.1225
1201 to 1250	.0975	.1700
1251 to 1300	.1175	.2050
1301 to 1350	.1400	.2400
1351 to 1400	.1450	.2500
1401 to 1450	.1500	.2600
1451 to 1500	.1550	.2700
1501 to 1550	.1600	.2800
1551 to 1600	.1650	.2900
1601 to 1650	.1850	.3225
1651 to 1700	.1950	.3425
1701+	.2000	.3550

- (3) The applicable Btu for purposes of this section is the volume weighted-average Btu for the lease computed from measurements at the facility measurement point(s) for gas production from the lease
- (4) If any of your gas from the lease is processed during a month, use the following two paragraphs to determine which amounts are subject to dual accounting and which dual accounting method you must use.

(i) Weighted-average Btu content determined under paragraph (b)(3) of this section is greater than 1,000 Btu's per cubic foot (Btu/cf). All gas production from the lease is subject to dual accounting and you must use the alternative method for all that gas production if you elected to use the alternative method under this section.

(ii) Weighted-average Btu content determined under paragraph (b)(3) of this section is less than or equal to 1,000 Btu/cf. Only the volumes of lease production measured at facility measurement points whose quality exceeds 1,000 Btu/cf are subject to dual accounting, and you may use the alternative methodology for these volumes. For gas measured at facility measurement points for these leases where the quality is equal to or less than 1,000 Btu/cf, you are not required to do dual accounting.

## § 206.174 How do I value gas production when an index-based method cannot be used?

- (a) Situations in which an index-based method cannot be used. (1) Gas production must be valued under this section in the following situations.
- (i) Your lease is not in an index zone (or MMS has excluded your lease from an index zone).
- (ii) If your lease is in an index zone and you sell your gas under an arm's-length dedicated contract, then the value of your gas is the higher of the value received under the dedicated contract determined under §206.174(b) or the value under §206.172.
- (iii) Also use this section to value any other gas production that cannot be valued under §206.172, as well as gas plant products, and to value components of the gas stream that have no Btu value (for example, carbon dioxide, nitrogen, etc.).
- (2) The value for royalty purposes of gas production subject to this subpart is the value of gas determined under this section less applicable allowances determined under this subpart.
- (3) You must determine the value of gas production that is processed and is subject to accounting for comparison using the procedure in § 206.176.
- (4) This paragraph applies if your lease has a major portion provision. It

also applies if your lease does not have a major portion provision but the lease provides for the Secretary to determine value.

(i) The value of production you must initially report and pay is the value determined in accordance with the other paragraphs of this section.

- (ii) MMS will determine the major portion value and notify you in the FEDERAL REGISTER of that value. The value of production for royalty purposes for your lease is the higher of either the value determined under this section which you initially used to report and pay royalties, or the major portion value calculated under this paragraph (a)(4). If the major portion value is higher, you must submit an amended Form MMS-2014 to MMS by the due date specified in the written notice from MMS of the major portion value. Late-payment interest under 30 CFR 218.54 on any underpayment will not begin to accrue until the date the amended Form MMS-2014 is due to MMS.
- (iii) Except as provided in paragraph (a)(4)(iv) of this section, MMS will calculate the major portion value for each designated area (which are the same designated areas as under §206.173) using values reported for unprocessed gas and residue gas on Form MMS-2014 for gas produced from leases on that Indian reservation or other designated area. MMS will array the reported prices from highest to lowest price. The major portion value is that price at which 25 percent (by volume) of the gas (starting from the highest) is sold. MMS cannot unilaterally change the major portion value after you are notified in writing of what that value is for your leases.
- (iv) MMS may calculate the major portion value using different data than the data described in paragraph (a)(4)(iii) of this section or data to augment the data described in paragraph (a)(4)(iii) of this section. This may include price data reported to the State tax authority or price data from leases MMS has reviewed in the designated area. MMS may use this alternate or the augmented data source beginning with production on the first day of the month following the date MMS publishes notice in the FEDERAL REGISTER

that it is calculating the major portion using a method in this paragraph (a)(4)(iv) of this section.

- (b) Arm's-length contracts. (1) The value of gas, residue gas, or any gas plant product you sell under an arm's-length contract is the gross proceeds accruing to you or your affiliate, except as provided in paragraphs (b)(1)(ii)-(iv) of this section.
- (i) You have the burden of demonstrating that your contract is arm's-length.
- (ii) In conducting reviews and audits for gas valued based upon gross proceeds under this paragraph, MMS will examine whether or not your contract reflects the total consideration actually transferred either directly or indirectly from the buyer to you or your affiliate for the gas, residue gas, or gas plant product. If the contract does not reflect the total consideration, then MMS may require that the gas, residue gas, or gas plant product sold under that contract be valued in accordance with paragraph (c) of this section. Value may not be less than the gross proceeds accruing to you or your affiliate, including the additional consideration.
- (iii) If MMS determines for gas valued under this paragraph that the gross proceeds accruing to you or your affiliate under an arm's-length contract do not reflect the value of the gas, residue gas, or gas plant products because of misconduct by or between the contracting parties, or because you otherwise have breached your duty to the lessor to market the production for the mutual benefit of you and the lessor, then MMS will require that the gas, residue gas, or gas plant product be valued under paragraphs (c)(2) or (3) of this section. In these circumstances, MMS will notify you and give you an opportunity to provide written information justifying your value.
- (iv) This paragraph applies to situations where a pipeline purchases gas from a lessee according to a cash-out program under a transportation contract. For all over-delivered volumes, the royalty value is the price the pipeline is required to pay for volumes within the tolerances for over-delivery specified in the transportation contract. Use the same value for volumes

that exceed the over-delivery tolerances even if those volumes are subject to a lower price specified in the transportation contract. However, if MMS determines that the price specified in the transportation contract for over-delivered volumes is unreasonably low, the lessees must value all over-delivered volumes under paragraph (c)(2) or (3) of this section.

- (2) MMS may require you to certify that your arm's-length contract provisions include all of the consideration the buyer pays, either directly or indirectly, for the gas, residue gas, or gas plant product.
- (c) Non-arm's-length contracts. If your gas, residue gas, or any gas plant product is not sold under an arm's-length contract, then you must value the production using the first applicable method of the following three methods:
- (1) The gross proceeds accruing to you under your non-arm's-length contract sale (or other disposition other than by an arm's-length contract), provided that those gross proceeds are equivalent to the gross proceeds derived from, or paid under, comparable arm's-length contracts for purchases, sales, or other dispositions of likequality gas in the same field (or, if necessary to obtain a reasonable sample, from the same area). For residue gas or gas plant products, the comparable arm's-length contracts must be for gas from the same processing plant (or, if necessary to obtain a reasonable sample, from nearby plants). In evaluating the comparability of arm's-length contracts for the purposes of these regulations, the following factors will be considered: price, time of execution, duration, market or markets served, terms, quality of gas, residue gas, or gas plant products, volume, and such other factors as may be appropriate to reflect the value of the gas, residue gas, or gas plant products.
- (2) A value determined by consideration of other information relevant in valuing like-quality gas, residue gas, or gas plant products, including gross proceeds under arm's-length contracts for like-quality gas in the same field or nearby fields or areas, or for residue gas or gas plant products from the same gas plant or other nearby processing plants. Other factors to consider

include prices received in spot sales of gas, residue gas or gas plant products, other reliable public sources of price or market information, and other information as to the particular lease operation or the salability of such gas, residue gas, or gas plant products.

(3) A net-back method or any other reasonable method to determine value.

(d) Supporting data. If you determine the value of production under paragraph (c) of this section, you must retain all data relevant to the determination of royalty value.

(1) Such data will be subject to review and audit, and MMS will direct you to use a different value if we determine upon review or audit that the value you reported is inconsistent with the requirements of these regulations.

- (2) You must make all such data available upon request to the authorized MMS or Indian representatives, to the Office of the Inspector General of the Department, or other authorized persons. This includes your arm's-length sales and volume data for likequality gas, residue gas, and gas plant products that are sold, purchased, or otherwise obtained from the same processing plant or from nearby processing plants, or from the same or nearby field or area.
- (e) Improper values. If MMS determines that you have not properly determined value, you must pay the difference, if any, between royalty payments made based upon the value you used and the royalty payments that are due based upon the value MMS established. You also must pay interest computed on that difference under 30 CFR 218.54. If you are entitled to a credit, MMS will provide instructions on how to take that credit.
- (f) Value guidance. You may ask MMS for guidance in determining value. You may propose a valuation method to MMS. Submit all available data related to your proposal and any additional information MMS deems necessary. MMS will promptly review your proposal and provide you with a non-binding determination of the guidance you request.

(g) Minimum value of production. (1) For gas, residue gas, and gas plant products valued under this section, under no circumstances may the value of production for royalty purposes be less than the gross proceeds accruing to the lessee (including its affiliates) for gas, residue gas and/or any gas plant products, less applicable transportation allowances and processing allowances determined under this subpart.

(2) For gas plant products valued under this section and not valued under §206.173, the alternative methodology for dual accounting, the minimum value of production for each gas plant product is as follows:

(i) Leases in certain States and areas

have specific minimum values.

(A) For production from leases in Colorado in the San Juan Basin, New Mexico, and Texas, the monthly average minimum price reported in commercial price bulletins for the gas plant product at Mont Belvieu, Texas, minus 8.0 cents per gallon.

(B) For production in Arizona, in Colorado outside the San Juan Basin, Minnesota, Montana, North Dakota, Oklahoma, South Dakota, Utah, and Wyoming, the monthly average minimum price reported in commercial price bulletins for the gas plant product at Conway, Kansas, minus 7.0 cents per gallon;

(ii) You may use any commercial price bulletin, but you must use the same bulletin for all of the calendar year. If the commercial price bulletin you are using stops publication, you may use a different commercial price bulletin for the remaining part of the calendar year; and (iii) If you use a commercial price bulletin that is published monthly, the monthly average minimum price is the bulletin's minimum price. If you use a commercial price bulletin that is published weekly, the monthly average minimum price is the arithmetic average of the bulletin's weekly minimum prices. If you use a commercial price bulletin that is published daily, the monthly average minimum price is the arithmetic average of the bulletin's minimum prices for each Wednesday in the month.

(h) Marketable condition/Marketing. You are required to place gas, residue gas, and gas plant products in marketable condition and market the gas for the mutual benefit of the lessee and the lessor at no cost to the Indian lessor. When your gross proceeds establish the value under this section, that value must be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services to place the gas, residue gas, or gas plant products in marketable condition or to market the gas, the cost of which ordinarily the services that the gas the cost of which ordinarily the services that the gas the cost of which ordinarily the services that the gas the cost of which ordinarily the services that the gas the cost of which ordinarily the services that the gas the cost of which ordinarily the services that the gas the gas the gas that the gas that the gas that gas the gas the gas that gas the gas the gas that gas the gas that gas the gas the gas that gas the gas that gas the gas the gas the gas the gas the gas that gas the gas

narily is your responsibility.

(i) Highest obtainable price or benefit. For gas, residue gas, and gas plant products valued under this section, value must be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if you fail to take proper or timely action to receive prices or benefits to which you are entitled, you must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments must be in writing and signed by all parties to an arm's-length contract. If you make timely application for a price increase or benefit allowed under your contract but the purchaser refuses, and you take reasonable measures, which are documented, to force purchaser compliance, you will owe no additional royalties unless or until monies or consideration resulting from the price increase or additional benefits are received. This paragraph is not intended to permit you to avoid your royalty payment obligation in situations where your purchaser fails to pay, in whole or in part, or timely, for a quantity of gas, residue gas, or gas plant product.

(j) Non-binding MMS reviews. Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in an MMS redetermination of value under this section will be considered final or binding against the Federal Government or its beneficiaries until the audit period is

formally closed.

(k) Confidential information. Certain information submitted to MMS to support valuation proposals, including transportation allowances and processing allowances, may be exempted from disclosure under the Freedom of Information Act, 5 U.S.C. 552, or other Federal law. Any data specified by law to be privileged, confidential, or other-

wise exempt, will be maintained in a confidential manner in accordance with applicable laws and regulations. All requests for information about determinations made under this subpart must be submitted in accordance with the Freedom of Information Act regulation of the Department of the Interior, 43 CFR part 2.

[64 FR 43515, Aug. 10, 1999, as amended at 65 FR 62614, Oct. 19, 2000]

# § 206.175 How do I determine quantities and qualities of production for computing royalties?

(a) For unprocessed gas, you must pay royalties on the quantity and quality at the facility measurement point BLM either allowed or approved.

(b) For residue gas and gas plant products, you must pay royalties on your share of the monthly net output of the plant even though residue gas and/or gas plant products may be in temporary storage.

(c) If you have no ownership interest in the processing plant and you do not operate the plant, you may use the contract volume allocation to determine your share of plant products.

(d) If you have an ownership interest in the plant or if you operate it, use the following procedure to determine the quantity of the residue gas and gas plant products attributable to you for royalty payment purposes:

(1) When the net output of the processing plant is derived from gas obtained from only one lease, the quantity of the residue gas and gas plant products on which you must pay royalty is the net output of the plant.

(2) When the net output of a processing plant is derived from gas obtained from more than one lease producing gas of uniform content, the quantity of the residue gas and gas plant products allocable to each lease must be in the same proportions as the ratios obtained by dividing the amount of gas delivered to the plant from each lease by the total amount of gas delivered from all leases.

(3) When the net output of a processing plant is derived from gas obtained from more than one lease producing gas of non-uniform content, the

based on theoretical volumes of residue gas and gas plant products measured in the lease gas stream. You must calculate the portion of net plant output of residue gas and gas plant products attributable to each lease as follows:

- (i) First, compute the theoretical volumes of residue gas and of gas plant products attributable to the lease by multiplying the lease volume of the gas stream by the tested residue gas content (mole percentage) or gas plant product (GPM) content of the gas stream;
- (ii) Second, calculate the theoretical volumes of residue gas and of gas plant products delivered from all leases by summing the theoretical volumes of residue gas and of gas plant products delivered from each lease; and
- (iii) Third, calculate the theoretical quantities of net plant output of residue gas and of gas plant products attributable to each lease by multiplying the net plant output of residue gas, or gas plant products, by the ratio in which the theoretical volumes of residue gas, or gas plant products, is the numerator and the theoretical volume of residue gas, or gas plant products, delivered from all leases is the denominator.
- (4) You may request MMS approval of other methods for determining the quantity of residue gas and gas plant products allocable to each lease. If MMS approves a different method, it will be applicable to all gas production from your Indian leases that is processed in the same plant.
- (e) You may not take any deductions from the royalty volume or royalty value for actual or theoretical losses. Any actual loss of unprocessed gas incurred prior to the facility measurement point will not be subject to royalty if BLM determines that the loss was unavoidable.

## § 206.176 How do I perform accounting for comparison?

(a) This section applies if the gas produced from your Indian lease is processed and that Indian lease requires accounting for comparison (also referred to as actual dual accounting). Except as provided in paragraphs (b) and (c) of this section, the actual dual account-

ing value, for royalty purposes, is the greater of the following two values:

- (1) The combined value of the following products:
- (i) The residue gas and gas plant products resulting from processing the gas determined under either §206.172 or \$206.174, less any applicable allowances; and
- (ii) Any drip condensate associated with the processed gas recovered downstream of the point of royalty settlement without resorting to processing determined under §206.52, less applicable allowances.
- (2) The value of the gas prior to processing determined under either §206.172 or §206.174, including any applicable allowances.
- (b) If you are required to account for comparison, you may elect to use the alternative dual accounting methodology provided for in §206.173 instead of the provisions in paragraph (a) of this section.
- (c) Accounting for comparison is not required for gas if no gas from the lease is processed until after the gas flows into a pipeline with an index located in an index zone or into a mainline pipeline not in an index zone. If you do not perform dual accounting, you must certify to MMS that gas flows into such a pipeline before it is processed.
- (d) Except as provided in paragraph (e) of this section, if you value any gas production from a lease for a month using the dual accounting provisions of this section or the alternative dual accounting methodology of §206.173, then the value of that gas is the minimum value for any other gas production from that lease for that month flowing through the same facility measurement point.
- (e) If the weighted-average Btu quality for your lease is less than 1,000 Btu's per cubic foot, see \$206.173(b)(4)(ii) to determine if you must perform a dual accounting calculation.

#### TRANSPORTATION ALLOWANCES

#### § 206.177 What general requirements regarding transportation allowances apply to me?

(a) When you value gas under §206.174 at a point off the lease, unit, or communitized area (for example, sales

point or point of value determination), you may deduct from value a transportation allowance to reflect the value, for royalty purposes, at the lease, unit, or communitized area. The allowance is based on the reasonable actual costs you incurred to transport unprocessed gas, residue gas, or gas plant products from a lease to a point off the lease, unit, or communitized area. This would include, if appropriate, transportation from the lease to a gas processing plant off the lease, unit, or communitized area and from the plant to a point away from the plant. You may not deduct any allowance for gathering costs.

- (b) You must allocate transportation costs among all products you produce and transport as provided in §206.178.
- (c)(1) Except as provided in paragraphs (c)(2) and (3) of this section, your transportation allowance deduction for each selling arrangement may not exceed 50 percent of the value of the unprocessed gas, residue gas, or gas plant product. For purposes of this section, natural gas liquids are considered one product.
- (2) If you ask MMS, MMS may approve a transportation allowance deduction in excess of the limitations in paragraph (c)(1) of this section. To receive this approval, you must demonstrate that the transportation costs incurred in excess of the limitations in paragraph (c)(1) of this section were reasonable, actual, and necessary. Under no circumstances may an allowance reduce the value for royalty purposes under any selling arrangement to zero.
- (3) Your application for exception (using Form MMS-4393, Request to Exceed Regulatory Allowance Limitation) must contain all relevant and supporting documentation necessary for MMS to make a determination.
- (d) If MMS conducts a review or audit and determines that you have improperly determined a transportation allowance authorized by this subpart, then you will be required to pay any additional royalties, plus interest determined in accordance with 30 CFR 218.54. Alternatively, you may be entitled to a credit, but you will not receive any interest on your overpayment.

# § 206.178 How do I determine a transportation allowance?

- (a) Determining a transportation allowance under an arm's-length contract. (1) This paragraph explains how to determine your allowance if you have an arm's-length transportation contract.
- (i) If you have an arm's-length contract for transportation of your production, the transportation allowance is the reasonable, actual costs you incur for transporting the unprocessed gas, residue gas and/or gas plant products under that contract. Paragraphs (a)(1)(ii) and (iii) of this section provide a limited exception. You have the burden of demonstrating that your contract is arm's-length. Your allowances also are subject to paragraph (e) of this section. You are required to submit to MMS a copy of your arm's-length transportation contract(s) and all subsequent amendments to the contract(s) within 2 months of the date MMS receives your report which claims the allowance on the Form MMS-2014.
- (ii) When either MMS or a tribe conducts reviews and audits, they will examine whether or not the contract reflects more than the consideration actually transferred either directly or indirectly from you to the transporter of the transportation. If the contract reflects more than the total consideration, then MMS may require that the transportation allowance be determined under paragraph (b) of this section.
- (iii) If MMS determines that the consideration paid under an arm's-length transportation contract does not reflect the value of the transportation because of misconduct by or between the contracting parties, or because you otherwise have breached your duty to the lessor to market the production for the mutual benefit of you and the lessor, then MMS will require that the transportation allowance be determined under paragraph (b) of this section. In these circumstances, MMS will notify you and give you an opportunity to provide written information justifying your transportation costs.
- (2) This paragraph explains how to allocate the costs to each product if your arm's-length transportation contract includes more than one product in a gaseous phase and the transportation

costs attributable to each product cannot be determined from the contract.

- (i) If your arm's-length transportation contract includes more than one product in a gaseous phase and the transportation costs attributable to each product cannot be determined from the contract, the total transportation costs must be allocated in a consistent and equitable manner to each of the products transported. To make this allocation, use the same proportion as the ratio that the volume of each product (excluding waste products which have no value) bears to the volume of all products in the gaseous phase (excluding waste products which have no value). Except as provided in this paragraph, you cannot take an allowance for the costs of transporting lease production that is not royalty bearing without MMS approval, or without lessor approval on tribal leases.
- (ii) As an alternative to paragraph (a)(2)(i) of this section, you may propose to MMS a cost allocation method based on the values of the products transported. MMS will approve the method if we determine that it meets one of the two following requirements:
- (A) The methodology in paragraph (a)(2)(i) of this section cannot be applied; and
- (B) Your proposal is more reasonable than the methodology in paragraph (a)(2)(i) of this section.
- (3) This paragraph explains how to allocate costs to each product if your arm's-length transportation contract includes both gaseous and liquid products and the transportation costs attributable to each cannot be determined from the contract.
- (i) If your arm's-length transportation contract includes both gaseous and liquid products and the transportation costs attributable to each cannot be determined from the contract, you must propose an allocation procedure to MMS. You may use the transportation allowance determined in accordance with your proposed allocation procedure until MMS decides whether to accept your cost allocation.
- (ii) You are required to submit all relevant data to support your allocation proposal. MMS will then determine the gas transportation allowance based upon your proposal and any addi-

tional information MMS deems necessary.

- (4) If your payments for transportation under an arm's-length contract are not based on a dollar per unit price, you must convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (5) Where an arm's-length sales contract price includes a reduction for a transportation factor, MMS will not consider the transportation factor to be a transportation allowance. You may use the transportation factor to determine your gross proceeds for the sale of the product. However, the transportation factor may not exceed 50 percent of the base price of the product without MMS approval.
- (b) Determining a transportation allowance under a non-arm's-length or no contract. (1) This paragraph explains how to determine your allowance if you have a non-arm's-length transportation contract or no contract.
- (i) When you have a non-arm's-length transportation contract or no contract, including those situations where you perform transportation services for yourself, the transportation allowance is based upon your reasonable, allowable, actual costs for transportation as provided in this paragraph.
- (ii) All transportation allowances deducted under a non-arm's-length or no contract situation are subject to monitoring, review, audit, and adjustment. You must submit the actual cost information to support the allowance to MMS on Form MMS-4295, Gas Transportation Allowance Report, within 3 months after the end of the 12-month period to which the allowance applies. However, MMS may approve a longer time period. MMS will monitor the allowance deductions to ensure that deductions are reasonable and allowable. When necessary or appropriate, MMS may require you to modify your actual transportation allowance deduction.
- (2) This paragraph explains what actual transportation costs are allowable under a non-arm's-length contract or no contract situation. The transportation allowance for non-arm's-length or no-contract situations is based upon your actual costs for transportation during the reporting period. Allowable

costs include operating and maintenance expenses, overhead, and either depreciation and a return undepreciated capital investment (in accordance with paragraph (b)(2)(iv)(A) of this section), or a cost equal to the initial depreciable investment in the transportation system multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those costs for depreciable fixed assets (including costs of delivery and installation of capital equipment) that are an integral part of the transportation system.

- (i) Allowable operating expenses include operations supervision and engineering, operations labor, fuel, utilities, materials, ad valorem property taxes, rent, supplies, and any other directly allocable and attributable operating expense that you can document.
- (ii) Allowable maintenance expenses include maintenance of the transportation system, maintenance of equipment, maintenance labor, and other directly allocable and attributable maintenance expenses that you can document.
- (iii) Overhead directly attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (iv) You may use either depreciation with a return on undepreciated capital investment or a return on depreciable capital investment. After you have elected to use either method for a transportation system, you may not later elect to change to the other alternative without MMS approval.
- (A) To compute depreciation, you may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves that the transportation system services, or a unit of production method. Once you make an election, you may not change methods without MMS approval. A change in ownership of a transportation system will not alter the depreciation schedule that the original transporter/lessee established for purposes of the allowance calculation. With or without a change in own-

ership, a transportation system may be depreciated only once. Equipment may not be depreciated below a reasonable salvage value. To compute a return on undepreciated capital investment, you will multiply the undepreciated capital investment in the transportation system by the rate of return determined under paragraph (b)(2)(v) of this section.

- (B) To compute a return on depreciable capital investment, you will multiply the initial capital investment in the transportation system by the rate of return determined under paragraph (b)(2)(v) of this section. No allowance will be provided for depreciation. This alternative will apply only to transportation facilities first placed in service after March 1, 1988.
- (v) The rate of return is the industrial rate associated with Standard and Poor's BBB rating. The rate of return is the monthly average rate as published in *Standard and Poor's Bond Guide* for the first month of the reporting period for which the allowance is applicable and is effective during the reporting period. The rate must be redetermined at the beginning of each subsequent transportation allowance reporting period that is determined under paragraph (b)(4) of this section.
- (3) This paragraph explains how to allocate transportation costs to each product and transportation system.
- (i) The deduction for transportation costs must be determined based on your cost of transporting each product through each individual transportation system. If you transport more than one product in a gaseous phase, the allocation of costs to each of the products transported must be made in a consistent and equitable manner. The allocation should be in the same proportion that the volume of each product (excluding waste products that have no value) bears to the volume of all products in the gaseous phase (excluding waste products that have no value). Except as provided in this paragraph, you may not take an allowance for transporting a product that is not royalty bearing without MMS approval.
- (ii) As an alternative to the requirements of paragraph (b)(3)(i) of this section, you may propose to MMS a cost allocation method based on the values

of the products transported. MMS will approve the method upon determining that it meets one of the two following requirements:

- (A) The methodology in paragraph (b)(3)(i) of this section cannot be applied; and
- (B) Your proposal is more reasonable than the method in paragraph (b)(3)(i) of this section.
- (4) Your transportation allowance under this paragraph (b) must be determined based upon a calendar year or other period if you and MMS agree to an alternative.
- (5) If you transport both gaseous and liquid products through the same transportation system, you must propose a cost allocation procedure to MMS. You may use the transportation allowance determined in accordance with your proposed allocation procedure until MMS issues its determination on the acceptability of the cost allocation. You are required to submit all relevant data to support your proposal. MMS will then determine the transportation allowance based upon your proposal and any additional information MMS deems necessary.
- (c) Using the alternative transportation calculation when you have a non-arm's-length or no contract. (1) As an alternative to computing your transportation allowance under paragraph (b) of this section, you may use as the transportation allowance 10 percent of your gross proceeds but not to exceed 30 cents per MMBtu.
- (2) Your election to use the alternative transportation allowance calculation in paragraph (c)(1) of this section must be made at the beginning of a month and must remain in effect for an entire calendar year. Your first election will remain in effect until the end of the succeeding calendar year, except for elections effective January 1 that will be effective only for that calendar year.
- (d) Reporting your transportation allowance. (1) If MMS requests, you must submit all data used to determine your transportation allowance. The data must be provided within a reasonable period of time that MMS will determine.
- (2) You must report transportation allowances as a separate line item on

Form MMS-2014. MMS may approve a different reporting procedure on allottee leases, and with lessor approval on tribal leases.

- (e) Adjusting incorrect allowances. If for any month the transportation allowance you are entitled to is less than the amount you took on Form MMS-2014, you are required to report and pay additional royalties due, plus interest computed under 30 CFR 218.54 from the first day of the first month you deducted the improper transportation allowance until the date you pay the royalties due. If the transportation allowance you are entitled to is greater than the amount you took on Form MMS-2014 for any royalties during the reporting period, you are entitled to a credit. No interest will be paid on the overpayment.
- (f) Determining allowable costs for transportation allowances. Lessees may include, but are not limited to, the following costs in determining the arm's-length transportation allowance under paragraph (a) of this section or the non-arm's-length transportation allowance under paragraph (b) of this section:
- (1) Firm demand charges paid to pipelines. You must limit the allowable costs for the firm demand charges to the applicable rate per MMBtu multiplied by the actual volumes transported. You may not include any losses incurred for previously purchased but unused firm capacity. You also may not include any gains associated with releasing firm capacity. If you receive a payment or credit from the pipeline for penalty refunds, rate case refunds, or other reasons, you must reduce the firm demand charge claimed on the Form MMS-2014. You must modify the Form MMS-2014 by the amount received or credited for the affected reporting period.
- (2) Gas supply realignment (GSR) costs. The GSR costs result from a pipeline reforming or terminating supply contracts with producers to implement the restructuring requirements of FERC orders in 18 CFR part 284.
- (3) *Commodity charges.* The commodity charge allows the pipeline to recover the costs of providing service.
- (4) Wheeling costs. Hub operators charge a wheeling cost for transporting

gas from one pipeline to either the same or another pipeline through a market center or hub. A hub is a connected manifold of pipelines through which a series of incoming pipelines are interconnected to a series of outgoing pipelines.

- (5) Gas Research Institute (GRI) fees. The GRI conducts research, development, and commercialization programs on natural gas related topics for the benefit of the U.S. gas industry and gas customers. GRI fees are allowable provided such fees are mandatory in FERC-approved tariffs.
- (6) Annual Charge Adjustment (ACA) fees. FERC charges these fees to pipelines to pay for its operating expenses.
- (7) Payments (either volumetric or in value) for actual or theoretical losses. This paragraph does not apply to non-arm's-length transportation arrangements.
- (8) Temporary storage services. This includes short duration storage services offered by market centers or hubs (commonly referred to as "parking" or "banking"), or other temporary storage services provided by pipeline transporters, whether actual or provided as a matter of accounting. Temporary storage is limited to 30 days or less.
- (9) Supplemental costs for compression, dehydration, and treatment of gas. MMS allows these costs only if such services are required for transportation and exceed the services necessary to place production into marketable condition required under § 206.174(h).
- (g) Determining nonallowable costs for transportation allowances. Lessees may not include the following costs in determining the arm's-length transportation allowance under paragraph (a) of this section or the non-arm's-length transportation allowance under paragraph (b) of this section:
- (1) Fees or costs incurred for storage. This includes storing production in a storage facility, whether on or off the lease, for more than 30 days.
- (2) Aggregater/marketer fees. This includes fees you pay to another person (including your affiliates) to market your gas, including purchasing and reselling the gas, or finding or maintaining a market for the gas production.

- (3) Penalties you incur as shipper. These penalties include, but are not limited to the following:
- (i) Over-delivery cash-out penalties. This includes the difference between the price the pipeline pays you for over-delivered volumes outside the tolerances and the price you receive for over-delivered volumes within tolerances.
- (ii) Scheduling penalties. This includes penalties you incur for differences between daily volumes delivered into the pipeline and volumes scheduled or nominated at a receipt or delivery point.
- (iii) Imbalance penalties. This includes penalties you incur (generally on a monthly basis) for differences between volumes delivered into the pipeline and volumes scheduled or nominated at a receipt or delivery point.
- (iv) Operational penalties. This includes fees you incur for violation of the pipeline's curtailment or operational orders issued to protect the operational integrity of the pipeline.
- (4) Intra-hub transfer fees. These are fees you pay to hub operators for administrative services (e.g., title transfer tracking) necessary to account for the sale of gas within a hub.
- (5) Other nonallowable costs. Any cost you incur for services you are required to provide at no cost to the lessor.
- (h) Other transportation cost determinations. You must follow the provisions of this section to determine transportation costs when establishing value using either a net-back valuation procedure or any other procedure that allows deduction of actual transportation costs.

#### PROCESSING ALLOWANCES

# § 206.179 What general requirements regarding processing allowances apply to me?

- (a) When you value any gas plant product under § 206.174, you may deduct from value the reasonable actual costs of processing.
- (b) You must allocate processing costs among the gas plant products. You must determine a separate processing allowance for each gas plant product and processing plant relationship. Natural gas liquids are considered as one product.

- (c) The processing allowance deduction based on an individual product may not exceed 66 2/3 percent of the value of each gas plant product determined under §206.174. Before you calculate the 66 2/3 percent limit, you must first reduce the value for any transportation allowances related to post-processing transportation authorized under §206.177.
- (d) Processing cost deductions will not be allowed for placing lease products in marketable condition. These costs include among others, dehydration, separation, compression upstream of the facility measurement point, or storage, even if those functions are performed off the lease or at a processing plant. Costs for the removal of acid gases, commonly referred to as sweetening, are not allowed unless the acid gases removed are further processed into a gas plant product. In such event, you will be eligible for a processing allowance determined under this subpart. However, MMS will not grant any processing allowance for processing lease production that is not royalty bearing.
- (e) You will be allowed a reasonable amount of residue gas royalty free for operation of the processing plant, but no allowance will be made for expenses incidental to marketing, except as provided in 30 CFR part 206. In those situations where a processing plant processes gas from more than one lease, only that proportionate share of your residue gas necessary for the operation of the processing plant will be allowed royalty free.
- (f) You do not owe royalty on residue gas, or any gas plant product resulting from processing gas, that is reinjected into a reservoir within the same lease, unit, or approved Federal agreement, until such time as those products are finally produced from the reservoir for sale or other disposition. This paragraph applies only when the reinjection is included in a BLM-approved plan of development or operations.
- (g) If MMS determines that you have determined an improper processing allowance authorized by this subpart, then you will be required to pay any additional royalties plus late payment interest determined under 30 CFR 218.54. Alternatively, you may be entitled to a credit, but you will not re-

ceive any interest on your overpayment.

## § 206.180 How do I determine an actual processing allowance?

- (a) Determining a processing allowance if you have an arms's-length processing contract. (1) This paragraph explains how you determine an allowance under an arm's-length processing contract.
- (i) The processing allowance is the reasonable actual costs you incur to process the gas under that contract. Paragraphs (a)(1)(ii) and (iii) of this section provide a limited exception. You have the burden of demonstrating that your contract is arm's-length. You are required to submit to MMS a copy of your arm's-length contract(s) and all subsequent amendments to the contract(s) within 2 months of the date MMS receives your first report that deducts the allowance on the Form MMS-2014.
- (ii) When MMS conducts reviews and audits, we will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from you to the processor for the processing. If the contract reflects more than the total consideration, then MMS may require that the processing allowance be determined under paragraph (b) of this section.
- (iii) If MMS determines that the consideration paid under an arm's-length processing contract does not reflect the value of the processing because of misconduct by or between the contracting parties, or because you otherwise have breached your duty to the lessor to market the production for the mutual benefit of you and the lessor, then MMS will require that the processing allowance be determined under paragraph (b) of this section. In these circumstances, MMS will notify you and give you an opportunity to provide written information justifying your processing costs.
- (2) If your arm's-length processing contract includes more than one gas plant product and the processing costs attributable to each product can be determined from the contract, then the processing costs for each gas plant product must be determined in accordance with the contract. You may not

take an allowance for the costs of processing lease production that is not royalty-bearing.

- (3) If your arm's-length processing contract includes more than one gas plant product and the processing costs attributable to each product cannot be determined from the contract, you must propose an allocation procedure to MMS. You may use your proposed allocation procedure until MMS issues its determination. You are required to submit all relevant data to support your proposal. MMS will then determine the processing allowance based upon your proposal and any additional information MMS deems necessary. You may not take a processing allowance for the costs of processing lease production that is not royalty-bearing.
- (4) If your payments for processing under an arm's-length contract are not based on a dollar per unit price, you must convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (b) Determining a processing allowance if you have a non-arm's-length contract or no contract. (1) This paragraph applies if you have a non-arm's-length processing contract or no contract, including those situations where you perform processing for yourself.
- (i) If you have a non-arm's-length contract or no contract, the processing allowance is based upon your reasonable actual costs of processing as provided in paragraph (b)(2) of this section.
- (ii) All processing allowances deducted under a non-arm's-length or nocontract situation are subject to monitoring, review, audit, and adjustment. You must submit the actual cost information to support the allowance to MMS on Form MMS-4109, Gas Processing Allowance Summary Report, within 3 months after the end of the 12month period for which the allowance applies. MMS may approve a longer time period. MMS will monitor the allowance deduction to ensure that deductions are reasonable and allowable. When necessary or appropriate, MMS may require you to modify your processing allowance.
- (2) The processing allowance for nonarm's-length or no-contract situations is based upon your actual costs for

- processing during the reporting period. Allowable costs include operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment (in accordance with paragraph (b)(2)(iv)(A) of this section), or a cost equal to the initial depreciable investment in the processing plant multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those costs for depreciable fixed assets (including costs of delivery and installation of capital equipment) that are an integral part of the processing plant.
- (i) Allowable operating expenses include operations supervision and engineering, operations labor, fuel, utilities, materials, ad valorem property taxes, rent, supplies, and any other directly allocable and attributable operating expense that the lessee can document.
- (ii) Allowable maintenance expenses include maintenance of the processing plant, maintenance of equipment, maintenance labor, and other directly allocable and attributable maintenance expenses that you can document.
- (iii) Overhead directly attributable and allocable to the operation and maintenance of the processing plant is an allowable expense. State and Federal income taxes and severance taxes, including royalties, are not allowable expenses.
- (iv) You may use either depreciation with a return on undepreciable capital investment or a return on depreciable capital investment. After you elect to use either method for a processing plant, you may not later elect to change to the other alternative without MMS approval.
- (A) To compute depreciation, you may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves that the processing plant services, or a unit-of-production method. Once you make an election, you may not change methods without MMS approval. A change in ownership of a processing plant will not alter the depreciation schedule that the original processor/lessee established for purposes of the allowance calculation. However, for processing plants you or

your affiliate purchase that do not have a previously claimed MMS depreciation schedule, you may treat the processing plant as a newly installed facility for depreciation purposes. A processing plant may be depreciated only once, regardless of whether there is a change in ownership. Equipment may not be depreciated below a reasonable salvage value. To compute a return on undepreciated capital investment, you must multiply the undepreciable capital investment in you must the processing plant by the rate of return determined under paragraph (b)(2)(v) of this section.

(B) To compute a return on depreciable capital investment, you must multiply the initial capital investment in the processing plant by the rate of return determined under paragraph (b)(2)(v) of this section. No allowance will be provided for depreciation. This alternative will apply only to plants first placed in service after March 1, 1988.

(v) The rate of return is the industrial rate associated with Standard and Poor's BBB rating. The rate of return is the monthly average rate as published in Standard and Poor's Bond Guide for the first month for which the allowance is applicable. The rate must be redetermined at the beginning of each subsequent calendar year.

(3) Your processing allowance under this paragraph (b) must be determined based upon a calendar year or other period if you and MMS agree to an alternative.

(4) The processing allowance for each gas plant product must be determined based on your reasonable and actual cost of processing the gas. You must base your allocation of costs to each gas plant product upon generally accepted accounting principles. You may not take an allowance for the costs of processing lease production that is not royalty-bearing.

(c) Reporting your processing allowance. (1) If MMS requests, you must submit all data used to determine your processing allowance. The data must be provided within a reasonable period of time, as MMS determines.

(2) You must report gas processing allowances as a separate line item on the Form MMS-2014. MMS may ap-

prove a different reporting procedure for allottee leases, and with lessor approval on tribal leases.

(d) Adjusting incorrect processing allowances. If for any month the gas processing allowance you are entitled to is less than the amount you took on Form MMS-2014, you are required to pay additional royalties, plus interest computed under 30 CFR 218.54 from the first day of the first month you deducted a processing allowance until the date you pay the royalties due. If the processing allowance you are entitled is greater than the amount you took on Form MMS-2014, you are entitled to a credit. However, no interest will be paid on the overpayment.

(e) Other processing cost determinations. You must follow the provisions of this section to determine processing costs when establishing value using either a net-back valuation procedure or any other procedure that requires deduction of actual processing costs.

#### § 206.181 How do I establish processing costs for dual accounting purposes when I do not process the gas?

Where accounting for comparison (dual accounting) is required for gas production from a lease but neither you nor someone acting on your behalf processes the gas, and you have elected to perform actual dual accounting under §206.176, you must use the first applicable of the following methods to establish processing costs for dual accounting purposes:

(a) The average of the costs established in your current arm's-length processing agreements for gas from the lease, provided that some gas has previously been processed under these agreements.

(b) The average of the costs established in your current arm's-length processing agreements for gas from the lease, provided that the agreements are in effect for plants to which the lease is physically connected and under which gas from other leases in the field or area is being or has been processed.

(c) A proposed comparable processing fee submitted to either the tribe and MMS (for tribal leases) or MMS (for allotted leases) with your supporting documentation submitted to MMS. If MMS does not take action on your proposal within 120 days, the proposal will be deemed to be denied and subject to appeal to the MMS Director under 30 CFR part 290.

(d) Processing costs based on the regulations in §§ 206.179 and 206.180.

#### Subpart F—Federal Coal

Source:  $54\ FR\ 1523$ , Jan.  $13,\ 1989$ , unless otherwise noted.

#### § 206.250 Purpose and scope.

- (a) This subpart is applicable to all coal produced from Federal coal leases. The purpose of this subpart is to establish the value of coal produced for royalty purposes, of all coal from Federal leases consistent with the mineral leasing laws, other applicable laws and lease terms.
- (b) If the specific provisions of any statute or settlement agreement between the United States and a lessee resulting from administrative or judicial litigation, or any coal lease subject to the requirements of this subpart, are inconsistent with any regulation in this subpart then the statute, lease provision, or settlement shall govern to the extent of that inconsistency.
- (c) All royalty payments made to the Minerals Management Service (MMS) are subject to later audit and adjustment.

[54 FR 1523, Jan. 13, 1989, as amended at 61 FR 5479, Feb. 12, 1996; 67 FR 19111, Apr. 18, 2002]

#### § 206.251 Definitions.

Ad valorem lease means a lease where the royalty due to the lessor is based upon a percentage of the amount or value of the coal.

Allowance means a deduction used in determining value for royalty purposes. Coal washing allowance means an allowance for the reasonable, actual costs incurred by the lessee for coal washing. Transportation allowance means an allowance for the reasonable, actual costs incurred by the lessee for moving coal to a point of sale or point of delivery remote from both the lease and mine or wash plant.

Area means a geographic region in which coal has similar quality and economic characteristics. Area boundaries are not officially designated and the areas are not necessarily named.

Arm's-length contract means a contract or agreement that has been arrived at in the marketplace between independent, nonaffiliated persons with opposing economic interests regarding that contract. For purposes of this subpart, two persons are affiliated if one person controls, is controlled by, or is under common control with another person. For purposes of this subpart, based on the instruments of ownership of the voting securities of an entity, or based on other forms of ownership:

- (a) Ownership in excess of 50 percent constitutes control:
- (b) Ownership of 10 through 50 percent creates a presumption of control; and
- (c) Ownership of less than 10 percent creates a presumption of noncontrol which MMS may rebut if it demonstrates actual or legal control, including the existence of interlocking directorates.

Notwithstanding any other provisions of this subpart, contracts between relatives, either by blood or by marriage, are not arm's-length contracts. The MMS may require the lessee to certify ownership control. To be considered arm's-length for any production month, a contract must meet the requirements of this definition for that production month as well as when the contract was executed.

Audit means a review, conducted in accordance with generally accepted accounting and auditing standards, of royalty payment compliance activities of lessees or other interest holders who pay royalties, rents, or bonuses on Federal leases.

*BLM* means the Bureau of Land Management of the Department of the Interior.

*Coal* means coal of all ranks from lignite through anthracite.

Coal washing means any treatment to remove impurities from coal. Coal washing may include, but is not limited to, operations such as flotation, air, water, or heavy media separation; drying; and related handling (or combination thereof).

Contract means any oral or written agreement, including amendments or revisions thereto, between two or more persons and enforceable by law that with due consideration creates an obligation.

Gross proceeds (for royalty payment purposes) means the total monies and other consideration accruing to a coal lessee for the production and disposition of the coal produced. Gross proceeds includes, but is not limited to, payments to the lessee for certain services such as crushing, sizing, screening, storing, mixing, loading, treatment with substances including chemicals or oils, and other preparation of the coal to the extent that the lessee is obligated to perform them at no cost to the Federal Government. Gross proceeds, as applied to coal, also includes but is not limited to reimbursements for royalties, taxes or fees, and other reimbursements. Tax reimbursements are part of the gross proceeds accruing to a lessee even though the Federal royalty interest may be exempt from taxation. Monies and other consideration, including the forms of consideration identified in this paragraph, to which a lessee is contractually or legally entitled but which it does not seek to collect through reasonable efforts are also part of gross proceeds.

Lease means any contract, profitshare arrangement, joint venture, or other agreement issued or approved by the United States for a Federal coal resource under a mineral leasing law that authorizes exploration for, development or extraction of, or removal of coal—or the land covered by that authorization, whichever is required by the context.

Lessee means any person to whom the United States issues a lease, and any person who has been assigned an obligation to make royalty or other payments required by the lease. This includes any person who has an interest in a lease as well as an operator or payor who has no interest in the lease but who has assumed the royalty payment responsibility.

*Like-quality coal* means coal that has similar chemical and physical characteristics.

Marketable condition means coal that is sufficiently free from impurities and

otherwise in a condition that it will be accepted by a purchaser under a sales contract typical for that area.

Mine means an underground or surface excavation or series of excavations and the surface or underground support facilities that contribute directly or indirectly to mining, production, preparation, and handling of lease products.

Net-back method means a method for calculating market value of coal at the lease or mine. Under this method, costs of transportation, washing, handling, etc., are deducted from the ultimate proceeds received for the coal at the first point at which reasonable values for the coal may be determined by a sale pursuant to an arm's-length contract or by comparison to other sales of coal, to ascertain value at the mine.

*Net output* means the quantity of washed coal that a washing plant produces.

Netting is the deduction of an allowance from the sales value by reporting a one line net sales value, instead of correctly reporting the deduction as a separate line item on the Form MMS-4430

*Person* means by individual, firm, corporation, association, partnership, consortium, or joint venture.

Selling arrangement means the individual contractual arrangements under which sales or dispositions of coal are made to a purchaser.

Spot market price means the price received under any sales transaction when planned or actual deliveries span a short period of time, usually not exceeding one year.

[54 FR 1523, Jan. 13, 1989, as amended at 55 FR 35433, Aug. 30, 1990; 61 FR 5479, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999; 66 FR 45769, Aug. 30, 2001]

#### § 206.252 Information collection.

The information collection requirements contained in this subpart have been approved by the Office of Management and Budget (OMB) under 44 U.S.C. 3501 *et seq.* The forms, filing date, and approved OMB clearance numbers are identified in 30 CFR 210.10 and 30 CFR 216.10.

# § 206.253 Coal subject to royalties—general provisions.

- (a) All coal (except coal unavoidably lost as determined by BLM under 43 CFR part 3400) from a Federal lease subject to this part is subject to royalty. This includes coal used, sold, or otherwise disposed of by the lessee on or off the lease.
- (b) If a lessee receives compensation for unavoidably lost coal through insurance coverage or other arrangements, royalties at the rate specified in the lease are to be paid on the amount of compensation received for the coal. No royalty is due on insurance compensation received by the lessee for other losses.
- (c) If waste piles or slurry ponds are reworked to recover coal, the lessee shall pay royalty at the rate specified in the lease at the time the recovered coal is used, sold, or otherwise finally disposed of. The royalty rate shall be that rate applicable to the production method used to initially mine coal in the waste pile or slurry pond; i.e., underground mining method or surface mining method. Coal in waste pits or slurry ponds initially mined from Federal leases shall be allocated to such leases regardless of whether it is stored on Federal lands. The lessee shall maintain accurate records to determine to which individual Federal lease coal in the waste pit or slurry pond should be allocated. However, nothing in this section requires payment of a royalty on coal for which a royalty has already been paid.

[54 FR 1523, Jan. 13, 1989, as amended at 61 FR 5479, Feb. 12, 1996]

# § 206.254 Quality and quantity measurement standards for reporting and paying royalties.

For all leases subject to this subpart, the quantity of coal on which royalty is due shall be measured in short tons (of 2,000 pounds each) by methods prescribed by the BLM. Coal quantity information shall be reported on appropriate forms required under 30 CFR part 216 and on the Solid Minerals Production and Royalty Report, Form

MMS-4430, as required under 30 CFR part 210.

[54 FR 1523, Jan. 13, 1989, as amended at 57 FR 52720, Nov. 5, 1992; 66 FR 45769, Aug. 30, 2001]

## $\S 206.255$ Point of royalty determination.

- (a) For all leases subject to this subpart, royalty shall be computed on the basis of the quantity and quality of Federal coal in marketable condition measured at the point of royalty measurement as determined jointly by BLM and MMS.
- (b) Coal produced and added to stockpiles or inventory does not require payment of royalty until such coal is later used, sold, or otherwise finally disposed of. MMS may ask BLM to increase the lease bond to protect the lessor's interest when BLM determines that stockpiles or inventory become excessive so as to increase the risk of degradation of the resource.
- (c) The lessee shall pay royalty at a rate specified in the lease at the time the coal is used, sold, or otherwise finally disposed of, unless otherwise provided for at §206.256(d) of this subpart.

[54 FR 1523, Jan. 13, 1989, as amended at 61 FR 5480, Feb. 12, 1996]

# § 206.256 Valuation standards for cents-per-ton leases.

- (a) This section is applicable to coal leases on Federal lands which provide for the determination of royalty on a cents-per-ton (or other quantity) basis.
- (b) The royalty for coal from leases subject to this section shall be based on the dollar rate per ton prescribed in the lease. That dollar rate shall be applicable to the actual quantity of coal used, sold, or otherwise finally disposed of, including coal which is avoidably lost as determine by BLM pursuant to 43 CFR part 3400.
- (c) For leases subject to this section, there shall be no allowances for transportation, removal of impurities, coal washing, or any other processing or preparation of the coal.
- (d) When a coal lease is readjusted pursuant to 43 CFR part 3400 and the royalty valuation method changes from a cents-per-ton basis to an ad valorem basis, coal which is produced

prior to the effective date of readjustment and sold or used within 30 days of the effective date of readjustment shall be valued pursuant to this section. All coal that is not used, sold, or otherwise finally disposed of within 30 days after the effective date of readjustment shall be valued pursuant to the provisions of § 206.257 of this subpart, and royalties shall be paid at the royalty rate specified in the readjusted lease.

 $[54\ FR\ 1523,\ Jan.\ 13,\ 1989,\ as\ amended\ at\ 61\ FR\ 5480,\ Feb.\ 12,\ 1996]$ 

## § 206.257 Valuation standards for ad valorem leases.

- (a) This section is applicable to coal leases on Federal lands which provide for the determination of royalty as a percentage of the amount of value of coal (ad valorem). The value for royalty purposes of coal from such leases shall be the value of coal determined under this section, less applicable coal washing allowances and transportation allowances determined under §§ 206.258 through 206.262 of this subpart, or any allowance authorized by § 206.265 of this subpart. The royalty due shall be equal to the value for royalty purposes multiplied by the royalty rate in the lease.
- (b)(1) The value of coal that is sold pursuant to an arm's-length contract shall be the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(2), (b)(3), and (b)(5) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value which the lessee reports, for royalty purposes, is subject to monitoring, review, and audit.
- (2) In conducting reviews and audits, MMS will examine whether the contract reflects the total consideration actually transferred either directly or indirectly from the buyer to the seller for the coal produced. If the contract does not reflect the total consideration, then the MMS may require that the coal sold pursuant to that contract be valued in accordance with paragraph (c) of this section. Value may not be based on less than the gross proceeds accruing to the lessee for the coal production, including the additional consideration.
- (3) If the MMS determines that the gross proceeds accruing to the lessee

pursuant to an arm's-length contract do not reflect the reasonable value of the production because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the coal production be valued pursuant to paragraph (c)(2) (ii), (iii), (iv), or (v) of this section, and in accordance with the notification requirements of paragraph (d)(3) of this section. When MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's reported coal value.

- (4) The MMS may require a lessee to certify that its arm's-length contract provisions include all of the consideration to be paid by the buyer, either directly or indirectly, for the coal production.
- (5) The value of production for royalty purposes shall not include payments received by the lessee pursuant to a contract which the lessee demonstrates, to MMS's satisfaction, were not part of the total consideration paid for the purchase of coal production.
- (c)(1) The value of coal from leases subject to this section and which is not sold pursuant to an arm's-length contract shall be determined in accordance with this section.
- (2) If the value of the coal cannot be determined pursuant to paragraph (b) of this section, then the value shall be determined through application of other valuation criteria. The criteria shall be considered in the following order, and the value shall be based upon the first applicable criterion:
- (i) The gross proceeds accruing to the lessee pursuant to a sale under its non-arm's-length contract (or other disposition of produced coal by other than an arm's-length contract), provided that those gross proceeds are within the range of the gross proceeds derived from, or paid under, comparable arm's-length contracts between buyers and sellers neither of whom is affiliated with the lessee for sales, purchases, or other dispositions of like-quality coal produced in the area. In evaluating the

comparability of arm's-length contracts for the purposes of these regulations, the following factors shall be considered: Price, time of execution, duration, market or markets served, terms, quality of coal, quantity, and such other factors as may be appropriate to reflect the value of the coal;

(ii) Prices reported for that coal to a public utility commission;

(iii) Prices reported for that coal to the Energy Information Administration of the Department of Energy;

(iv) Other relevant matters including, but not limited to, published or publicly available spot market prices, or information submitted by the lessee concerning circumstances unique to a particular lease operation or the saleability of certain types of coal;

(v) If a reasonable value cannot be determined using paragraphs (c)(2) (i), (ii), (iii), or (iv) of this section, then a net-back method or any other reasonable method shall be used to determine value.

(3) When the value of coal is determined pursuant to paragraph (c)(2) of this section, that value determination shall be consistent with the provisions contained in paragraph (b)(5) of this section

(d)(1) Where the value is determined pursuant to paragraph (c) of this section, that value does not require MMS's prior approval. However, the lessee shall retain all data relevant to the determination of royalty value. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.

(2) Any Federal lessee will make available upon request to the authorized MMS or State representatives, to the Inspector General of the Department of the Interior or other persons authorized to receive such information, arm's-length sales value and sales quantity data for like-quality coal sold, purchased, or otherwise obtained by the lessee from the area.

(3) A lessee shall notify MMS if it has determined value pursuant to paragraphs (c)(2) (ii), (iii), (iv), or (v) of this section. The notification shall be by letter to the Associate Director for

Minerals Revenue Management of his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this section is a one-time notification due no later than the month the lessee first reports royalties on the Form MMS-4430 using a valuation method authorized by paragraphs (c)(2) (ii), (iii), (iv), or (v) of this section, and each time there is a change in a method under paragraphs (c)(2) (iv) or (v) of this section.

(e) If MMS determines that a lessee has not properly determined value, the lessee shall be liable for the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also be liable for interest computed pursuant to 30 CFR 218.202. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.

(f) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method, and may use that method in determining value for royalty purposes until MMS issues its decision. The lessee shall submit all available data relevant to its proposal. The MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (e) of this section.

(g) Notwithstanding any other provisions of this section, under no circumstances shall the value for royalty purposes be less than the gross proceeds accruing to the lessee for the disposition of produced coal less applicable provisions of paragraph (b)(5) of this section and less applicable allowances determined pursuant to §§ 206.258 through 206.262 and § 206.265 of this subpart.

(h) The lessee is required to place coal in marketable condition at no cost to the Federal Government. Where the value established under this section is

determined by a lessee's gross proceeds, that value shall be increased to the extent that the gross proceeds has been reduced because the purchaser, or any other person, is providing certain services, the cost of which ordinarily is the responsibility of the lessee to place the coal in marketable condition.

(i) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails to take proper or timely action to receive prices or benefits to which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to an arm's-length contract, and may be retroactively applied to value for royalty purposes for a period not to exceed two years, unless MMS approves a longer period. If the lessee makes timely application for a price increase allowed under its contract but the purchaser refuses, and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional royalties unless or until monies or consideration resulting from the price increase are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of coal.

(j) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding as against the Federal Government or its beneficiaries until the audit period is formally closed.

(k) Certain information submitted to MMS to support valuation proposals, including transportation, coal washing, or other allowances under §206.265 of this subpart, is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 522. Any data specified by the Act to be privileged, confidential, or otherwise exempt shall be maintained in a confidential manner in accordance with applicable law and regulations. All requests for information

about determinations made under this part are to be submitted in accordance with the Freedom of Information Act regulation of the Department of the Interior, 43 CFR part 2.

[54 FR 1523, Jan. 13, 1989, as amended at 55 FR 35433, Aug. 30, 1990; 57 FR 52720, Nov. 5, 1992; 61 FR 5480, Feb. 12, 1996; 66 FR 45769, Aug. 30, 2001]

### § 206.258 Washing allowances—general.

(a) For ad valorem leases subject to §206.257 of this subpart, MMS shall, as authorized by this section, allow a deduction in determining value for royalty purposes for the reasonable, actual costs incurred to wash coal, unless the value determined pursuant to §206.257 of this subpart was based upon likequality unwashed coal. Under no circumstances will the authorized washing allowance and the transportation allowance reduce the value for royalty purposes to zero.

(b) If MMS determines that a lessee has improperly determined a washing allowance authorized by this section, then the lessee shall be liable for any additional royalties, plus interest determined in accordance with 30 CFR 218.202, or shall be entitled to a credit without interest.

(c) Lessees shall not disproportionately allocate washing costs to Federal leases.

(d) No cost normally associated with mining operations and which are necessary for placing coal in marketable condition shall be allowed as a cost of washing.

(e) Coal washing costs shall only be recognized as allowances when the washed coal is sold and royalties are reported and paid.

[54 FR 1523, Jan. 13, 1989, as amended at 61 FR 5480, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

# § 206.259 Determination of washing allowances.

(a) Arm's-length contracts. (1) For washing costs incurred by a lessee under an arm's-length contract, the washing allowance shall be the reasonable actual costs incurred by the lessee for washing the coal under that contract, subject to monitoring, review, audit, and possible future adjustment.

The lessee shall have the burden of demonstrating that its contract is arm's-length. MMS' prior approval is not required before a lessee may deduct costs incurred under an arm's-length contract. The lessee must claim a washing allowance by reporting it as a separate line entry on the Form MMS-4430.

(2) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the washer for the washing. If the contract reflects more than the total consideration paid, then the MMS may require that the washing allowance be determined in accordance with paragraph (b) of this section.

(3) If the MMS determines that the consideration paid pursuant to an arm's-length washing contract does not reflect the reasonable value of the washing because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the washing allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the washing may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's washing costs.

(4) Where the lessee's payments for washing under an arm's-length contract are not based on a dollar-per-unit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent. Washing allowances shall be expressed as a cost per ton of coal washed.

(b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length contract or has no contract, including those situations where the lessee performs washing for itself, the washing allowance will be based upon the lessee's reasonable actual costs. All washing allowances deducted under a non-arm's-length or no contract situation are subject to monitoring, review, audit, and possible future adjustment. The lessee must claim a washing allow-

ance by reporting it as a separate line entry on the Form MMS-4430. When necessary or appropriate, MMS may direct a lessee to modify its estimated or actual washing allowance.

(2) The washing allowance for nonarm's-length or no contract situations shall be based upon the lessee's actual costs for washing during the reported period, including operating and maintenance expenses, overhead, and either depreciation and a return undepreciated capital investment in accordance with paragraph (b)(2)(iv) (A) of this section, or a cost equal to the depreciable investment in the wash plant multiplied by the rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the wash plant.

(i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes, rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.

(ii) Allowable maintenance expenses include: Maintenance of the wash plant; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document.

(iii) Overhead attributable and allocable to the operation and maintenance of the wash plant is an allowable expense. State and Federal income taxes and severance taxes, including royalities, are not allowable expenses.

(iv) A lessee may use either paragraph (b)(2)(iv)(A) or (B) of this section. After a lessee has elected to use either method for a wash plant, the lessee may not later elect to change to the other alternative without approval of the MMS.

(A) To compute depreciation, the lessee may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves which the wash plant services, whichever is appropriate, or a unit of production method. After an election is

made, the lessee may not change methods without MMS approval. A change in ownership of a wash plant shall not alter the depreciation schedule established by the original operator/lessee for purposes of the allowance calculation. With or without a change in ownership, a wash plant shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.

- (B) The MMS shall allow as a cost an amount equal to the allowable capital investment in the wash plant multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to plants first placed in service or acquired after March 1, 1989.
- (v) The rate of return must be the industrial rate associated with Standard and Poor's BBB rating. The rate of return must be the monthly average rate as published in Standard and Poor's Bond Guide for the first month for which the allowance is applicable. The rate must be redetermined at the beginning of each subsequent calendar year.
- (3) The washing allowance for coal shall be determined based on the lessee's reasonable and actual cost of washing the coal. The lessee may not take an allowance for the costs of washing lease production that is not royalty bearing.
- (c) Reporting requirements—(1) Arm's-length contracts. (i) The lessee must notify MMS of an allowance based on incurred costs by using a separate line entry on the Form MMS-4430.
- (ii) The MMS may require that a lessee submit arm's-length washing contracts and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (2) Non-arm's-length or no contract. (i) The lessee must notify MMS of an allowance based on the incurred costs by using a separate line entry on the Form MMS-4430.
- (ii) For new washing facilities or arrangements, the lessee's initial washing deduction shall include estimates of the allowable coal washing costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the wash-

ing system or, if such data are not available, the lessee shall use estimates based upon industry data for similar washing systems.

- (iii) Upon request by MMS, the lessee shall submit all data used to prepare the allowance deduction. The data shall be provided within a reasonable period of time, as determined by MMS.
- (d) Interest and assessments. (1) If a lessee nets a washing allowance on the Form MMS-4430, then the lessee shall be assessed an amount up to 10 percent of the allowance netted not to exceed \$250 per lease selling arrangement per sales period.
- (2) If a lessee erroneously reports a washing allowance which results in an underpayment of royalties, interest shall be paid on the amount of that underpayment.
- (3) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.202.
- (e) Adjustments. (1) If the actual coal washing allowance is less than the amount the lessee has taken on Form MMS-4430 for each month during the allowance reporting period, the lessee shall pay additional royalties due plus interest computed under 30 CFR 218.202 from the date when the lessee took the deduction to the date the lessee repays the difference to MMS. If the actual washing allowance is greater than the amount the lessee has taken on Form MMS-4430 for each month during the allowance reporting period, the lessee shall be entitled to a credit without interest.
- (2) The lessee must submit a corrected Form MMS-4430 to reflect actual costs, together with any payment, in accordance with instructions provided by MMS.
- (f) Other washing cost determinations. The provisions of this section shall apply to determine washing costs when establishing value using a net-back valuation procedure or any other procedure that requires deduction of washing costs.

[54 FR 1523, Jan. 13, 1989, as amended at 57 FR 52720, Nov. 5, 1992; 61 FR 5480, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999; 66 FR 45769, Aug. 30, 2001]

#### § 206.260 Allocation of washed coal.

- (a) When coal is subjected to washing, the washed coal must be allocated to the leases from which it was extracted.
- (b) When the net output of coal from a washing plant is derived from coal obtained from only one lease, the quantity of washed coal allocable to the lease will be based on the net output of the washing plant.
- (c) When the net output of coal from a washing plant is derived from coal obtained from more than one lease, unless determined otherwise by BLM, the quantity of net output of washed coal allocable to each lease will be based on the ratio of measured quantities of coal delivered to the washing plant and washed from each lease compared to the total measured quantities of coal delivered to the washing plant and washed.

# § 206.261 Transportation allowances—general.

- (a) For ad valorem leases subject to §206.257 of this subpart, where the value for royalty purposes has been determined at a point remote from the lease or mine, MMS shall, as authorized by this section, allow a deduction in determining value for royalty purposes for the reasonable, actual costs incurred to:
- (1) Transport the coal from a Federal lease to a sales point which is remote from both the lease and mine; or
- (2) Transport the coal from a Federal lease to a wash plant when that plant is remote from both the lease and mine and, if applicable, from the wash plant to a remote sales point. In-mine transportation costs shall not be included in the transportation allowance.
- (b) Under no circumstances will the authorized washing allowance and the transportation allowance reduce the value for royalty purposes to zero.
- (c)(1) When coal transported from a mine to a wash plant is eligible for a transportation allowance in accordance with this section, the lessee is not required to allocate transportation costs between the quantity of clean coal output and the rejected waste material. The transportation allowance shall be authorized for the total production which is transported. Transportation

- allowances shall be expressed as a cost per ton of cleaned coal transported.
- (2) For coal that is not washed at a wash plant, the transportation allowance shall be authorized for the total production which is transported. Transportation allowances shall be expressed as a cost per ton of coal transported.
- (3) Transportation costs shall only be recognized as allowances when the transported coal is sold and royalties are reported and paid.
- (d) If, after a review and/or audit, MMS determines that a lessee has improperly determined a transportation allowance authorized by this section, then the lessee shall pay any additional royalties, plus interest, determined in accordance with 30 CFR 218.202, or shall be entitled to a credit, without interest.
- (e) Lessees shall not disproportionately allocate transportation costs to Federal leases.

[54 FR 1523, Jan. 13, 1989, as amended at 61 FR 5481, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999]

## § 206.262 Determination of transportation allowances.

- (a) Arm's-length contracts. (1) For transportation costs incurred by a lessee pursuant to an arm's-length contract, the transportation allowance shall be the reasonable, actual costs incurred by the lessee for transporting the coal under that contract, subject to monitoring, review, audit, and possible future adjustment. The lessee shall have the burden of demonstrating that its contract is arm's-length. The lessee must claim a transportation allowance by reporting it as a separate line entry on the Form MMS-4430.
- (2) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the transporter for the transportation. If the contract reflects more than the total consideration paid, then the MMS may require that the transportation allowance be determined in accordance with paragraph (b) of this section.
- (3) If the MMS determines that the consideration paid pursuant to an arm's-length transportation contract

does not reflect the reasonable value of the transportation because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the transportation allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the transportation may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's transportation costs.

- (4) Where the lessee's payments for transportation under an arm's-length contract are not based on a dollar-perunit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (b) Non-arm's-length or no contract—(1) If a lessee has a non-arm's-length contract or has no contract, including those situations where the lessee performs transportation services for itself, the transportation allowance will be based upon the lessee's reasonable actual costs. All transportation allowances deducted under a non-arm'slength or no contract situation are subject to monitoring, review, audit, and possible future adjustment. The lessee must claim a transportation allowance by reporting it as a separate line entry on the Form MMS-4430. When necessary or appropriate, MMS may direct a lessee to modify its estimated or actual transportation allowance deduction.
- (2) The transportation allowance for non-arm's-length or no-contract situations shall be based upon the lessee's actual costs for transportation during the reporting period, including operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the depreciable investment in the transportation system multiplied by the rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those for depreciable fixed assets (including costs of delivery and instal-

lation of capital equipment) which are an integral part of the transportation system.

- (i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes; rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.
- (ii) Allowable maintenance expenses include: Maintenance of the transportation system; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document.
- (iii) Overhead attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (iv) A lessee may use either paragraph (b)(2)(iv)(A) or paragraph (b)(2)(iv)(B) of this section. After a lessee has elected to use either method for a transportation system, the lessee may not later elect to change to the other alternative without approval of the MMS.
- (A) To compute depreciation, the lessee may elect to use either a straightline depreciation method based on the life of equipment or on the life of the reserves which the transportation system services, whichever is appropriate, or a unit of production method. After an election is made, the lessee may not change methods without MMS approval. A change in ownership of a transportation system shall not alter the depreciation schedule established by the original transporter/lessee for purposes of the allowance calculation. With or without a change in ownership, a transportation system shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.
- (B) The MMS shall allow as a cost an amount equal to the allowable capital investment in the transportation system multiplied by the rate of return determined pursuant to paragraph (b)(2)(B)(v) of this section. No allowance shall be provided for depreciation.

This alternative shall apply only to transportation facilities first placed in service or acquired after March 1, 1989.

- (v) The rate of return must be the industrial rate associated with Standard and Poor's BBB rating. The rate of return must be the monthly average rate as published in Standard and Poor's Bond Guide for the first month for which the allowance is applicable. The rate must be redetermined at the beginning of each subsequent calendar year.
- (3) A lessee may apply to MMS for exception from the requirement that it compute actual costs in accordance with paragraphs (b)(1) and (b)(2) of this section. MMS will grant the exception only if the lessee has a rate for the transportation approved by a Federal agency or by a State regulatory agency (for Federal leases). MMS shall deny the exception request if it determines that the rate is excessive as compared to arm's-length transportation charges by systems, owned by the lessee or others, providing similar transportation services in that area. If there are no arm's-length transportation charges, MMS shall deny the exception request
- (i) No Federal or State regulatory agency costs analysis exists and the Federal or State regulatory agency, as applicable, has declined to investigate under MMS timely objections upon filing; and
- (ii) The rate significantly exceeds the lessee's actual costs for transportation as determined under this section.
- (c) Reporting requirements—(1) Arm's-length contracts. (i) The lessee must notify MMS of an allowance based on incurred costs by using a separate line entry on the Form MMS-4430.
- (ii) The MMS may require that a lessee submit arm's-length transportation contracts, production agreements, operating agreements, and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (2) Non-arm's-length or no contract— (i) The lessee must notify MMS of an allowance based on the incurred costs by using a separate line entry on Form MMS-4430.
- (ii) For new transportation facilities or arrangements, the lessee's initial de-

duction shall include estimates of the allowable coal transportation costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the transportation system or, if such data are not available, the lessee shall use estimates based upon industry data for similar transportation systems.

(iii) Upon request by MMS, the lessee shall submit all data used to prepare the allowance deduction. The data shall be provided within a reasonable period of time, as determined by MMS.

- (iv) If the lessee is authorized to use its Federal- or State-agency-approved rate as its transportation cost in accordance with paragraph (b)(3) of this section, it shall follow the reporting requirements of paragraph (c)(1) of this section.
- (d) Interest and assessments. (1) If a lessee nets a transportation allowance on Form MMS-4430, the lessee shall be assessed an amount of up to 10 percent of the allowance netted not to exceed \$250 per lease selling arrangement per sales period.
- (2) If a lessee erroneously reports a transportation allowance which results in an underpayment of royalties, interest shall be paid on the amount of that underpayment.
- (3) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.202.
- (e) Adjustments. (1) If the actual coal transportation allowance is less than the amount the lessee has taken on Form MMS-4430 for each month during the allowance reporting period, the lessee shall pay additional royalties due plus interest computed under 30 CFR 218.202 from the date when the lessee took the deduction to the date the lessee repays the difference to MMS. If the actual transportation allowance is greater than amount the lessee has taken on Form MMS-4430 for each month during the allowance reporting period, the lessee shall be entitled to a credit without interest.
- (2) The lessee must submit a corrected Form MMS-4430 to reflect actual costs, together with any payments, in accordance with instructions provided by MMS.
- (f) Other transportation cost determinations. The provisions of this section

shall apply to determine transportation costs when establishing value using a net-back valuation procedure or any other procedure that requires deduction of transportation costs.

[54 FR 1523, Jan. 13, 1989, as amended at 57 FR 41864, Sept. 14, 1992; 57 FR 52720, Nov. 5, 1992; 61 FR 5481, Feb. 12, 1996; 64 FR 43288, Aug. 10, 1999; 66 FR 45769, Aug. 30, 2001]

#### § 206.263 [Reserved]

# § 206.264 In-situ and surface gasification and liquefaction operations.

If an ad valorem Federal coal lease is developed by in-situ or surface gasification or liquefaction technology, the lessee shall propose the value of coal for royalty purposes to MMS. The MMS will review the lessee's proposal and issue a value determination. The lessee may use its proposed value until MMS issues a value determination.

 $[54\ FR\ 1523,\ Jan.\ 13,\ 1989,\ as\ amended\ at\ 65\ FR\ 43289,\ Aug.\ 10,\ 1999]$ 

#### § 206.265 Value enhancement of marketable coal.

If, prior to use, sale, or other disposition, the lessee enhances the value of coal after the coal has been placed in marketable condition in accordance with §206.257(h) of this subpart, the lessee shall notify MMS that such processing is occurring or will occur. The value of that production shall be determined as follows:

- (a) A value established for the feedstock coal in marketable condition by application of the provisions of §206.257(c)(2)(i-iv) of this subpart; or,
- (b) In the event that a value cannot be established in accordance with subsection (a), then the value of production will be determined in accordance with §206.257(c)(2)(v) of this subpart and the value shall be the lessee's gross proceeds accruing from the disposition of the enhanced product, reduced by MMS-approved processing costs and procedures including a rate of return on investment equal to two times the Standard and Poor's BBB bond rate applicable under §206.259(b)(2)(v) of this subpart.

#### Subpart G—Other Solid Minerals

# § 206.301 Value basis for royalty computation.

- (a) The gross value for royalty purposes shall be the sale or contract unit price times the number of units sold, *Provided, however,* That where the authorized officer determines:
- (1) That a contract of sale or other business arrangement between the lessee and a purchaser of some or all of the commodities produced from the lease is not a bona fide transaction between independent parties because it is based in whole or in part upon considerations other than the value of the commodities, or
- (2) That no bona fide sales price is received for some or all of such commodities because the lessee is consuming them, the authorized officer shall determine their gross value, taking into account: (i) All prices received by the lessee in all bona fide transactions, (ii) Prices paid for commodities of like quality produced from the same general area, and (iii) Such other relevant factors as the authorized officer may deem appropriate; and Provided further, That in a situation where an estimated value is used, the authorized officer shall require the payment of such additional royalties, or allow such credits or refunds as may be necessary to adjust royalty payment to reflect the actual gross value.
- (b) The lessee is required to certify that the values reported for royalty purposes are bona fide sales not involving considerations other than the sale of the mineral, and he may be required by the authorized officer to supply supporting information.

[43 FR 10341, Mar. 13, 1978. Redesignated at 48 FR 36588, Aug. 12, 1983, and amended at 48 FR 44795, Sept. 30, 1983. Further redesignated at 51 FR 15212, Apr. 22, 1986. Redesignated at 53 FR 39461. Oct. 7, 1988]

# Subpart H—Geothermal Resources

SOURCE: 56 FR 57276, Nov. 8, 1991, unless otherwise noted.

#### § 206.350 Purpose and scope.

(a) This subpart is applicable to all geothermal resources produced from Federal geothermal leases issued pursuant to the Geothermal Steam Act of 1970, as amended (30 U.S.C. 1001 et seq.). The purpose of this subpart is to establish the value of geothermal production for royalty purposes.

(b) All royalty payments made to MMS are subject to audit and adjustment

#### § 206.351 Definitions.

For purposes of this subpart:

Arm's-length contract means a contract or agreement that has been arrived at in the marketplace between independent, nonaffiliated persons with opposing economic interests regarding that contract. For purposes of this subpart, two persons are affiliated if one person controls, is controlled by, or is under common control with, another person. For purposes of this subpart, based on the instruments of ownership of the voting securities of an entity, or based on other forms of ownership:

- (1) Ownership in excess of 50 percent constitutes control:
- (2) Ownership of 10 through 50 percent creates a rebuttable presumption of control; and
- (3) Ownership of less than 10 percent creates a presumption of noncontrol which MMS may rebut if it demonstrates actual or legal control, including the existence of interlocking directorates.

Notwithstanding any other provisions of this subpart, contracts between relatives, either by blood or by marriage, are not arm's-length contracts. The MMS may require the lessee to certify the claimed nature of ownership control. To be considered arm's-length for any production month, a contract must meet the requirements of this definition for the production month as well as when the contract was executed.

Audit means a procedure having the same meaning and effect as that described at 30 CFR part 217 for verifying royalty payment compliance activities of lessees or other authorized persons who pay royalties, rents, or bonuses on Federal geothermal leases.

Byproduct means:

- (1) Any mineral or minerals (exclusive of oil, hydrocarbon gas, and helium) which are found in solution or developed in association with geothermal fluids and which have a value of less than 75 per centum of the value of the geothermal energy or are not, because of quantity, quality, or technical difficulties in extraction and production, of sufficient value to warrant extraction and production by themselves, and
- $\begin{array}{ll} \hbox{(2)} & \hbox{Commercially} & \hbox{demineralized} \\ \hbox{water.} & \end{array}$

Byproduct recovery facility means the facility or facilities at which byproducts are placed in marketable condition

Byproduct transportation allowance means an approved allowance for the lessee's reasonable, actual costs, excluding gathering, incurred for moving byproducts, including commercially demineralized water, to a point of sale or point of delivery off the lease, unit area, or communitized area.

Contract means any oral or written agreement, including amendments or revisions thereto, between two or more persons and enforceable by law that with due consideration creates an obligation.

Deduction means a subtraction used in the geothermal netback procedure for determining the value of geothermal resources utilized by the lessee to generate electricity. Transmission deduction means a deduction for the lessee's reasonable actual costs incurred to wheel or transmit the electricity from the lessee's powerplant to the purchaser's delivery point. Generating deduction means a deduction for the lessee's reasonable, actual costs of generating plant tailgate electricity.

Delivered electricity means the amount of electricity in kilowatthours delivered to the purchaser.

Direct utilization means any process other than electrical generation in which the thermal energy of the geothermal resource is utilized, including, but not limited to, space heating, greenhouse operations, and industrial or agricultural process heat.

Field means the land surface vertically projected over a subsurface geothermal reservoir encompassing at least the outermost boundaries of all

geothermal accumulations known to be within that reservoir. Geothermal fields are usually given names and their official boundaries are often designated by regulatory agencies in the respective States in which the fields are located.

Gathering means the efficient movement of lease production from the wellhead to the point of utilization.

Geothermal netback procedure means the method of determining the value of geothermal resources that are utilized in a lessee-owned powerplant for the generation and sale of electricity by deducting the lessee's reasonable, actual transmission and generating costs from the sales price or value of the electricity to derive the value of the geothermal resource at the powerplant inlet.

Geothermal resources means:

- (1) All products of geothermal processes, including indigenous steam, hot water, and hot brines;
- (2) Steam and other gases, hot water, and hot brines resulting from water, gas, or other fluids artificially introduced into geothermal formations;
- (3) Heat or other associated energy found in geothermal formations; and

(4) Any byproducts.

Geothermal utilization facility means a powerplant or direct utilization facility that utilizes the heat or other energy of the geothermal resource.

Gross proceeds (for royalty purposes) means the total monies and other consideration accruing to a geothermal lessee for any disposition of geothermal resources, including total payments for the sale of electricity generated by the lessee from lease-produced geothermal resources. Gross proceeds includes, but is not limited to, payments to the lessee for certain services such as effluent injection, field operation and maintenance, drilling or workover of wells, and/or field gathering to the extent that the lessee is obligated to perform them at no cost to the Federal Government. Gross proceeds also includes, but is not limited to, reimbursements for production taxes and other taxes. Tax reimbursements are part of gross proceeds accruing to a lessee even though the Federal royalty interest may be exempt from taxation. Monies and other consideration, including the forms of consideration identified in this paragraph, to which a lessee is contractually or legally entitled but which it does not seek to collect through reasonable efforts are also part of gross proceeds.

Lease means a geothermal lease issued under authority of the Geothermal Steam Act of 1970, as amended (30 U.S.C. 1001 et seq.), unless the context indicates otherwise.

Lessee means any person to whom the United States issues a geothermal lease, and any person who has been assigned an obligation to make royalty or other payments required by the lease. This includes any person who has an interest in a geothermal lease as well as an operator or payor who has no interest in the lease but who has assumed the royalty payment responsibility. This also includes any affiliate of the lessee that utilizes the geothermal resource to generate electricity, in a direct utilization process, or to recover byproducts, or any affiliate that transports lease production.

Like-quality lease products means lease products that have similar chemical, physical, and legal characteristics.

Marketable condition means lease products that are sufficiently free from impurities and otherwise in a condition that they will be accepted by a purchaser under a sales contract typical for the field.

Minimum royalty means the minimum amount of annual royalty as specified in the lease or in applicable leasing regulations that the lessee must pay after commencement of geothermal production in commercial quantities.

*No sales* means the utilization or disposal of geothermal resources without the benefit of a sale.

*Person* means any individual, firm, corporation, association, partnership, consortium, or joint venture (when established as a separate entity).

Plant tailgate electricity means the amount of electricity in kilowatthours generated by the powerplant exclusive of plant parasitic electricity, but inclusive of any electricity generated by the powerplant and returned to the lease for lease operations. Plant tailgate electricity should be measured at, or calculated for, the high voltage side of

the transformer in the plant switch-yard.

Point of utilization means the powerplant or direct utilization facility in which the geothermal resource (steam or hot water) is utilized.

Reasonable alternative fuel means a conventional fuel (such as coal, oil, gas, or wood) that would normally be used as a source of heat in direct utilization operations.

Secretary means the Secretary of the Department of the Interior or any person duly authorized to exercise the powers vested in that office.

Selling arrangement means the individually contracted arrangements under which sales or dispositions of geothermal resources are made, including sales or dispositions of byproducts and electricity sales where the lessee generates electricity from lease geothermal production.

Spot market price means the price received under any sales transaction when planned or actual deliveries span a short period of time, usually not exceeding 1 year.

Wheeling means the transmission of electricity from a powerplant to the point of delivery.

#### § 206.352 Valuation standards for electrical generation.

(a) The value of geothermal resources produced from leases subject to this subpart and used to generate electricity shall be determined pursuant to this section.

(b)(1)(i) The value of geothermal resources that are sold pursuant to an arm's-length contract shall be the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(1)(ii) and (b)(1)(iii) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value that the lessee reports for royalty purposes is subject to monitoring, review, and audit.

(ii) In conducting reviews and audits, MMS will examine whether the contract reflects the total consideration actually transferred, either directly or indirectly, from the buyer to the seller for the geothermal resource. If the contract does not reflect the total consideration, MMS may require that the geothermal resource sold pursuant to

that contract be valued in accordance with paragraph (d) of this section. Value shall not be less than the gross proceeds accruing to the lessee, including any additional consideration received.

(iii) If MMS determines that the gross proceeds accruing to the lessee pursuant to an arm's-length contract do not reflect the reasonable value of the production because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, MMS shall require the geothermal resource to be valued pursuant to paragraph (d) of this section, and notification provided to MMS in accordance with paragraph (e)(3) of this section. If MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's value.

(2) The MMS may require a lessee to certify that the provisions in its arm's-length contract include all of the consideration to be paid by the buyer, either directly or indirectly, for the geothermal resource.

(c)(1) The value of geothermal resources subject to this section that are sold under a non-arm's-length contract shall be determined in accordance with the first applicable of the following paragraphs:

(i) The gross proceeds accruing to the lessee pursuant to a sale under its nonarm's-length contract provided that those gross proceeds are not less than the gross proceeds derived from or paid under the lowest-priced available comparable arm's-length contract for sales of geothermal resources to the lesseeaffiliate's same powerplant (the "minimum value"). If the gross proceeds under the lessee's non-arm's-length contract are less than the "minimum value" under available comparable arm's-length contracts, or if there are no available comparable arm's-length contracts, value will be determined by the weighted average of the gross proceeds established under arm's-length contracts for the sale of significant quantities of geothermal resources to

the same powerplant. Available contracts will mean contracts in the possession of the lessee, the lessee's affiliate, or MMS. In evaluating the comparability of arm's-length contracts for the purposes of these regulations, the following factors shall be considered: Time of execution, duration, terms, quality of the geothermal resource, volume, dedication to the same powerplant, and other factors that may be appropriate to reflect the value of the resource;

- (ii) The value determined by the geothermal netback procedure. Under the geothermal netback procedure, the lessee's reasonable actual costs for the generation and transmission of electricity shall be deducted from the lessee's gross proceeds received for the sale of electricity to determine the value of the geothermal resource. Transmission deductions shall be determined pursuant to §206.353 of this part. Generating deductions shall be determined pursuant to §206.354 of this part; or
- (iii) A value determined by any other reasonable valuation method approved by MMS.
- (2) Value determinations made pursuant to this paragraph are subject to the notification requirements of paragraph (e) of this section.
- (d)(1) The value of geothermal resources subject to this section that are not subject to a sales transaction ("no sales" geothermal resources) but are instead utilized directly by the lessee in its own powerplant for the generation and sale of electricity shall be determined in accordance with the first applicable of the following paragraphs:
- (i) The weighted average of the gross proceeds established in arm's-length contracts for the purchase of significant quantities of geothermal resources to operate the lessee's same powerplant. In evaluating the acceptability of arm's-length contracts, the following factors shall be considered: Time of execution, duration, terms, volume, quality of resource, and such other factors as may be appropriate to reflect the value of the resource;
- (ii) The value determined by the geothermal netback procedure. Under the geothermal netback procedure, the lessee's reasonable actual costs for the

generation and transmission of electricity shall be deducted from the lessee's gross proceeds received for the sale of electricity to determine the value of the geothermal resource. Transmission deductions shall be determined pursuant to §206.353 of this part. Generating deductions shall be determined pursuant to §206.354 of this part; or

- (iii) A value determined by any other reasonable valuation method approved by MMS.
- (2) Value determinations made pursuant to this paragraph are subject to the notification requirements of paragraph (e) of this section.
- (e)(1) Pursuant to subpart H of 30 CFR part 212, the lessee shall retain all data relevant to the determination of royalty value, particularly where the value is determined pursuant to paragraph (c) or (d) of this section. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.
- (2) Upon request, lessees shall make available to authorized MMS representatives or to other authorized persons any and all contracts for the sale or other disposition of the lease production; contracts for the sale, generation, and/or transmission of electricity attributable to lease production; and any arm's-length sales and other data for like-quality production sold, purchased, or otherwise obtained by the lessee from the field as may be necessary to support a value determination.
- (3) A lessee shall notify MMS if it has determined value pursuant to paragraph (c) or (d) of this section. The notification shall be by letter to the MMS Associate Director for Minerals Revenue Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this paragraph is a one-time notification due no later than the end of the month following the month the lessee first reports royalties on a Form MMS-

2014 using a valuation method authorized by paragraph (c) or (d) of this section.

- (f) If MMS determines that a lessee has not properly determined value, the lessee shall pay the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also pay interest on that difference computed pursuant to 30 CFR 218.302. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.
- (g) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method and may use that method in determining value, for royalty purposes, until MMS issues its decision. The lessee shall submit all available data relevant to its proposal. The MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. In making a value determination, MMS may use any of the valuation criteria consistent with this subpart. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (f) of this section.
- (h) Notwithstanding any other provision of this section, under no circumstances shall the value of production for royalty purposes be less than the gross proceeds accruing to the lessee where geothermal resources are directly sold.
- (i) The lessee is required to place geothermal resources in marketable condition and to deliver geothermal resources to the powerplant at no cost to the Federal lessor. Where the value established pursuant to this section is determined by a lessee's gross proceeds, that value shall be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services the cost of which ordinarily is the responsibility of the lessee to place the geothermal resource in marketable condition or deliver it to the powerplant.

- (j) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails to take proper or timely action to receive prices or benefits to which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to the contract. If the lessee makes timely application for a price increase or benefit allowed under its contract but the purchaser refuses and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional royalties unless or until monies or consideration resulting from the price increase or additional benefits are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of geothermal resources.
- (k) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding as against the Federal Government or its beneficiaries until the audit period is formally closed.
- (l) Certain information submitted to MMS to support value determinations is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 552, or other Federal law. Any data specified by law to be privileged, confidential, or otherwise exempt will be maintained in a confidential manner in accordance with applicable law and regulations. All requests for information about determinations made under this subpart are to be submitted in accordance with the Freedom of Information Act regulations of the Department, 43 CFR part 2.

#### § 206.353 Determination of transmission deductions.

(a) Where the value of geothermal energy is determined by the geothermal netback procedure pursuant to paragraphs (c)(1)(ii) and (d)(1)(ii) of §206.352

of this subpart, a transmission deduction shall be subtracted from the lessee's gross proceeds received for the sale of electricity to determine the plant tailgate value of the electricity. The transmission deduction consists of either or both of two components:

- (1) Transmission line costs as determined pursuant to paragraph (b) of this section, and
- (2) Wheeling costs if the electricity is transmitted across a third-party's transmission line under an arm's-length wheeling agreement. Transmission deductions are subject to the limitation prescribed in paragraph (c) of this section.
- (b)(1) Transmission-line costs shall be based on the lessee's actual costs associated with the construction and operation of a transmission line for the purpose of transmitting electricity attributable and allocable to the lessee's powerplant utilizing Federal geothermal resources. The monthly transmission line cost component of the transmission deduction is determined by multiplying the annual transmission line cost rate (in dollars per kilowatthour) by the amount of electricity delivered for the reporting month. The transmission line cost rate shall be redetermined annually at the beginning of the same month of the year in which the transmission line was placed into service, the same month of the year in which the powerplant was placed into service, or, at the lessee's option, at a time concurrent with the beginning of the lessee's annual corporate accounting period; Provided, however, the period selected must coincide with the same period chosen for the generating deduction pursuant to §206.354(b)(1). After a deduction period is chosen, the lessee may not later elect to use a different deduction period without MMS approval.
- (2) Allowable transmission-line costs include operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the capital investment in the transmission line multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this sec-

tion. Allowable capital costs are generally those costs for depreciable assets, including costs of delivery and installation of capital equipment, that are an integral part of the transmission line. A return on capital invested in the purchase of real estate for transmission facilities may be allowed provided that the lessee demonstrates the necessity for such purchase, the purchased land is not on a Federal geothermal lease, and MMS approves the deduction; the rate of return shall be the same rate determined in paragraph (b)(2)(v) of this section.

- (i) Allowable operating expenses include operations supervision and engineering, operations labor, materials, ad valorem property taxes, rent, supplies, and any other directly allocable and attributable operating expenses that the lessee can document.
- (ii) Allowable maintenance expenses include maintenance of the transmission line, maintenance of equipment, maintenance labor, and other directly allocable and attributable maintenance expenses that the lessee can document.
- (iii) Overhead directly attributable and allocable to the operation and maintenance of the transmission line is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (iv) To compute costs associated with capital investment, a lessee may use either depreciation with a return on undepreciated capital investment, or a return on capital investment. After a lessee has elected to use either method, the lessee may not later elect to change to the other alternative without MMS approval.
- (A) To compute depreciation, the lessee must use a straight-line depreciation method based on the expected life of the geothermal project, usually the term of the electricity sales contract or other depreciation period acceptable to MMS. A change in ownership of a transmission line shall not alter the depreciation schedule established by the original lessee-owner for purposes of computing transmission line costs. With or without a change in ownership, a transmission line shall be depreciated only once. The rate of return

used to compute the return on undepreciated capital investment shall be determined pursuant to paragraph (b)(2)(v) of this section.

- (B) To compute a return on capital investment, the allowed cost shall be the amount equal to the allowable capital investment in the transmission line multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to transmission lines first placed into service on or after March 1, 1988.
- (v) The rate of return shall be 2 times Standard and Poor's industrial BBB bond rate. The rate of return shall be 2 times the monthly average rate as published in Standard and Poor's Bond Guide for the first month of the annual deduction period and shall be effective during the following deduction period. The rate shall be redetermined annually at the beginning of the same month beginning the annual deduction period chosen pursuant to paragraph (b)(1) of this section.
- (3) Transmission-line cost rates, determined annually, are computed by dividing the sum of the operating, maintenance, overhead, and capital costs by the annual amount of delivered electricity.
- (4) For new transmission lines, the lessee's costs for the first deduction period shall be based on estimated expenses (including overhead) for operating and maintaining the transmission line. For subsequent deduction periods, the transmission line costs shall be estimated based on the lessee's actual operating and maintenance expenses for the previous period adjusted for decreases or increases that the lessee knows will affect the deduction in the current period.
- (c) Under no circumstances shall the transmission deduction plus the generating deduction determined pursuant to §206.354 of this subpart reduce the royalty value of the geothermal resource to zero.
- (d)(1) If the actual transmission deduction determined at the end of the annual reporting period is less than the amount the lessee estimated and used in the netback procedure during the reporting period, the lessee shall be re-

- quired to pay additional royalties retroactive to the first month of the reporting period, plus interest computed pursuant to 30 CFR 218.302. If the actual transmission deduction is greater than the amount applied in the netback calculation, the lessee shall be entitled to a credit.
- (2) Lessees must submit corrected Forms MMS-2014 to reflect adjustments to royalty payments in accordance with MMS instructions.
- (e)(1) All transmission deductions are subject to review, audit, and adjustment. When necessary or appropriate, MMS may direct a lessee to modify its estimated or actual transmission deduction and adjust royalty values accordingly.
- (2) Pursuant to subpart H of 30 CFR part 212, the lessee must maintain all data and records supporting its transmission deduction, including wheeling and other transmission-related agreements. These data and records must be made available to MMS and other authorized personnel upon request, and shall be maintained in a confidential manner in accordance with applicable laws and regulations pursuant to § 206.352 of this subpart.
- (f) A one-time refund of royalties equal to the royalty amount of actual dismantlement costs attributable to the transmission line that are in excess of actual income attributable to the salvage of the transmission line will be allowed at the completion of the dismantlement and salvage operations.

# \$206.354 Determination of generating deductions.

(a) Where the value of geothermal energy is determined by the geothermal netback procedure pursuant to paragraphs (c)(1)(ii) and (d)(1)(ii) of §206.352 of this subpart, that value shall be determined by deducting the lessee's reasonable actual costs incurred to generate electricity from the plant tailgate value of the electricity (usually the transmission-reduced value of the delivered electricity). Generating deductions are subject to the limitation prescribed in paragraph (c) of this section.

(b)(1) Generating costs shall be based on the lessee's actual annual costs associated with the construction and operation of a geothermal powerplant. The monthly generating deduction is determined by multiplying the annual generating cost rate (in dollars per kilowatthour) by the amount of plant tailgate electricity measured (or computed) for the reporting month. The generating cost rate is determined from the annual amount of plant tailgate electricity and must be redetermined annually at the beginning of the same month of the year in which the powerplant was placed into service or, at the lessee's option, at a time concurrent with the beginning of the lessee's annual corporate accounting period; *Provided*, however, the period selected must coincide with the same period chosen for the transmission deduction pursuant to §206.353(b)(1). After a deduction period is chosen, the lessee may not later elect to use a different deduction period without MMS ap-

(2) Allowable generating costs include operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the capital investment in the powerplant multiplied by a rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those costs for depreciable assets, including costs of delivery and installation of capital equipment, that are an integral part of the powerplant or are required by the design specifications of the power conversion cycle. A return on capital invested in the purchase of real estate for a powerplant site may be allowed provided that the lessee demonstrates the necessity for such purchase, the purchased land is not on a Federal geothermal lease, and MMS approves the deduction; the rate of return shall be the same rate determined in paragraph (b)(2)(v) of this section. The costs of gathering systems and other production-related facilities are not allowed.

(i) Allowable operating expenses include operations supervision and engineering, operations labor, materials, ad

valorem property taxes, rent, supplies, auxiliary fuel and/or utilities used to operate the powerplant during down time, and any other directly allocable and attributable operating expense that the lessee can document.

(ii) Allowable maintenance expenses include maintenance of the powerplant, maintenance of equipment, maintenance labor, and other directly allocable and attributable maintenance expenses that the lessee can document.

(iii) Overhead directly attributable and allocable to the operation and maintenance of the powerplant is an allowable expense. State and Federal income taxes and severance taxes, including royalties, are not allowable expenses.

(iv) To compute costs associated with capital investment, a lessee may use either depreciation with a return on undepreciated capital investment, or a return on capital investment. After a lessee has elected to use either method, the lessee may not later elect to change to the other alternative without MMS approval.

(A) To compute depreciation, the lessee must use a straight-line depreciation method based on the life of the geothermal project, usually the term of the electricity sales contract or other depreciation period acceptable to MMS. A change in ownership of a powerplant shall not alter the depreciation schedule established by the original lessee-owner for computing the generating costs. With or without a change in ownership, a powerplant shall be depreciated only once. The rate of return used to compute the return on undepreciated capital investment shall be determined pursuant to paragraph (b)(2)(v) of this section.

(B) To compute a return on capital investment, the allowed cost shall be the amount equal to the allowable capital investment in the powerplant multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to powerplants first placed into service on or after March 1, 1988.

(v) The rate of return shall be 2 times Standard and Poor's industrial BBB bond rate. The rate of return shall be 2 times the monthly average rate as published in Standard and Poor's Bond Guide for the first month of the annual deduction period and shall be effective during the following deduction period. The rate shall be redetermined annually at the beginning of the same month beginning the annual deduction period chosen pursuant to paragraph (b)(1) of this section.

- (3) Generating cost rates, determined annually, shall be computed by dividing the sum of the operating, maintenance, overhead, and capital costs by the annual amount of plant tailgate electricity.
- (4) For new powerplants, the lessee's generating costs for the first deduction period shall be based on estimated expenses (including overhead) for operating and maintaining the powerplant. For subsequent deduction periods, the generating costs shall be estimated based on the lessee's actual operating and maintenance expenses for the previous period adjusted for decreases or increases that the lessee knows will affect the deduction in the current period.
- (c) Under no circumstances shall the generating deduction plus the transmission deduction determined pursuant to §206.353 of this subpart reduce the royalty value of the geothermal resource to zero.
- (d)(1) If the actual generating deduction determined at the end of the annual reporting period is less than the amount the lessee estimated and used in the netback procedure during the reporting period, the lessee shall be required to pay additional royalties retroactive to the first month of the reporting period, plus interest computed pursuant to 30 CFR 218.302. If the actual generating deduction is greater than the amount applied in the netback calculation, the lessee shall be entitled to a credit.
- (2) Lessees must submit corrected Forms MMS-2014 to reflect adjustments to royalty payments in accordance with MMS instructions.
- (e)(1) All generating deductions are subject to review, audit, and adjustment. When necessary or appropriate, MMS may direct a lessee to modify its estimated or actual generating deduc-

tion and adjust royalty values accord-

ingly.

(2) Pursuant to subpart H of 30 CFR part 212, the lessee must maintain all data and records supporting its generating deduction. These data and records must be made available to MMS and other authorized personnel upon request, and shall be maintained in a confidential manner in accordance with applicable laws and regulations pursuant to §206.352 of this subpart.

(f) A one-time refund of royalties equal to the royalty amount of actual dismantlement costs attributable to the powerplant that are in excess of actual income attributable to the salvage of the powerplant will be allowed at the completion of the dismantlement and salvage operations.

# § 206.355 Valuation standards for direct utilization.

- (a) The value of geothermal resources produced for leases subject to this subpart and used in direct utilization processes shall be determined pursuant to this section.
- (b)(1)(i) The value of geothermal resources that are sold pursuant to an arm's-length contract shall be the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(1)(ii) and (b)(1)(iii) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value that the lessee reports for royalty purposes is subject to monitoring, review, and audit.
- (ii) In conducting these reviews and audits, MMS will examine whether or not the contract reflects the total consideration actually transferred either directly or indirectly from the buyer to the seller for the geothermal resource. If the contract does not reflect the total consideration, MMS may require that the geothermal resource sold pursuant to that contract be valued in accordance with paragraph (d) of this section. Value shall not be less than the gross proceeds accruing to the lessee, including any additional consideration received.
- (iii) If MMS determines that the gross proceeds accruing to the lessee pursuant to an arm's-length contract do not reflect the reasonable value of the geothermal resource because of

misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, MMS shall require the geothermal resource to be valued pursuant to paragraph (d) of this section and in accordance with the notification requirements of paragraph (e) of this section. When MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's value.

(2) The MMS may require a lessee to certify that its arm's-length contract provisions include all of the consideration to be paid by the buyer, either directly or indirectly, for the geothermal resource.

(c)(1) The value of geothermal resources subject to this section that are sold under a non-arm's-length contract shall be determined in accordance with the first applicable of the following paragraphs:

(i) The gross proceeds accruing to the lessee pursuant to a sale under its nonarm's-length contract provided that those gross proceeds are not less than the gross proceeds derived from or paid under the lowest-priced available comparable arm's-length contract for sales of geothermal resources to the lesseeaffiliate's same direct utilization facility (the "minimun value"). If the gross proceeds under the lessee's non-arm'slength contract are less than the "minimum value" under available parable arm's-length contracts, or if there are no available comparable arm's-length contracts, value will be determined by the weighted average of the gross proceeds established under arm's-length contracts for the sale of significant quantities of geothermal resources to the same direct utilization facility. Available contracts will mean contracts in the possession of the lessee, the lessee's affiliate, or MMS. In evaluating the comparability of arm'slength contracts for the purposes of these regulations, the following factors shall be considered: Time of execution, duration, terms, quality of the geothermal resource, volume, dedication to the same direct utilization facility, and other factors that may be appropriate to reflect the value of the resource;

(ii) The equivalent value of the least expensive, reasonable alternative energy source (fuel). The equivalent value of the least expensive, reasonable alternative energy source shall be based on the amount of thermal energy that would otherwise be used by the direct utilization process in place of the geothermal resource. That amount of thermal energy (in Btu's) displaced by the geothermal resource shall be determined by the equation

thermal energy displaced =

$$\frac{\left(h_{in} - h_{out}\right) \times density \times 0.133681 \times volume}{efficiency factor}$$

where h<sub>in</sub> is the enthalpy in Btu's/lb at the utilization facility inlet (based on measured inlet temperature), hout is the enthalpy in Btu's/lb at the facility outlet (based on measured outlet temperature), density is in lbs/cu ft based on inlet temperature, the factor 0.133681 (cu ft/gal) converts gallons to cubic feet, and volume is the quantity of geothermal fluid in gallons produced at the wellhead or measured at an approved point. The efficiency of the alternative energy source shall be 0.7 for coal and 0.8 for oil, natural gas, and other fuels derived from oil and natural gas, or an efficiency factor proposed by the lessee and approved by MMS. The methods of measuring resource parameters (temperature, volume, etc.) and the frequency of computing and accumulating the amount of thermal energy displaced shall be determined and approved by BLM; or

(iii) A value determined by any other reasonable valuation method approved by MMS.

(2) Valuations made pursuant to this paragraph are subject to the notification requirements of paragraph (e) of this section.

(d)(1) The value of geothermal resources subject to this section that are not subject to a sales transaction but are instead used by the lessee in its own direct utilization facility ("no sales" geothermal resources) shall be determined in accordance with the first applicable of the following paragraphs:

(i) The weighted average of the gross proceeds established in arm's-length contracts for the purchase of significant quantities of geothermal resources to operate the lessee's same direct utilization facility. In evaluating the acceptability of arm's-length contracts, the following factors shall be considered: Time of execution, duration, terms, volume, quality of resource, and such other factors as may be appropriate to reflect the value of the resource:

(ii) The equivalent value of the least expensive, reasonable alternative energy source (fuel). The equivalent value of the least expensive, reasonable alternative energy source shall be based on the amount of thermal energy that would otherwise be used by the direct utilization process in place of the geothermal resource. That amount of thermal energy (in Btu's) displaced by the geothermal resource shall be determined by the equation

thermal energy displaced =

$$\frac{\left(h_{in} - h_{out}\right) \times density \times 0.133681 \times volume}{efficiency factor}$$

where h<sub>in</sub> is the enthalpy in Btu's/lb at the utilization facility inlet (based on measured inlet temperature), hout is the enthalpy in Btu's/lb at the facility outlet (based on measured outlet temperature), density is in lbs/cu ft based on inlet temperature, the factor 0.133681 (cu ft/gal) converts gallons to cubic feet, and volume is the quantity of geothermal fluid in gallons produced at the wellhead or measured at an approved point. The efficiency of the alternative energy source shall be 0.7 for coal and 0.8 for oil, natural gas, and other fuels derived from oil and natural gas, or an efficiency factor proposed by the lessee and approved by MMS. The methods of measuring resource parameters (temperature, volume, etc.) and the frequency of computing and accumulating the amount of thermal energy displaced shall be determined and approved by BLM; or

(iii) A value determined by any other reasonable valuation method approved by MMS

(2) Valuations made pursuant to this paragraph are subject to the notification requirements of paragraph (e) of this section.

- (e)(1) Pursuant to subpart H of 30 CFR part 212, the lessee shall retain all data relevant to the determination of royalty value, particularly where the value is determined pursuant to paragraph (c) or (d) of this section. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.
- (2) Upon request, lessees shall make available to authorized MMS representatives or to other authorized persons any and all contracts for the sale or other disposition of the lease production, and any arm's-length sales and other data for like-quality production sold, purchased, or otherwise obtained by the lessee from the field as may be necessary to support a value determination.
- (3) A lessee shall notify MMS if it has determined value pursuant to paragraph (c) or (d) of this section. The notification shall be by letter to the MMS Associate Director for Minerals Revenue Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this paragraph is a one-time notification due no later than the end of the month following the month the lessee first reports royalties on a Form MMS-2014 using a valuation method authorized by paragraph (c) or (d) of this sec-
- (f) If MMS determines that a lessee has not properly determined value, the lessee shall pay the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also pay interest on that difference computed pursuant to 30 CFR 218.302. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.
- (g) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method and may use that method in determining value, for royalty purposes, until MMS issues its decision. The lessee shall submit all

available data relevant to its proposal. The MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. In making a value determination, MMS may use any of the valuation criteria consistent with this subpart. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make adjustments in accordance with paragraph (f) of this section.

(h) Notwithstanding any other provision of this section, under no circumstances shall the value of production, for royalty purposes, be less than the gross proceeds accruing to the lessee where geothermal energy is di-

rectly sold.

(i) The lessee is required to place geothermal resources in marketable condition and to deliver geothermal resources to the direct utilization facility at no cost to the Federal lessor. Where the value established pursuant to this section is determined by a lessee's gross proceeds, that value shall be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services the cost of which ordinarily is the responsibility of the lessee to place the geothermal resource in marketable condition or to deliver it to the direct utilization facil-

(j) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails to take proper or timely action to receive prices or benefits to which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to the contract. If the lessee makes timely application for a price increase or benefit allowed under its contract but the purchaser refuses and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee shall owe no additional royalties unless or until monies or consideration resulting from the price increase or additional benefits are received. This paragraph shall

not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of geothermal resources.

(k) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding against the Federal Government or its beneficiaries until the

audit period is formally closed.

(l) Certain information submitted to MMS to support value determinations is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 552, or other Federal law. Any data specified by law to be privileged, confidential, or otherwise exempt will be maintained in a confidential manner in accordance with applicable laws and regulations. All requests for information about determinations made under this subpart are to be submitted in accordance with the Freedom of Information Act regulation of the Department, 43 CFR part 2.

[56 FR 57276, Nov. 8, 1991; 57 FR 12376, Apr. 9,

#### §206.356 Valuation standards for byproducts.

(a) The value of geothermal byprodincluding commercially ucts. demineralized water, shall be determined pursuant to this section, less applicable byproducts transportation allowances determined pursuant §§ 206.357 and 206.358 of this subpart.

(b)(1)(i) The value of byproducts that are sold pursuant to an arm's-length contract shall be the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(1)(ii) and (b)(1)(iii) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value that the lessee reports for royalty purposes is subject to monitoring, review, and

audit.

(ii) In conducting reviews and audits, MMS will examine whether the contract reflects the total consideration actually transferred, either directly or indirectly, from the buyer to the seller for the byproducts. If the contract does not reflect the total consideration, MMS may require that the byproducts sold pursuant to that contract be valued in accordance with paragraph (c) of this section. Value may not be less than the gross proceeds accruing to the lessee, including any additional consideration received.

- (iii) If MMS determines that the gross proceeds accruing to the lessee pursuant to an arm's-length contract do not reflect the reasonable value of the production because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, MMS shall require that the byproduct production be valued pursuant to paragraph (c) of this section and in accordance with the notification requirements of paragraph (d) of this section. If MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's reported byproduct value.
- (2) The MMS may require a lessee to certify that the provisions in its arm's-length contract include all of the consideration to be paid by the buyer, either directly or indirectly, for the by-product.
- (c) The value of byproducts that are sold pursuant to a non-arm's-length contract or that are utilized by the lessee (no sales), except demineralized water used for the benefit of the lease pursuant to paragraph (b)(2) of §202.351 of this subpart, shall be determined in accordance with the first applicable of the following paragraphs:
- (1) The gross proceeds accruing to the lessee pursuant to a sale under its non arm's-length contract (or other disposition by other than an arm's-length contract), provided that those gross proceeds are not less than the gross proceeds derived from or paid under the lowest-priced available comparable arm's-length contract for sales, purchases, or other dispositions of likequality byproducts in the field or, if necessary to obtain a representative sample, from the same area (the "minimum value"). If the gross proceeds under the lessee's non-arm's-length contract are less than the "minimum

value" under available comparable arms length contracts, or if there are no available comparable arm's-length contracts, value will be determined by the weighted average of the gross proceeds established under arm's-length contracts for the sale of like-quality products in the field or, if necessary to obtain a representative sample, from the same area. Available contracts will mean contracts in the possession of the lessee, the lessee's affiliate, or MMS. In evaluating the comparability of arm'slength contracts for the purposes of these regulations, the following factors shall be considered: Field or area, price, time of execution, duration, terms, quality of the byproduct, volume, market or markets served, and other factors that may be appropriate to reflect the value of the byproduct;

- (2) Other relevant matters including, but not limited to, published or publicly available spot-market prices, or information submitted by the lessee concerning circumstances unique to a particular lease operation or the saleability of certain byproducts; or
- (3) A netback method or any other reasonable method used to determine value.
- (d)(1) Pursuant to subpart H of 30 CFR part 212, the lessee shall retain all data relevant to the determination of royalty value, particularly where the value is determined pursuant to paragraph (c) of this section. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.
- (2) Upon request, lessees shall make available to authorized MMS representatives or to other authorized persons any and all contracts and/or invoices for the sale or other disposition of the byproducts, and any arm's-length sales and other data for like-quality production sold, purchased, or otherwise obtained by the lessee from the field or other area as may be necessary to support a value determination.
- (3) A lessee shall notify MMS if it has determined value pursuant to paragraph (c) of this section. The notification shall be by letter to the MMS Associate Director for Minerals Revenue

Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this paragraph is a one-time notification due no later than the end of the month following the month the lessee first reports royalties on a Form MMS-2014 using a valuation method authorized by paragraph (c) of this section, and each time there is a change in a method under paragraph (c) of this section.

(e) If MMS determines that a lessee has not properly determined value, the lessee shall pay the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also pay interest on that difference computed pursuant to 30 CFR 218.302. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.

(f) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a value determination method and may use that method in determining value, for royalty purposes, until MMS issues its decision. The lessee shall submit all available data relevant to its proposal. The MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. In making a value determination, MMS may use any of the valuation criteria consistent with this subpart. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (e) of this section.

(g) Notwithstanding any other provisions of the section, under no circumstances shall the value of byproducts for royalty purposes be less than the gross proceeds accruing to the less ee, less applicable byproduct transportation allowances determined pursuant to §§ 206.357 and 206.358 of this subpart.

(h) The lessee is required to place the byproducts in marketable condition at no cost to the Federal Government. Where the value established pursuant to this section is determined by a lessee's gross proceeds, that value shall be increased to the extent that the gross proceeds have been reduced because the purchaser, or any other person, is providing certain services the cost of which ordinarily is the responsibility of the lessee to place the byproducts in marketable condition.

(i) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails to take proper or timely action to receive prices or benefits to which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to the contract, and may be retroactively applied to value byproducts, for royalty purposes, for a period not to exceed 2 years, unless MMS approves a longer period. If the lessee makes timely application for a price increase allowed under its contract but the purchaser refuses and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional royalties unless or until monies or consideration resulting from the price increase are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of byproducts.

(j) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding against the Federal Government or its beneficiaries until the audit period is formally closed.

(k) Certain information submitted to MMS to support valuation proposals, including byproduct transportation allowances pursuant to §§ 206.357 and 206.358 of this subpart, is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 552. Any data specified by the act to be privileged, confidential, or otherwise exempt shall be maintained in a confidential manner in accordance with applicable laws and

regulations. All requests for information about determinations made under this subpart are to be submitted in accordance with the Freedom of Information Act regulation of the Department, 43 CFR part 2.

## § 206.357 Byproduct transportation allowances—general.

- (a) Where the value of byproducts has been determined at a point off the geothermal lease, unit, or participating area, MMS shall allow a deduction in determining value, for royalty purposes, for the lessee's reasonable, actual costs incurred to:
- (1) Transport the byproducts from a Federal lease, unit, or participating area to a sales point or point of delivery that is off the lease, unit, or participating area; or
- (2) Transport the byproducts from a Federal lease, unit, or participating area, or from a geothermal utilization facility to a byproduct recovery facility when that byproduct recovery facility is off the lease, unit, or participating area and, if applicable, from the recovery facility to a sales point or point of delivery off the lease, unit, or participating area. Costs for transporting geothermal fluids from the lease to the geothermal utilization facility, whether on or off the lease, shall not be included in the transportation allowance.
- (b) Under no circumstances shall the byproduct transportation allowance authorized by paragraph (a) of this section reduce the value of the byproducts under any selling arrangement to zero.
- (c)(1) When byproducts are transported from a lease, unit, participating area, or geothermal utilization facility to a byproduct recovery facility, the lessee is not required to allocate transportation costs between the quantity of marketable byproducts and the rejected waste material. The byproduct transportation allowance shall be authorized for the total production that is transported. Byproduct transportation allowances shall be expressed as a cost per unit of marketable byproducts transported.
- (2) For byproducts that are extracted on the lease, unit, or participating area, or at the geothermal utilization facility, the byproduct transportation

- allowance shall be authorized for the total production that is transported to a point of sale off the lease, unit, or participating area. Byproduct transportation allowances shall be expressed as a cost per unit of byproduct transported.
- (3) Transportation costs shall be authorized as allowances only when the transported byproduct is sold, delivered, or otherwise utilized by the lessee and royalties are reported and paid.
- (d) Byproduct transportation allowances are subject to monitoring, review, and audit. If, after a review and/or audit, MMS determines that a lessee has improperly determined a byproduct transportation allowance authorized by this section, then the lessee shall pay any additional royalties plus interest determined in accordance with 30 CFR 218.302, or shall be entitled to a credit without interest.
- (e) If byproducts produced from Federal and non-Federal leases are commingled for transportation, lessees shall not disproportionately allocate transportation costs to Federal lease production.
- (f) Upon request, the lessee shall make available to authorized MMS representatives or to other authorized persons all transportation contracts and all other information as may be necessary to support a byproduct transportation allowance.
- (g) Byproduct transportation allowances are to be reported as separate lines on Form MMS-2014.

# § 206.358 Determination of byproduct transportation allowances.

(a) Arm's-length contracts. (1) For transportation costs incurred by a lessee pursuant to an arm's-length contract, the transportation allowance shall be the reasonable, actual costs incurred by the lessee for transporting the byproducts under that contract, subject to monitoring, review, audit, and possible future adjustments. The MMS's prior approval is not required before a lessee may deduct costs incurred under an arm's-length transportation contract.

- (2) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the transporter for the transportation. If the contract reflects more than the total consideration paid, MMS may require that the byproduct transportation allowance be determined in accordance with paragraph (b) of this section.
- (3) If MMS determines that the consideration paid pursuant to an arm'slength byproduct transportation contract does not reflect the reasonable value of the transportation because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, MMS shall require that the byproduct transportation allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the transportation may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's transportation costs.
- (4) Where the lessee's payments for transportation under an arm's-length contract are not established on a dollars-per-unit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length transportation contract or has no contract, including those situations where the lessee performs transportation services for itself, the byproduct transportation allowance shall be based upon the lessee's reasonable actual costs. All byproduct transportation allowances deducted under a non-arm'slength or no-contract situation are subject to monitoring, review, audit, and possible future adjustment. Prior MMS approval of byproduct transportation allowances is not required for non-arm's-length or no-contract situations.
- (2) The byproduct transportation allowance for non-arm's-length or no-contract situations shall be based upon

- the lessee's actual costs for transportation during the reporting period, including operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the capital investment in the transportation system multiplied by the rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those for depreciable assets, including costs of delivery and installation of capital equipment, that are an integral part of the transportation system. A return on capital invested in the purchase of real estate to locate the byproduct transportation facilities may be allowed provided that the lessee demonstrates the necessity for such purchase, the purchased land is not on a Federal geothermal lease, and MMS approves the deduction; the rate of return shall be the same rate determined in paragraph (b)(2)(v) of this section.
- (i) Allowable operating expenses include operations supervision and engineering, operations labor, fuel, utilities, materials, ad valorem property taxes, rent, supplies, and any other allocable and attributable operating expenses that the lessee can document.
- (ii) Allowable maintenance expenses include maintenance of the transportation system, maintenance of equipment, maintenance labor, and other directly allocable and attributable maintenance expenses that the lessee can document.
- (iii) Overhead attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (iv) To compute costs associated with capital investment, a lessee may use either paragraph (b)(2)(iv)(A) or (b)(2)(iv)(B) of this section. After a lessee has elected to use either method for a transportation system, the lessee may not later elect to change to the other alternative without MMS approval.

(A) To compute depreciation, the lessee must use a straight-line depreciation method based on, as appropriate, either the life of equipment or the life of the geothermal project that the transportation system services. After an election is made, the lessee may not change methods. A change in ownership of a transportation system shall not alter the depreciation schedule established by the original transporter/ lessee for purposes of the allowance calculation. With or without a change in ownership, a transportation system shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value. The rate of return used to compute the return on undepreciated capital investment shall be determined pursuant to paragraph (b)(2)(v) of this section.

(B) To compute a return on capital investment, the allowed cost shall be the amount equal to the allowable capital investment in the transportation system multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation.

(v) The rate of return shall be Standard and Poor's industrial BBB bond rate. The rate of return shall be the monthly average rate as published in Standard and Poor's Bond Guide for the first month of the annual reporting period for which the allowance is applicable and shall be effective during the reporting period. The rate shall be redetermined at the beginning of each subsequent transportation allowance reporting period.

#### Subpart I—OCS Sulfur [Reserved]

#### Subpart J—Indian Coal

SOURCE: 61 FR 5481, Feb. 12, 1996, unless otherwise noted.

#### $\S 206.450$ Purpose and scope.

(a) This subpart prescribes the procedures to establish the value, for royalty purposes, of all coal from Indian Tribal and allotted leases (except leases on the Osage Indian Reservation, Osage County, Oklahoma).

(b) If the specific provisions of any statute, treaty, or settlement agreement between the Indian lessor and a lessee resulting from administrative or judicial litigation, or any coal lease subject to the requirements of this subpart, are inconsistent with any regulation in this subpart, then the statute, treaty, lease provision, or settlement shall govern to the extent of that inconsistency.

(c) All royalty payments are subject to later audit and adjustment.

(d) The regulations in this subpart are intended to ensure that the trust responsibilities of the United States with respect to the administration of Indian coal leases are discharged in accordance with the requirements of the governing mineral leasing laws, treaties, and lease terms.

#### § 206.451 Definitions.

Ad valorem lease means a lease where the royalty due to the lessor is based upon a percentage of the amount or value of the coal.

Allowance means an approved, or an MMS-initially accepted deduction in determining value for royalty purposes. Coal washing allowance means an allowance for the reasonable, actual costs incurred by the lessee for coal washing, or an approved or MMS-initially accepted deduction for the costs of washing coal, determined pursuant to this subpart. Transportation allowance means an allowance for the reasonable, actual costs incurred by the lessee for moving coal to a point of sale or point of delivery remote from both the lease and mine or wash plant, or an approved MMS-initially accepted deduction for costs of such transportation, determined pursuant to this subpart.

Area means a geographic region in which coal has similar quality and economic characteristics. Area boundaries are not officially designated and the areas are not necessarily named.

Arm's-length contract means a contract or agreement that has been arrived at in the marketplace between independent, nonaffiliated persons with opposing economic interests regarding that contract. For purposes of this subpart, two persons are affiliated if one person controls, is controlled by, or is under common control with another person. For purposes of this subpart, based on the instruments of ownership

of the voting securities of an entity, or based on other forms of ownership: ownership in excess of 50 percent constitutes control; ownership of 10 through 50 percent creates a presumption of control; and ownership of less than 10 percent creates a presumption of noncontrol which MMS may rebut if it demonstrates actual or legal control, including the existence of interlocking Notwithstanding directorates. other provisions of this subpart, contracts between relatives, either by blood or by marriage, are not arm'slength contracts. MMS may require the lessee to certify ownership control. To be considered arm's-length for any production month, a contract must meet the requirements of this definition for that production month, as well as when the contract was executed.

Audit means a review, conducted in accordance with generally accepted accounting and auditing standards, of royalty payment compliance activities of lessees or other interest holders who pay royalties, rents, or bonuses on Indian leases.

BIA means the Bureau of Indian Affairs of the Department of the Interior. BLM means the Bureau of Land Management of the Department of the Interior.

Coal means coal of all ranks from lignite through anthracite.

Coal washing means any treatment to remove impurities from coal. Coal washing may include, but is not limited to, operations such as flotation, air, water, or heavy media separation; drying; and related handling (or combination thereof).

Contract means any oral or written agreement, including amendments or revisions thereto, between two or more persons and enforceable by law that with due consideration creates an obligation.

Gross proceeds (for royalty payment purposes) means the total monies and other consideration accruing to a coal lessee for the production and disposition of the coal produced. Gross proceeds includes, but is not limited to, payments to the lessee for certain services such as crushing, sizing, screening, storing, mixing, loading, treatment with substances including chemicals or oils, and other preparation of the coal

to the extent that the lessee is obligated to perform them at no cost to the Indian lessor. Gross proceeds, as applied to coal, also includes but is not limited to reimbursements for royalties, taxes or fees, and other reimbursements. Tax reimbursements are part of the gross proceeds accruing to a lessee even though the Indian royalty interest may be exempt from taxation. Monies and other consideration, including the forms of consideration identified in this paragraph, to which a lessee is contractually or legally entitled but which it does not seek to collect through reasonable efforts are also part of gross proceeds.

Indian allottee means any Indian for whom land or an interest in land is held in trust by the United States or who holds title subject to Federal restriction against alienation.

Indian Tribe means any Indian Tribe, band, nation, pueblo, community, rancheria, colony, or other group of Indians for which any land or interest in land is held in trust by the United States or which is subject to Federal restriction against alienation.

Lease means any contract, profitshare arrangement, joint venture, or other agreement issued or approved by the United States for an Indian coal resource under a mineral leasing law that authorizes exploration for, development or extraction of, or removal of coal—or the land covered by that authorization, whichever is required by the context.

Lessee means any person to whom the Indian Tribe or an Indian allottee issues a lease, and any person who has been assigned an obligation to make royalty or other payments required by the lease. This includes any person who has an interest in a lease as well as an operator or payor who has no interest in the lease but who has assumed the royalty payment responsibility.

*Like-quality coal* means coal that has similar chemical and physical characteristics.

Marketable condition means coal that is sufficiently free from impurities and otherwise in a condition that it will be accepted by a purchaser under a sales contract typical for that area.

Mine means an underground or surface excavation or series of excavations

and the surface or underground support facilities that contribute directly or indirectly to mining, production, preparation, and handling of lease products.

MMS means the Minerals Management Service of the Department of the Interior.

Net-back method means a method for calculating market value of coal at the lease or mine. Under this method, costs of transportation, washing, handling, etc., are deducted from the ultimate proceeds received for the coal at the first point at which reasonable values for the coal may be determined by a sale pursuant to an arm's-length contract or by comparison to other sales of coal, to ascertain value at the mine.

*Net output* means the quantity of washed coal that a washing plant produces.

*Person* means by individual, firm, corporation, association, partnership, consortium, or joint venture.

Selling arrangement means the individual contractual arrangements under which sales or dispositions of coal are made to a purchaser.

Spot market price means the price received under any sales transaction when planned or actual deliveries span a short period of time, usually not exceeding one year.

 $[61\ FR\ 5481,\ Feb.\ 12,\ 1996,\ as\ amended\ at\ 64\ FR\ 43289,\ Aug.\ 10,\ 1999]$ 

### § 206.452 Coal subject to royalties—general provisions.

(a) All coal (except coal unavoidably lost as determined by BLM pursuant to 43 CFR group 3400) from an Indian lease subject to this part is subject to royalty. This includes coal used, sold, or otherwise disposed of by the lessee on or off the lease.

(b) If a lessee receives compensation for unavoidably lost coal through insurance coverage or other arrangements, royalties at the rate specified in the lease are to be paid on the amount of compensation received for the coal. No royalty is due on insurance compensation received by the lessee for other losses.

(c) If waste piles or slurry ponds are reworked to recover coal, the lessee shall pay royalty at the rate specified in the lease at the time the recovered coal is used, sold, or otherwise finally

disposed of. The royalty rate shall be that rate applicable to the production method used to initially mine coal in the waste pile or slurry pond; i.e., underground mining method or surface mining method. Coal in waste pits or slurry ponds initially mined from Indian leases shall be allocated to such leases regardless of whether it is stored on Indian lands. The lessee shall maintain accurate records to determine to which individual Indian lease coal in the waste pit or slurry pond should be allocated. However, nothing in this section requires payment of a royalty on coal for which a royalty has already been paid.

#### § 206.453 Quality and quantity measurement standards for reporting and paying royalties.

For all leases subject to this subpart, the quantity of coal on which royalty is due shall be measured in short tons (of 2,000 pounds each) by methods prescribed by the BLM. Coal quantity information shall be reported on appropriate forms required under 30 CFR part 216 and on the Solid Minerals Production and Royalty Report, Form MMS-4430, as required under 30 CFR part 210.

[61 FR 5481, Feb. 12, 1996, as amended at 66 FR 45769, Aug. 30, 2001]

### § 206.454 Point of royalty determination.

(a) For all leases subject to this subpart, royalty shall be computed on the basis of the quantity and quality of Indian coal in marketable condition measured at the point of royalty measurement as determined jointly by BLM and MMS.

(b) Coal produced and added to stockpiles or inventory does not require payment of royalty until such coal is later used, sold, or otherwise finally disposed of. MMS may ask BLM or BIA to increase the lease bond to protect the lessor's interest when BLM determines that stockpiles or inventory become excessive so as to increase the risk of degradation of the resource.

(c) The lessee shall pay royalty at a rate specified in the lease at the time the coal is used, sold, or otherwise finally disposed of, unless otherwise provided for at §206.455(d) of this subpart.

### § 206.455 Valuation standards for cents-per-ton leases.

- (a) This section is applicable to coal leases on Indian Tribal and allotted Indian lands (except leases on the Osage Indian Reservation, Osage County, Oklahoma) which provide for the determination of royalty on a cents-per-ton (or other quantity) basis.
- (b) The royalty for coal from leases subject to this section shall be based on the dollar rate per ton prescribed in the lease. That dollar rate shall be applicable to the actual quantity of coal used, sold, or otherwise finally disposed of, including coal which is avoidably lost as determined by BLM pursuant to 43 CFR part 3400.
- (c) For leases subject to this section, there shall be no allowances for transportation, removal of impurities, coal washing, or any other processing or preparation of the coal.
- (d) When a coal lease is readjusted pursuant to 43 CFR part 3400 and the royalty valuation method changes from a cents-per-ton basis to an ad valorem basis, coal which is produced prior to the effective date of readjustment and sold or used within 30 days of the effective date of readjustment shall be valued pursuant to this section. All coal that is not used, sold, or otherwise finally disposed of within 30 days after the effective date of readjustment shall be valued pursuant to the provisions of §206.456 of this subpart, and royalties shall be paid at the royalty rate specified in the readjusted lease.

### § 206.456 Valuation standards for ad valorem leases.

(a) This section is applicable to coal leases on Indian Tribal and allotted Indian lands (except leases on the Osage Indian Reservation, Osage County, Oklahoma) which provide for the determination of royalty as a percentage of the amount of value of coal (ad valorem). The value for royalty purposes of coal from such leases shall be the value of coal determined pursuant to this section, less applicable coal washing allowances and transportation allowances determined pursuant to §§ 206.461 of this subpart, or any allowance authorized by § 206.464 of this subpart. The royalty due shall be equal

to the value for royalty purposes multiplied by the royalty rate in the lease.

- (b)(1) The value of coal that is sold pursuant to an arm's-length contract shall be the gross proceeds accruing to the lessee, except as provided in paragraphs (b)(2), (b)(3), and (b)(5) of this section. The lessee shall have the burden of demonstrating that its contract is arm's-length. The value which the lessee reports, for royalty purposes, is subject to monitoring, review, and audit.
- (2) In conducting reviews and audits, MMS will examine whether the contract reflects the total consideration actually transferred either directly or indirectly from the buyer to the seller for the coal produced. If the contract does not reflect the total consideration, then MMS may require that the coal sold pursuant to that contract be valued in accordance with paragraph (c) of this section. Value may not be based on less than the gross proceeds accruing to the lessee for the coal production, including the additional consideration.
- (3) If MMS determines that the gross proceeds accruing to the lessee pursuant to an arm's-length contract do not reflect the reasonable value of the production because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the coal production be valued pursuant to paragraphs (c)(2)(ii), (c)(2)(iii), (c)(2)(iv), or (c)(2)(v)of this section, and in accordance with the notification requirements of paragraph (d)(3) of this section. When MMS determines that the value may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's reported coal value.
- (4) MMS may require a lessee to certify that its arm's-length contract provisions include all of the consideration to be paid by the buyer, either directly or indirectly, for the coal production.
- (5) The value of production for royalty purposes shall not include payments received by the lessee pursuant to a contract which the lessee demonstrates, to MMS' satisfaction, were

not part of the total consideration paid for the purchase of coal production.

- (c)(1) The value of coal from leases subject to this section and which is not sold pursuant to an arm's-length contract shall be determined in accordance with this section.
- (2) If the value of the coal cannot be determined pursuant to paragraph (b) of this section, then the value shall be determined through application of other valuation criteria. The criteria shall be considered in the following order, and the value shall be based upon the first applicable criterion:
- (i) The gross proceeds accruing to the lessee pursuant to a sale under its nonarm's-length contract (or other disposition of produced coal by other than an arm's-length contract), provided that those gross proceeds are within the range of the gross proceeds derived from, or paid under, comparable arm'slength contracts between buyers and sellers neither of whom is affiliated with the lessee for sales, purchases, or other dispositions of like-quality coal produced in the area. In evaluating the comparability of arm's-length contracts for the purposes of these regulations, the following factors shall be considered: price, time of execution, duration, market or markets served, terms, quality of coal, quantity, and such other factors as may be appropriate to reflect the value of the coal;
- (ii) Prices reported for that coal to a public utility commission;
- (iii) Prices reported for that coal to the Energy Information Administration of the Department of Energy;
- (iv) Other relevant matters including, but not limited to, published or publicly available spot market prices, or information submitted by the lessee concerning circumstances unique to a particular lease operation or the salability of certain types of coal;
- (v) If a reasonable value cannot be determined using paragraphs (c)(2)(i), (c)(2)(ii), (c)(2)(iii), or (c)(2)(iv) of this section, then a net-back method or any other reasonable method shall be used to determine value.
- (3) When the value of coal is determined pursuant to paragraph (c)(2) of this section, that value determination shall be consistent with the provisions

contained in paragraph (b)(5) of this section.

- (d)(1) Where the value is determined pursuant to paragraph (c) of this section, that value does not require MMS' prior approval. However, the lessee shall retain all data relevant to the determination of royalty value. Such data shall be subject to review and audit, and MMS will direct a lessee to use a different value if it determines that the reported value is inconsistent with the requirements of these regulations.
- (2) An Indian lessee will make available upon request to the authorized MMS or Indian representatives, or to the Inspector General of the Department of the Interior or other persons authorized to receive such information, arm's-length sales and sales quantity data for like-quality coal sold, purchased, or otherwise obtained by the lessee from the area.
- (3) A lessee shall notify MMS if it has determined value pursuant to paragraphs (c)(2)(ii), (c)(2)(iii), (c)(2)(iv), or (c)(2)(v) of this section. The notification shall be by letter to the Associate Director for Minerals Revenue Management or his/her designee. The letter shall identify the valuation method to be used and contain a brief description of the procedure to be followed. The notification required by this section is a one-time notification due no later than the month the lessee first reports royalties on the Form MMS-4430 using a valuation method authorized by paragraphs (c)(2)(ii), (c)(2)(iii), (c)(2)(iv), or (c)(2)(v) of this section, and each time there is a change in a method under paragraphs (c)(2)(iv) or (c)(2)(v) of this section.
- (e) If MMS determines that a lessee has not properly determined value, the lessee shall be liable for the difference, if any, between royalty payments made based upon the value it has used and the royalty payments that are due based upon the value established by MMS. The lessee shall also be liable for interest computed pursuant to 30 CFR 218.202. If the lessee is entitled to a credit, MMS will provide instructions for the taking of that credit.
- (f) The lessee may request a value determination from MMS. In that event, the lessee shall propose to MMS a

value determination method, and may use that method in determining value for royalty purposes until MMS issues its decision. The lessee shall submit all available data relevant to its proposal. MMS shall expeditiously determine the value based upon the lessee's proposal and any additional information MMS deems necessary. That determination shall remain effective for the period stated therein. After MMS issues its determination, the lessee shall make the adjustments in accordance with paragraph (e) of this section.

(g) Notwithstanding any other provisions of this section, under no circumstances shall the value for royalty purposes be less than the gross proceeds accruing to the lessee for the disposition of produced coal less applicable provisions of paragraph (b)(5) of this section and less applicable allowances determined pursuant to §§ 206.457 through 206.461 and § 206.464 of this subnart

(h) The lessee is required to place coal in marketable condition at no cost to the Indian lessor. Where the value established pursuant to this section is determined by a lessee's gross proceeds, that value shall be increased to the extent that the gross proceeds has been reduced because the purchaser, or any other person, is providing certain services, the cost of which ordinarily is the responsibility of the lessee to place the coal in marketable condition.

(i) Value shall be based on the highest price a prudent lessee can receive through legally enforceable claims under its contract. Absent contract revision or amendment, if the lessee fails to take proper or timely action to receive prices or benefits to which it is entitled, it must pay royalty at a value based upon that obtainable price or benefit. Contract revisions or amendments shall be in writing and signed by all parties to an arm's-length contract, and may be retroactively applied to value for royalty purposes for a period not to exceed two years, unless MMS approves a longer period. If the lessee makes timely application for a price increase allowed under its contract but the purchaser refuses, and the lessee takes reasonable measures, which are documented, to force purchaser compliance, the lessee will owe no additional

royalties unless or until monies or consideration resulting from the price increase are received. This paragraph shall not be construed to permit a lessee to avoid its royalty payment obligation in situations where a purchaser fails to pay, in whole or in part or timely, for a quantity of coal.

(j) Notwithstanding any provision in these regulations to the contrary, no review, reconciliation, monitoring, or other like process that results in a redetermination by MMS of value under this section shall be considered final or binding as against the Indian Tribes or allottees until the audit period is formally closed.

(k) Certain information submitted to MMS to support valuation proposals, including transportation, coal washing, or other allowances pursuant to §§ 206.457 through 206.461 and § 206.464 of this subpart, is exempted from disclosure by the Freedom of Information Act, 5 U.S.C. 522. Any data specified by the Act to be privileged, confidential, or otherwise exempt shall be maintained in a confidential manner in accordance with applicable law and regulations. All requests for information about determinations made under this part are to be submitted in accordance with the Freedom of Information Act regulation of the Department of the Interior, 43 CFR part 2. Nothing in this section is intended to limit or diminish in any manner whatsoever the right of an Indian lessor to obtain any and all information as such lessor may be lawfully entitled from MMS or such lessor's lessee directly under the terms of the lease or applicable law.

[61 FR 5481, Feb. 12, 1996, as amended at 66 FR 45769, Aug. 30, 2001]

### § 206.457 Washing allowances—general.

(a) For ad valorem leases subject to §206.456 of this subpart, MMS shall, as authorized by this section, allow a deduction in determining value for royalty purposes for the reasonable, actual costs incurred to wash coal, unless the value determined pursuant to §206.456 of this subpart was based upon likequality unwashed coal. Under no circumstances will the authorized washing allowance and the transportation

allowance reduce the value for royalty purposes to zero.

- (b) If MMS determines that a lessee has improperly determined a washing allowance authorized by this section, then the lessee shall be liable for any additional royalties, plus interest determined in accordance with 30 CFR 218.202, or shall be entitled to a credit, without interest.
- (c) Lessees shall not disproportionately allocate washing costs to Indian leases.
- (d) No cost normally associated with mining operations and which are necessary for placing coal in marketable condition shall be allowed as a cost of washing.
- (e) Coal washing costs shall only be recognized as allowances when the washed coal is sold and royalties are reported and paid.

[61 FR 5481, Feb. 12, 1996, as amended at 64 FR 43289, Aug. 10, 1999]

### § 206.458 Determination of washing allowances.

(a) Arm's-length contracts. (1) For washing costs incurred by a lessee pursuant to an arm's-length contract, the washing allowance shall be the reasonable actual costs incurred by the lessee for washing the coal under that contract, subject to monitoring, review, audit, and possible future adjustment. MMS' prior approval is not required before a lessee may deduct costs incurred under an arm's-length contract. However, before any deduction may be taken, the lessee must submit a completed page one of Form MMS-4292, Coal Washing Allowance Report, in accordance with paragraph (c)(1) of this section. A washing allowance may be claimed retroactively for a period of not more than 3 months prior to the first day of the month that Form MMS-4292 is filed with MMS, unless MMS approves a longer period upon a showing of good cause by the lessee.

(2) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the washer for the washing. If the contract reflects more than the total consideration paid, then MMS may require that the washing allowance be deter-

mined in accordance with paragraph (b) of this section.

- (3) If MMS determines that the consideration paid pursuant to an arm'slength washing contract does not reflect the reasonable value of the washing because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the washing allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the washing may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's washing costs.
- (4) Where the lessee's payments for washing under an arm's-length contract are not based on a dollar-per-unit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent. Washing allowances shall be expressed as a cost per ton of coal washed.
- (b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length contract or has no contract, including those situations where the lessee performs washing for itself, the washing allowance will be based upon the lessee's reasonable actual costs. All washing allowances deducted under a nonarm's-length or no contract situation are subject to monitoring, review, audit, and possible future adjustment. Prior MMS approval of washing allowances is not required for non-arm'slength or no contract situations. However, before any estimated or actual deduction may be taken, the lessee must submit a completed Form MMS-4292 in accordance with paragraph (c)(2) of this section. A washing allowance may be claimed retroactively for a period of not more than 3 months prior to the first day of the month that Form MMS-4292 is filed with MMS, unless MMS approves a longer period upon a showing of good cause by the lessee. MMS will monitor the allowance deduction to ensure that deductions are reasonable and allowable. When necessary or appropriate, MMS may direct

a lessee to modify its actual washing allowance.

- (2) The washing allowance for nonarm's-length or no contract situations shall be based upon the lessee's actual costs for washing during the reported period, including operating and maintenance expenses, overhead, and either depreciation and a return undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the depreciable investment in the wash plant multiplied by the rate of return paragraph accordance with (b)(2)(iv)(B) of this section. Allowable capital costs are generally those for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the wash plant.
- (i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes; rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.
- (ii) Allowable maintenance expenses include: Maintenance of the wash plant; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document.
- (iii) Overhead attributable and allocable to the operation and maintenance of the wash plant is an allowable expense. State and Federal income taxes and severance taxes, including royalties, are not allowable expenses.
- (iv) A lessee may use either paragraph (b)(2)(iv)(A) or (b)(2)(iv)(B) of this section. After a lessee has elected to use either method for a wash plant, the lessee may not later elect to change to the other alternative without approval of MMS.
- (A) To compute depreciation, the lessee may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves which the wash plant services, whichever is appropriate, or a unit of production method. After an election is made, the lessee may not change methods without MMS approval. A change in ownership of a wash plant shall not

alter the depreciation schedule established by the original operator/lessee for purposes of the allowance calculation. With or without a change in ownership, a wash plant shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.

- (B) MMS shall allow as a cost an amount equal to the allowable capital investment in the wash plant multiplied by the rate of return determined pursuant to paragraph (b)(2)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to plants first placed in service or acquired after March 1, 1989.
- (v) The rate of return shall be the industrial rate associated with Standard and Poor's BBB rating. The rate of return shall be the monthly average rate as published in Standard and Poor's Bond Guide for the first month of the reporting period for which the allowance is applicable and shall be effective during the reporting period. The rate shall be redetermined at the beginning of each subsequent washing allowance reporting period (which is determined pursuant to paragraph (c)(2) of this section).
- (3) The washing allowance for coal shall be determined based on the lessee's reasonable and actual cost of washing the coal. The lessee may not take an allowance for the costs of washing lease production that is not royalty bearing.
- (c) Reporting requirements. (1) Arm's-length contracts. (i) With the exception of those washing allowances specified in paragraphs (c)(1)(v) and (c)(1)(vi) of this section, the lessee shall submit page one of the initial Form MMS-4292 prior to, or at the same time, as the washing allowance determined pursuant to an arm's-length contract is reported on Form MMS-4430, Solid Minerals Production and Royalty Report. A Form MMS-4292 received by the end of the month that the Form MMS-4430 is due shall be considered to be received timely.
- (ii) The initial Form MMS-4292 shall be effective for a reporting period beginning the month that the lessee is first authorized to deduct a washing allowance and shall continue until the end of the calendar year, or until the

applicable contract or rate terminates or is modified or amended, whichever is earlier.

- (iii) After the initial reporting period and for succeeding reporting periods, lessees must submit page one of Form MMS-4292 within 3 months after the end of the calendar year, or after the applicable contract or rate terminates or is modified or amended, whichever is earlier, unless MMS approves a longer period (during which period the lessee shall continue to use the allowance from the previous reporting period).
- (iv) MMS may require that a lessee submit arm's-length washing contracts and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (v) Washing allowances which are based on arm's-length contracts and which are in effect at the time these regulations become effective will be allowed to continue until such allowances terminate. For the purposes of this section, only those allowances that have been approved by MMS in writing shall qualify as being in effect at the time these regulations become effective.
- (vi) MMS may establish, in appropriate circumstances, reporting requirements that are different from the requirements of this section.
- (2) Non-arm's-length or no contract. (i) With the exception of those washing allowances specified in paragraphs (c)(2)(v) and (c)(2)(vii) of this section, the lessee shall submit an initial Form MMS-4292 prior to, or at the same time as, the washing allowance determined pursuant to a non-arm's-length contract or no contract situation is reported on Form MMS-4430, Solid Minerals Production and Royalty Report. A Form MMS-4292 received by the end of the month that the Form MMS-4430 is due shall be considered to be timely received. The initial reporting may be based on estimated costs.
- (ii) The initial Form MMS-4292 shall be effective for a reporting period beginning the month that the lessee first is authorized to deduct a washing allowance and shall continue until the end of the calendar year, or until the washing under the non-arm's-length contract or the no contract situation terminates, whichever is earlier.

- (iii) For calendar-year reporting periods succeeding the initial reporting period, the lessee shall submit a completed Form MMS-4292 containing the actual costs for the previous reporting period. If coal washing is continuing, the lessee shall include on Form MMS-4292 its estimated costs for the next calendar year. The estimated coal washing allowance shall be based on the actual costs for the previous period plus or minus any adjustments which are based on the lessee's knowledge of decreases or increases which will affect the allowance. Form MMS-4292 must be received by MMS within 3 months after the end of the previous reporting period, unless MMS approves a longer period (during which period the lessee shall continue to use the allowance from the previous reporting period).
- (iv) For new wash plants, the lessee's initial Form MMS-4292 shall include estimates of the allowable coal washing costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the plant, or if such data are not available, the lessee shall use estimates based upon industry data for similar coal wash plants.
- (v) Washing allowances based on nonarm's-length or no contract situations which are in effect at the time these regulations become effective will be allowed to continue until such allowances terminate. For the purposes of this section, only those allowances that have been approved by MMS in writing shall qualify as being in effect at the time these regulations become effective.
- (vi) Upon request by MMS, the lessee shall submit all data used by the lessee to prepare its Forms MMS-4292. The data shall be provided within a reasonable period of time, as determined by MMS.
- (vii) MMS may establish, in appropriate circumstances, reporting requirements which are different from the requirements of this section.
- (3) MMS may establish coal washing allowance reporting dates for individual leases different from those specified in this subpart in order to provide more effective administration. Lessees will be notified of any change in their reporting period.

- (4) Washing allowances must be reported as a separate line on the Form MMS-4430, unless MMS approves a different reporting procedure.
- (d) Interest assessments for incorrect or late reports and failure to report. (1) If a lessee deducts a washing allowance on its Form MMS-4430 without complying with the requirements of this section, the lessee shall be liable for interest on the amount of such deduction until the requirements of this section are complied with. The lessee also shall repay the amount of any allowance which is disallowed by this section.
- (2) If a lessee erroneously reports a washing allowance which results in an underpayment of royalties, interest shall be paid on the amount of that underpayment.
- (3) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.202.
- (e) Adjustments. (1) If the actual coal washing allowance is less than the amount the lessee has taken on Form MMS-4430 for each month during the allowance form reporting period, the lessee shall be required to pay additional royalties due plus interest computed pursuant to 30 CFR 218.202, retroactive to the first month the lessee is authorized to deduct a washing allowance. If the actual washing allowance is greater than the amount the lessee has estimated and taken during the reporting period, the lessee shall be entitled to a credit, without interest.
- (2) The lessee must submit a corrected Form MMS-4430 to reflect actual costs, together with any payment, in accordance with instructions provided by MMS.
- (f) Other washing cost determinations. The provisions of this section shall apply to determine washing costs when establishing value using a net-back valuation procedure or any other procedure that requires deduction of washing costs.

[61 FR 5481, Feb. 12, 1996, as amended at 66 FR 45769, Aug. 30, 2001]

#### § 206.459 Allocation of washed coal.

(a) When coal is subjected to washing, the washed coal must be allocated to the leases from which it was extracted.

- (b) When the net output of coal from a washing plant is derived from coal obtained from only one lease, the quantity of washed coal allocable to the lease will be based on the net output of the washing plant.
- (c) When the net output of coal from a washing plant is derived from coal obtained from more than one lease, unless determined otherwise by BLM, the quantity of net output of washed coal allocable to each lease will be based on the ratio of measured quantities of coal delivered to the washing plant and washed from each lease compared to the total measured quantities of coal delivered to the washing plant and washed.

### § 206.460 Transportation allowances—general.

- (a) For ad valorem leases subject to §206.456 of this subpart, where the value for royalty purposes has been determined at a point remote from the lease or mine, MMS shall, as authorized by this section, allow a deduction in determining value for royalty purposes for the reasonable, actual costs incurred to:
- (1) Transport the coal from an Indian lease to a sales point which is remote from both the lease and mine; or
- (2) Transport the coal from an Indian lease to a wash plant when that plant is remote from both the lease and mine and, if applicable, from the wash plant to a remote sales point. In-mine transportation costs shall not be included in the transportation allowance.
- (b) Under no circumstances will the authorized washing allowance and the transportation allowance reduce the value for royalty purposes to zero.
- (c)(1) When coal transported from a mine to a wash plant is eligible for a transportation allowance in accordance with this section, the lessee is not required to allocate transportation costs between the quantity of clean coal output and the rejected waste material. The transportation allowance shall be authorized for the total production which is transported. Transportation allowances shall be expressed as a cost per ton of cleaned coal transported.
- (2) For coal that is not washed at a wash plant, the transportation allowance shall be authorized for the total

production which is transported. Transportation allowances shall be expressed as a cost per ton of coal transported.

- (3) Transportation costs shall only be recognized as allowances when the transported coal is sold and royalties are reported and paid.
- (d) If, after a review and/or audit, MMS determines that a lessee has improperly determined a transportation allowance authorized by this section, then the lessee shall pay any additional royalties, plus interest, determined in accordance with 30 CFR 218.202, or shall be entitled to a credit, without interest.
- (e) Lessees shall not disproportionately allocate transportation costs to Indian leases.

[61 FR 5481, Feb. 12, 1996, as amended at 64 FR 43289, Aug. 10, 1999]

### § 206.461 Determination of transportation allowances.

- (a) Arm's-length contracts. (1) For transportation costs incurred by a lessee pursuant to an arm's-length contract, the transportation allowance shall be the reasonable, actual costs incurred by the lessee for transporting the coal under that contract, subject to monitoring, review, audit, and possible future adjustment. MMS' prior approval is not required before a lessee may deduct costs incurred under an arm's-length contract. However, before any deduction may be taken, the lessee must submit a completed page one of Form MMS-4293, Coal Transportation Allowance Report, in accordance with paragraph (c)(1) of this section. A transportation allowance may claimed retroactively for a period of not more than 3 months prior to the first day of the month that Form MMS-4293 is filed with MMS, unless MMS approves a longer period upon a showing of good cause by the lessee.
- (2) In conducting reviews and audits, MMS will examine whether the contract reflects more than the consideration actually transferred either directly or indirectly from the lessee to the transporter for the transportation. If the contract reflects more than the total consideration paid, then MMS may require that the transportation al-

lowance be determined in accordance with paragraph (b) of this section.

- (3) If MMS determines that the consideration paid pursuant to an arm'slength transportation contract does not reflect the reasonable value of the transportation because of misconduct by or between the contracting parties, or because the lessee otherwise has breached its duty to the lessor to market the production for the mutual benefit of the lessee and the lessor, then MMS shall require that the transportation allowance be determined in accordance with paragraph (b) of this section. When MMS determines that the value of the transportation may be unreasonable, MMS will notify the lessee and give the lessee an opportunity to provide written information justifying the lessee's transportation costs.
- (4) Where the lessee's payments for transportation under an arm's-length contract are not based on a dollar-perunit basis, the lessee shall convert whatever consideration is paid to a dollar value equivalent for the purposes of this section.
- (b) Non-arm's-length or no contract. (1) If a lessee has a non-arm's-length contract or has no contract, including those situations where the lessee performs transportation services for itself. the transportation allowance will be based upon the lessee's reasonable actual costs. All transportation allowances deducted under a non-arm's-length or no contract situation are subject to monitoring, review, audit, and possible future adjustment. Prior MMS approval of transportation allowances is not required for non-arm'slength or no contract situations. However, before any estimated or actual deduction may be taken, the lessee must submit a completed Form MMS-4293 in accordance with paragraph (c)(2) of this section. A transportation allowance may be claimed retroactively for a period of not more than 3 months prior to the first day of the month that Form MMS-4293 is filed with MMS, unless MMS approves a longer period upon a showing of good cause by the lessee. MMS will monitor the allowance deductions to ensure that deductions are reasonable and allowable. When necessary or appropriate, MMS

may direct a lessee to modify its estimated or actual transportation allowance deduction.

- (2) The transportation allowance for non-arm's-length or no contract situations shall be based upon the lessee's actual costs for transportation during the reporting period, including operating and maintenance expenses, overhead, and either depreciation and a return on undepreciated capital investment in accordance with paragraph (b)(2)(iv)(A) of this section, or a cost equal to the depreciable investment in the transportation system multiplied by the rate of return in accordance with paragraph (b)(2)(iv)(B) of this section. Allowable capital costs are generally those for depreciable fixed assets (including costs of delivery and installation of capital equipment) which are an integral part of the transportation
- (i) Allowable operating expenses include: Operations supervision and engineering; operations labor; fuel; utilities; materials; ad valorem property taxes; rent; supplies; and any other directly allocable and attributable operating expense which the lessee can document.
- (ii) Allowable maintenance expenses include: Maintenance of the transportation system; maintenance of equipment; maintenance labor; and other directly allocable and attributable maintenance expenses which the lessee can document
- (iii) Overhead attributable and allocable to the operation and maintenance of the transportation system is an allowable expense. State and Federal income taxes and severance taxes and other fees, including royalties, are not allowable expenses.
- (iv) A lessee may use either paragraph (b)(2)(iv)(A) or paragraph (b)(2)(iv)(B) of this section. After a lessee has elected to use either method for a transportation system, the lessee may not later elect to change to the other alternative without approval of MMS
- (A) To compute depreciation, the lessee may elect to use either a straight-line depreciation method based on the life of equipment or on the life of the reserves which the transportation system services, whichever is appropriate,

or a unit of production method. After an election is made, the lessee may not change methods without MMS approval. A change in ownership of a transportation system shall not alter the depreciation schedule established by the original transporter/lessee for purposes of the allowance calculation. With or without a change in ownership, a transportation system shall be depreciated only once. Equipment shall not be depreciated below a reasonable salvage value.

(B) MMS shall allow as a cost an amount equal to the allowable capital investment in the transportation system multiplied by the rate of return determined pursuant to paragraph (b)(2)(B)(v) of this section. No allowance shall be provided for depreciation. This alternative shall apply only to transportation facilities first placed in service or acquired after March 1, 1989.

- (v) The rate of return shall be the industrial rate associated with Standard and Poor's BBB rating. The rate of return shall be the monthly average as published in Standard and Poor's Bond Guide for the first month of the reporting period of which the allowance is applicable and shall be effective during the reporting period. The rate shall be redetermined at the beginning of each subsequent transportation allowance reporting period (which is determined pursuant to paragraph (c)(2) of this section).
- (3) A lessee may apply to MMS for exception from the requirement that it compute actual costs in accordance with paragraphs (b)(1) and (b)(2) of this section. MMS will grant the exception only if the lessee has a rate for the transportation approved by a Federal agency for Indian leases. MMS shall deny the exception request if it determines that the rate is excessive as compared to arm's-length transportation charges by systems, owned by the lessee or others, providing similar transportation services in that area. If there are no arm's-length transportation charges, MMS shall deny the exception request if:
- (i) No Federal regulatory agency cost analysis exists and the Federal regulatory agency has declined to investigate pursuant to MMS timely objections upon filing; and

- (ii) The rate significantly exceeds the lessee's actual costs for transportation as determined under this section.
- (c) Reporting requirements. (1) Arm's-length contracts. (i) With the exception of those transportation allowances specified in paragraphs (c)(1)(v) and (c)(1)(vi) of this section, the lessee shall submit page one of the initial Form MMS-4293 prior to, or at the same time as, the transportation allowance determined pursuant to an arm's-length contract is reported on Form MMS-4430, Solid Minerals Production and Royalty Report.
- (ii) The initial Form MMS-4293 shall be effective for a reporting period beginning the month that the lessee is first authorized to deduct a transportation allowance and shall continue until the end of the calendar year, or until the applicable contract or rate terminates or is modified or amended, whichever is earlier.
- (iii) After the initial reporting period and for succeeding reporting periods, lessees must submit page one of Form MMS-4293 within 3 months after the end of the calendar year, or after the applicable contract or rate terminates or is modified or amended, whichever is earlier, unless MMS approves a longer period (during which period the lessee shall continue to use the allowance from the previous reporting period). Lessees may request special reporting procedures in unique allowance reporting situations, such as those related to spot sales.
- (iv) MMS may require that a lessee submit arm's-length transportation contracts, production agreements, operating agreements, and related documents. Documents shall be submitted within a reasonable time, as determined by MMS.
- (v) Transportation allowances that are based on arm's-length contracts and which are in effect at the time these regulations become effective will be allowed to continue until such allowances terminate. For the purposes of this section, only those allowances that have been approved by MMS in writing shall qualify as being in effect at the time these regulations become effective.
- (vi) MMS may establish, in appropriate circumstances, reporting re-

- quirements that are different from the requirements of this section.
- (2) Non-arm's-length or no contract. (i) With the exception of those transportation allowances specified in paragraphs (c)(2)(v) and (c)(2)(vii) of this section, the lessee shall submit an initial Form MMS-4293 prior to, or at the same time as, the transportation allowance determined pursuant to a nonarm's-length contract or no contract situation is reported on Form MMS-4430, Solid Minerals Production and Royalty Report. The initial report may be based on estimated costs.
- (ii) The initial Form MMS-4293 shall be effective for a reporting period beginning the month that the lessee first is authorized to deduct a transportation allowance and shall continue until the end of the calendar year, or until the transportation under the nonarm's-length contract or the no contract situation terminates, whichever is earlier.
- (iii) For calendar-year reporting periods succeeding the initial reporting period, the lessee shall submit a completed Form MMS-4293 containing the actual costs for the previous reporting period. If the transportation is continuing, the lessee shall include on Form MMS-4293 its estimated costs for the next calendar year. The estimated transportation allowance shall be based on the actual costs for the previous reporting period plus or minus any adjustments that are based on the lessee's knowledge of decreases or increases that will affect the allowance. Form MMS-4293 must be received by MMS within 3 months after the end of the previous reporting period, unless MMS approves a longer period (during which period the lessee shall continue to use the allowance from the previous reporting period).
- (iv) For new transportation facilities or arrangements, the lessee's initial Form MMS-4293 shall include estimates of the allowable transportation costs for the applicable period. Cost estimates shall be based upon the most recently available operations data for the transportation system, or, if such data are not available, the lessee shall use estimates based upon industry data for similar transportation systems.

(v) Non-arm's-length contract or no contract-based transportation allowances that are in effect at the time these regulations become effective will be allowed to continue until such allowances terminate. For purposes of this section, only those allowances that have been approved by MMS in writing shall qualify as being in effect at the time these regulations become effective.

(vi) Upon request by MMS, the lessee shall submit all data used to prepare its Form MMS-4293. The data shall be provided within a reasonable period of time, as determined by MMS.

(vii) MMS may establish, in appropriate circumstances, reporting requirements that are different from the requirements of this section.

(viii) If the lessee is authorized to use its Federal-agency-approved rate as its transportation cost in accordance with paragraph (b)(3) of this section, it shall follow the reporting requirements of paragraph (c)(1) of this section.

(3) MMS may establish reporting dates for individual lessees different than those specified in this paragraph in order to provide more effective administration. Lessees will be notified as to any change in their reporting period.

(4) Transportation allowances must be reported as a separate line item on Form MMS-4430, unless MMS approves a different reporting procedure.

(d) Interest assessments for incorrect or late reports and failure to report. (1) If a lessee deducts a transportation allowance on its Form MMS-4430 without complying with the requirements of this section, the lessee shall be liable for interest on the amount of such deduction until the requirements of this section are complied with. The lessee also shall repay the amount of any allowance which is disallowed by this section.

(2) If a lessee erroneously reports a transportation allowance which results in an underpayment of royalties, interest shall be paid on the amount of that underpayment.

(3) Interest required to be paid by this section shall be determined in accordance with 30 CFR 218.202.

(e) Adjustments. (1) If the actual transportation allowance is less than

the amount the lessee has taken on Form MMS-4430 for each month during the allowance form reporting period, the lessee shall be required to pay additional royalties due plus interest, computed pursuant to 30 CFR 218.202, retroactive to the first month the lessee is authorized to deduct a transportation allowance. If the actual transportation allowance is greater than the amount the lessee has estimated and taken during the reporting period, the lessee shall be entitled to a credit, without interest.

(2) The lessee must submit a corrected Form MMS-4430 to reflect actual costs, together with any payment, in accordance with instructions provided by MMS.

(f) Other transportation cost determinations. The provisions of this section shall apply to determine transportation costs when establishing value using a net-back valuation procedure or any other procedure that requires deduction of transportation costs.

[61 FR 5481, Feb. 12, 1996, as amended at 64 FR 43289, Aug. 10, 1999; 66 FR 45769, Aug. 30, 2001]

#### § 206.462 [Reserved]

# § 206.463 In-situ and surface gasification and liquefaction operations.

If an ad valorem Federal coal lease is developed by in-situ or surface gasification or liquefaction technology, the lessee shall propose the value of coal for royalty purposes to MMS. MMS will review the lessee's proposal and issue a value determination. The lessee may use its proposed value until MMS issues a value determination.

[61 FR 5481, Feb. 12, 1996, as amended at 64 FR 43289, Aug. 10, 1999]

#### § 206.464 Value enhancement of marketable coal.

If, prior to use, sale, or other disposition, the lessee enhances the value of coal after the coal has been placed in marketable condition in accordance with §206.456(h) of this subpart, the lessee shall notify MMS that such processing is occurring or will occur. The value of that production shall be determined as follows:

(a) A value established for the feedstock coal in marketable condition by application of the provisions of \$206.456(c)(2) (i) through (iv) of this subpart; or,

(b) In the event that a value cannot be established in accordance with paragraph (a) of this section, then the value of production will be determined in accordance with  $\S 206.456(c)(2)(v)$  of this subpart and the value shall be the lessee's gross proceeds accruing from the disposition of the enhanced product, reduced by MMS-approved processing costs and procedures including a rate of return on investment equal to two times the Standard and Poor's BBB bond rate applicable under § 206.458(b)(2)(v) of this subpart.

[61 FR 5481, Feb. 12, 1996, as amended 64 FR 43289, Aug. 10, 1999]

# PART 207—SALES AGREEMENTS OR CONTRACTS GOVERNING THE DISPOSAL OF LEASE PRODUCTS

#### Subpart A—General Provisions

Sec.

207.1 Required recordkeeping.

207.2 Definitions.

207.3 Contracts made pursuant to new form leases.

207.4 Contracts made pursuant to old form leases.

207.5 Contract and sales agreement retention.

Subpart B—Oil, Gas and OCS Sulfur, General [Reserved]

Subpart C—Federal and Indian Oil [Reserved]

Subpart D—Federal and Indian Gas [Reserved]

Subpart E—Solid Minerals, General [Reserved]

Subpart F—Coal [Reserved]

Subpart G—Other Solid Minerals [Reserved]

Subpart H—Geothermal Resources [Reserved]

Subpart I—OCS Sulfur [Reserved]

AUTHORITY: 5 U.S.C. 301 et seq.; 25 U.S.C. 396 et seq.; 25 U.S.C. 396a et seq.; 25 U.S.C. 2101 et seq.; 30 U.S.C. 181 et seq.; 30 U.S.C. 351 et seq.; 30 U.S.C. 1701 et seq.; 31 U.S.C. 1701 et seq.; 31

U.S.C. 3716 *et seq.*; 31 U.S.C. 9701; 43 U.S.C. 1301 *et seq.*; 43 U.S.C. 1331 *et seq.*; and 43 U.S.C. 1801 *et seq.* 

Source: 53 FR 1225, Jan. 15, 1988, unless otherwise noted.

#### **Subpart A—General Provisions**

#### § 207.1 Required recordkeeping.

- (a) The information collection and recordkeeping requirements contained in this part have been approved by OMB under 44 U.S.C. 3501 et seq. and assigned OMB Clearance Number 1010-0061. The information collected will be used to determine a proper transportation allowance for the cost of transporting royalty oil from the lease to a delivery point remote from the lease. The information is required in order to obtain a benefit and is collected in accordance with the Federal Oil and Gas Royalty Management Act of 1982, 30 U.S.C. 1701 et seq.
- (b) Public reporting burden is estimated to average 30 minutes per year for each record keeper to maintain copies of sales contracts, agreements, or other documents relevant to the valuation of production. Send any comments regarding this burden estimate or any other aspect of this requirement to the Information Collection Clearance Officer, Minerals Management Service, 381 Elden Street, Herndon, VA 22070, and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Paperwork Reduction Project 1010-0061, Washington, DC 20503.

[57 FR 41864, Sept. 14, 1992, as amended at 58 FR 64901, Dec. 10, 1994]

#### § 207.2 Definitions.

The definitions in part 206 of this title are applicable to this part.

### § 207.3 Contracts made pursuant to new form leases.

On November 29, 1950 (15 FR 8585), a new lease form was adopted (Form 4-1158, 15 FR 8585) containing provisions whereby the lessee agrees that nothing in any contract or other arrangement made for the sale or disposal of oil, gas, natural gasoline, and other products of the leased land, shall be construed as modifying any of the provisions of the lease, including, but not limited to,

#### § 207.4

provisions relating to gas waste, taking royalty-in-kind, and the method of computing royalties due as based on a minimum valuation and in accordance with the oil and gas valuation regulations. A contract or agreement pursuant to a lease containing such provisions may be made without obtaining prior approval of the United States as lessor, but must be retained as provided in § 207.5 of this subpart.

### § 207.4 Contracts made pursuant to old form leases.

(a) Old form leases are those containing provisions prohibiting sales or disposal of oil, gas, natural gasoline, and other products of the lease except in accordance with a contract or other arrangement approved by the Secretary of the Interior, or by the Director of the Minerals Management Service or his/her representative. A contract or agreement made pursuant to an old form lease may be made without obtaining approval if the contract or agreement contains either the substance of or is accompanied by the stipulation set forth in paragraph (b) of this section, signed by the seller (lessee or operator).

(b) The stipulation, the substance of which must be included in the contract, or be made the subject matter of a separate instrument properly identifying the leases affected thereby, is as follows:

It is hereby understood and agreed that nothing in the written contract or in any approval thereof shall be construed as affecting any of the relations between the United States and its lessee, particularly in matters of gas waste, taking royalty in kind, and the method of computing royalties due as based on a minimum valuation and in accordance with the terms and provisions of the oil and gas valuation regulations applicable to the lands covered by said contract.

### § 207.5 Contract and sales agreement retention.

Copies of all sales contracts, posted price bulletins, etc., and copies of all agreements, other contracts, or other documents which are relevant to the valuation of production are to be maintained by the lessee and made available upon request during normal working hours to authorized MMS, State or Indian representatives, other MMS or

BLM officials, auditors of the General Accounting Office, or other persons authorized to receive such documents, or shall be submitted to MMS within a reasonable period of time, as determined by MMS. Any oral sales arrangement negotiated by the lessee must be placed in written form and retained by the lessee. Records shall be retained in accordance with 30 CFR part 212.

# Subpart B—Oil, Gas, and OCS Sulfur, General [Reserved]

# Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D—Federal and Indian Gas [Reserved]

# Subpart E—Solid Minerals, General [Reserved]

#### Subpart F—Coal [Reserved]

# Subpart G—Other Solid Minerals [Reserved]

# Subpart H—Geothermal Resources [Reserved]

#### Subpart I—OCS Sulfur [Reserved]

# PART 208—SALE OF FEDERAL ROYALTY OIL

#### Subpart A—General Provisons

ordance oil and to the	<ul><li>208.3 Information collection.</li><li>208.4 Royalty oil sales to eligible refiners.</li><li>208.5 Notice of royalty oil sale.</li></ul>
ement	<ul> <li>208.6 General application procedures.</li> <li>208.7 Determination of eligibility.</li> <li>208.8 Transportation and delivery.</li> <li>208.9 Agreements.</li> </ul>
of all other to the main-ailable orking	<ul> <li>208.10 Notices.</li> <li>208.11 Surety requirements.</li> <li>208.12 Payment requirements.</li> <li>208.13 Reporting requirements.</li> <li>208.14 Civil and criminal penalties.</li> <li>208.15 Audits.</li> <li>208.16 How to appeal a contracting officer's decision that you receive.</li> </ul>
or In- AS or	208.17 Suspensions for national emer gencies.

Sec.

208.1 General.

208.2 Definitions.

AUTHORITY: 5 U.S.C. 301 et seq.; 30 U.S.C. 181 et seq., 351 et seq., 1701 et seq.; 31 U.S.C. 9701; 41 U.S.C. 601 et seq.; 43 U.S.C. 1301 et seq., 1331 et seq., and 1801 et seq.

Source: 52 FR 41913, Oct. 30, 1987, unless otherwise noted.

#### **Subpart A—General Provisions**

#### §208.1 General.

The regulations in this part govern the sale of royalty oil by the United States to eligible refiners. The regulations apply to royalty oil from leases on Federal lands onshore and on the Outer Continental Shelf (OCS).

#### § 208.2 Definitions.

Allotment means the quantity of royalty oil that DOI determines is available to each eligible refiner that has applied for a portion of the total volume of royalty oil offered in a given royalty oil sale.

Application means the formal written request to DOI on Form MMS-4070 by an eligible refiner interested in purchasing a quantity of royalty oil from the approximate volume announced by DOI in a given "Notice of Availability of Royalty Oil."

Area or Region means the geographic territory having Federal oil and gas leases over which MMS has jurisdiction, unless the context in which those words are used indicates that a different meaning is intended.

Contracting officer means the Director, his or her delegate, or the person designated under a royalty oil purchase contract

Contracting officer's decision means an MMS order or decision that a contracting officer issues under this part to a purchaser of oil under a royalty oil purchase contract.

Delivery point means the point where the lessor, in accordance with lease terms, directs the lessee to deliver royalty oil to a purchaser. Title to the royalty oil, or to the quantity thereof in a commingled stream, passes from the Federal Government to the purchaser at this designated point, which is specified in the royalty oil contract. For onshore leases, the delivery point will be on or adjacent to the lease, except as provided in §208.8(a) of this part. In instances where an onshore de-

livery point is designated for offshore royalty oil, such point generally will be the first onshore point where the price of the oil, including transportation costs, can be determined and where the purchaser can either exchange or take delivery of the oil. The Government does not guarantee physical access to the oil at such point.

*Director* means the Director of MMS, who is responsible for its overall direction, or his or her delegate(s).

*DOI* means the Department of the Interior, including the Secretary or his or her delegate(s).

Eligible refiner means a refiner of crude oil that meets the following criteria for eligibility to purchase royalty oil:

(1) For the purchase of royalty oil from onshore leases, it means a refiner that qualifies as a small and independent refiner as those terms are defined in sections 3(3) and 3(4) of the Emergency Petroleum Allocation Act, 15 U.S.C. 751 et seq., except that the time period for determination contained in section 3(3)(A) would be the calendar quarter immediately pre-ceding the date of the applicable "Notice of Availability of Royalty Oil." A refiner that, together with all persons controlled by, in control of, under common control with, or otherwise affiliated with the refiner, inputs a volume of domestic crude oil from its own production exceeding 30 percent of its total refinery input of crude oil is ineligible to participate in royalty oil sales under this part. Crude oil received in exchange for such refiner's own production is considered to be that refiner's own production for purposes of this section.

(2) For the purchase of royalty oil from leases on the OCS, it means a refiner that qualifies as a small business enterprise under the rules of the Small Business Administration (13 CFR part 121)

Entitlement means the volume of royalty oil from the Federal Government's share of production from a Federal lease which a purchaser is entitled to receive under a royalty oil contract.

Exchange agreement means a written agreement between the purchaser and another person for the exchange of royalty oil purchased under this part for

#### § 208.2

other oil on a volume or equivalent value basis.

Fair market value means the value of oil—(1) Computed at a unit price equivalent to the average unit price at which oil was sold pursuant to a lease during the period for which any royalty or net profit share is accrued or reserved to the United States pursuant to such lease, or

- (2) If there were no such sales, or if the Secretary finds that there were an insufficient number of such sales to equitably determine such value, computed at the average unit price at which oil was sold pursuant to other leases in the same region of the OCS during such period, or
- (3) If there were no sales of oil from such region during such period, or if the Secretary finds that there are an insufficient number of such sales to equitably determine such value, at an appropriate price determined by the Secretary.

Federal lease means a contractual agreement with the Federal Government which authorizes the exploration, development, and production of oil and gas on Federal lands onshore or on the OCS.

Interim sale means a sale conducted as a result of substantial additional royalty oil becoming available in a specific area prior to the scheduled expiration date of royalty oil contracts in effect for that area.

Lessee means any person to whom the United States issues a lease, or any person who has been assigned an obligation to make royalty or other payments required by the lease.

*MMS* means the Minerals Management Service of the Department of the Interior.

Notice of Availability of Royalty Oil means a notice published by DOI in the FEDERAL REGISTER (and in other printed media when appropriate, such as a newspaper or magazine of general or specialized circulation) to advise interested parties of the availability of royalty oil for purchase by eligible refiners and the approximate volume of royalty oil available to the applicants.

*OCS* means the Outer Continental Shelf, as defined in 43 U.S.C. 1331(a).

OCSLA means the Outer Continental Shelf Lands Act (43 U.S.C. 1331 et seq., as amended by 43 U.S.C. 1801 et seq.).

Oil means a mixture of hydrocarbons that existed in the liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities and is marketed or used as such. Condensate recovered in lease separators or field facilities is considered to be oil.

Operator means any person, including a lessee, who has control of or who manages operations on an oil and gas lease site on Federal onshore lands or on the OCS.

*Payor* means any person responsible for reporting royalties from a Federal lease or leases on Form MMS-2014.

*Person* means any individual, firm, corporation, association, partnership, consortium, or joint venture.

Preference eligible refiner means an eligible refiner with at least one operating refinery which is located within the area designated as the preference eligible area in the "Notice of Availability of Royalty Oil." A refiner may be deemed to be a preference eligible refiner if it owns a refinery located in the preference eligible area which is not operational if the refiner meets the requirements of § 208.7(g) of this part.

Purchaser means anyone who acquires royalty oil sold by DOI under the Federal Government's Royalty-in-Kind (RIK) Program and who has a contractual obligation under an agreement to purchase royalty oil.

Reallocation means an offering of royalty oil previously allocated in a specific sale but subsequently turned back to MMS. A reallocation would only be made if substantial amounts of royalty oil are turned back.

Refined petroleum product means gasoline, kerosene, distillates (including Number 2 fuel oil), refined lubricating oils, or diesel fuel.

Royalty oil means that amount of oil that DOI takes in kind in partial or full satisfaction of a lessee's royalty or net profit share obligations as determined by whatever lease interest the lessee holds under an applicable mineral leasing law.

*Secretary* means the Secretary of the Department of the Interior or his/her delegate(s).

Section 6 lease means an oil and gas lease originally issued by any State and currently maintained in effect pursuant to section 6 of the OCSLA.

Section 8 lease means an oil and gas lease originally issued by the United States pursuant to section 8 of the OCSLA

[52 FR 41913, Oct. 30, 1987; 52 FR 45528, Nov. 30, 1987, as amended at 58 FR 64901, Dec. 10, 1993; 64 FR 26251, May 13, 1999]

#### § 208.3 Information collection.

The information collection requirements contained in this part have been approved by OMB under 44 U.S.C. 3501 *et seq.* The form, filing date, and approved OMB clearance number are identified in 30 CFR 210.10.

[58 FR 64901, Dec. 10, 1993]

### § 208.4 Royalty oil sales to eligible refiners.

(a) Determination to take royalty oil in kind. The Secretary may evaluate crude oil market conditions from time to time. The evaluation will include, among other things, the availability of crude oil and the crude oil requirements of the Federal Government, primarily those requirements concerning matters of national interest and defense. The Secretary will review these items and will determine whether eligible refiners have access to adequate supplies of crude oil and whether such oil is available to eligible refiners at equitable prices. Such determinations may be made on a regional basis. The determination by the Secretary shall be published in the FEDERAL REGISTER concurrent with or included in the "Notice of Availability of Royalty Oil" required by 30 CFR 208.5.

(b) Sale to eligible refiners. (1) Upon a determination by the Secretary under paragraph (a) of this section that eligible refiners do not have access to adequate supplies of crude oil at equitable prices, the Secretary, at his or her discretion, may elect to take in kind some or all of the royalty oil accruing to the United States from oil and gas leases on Federal lands onshore and on the OCS. The Secretary may authorize

MMS to offer royalty oil for sale to eligible refiners only for use in their refineries and not for resale (other than under an exchange agreement).

(2) All sales of royalty oil from onshore leases will be priced at the royalty value that would have been determined for that oil pursuant to 30 CFR part 206 had the royalties been paid in value rather than taken in kind. All sales of royalty oil from OCS leases will be priced at the fair market value of the oil including associated transportation costs to the designated delivery point, if applicable.

(3) An eligible refiner must have a representative at a sale in order to participate. The Secretary may, at his or her discretion, establish purchase limitations and withhold any royalty oil

from any offering.

(c) Upon a determination by the Secretary under paragraph (a) of this section that eligible refiners do have access to adequate supplies of crude oil at equitable prices, MMS will not take royalties in kind from oil and gas leases for exclusive sale to such refiners. Such determinations may be made on a regional basis.

(d) Interim sales. The MMS generally will not conduct interim sales. However, interim sales may be held at the discretion of the Secretary if substantial addition royalty oil becomes available. The potentially eligible refiners, individually or collectively, must submit documentation demonstrating that adequate supplies of crude oil at equitable prices are not available for purchase. Although sufficient documentation must be submitted, it is not mandatory for each potentially eligible refiner to participate in a submission of such documentation to be determined eligible. The documentation must be submitted to MMS for a determination as to whether an interim sale is need-

[52 FR 41913, Oct. 30, 1987, as amended at 66 FR 28657, May 24, 2001]

#### § 208.5 Notice of royalty oil sale.

If the Secretary decides to take royalty oil in kind for sale to eligible refiners, MMS will issue a "Notice of Availability of Royalty Oil" specifying the manner in which the sale is to be effected, the approximate quantity of

#### § 208.6

royalty oil to be offered, information required in applications, the closing date for the receipt of applications for royalty oil, and other general administrative details concerning the application, allocation, and contract award process for the royalty oil. The Notice will describe generally the terms under which the royalty oil contracts will be awarded and will specify which applicants will be deemed preference eligible refiners in the sale proceedings. The Notice will also contain guidelines for reallocation procedures in the event substantial quantities of royalty oil sold in that specific sale are subsequently turned back to MMS. Only those purchasers that hold ongoing contracts from that specific sale will be allowed to participate in any reallocation, which would be voluntary, and then only if they continue to meet eligibility requirements as set forth in 30 CFR 208.2 and 208.7. If a reallocation is held prior to the effective date of the contracts as specified in the "Notice of Availability of Royalty Oil", all eligible refiners that selected a lease or leases in that specific sale would be allowed to participate, pursuant to the procedures in the Notice.

### § 208.6 General application procedures.

(a) To apply for the purchase of royalty oil, an applicant must file a Form MMS-4070 with MMS in accordance with instructions provided in the "Notice of Availability of Royalty Oil" and in accordance with any instructions issued by MMS for completion of Form MMS-4070. The applicant will be required to submit a letter of intent from a qualified financial institution stating that it would be granted surety coverage for the royalty oil for which it is applying, or other such proof of surety coverage, as deemed acceptable by MMS. The letter of intent must be submitted with a completed Form MMS-

(b) In addition to any other application requirements specified in the Notice, the following information is required on Form MMS-4070 at the time of application:

(1) Name and address of the applicant, the location of the applicant's refinery or refineries, and disclosure of

the applicant's affiliation with any other persons.

(2) The capacity of the applicant's refineries in barrels of crude oil throughput per calendar day and a tabulation for the past 12 months of oil processed for each refinery, identified as to source (from own production or from other sources).

(3) Identification of any Government royalty oil contracts under which the applicant is currently receiving royalty oil.

(4) Identification of the locations (area/region and State) where the applicant proposes to purchase royalty oil, the volume of oil requested, and the specific refineries in which the oil will be refined.

(5) A certification from the applicant that it is an eligible refiner for the purchase of Government royalty oil, as defined in §208.2 of this part.

[52 FR 41913, Oct. 30, 1987, as amended at 58 FR 64901, Dec. 10, 1993]

#### § 208.7 Determination of eligibility.

(a) The MMS will examine each application and may request additional information if the information in the application is inadequate. An application received after the close of the application period will be rejected. If additional information is requested by MMS, it must be received by the time specified or the application will be rejected.

(b) After the close of the application period and the receipt of any additional requested information, MMS will determine which applicants may participate in the royalty oil sale and the quantity of royalty oil which each applicant is authorized to purchase.

(c) When applications are filed by two or more eligible refiners for the same royalty oil, the oil will be allocated among such applicants on an equitable basis as determined by MMS. Preference eligible refiners will be given priority in the allocation procedures in sales and subsequent reallocations of royalty oil.

(d) No eligible refiner shall be awarded contracts for volumes of royalty oil that, when added to volumes of other Federal royalty oil being received, are in excess of 60 percent of the combined refinery capacity of that refiner.

- (e) The MMS may exclude any section 6 lease from a royalty oil sale.
- (f) If two or more eligible refiners are related through common ownership or control or otherwise affiliated, only one of them shall be entitled to an allotment of royalty oil from a specific sale
- (g) Any applicant whose refinery is not in operation during the 60-day period prior to the date of the royalty oil sale shall not be entitled to participate in the sale unless such applicant self-certifies and demonstrates to the satisfaction of MMS that it will begin operations by the first month in which oil becomes available under a royalty oil contract. If operations do not begin by that month, MMS will terminate the contract.
- (h) Applicants or purchasers that have delinquent balances with MMS as of the date of a royalty oil sale or subsequent reallocation will not be allowed to participate in that sale or reallocation. If a person which is controlled by, in control of, under common control with, or otherwise affiliated with an applicant or purchaser has such delinquent balances, the applicant or purchaser will not be allowed to participate in a royalty oil sale or reallocation. To the extent a purchaser or affiliated person has appealed a billing and posted a surety instrument in accordance with the contract terms and applicable MMS regulations or other law, the balance shall not be considered delinquent.
- (i) A purchaser must meet the eligibility criteria on the date of contract issuance. However, a change in a purchaser's eligibility status during the term of the contract will not affect the purchaser's right to continue that contract until its term expires, including any extensions thereof.

[52 FR 41913, Oct. 30, 1987, as amended at 58 FR 64901, Dec. 10, 1993]

#### § 208.8 Transportation and delivery.

(a) The lessee shall deliver royalty oil from onshore leases to the purchaser at a point on or adjacent to the lease pursuant to the terms of the lease. If the purchaser does not have access to its onshore royalty oil entitlement at facilities on or adjacent to the lease, the operator of the lease

must designate an alternate delivery point at no additional cost to the purchaser or the Government. The purchaser must have physical access to the oil at the alternate delivery point and such point must be approved by MMS.

- (b) The lessee shall deliver royalty oil from section 8 offshore leases issued after September 1969 at a delivery point to be designated by MMS. The lessee shall deliver royalty oil from section 8 offshore leases issued before October 1969 or from section 6 leases at a delivery point to be designated by the lessee. If the delivery point is on or immediately adjacent to the lease, the royalty oil will be delivered without cost to the Federal Government as an undivided portion of production in marketable condition at pipeline connections or other facilities provided by the lessee, unless other arrangements are approved by MMS. If the delivery point is not on or immediately adjacent to the lease, MMS will reimburse the lessee for the reasonable cost of transportation to such point in an amount not to exceed the transportation allowance determined pursuant to 30 CFR part 206. The MMS will include such transportation costs in the price charged for the oil taken in kind to reflect the value of the oil at the delivery point. Arrangements for delivery of the royalty oil from, or exchange of the oil at, the delivery point, and related transportation costs, are the responsibility of the purchaser of the royalty oil. In addition, quality differentials between the royalty oil to which a purchaser is entitled and the oil which is made available at the delivery point are matters to be resolved between the purchaser and the operator.
- (c) When the purchaser has physical access to the royalty oil at the delivery point, the lessee shall deliver such oil in marketable condition at pipeline connections or other facilities designated by MMS. If the lessee is unable to provide the royalty portion of actual production from the lease, the lessee must provide crude oil to the purchaser which is equivalent in volume or value to the royalty oil to which the purchaser is entitled. The lessee will deliver the royalty oil to the purchaser

#### § 208.9

during normal operating hours and in reasonable quantities and intervals. The lessee will make available and the purchaser will accept delivery of the royalty oil entitlement no later than the last day of the calendar month immediately following the calendar month in which the oil was produced. Failure to accept deliveries shall constitute grounds for the termination of the contract.

(d) Upon termination of deliveries under a royalty oil contract, the transportation allowance and delivery point designation authorized by this section no longer will remain in effect.

#### § 208.9 Agreements.

- (a) A purchaser must submit to MMS two copies of any written third-party agreements, or two copies of a full written explanation of any oral third-party agreements, relating to the method and costs of delivery of royalty oil, or crude oil exchanged for the royalty oil, from the point of delivery under the contract to the purchaser's refinery. In addition, the purchaser must submit copies of agreements pertaining to quality differentials which may occur between leases and delivery points.
- (b) A purchaser may not sell royalty oil which it purchases pursuant to this part except for purposes of an exchange for other crude oil on a volume or equivalent value basis.
- (c) Royalty oil purchased under this part, or crude oil received in exchange for such royalty oil, must be processed into refined petroleum products in the purchaser's refinery.

#### § 208.10 Notices.

- (a) The MMS shall notify each operator, by certified mail, of the Secretary's decision to take royalty oil in kind. This notice shall be mailed at least 45 days in advance of the effective date of delivery and will specify delivery points for offshore oil for OCS leases issued after September 1969.
- (b) Deliveries of royalty oil may be partially terminated only with the written approval of the Director, MMS.
- (c) Before terminating the delivery of royalty oil taken in kind, MMS, if possible, will notify each operator by certified mail of the change in require-

ments at least 30 days in advance of the effective date.

- (d) After MMS notification that royalty oil will be taken in kind, the operator shall be responsible for notifying each working interest on the Federal lease. As soon as practicable after the date of each royalty oil sale, MMS will publish in the FEDERAL REGISTER a notice of the leases from which royalty oil will be taken, the purchasers of the royalty oil, and the leases from which royalty oil deliveries will be discontinued on terminated contracts.
- (e) A purchaser cannot transfer, assign, or sell its rights or interest in a royalty oil contract without written approval of the Director, MMS. If the purchaser changes ownership or its assets are sold or liquidated for any reason, it cannot transfer, assign, or sell its rights or interest in the royalty oil contract without written approval of the Director, MMS. Without express written consent from MMS for a change in ownership, the royalty oil contract shall be terminated. The successor company must meet the definition of an eligible refiner in §208.2 of this part for MMS to consider assignment of the royalty oil contract.

#### § 208.11 Surety requirements.

- (a) The eligible purchaser, prior to execution of the contract, shall furnish an "MMS-specified surety instrument," in an amount equal to the estimated value of royalty oil that could be taken by the purchaser in a 99-day period, plus related administrative charges. The MMS may require the purchaser to increase the amount of the surety instrument when necessary to protect the Government's interest or may allow the purchaser to decrease the amount of the surety instrument where necessary to further the purposes of the Royalty-in-Kind Program.
- (b) If a letter of credit is furnished as the surety instrument, it must be effective for a 9-month period beginning the first day the royalty oil contract is effective, with a clause providing for automatic renewal monthly for a new 9-month period. The purchaser or its surety company may elect not to renew the letter of credit at any monthly anniversary date, but must notify MMS of its intent not to renew

at least 30 days prior to the anniversary date. The MMS may grant the purchaser 45 days to obtain a new surety instrument. If no replacement surety instrument is provided, MMS will terminate the contract effective at least 6 months prior to the expiration date of the letter of credit. Notwithstanding the above provisions, the letter of credit also may contain a clause providing for automatic termination 6 months after the royalty oil contract terminates. If a certificate of deposit is furnished as the surety instrument, it must be effective for the life of the contract plus 6 months after the royalty oil contract terminates.

- (c) For the purposes of this section, an "MMS-specified surety instrument" means either: an MMS-specified surety bond, an MMS-specified irrevocable letter of credit, or a financial institution book-entry certificate of deposit.
- (d) The "MMS-specified surety instrument" shall be in a form specified by MMS instructions or approved by MMS. A bond must be issued by a qualified surety company that has been approved by the Department of the Treasury. An irrevocable letter of credit or a certificate of deposit must be from a financial institution acceptable to MMS. The MMS will use a bank rating service to determine whether a financial institution has an acceptable rating to provide a surety instrument deemed adequate to indemnify the Government from loss or damage.
- (e) All surety instruments must be in a form acceptable to MMS and must include such other specific requirements as MMS may require adequately to protect the Government's interests.

[58 FR 64901, Dec. 10, 1993]

#### § 208.12 Payment requirements.

(a) All payments to MMS by a purchaser of royalty oil will be due on the date and at the location specified in the contract, or, if there is no contractual provision, as specified by MMS. The purchaser shall tender all payments to MMS in accordance with 30 CFR 218.51. Payments made by a payor pursuant to the requirements of paragraph (b) of this section and §208.13 also shall be tendered in accordance with 30 CFR 218.51.

- (b)(1) Payments from a purchaser of royalty oil not received by MMS when due, or that portion of the payment less than the full amount due, will be subject to a late payment charge equivalent to an interest assessment on the amount past due for the number of days that the payment is late at the underpayment rate applicable under section 6621 of the Internal Revenue Code of 1954.
- (2) The MMS may assess interest to a payor for any underpayments which are the result of the payor's late or underreporting, or for adjustments reported by the payor, or made as a result of audit, reconciliation, or other procedures. The interest for late payment and underpayment will be assessed pursuant to 30 CFR 218.54.
- (c) If payment for royalty oil is not received by the due date specified in the contract, a notice of nonreceipt will be sent to the purchaser by certified mail. If payment is not received by MMS within 15 days from the date of such notice, MMS may cancel the contract and collect under the MMS-specified surety instrument. See § 208.11.
- (d) If the purchaser disagrees with the amount of payment due, it must pay the amount due as computed by MMS, unless the purchaser appeals the amount and posts an MMS-specified surety instrument pursuant to the provisions of 30 CFR part 243. The MMS may, at its discretion, waive the appeal surety requirements if it determines that the contract surety instrument is sufficient protection for an amount under appeal.

[52 FR 41913, Oct. 30, 1987, as amended at 64901, Dec. 10, 1993]

#### § 208.13 Reporting requirements.

If MMS underbills a purchaser under a royalty oil contract because of a payor's underreporting or failure to report on Form MMS-2014 pursuant to 30 CFR 210.52, the payor will be liable for payment of such underbilled amounts plus interest if they are unrecoverable from the purchaser or the surety instrument related to the contract.

[58 FR 64902, Dec. 10, 1993]

#### § 208.14

#### § 208.14 Civil and criminal penalties.

Failure to abide by the regulations in this part may result in civil and criminal penalties being levied on that person as specified in sections 109 and 110 of the Federal Oil and Gas Royalty Management Act of 1982, 30 U.S.C. 1719-20, and regulations at 30 CFR part 241. Civil penalties applicable under the OCSLA and the Mineral Leasing Act of 1920 may also be imposed.

#### § 208.15 Audits.

Audits of the accounts and books of lessees, operators, payors, and/or purchasers of royalty oil taken in kind may be made annually or at such other times as may be directed by MMS. Such audits will be for the purpose of determining compliance with applicable statutes, regulations, and royalty oil contracts.

#### § 208.16 How to appeal a contracting officer's decision that you receive.

If you receive a contracting officer's decision, you may:

- (a) Appeal that decision to the Board of Contract Appeals in the Office of Hearings and Appeals, Office of the Secretary, in accordance with the procedures provided in 43 CFR part 4, subpart C: or
- (b) File an action in the United States Court of Federal Claims.

[64 FR 26251, May 13, 1999]

#### § 208.17 Suspensions national for emergencies.

The Secretary of the Department of the Interior, upon a recommendation by the Secretary of Defense or the Secretary of Energy and with the approval of the President, may suspend operations under these regulations and suspend royalty oil contracts during a national emergency declared by the Congress or the President.

#### PART 210—FORMS AND REPORTS

#### Subpart A—General Provisions

Sec.

210.10 Information collection.

210.20 When is electronic reporting required?

210.21 How do you report electronically?

210.22 What are the exceptions to the electronic reporting requirements?

#### Subpart B-Oil, Gas, and OCS Sulfur-General

210.50 Required recordkeeping.

210.51 Payor information form.

210.52 Report of sales and royalty remittance.

210.53 Reporting instructions. 210.54 Definitions.

210.55 Special forms or reports.

#### Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D—Federal and Indian Gas [Reserved]

#### Subpart E—Solid Minerals, General

210.200 What is the purpose of this subpart? 210.201 How do I submit Form MMS-4430, Solid Minerals Production and Royalty Report?

210.202 How do I submit sales summaries?

210 203 How do I submit sales contracts?

How do I submit facility data? 210.204 210.205 Will I need to submit additional doc-

uments or evidence to MMS?

210.206 How will information submissions be kept confidential?

#### Subpart F—Coal [Reserved]

#### Subpart G-Other Solid Minerals [Reserved]

#### Subpart H—Geothermal Resources

210.350 Definitions.

210.351 Required recordkeeping.

210 352 Payor information forms. 210.353 Special forms and reports.

210.354 Monthly report of sales and royalty.

210.355 Reporting instructions.

#### Subpart I—OCS Sulfur [Reserved]

AUTHORITY: 5 U.S.C. 301 et seq.; 25 U.S.C. 396, 2107; 30 U.S.C. 189, 190, 359, 1023, 1751(a); 31 U.S.C. 3716, 9701; 43 U.S.C. 1334, 1801 et seq.; and 44 U.S.C. 3506(a).

#### Subpart A—General Provisions

#### §210.10 Information collection.

(a) Forms-This section identifies required MMS Minerals Revenue Management forms for reporting sales and royalties, production information, claiming a processing or transportation allowance, or claiming a reward for providing original information. The

#### Minerals Management Service, Interior

information collection requirements associated with the forms identified in this section have been approved by OMB under 44 U.S.C. 3501 *et seq.* The forms, filing dates, and approved OMB clearance numbers are summarized below:

below:	
Form No., name, and filing date	OMB No.
MMS-2014—Report of Sales and Royalty Remittance—Due by the end of first month following production month for royalty payment and for rentals no later than anniversary date	
of the lease	1010-0022
lowing the production month	1010-0040
lease or change to an existing lease	1010-0033
quest of MMS during the initial conversion of the facility and measurement device operators MMS-4053—First Purchaser Report—Due at	1010-0040
the request of MMS	1010-0040
lowing the production month	1010-0040
production month	1010-0040
lowing the production month	1010-0040
month following the production month	1010-0040
of Availability of Royalty Oil  MMS-4109-Gas Processing Allowance Summary Report—Initial report due within 3 months following the last day of the month for	1010-0042
which an allowance is first claimed, unless a longer period is approved by MMS	1010–0075
lowing the last day of the month for which an allowance is first claimed, unless a longer period is approved by MMS	1010–0061
MMS-4280—Application for Reward for Original Information—Due when a reward is claimed for information provided which may lead to the recovery of royalty or other payments	
owed to the United States	1010-0076
not change  MMS-4293—Coal Transportation Allowance Re- port—Due prior to or at the same time that the allowance is first reported on Form MMS-	1010-0074
4430 and annually thereafter if the allowance does not change	1010-0074

MMS-4295-Gas Transportation Allowance Re-

port-Initial report due within 3 months following the last day of month for which an al-

lowance is first claimed unless a longer period

is approved by MMS ...

Form No., name, and filing date	OMB No.
MMS-4377—Stripper Royalty Rate Reduction Notification—Due for each 12-month quali- fying period that a reduced royalty rate is granted by the Bureau of Land Management MMS-4430—Solid Minerals Production and	1010-0090
Royalty Report—Due by the end of the month following the month of production or sale and for other lease financial obligations no later	
than the payment date specified in your lease Facility Data—Due monthly or as requested for specific solid mineral products and lease	1010–0120
types; see § 210.204	1010–0120
lease types; see § 210.203	1010–0120
and lease types; see § 210.202	1010-0120

The information required on the forms identified in the table above is being collected by the Department of the Interior to meet its congressionally mandated accounting and auditing responsibilities relating to Federal and Indian mineral royalty management. The purpose of the forms and the estimated public reporting burden associated with each form are described in paragraph (c) of this section. With the exception of Forms MMS-4109, MMS-4110, MMS-4280, MMS-4292, MMS-4293, and MMS-4295, the forms are mandatory. Information on Forms MMS-4109, MMS-4110, MMS-4292, MMS-4293, and MMS-4295 is required to receive a benefit. Information required on Form MMS-4280 must be provided voluntarily to claim a reward. Information collected relative to production, royalties, and other payments due the Government from activities on leased Federal or Indian land is authorized by the Federal Oil and Gas Royalty Management Act of 1982, 30 U.S.C. 1701 et seq. for oil and gas production, and by 30 U.S.C. 189, 30 U.S.C. 359, and 30 U.S.C. 396d for solid mineral production.

(b) MMS mailing addresses—This paragraph identifies the MMS address(es) to be used for requesting forms and/or for mailing completed forms to MMS.

(1) Requests for Forms MMS-2014 or MMS-4070 should be addressed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 5760, Denver, Colorado 80217-5760. The completed Form MMS-2014 should be mailed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 5810, Denver, Colorado

1010-0075

#### §210.10

80217-5810. The address to which a completed Form MMS-4070 should be mailed will be identified in a FEDERAL REGISTER Notice of Availability of Royalty Oil. (See 30 CFR 208.5.)

- (2) Requests for Forms MMS-4025 should be addressed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 5760, Denver, Colorado 80217-5760. The completed forms should be mailed to the same address.
- (3) Requests for Forms MMS-3160, MMS-4051, MMS-4052, MMS-4053, MMS-4054, MMS-4055, MMS-4056, MMS-4057, MMS-4058, or MMS-4061 should be addressed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 17110, Denver, Colorado 80217-0110. The completed forms should be mailed to the same address.
- (4) Requests for processing or transportation allowance forms (Forms MMS-4109, MMS-4110, MMS-4292, MMS-4293, or MMS-4295) should be addressed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 25165, Denver, Colorado 80225-0165. The completed allowance forms should be mailed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 5200, Denver, Colorado 80217-5200.
- (5) Requests for Form MMS-4280 should be addressed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 25165, Denver, Colorado 80225-0165. The completed form should be mailed to the same address. (See 30 CFR 218.57(b)).
- (6) If you are not reporting Form MMS-4430 electronically, you may request blank copies of the form by calling 1-888-201-6416. You must submit completed Forms MMS-4430 to the address given in §210.201(c).
- (7) If you are not reporting solid minerals sales contracts, sales summaries, and facility data electronically, you must submit paper copies to the address given in §210.202(c).
- (8) Reports for oil, gas, and geothermal leases sent by special courier or overnight mail (excluding U.S. Postal Service Express Mail) should be addressed to: Minerals Management Service, Minerals Revenue Management, Building 85, Room A-614, Denver Federal Center, Denver, Colorado 80225.

- (c) Purpose of forms and estimated public reporting burden—This paragraph describes the purpose of the information being collected and the estimated public reporting burden associated with the OMB approved forms identified in paragraph (a) of this section.
- (1) MMS-2014—Used monthly to report lease-related transactions essential for royalty management to determine the correct royalty amount due, reconcile or audit data, and distribute payments to appropriate accounts. Public reporting burden for paper submission is estimated to average 7 minutes to complete each line item on the form, including the time necessary to assemble data, calculate value and royalty, and enter data on the form. Companies reporting electronically may average 2 minutes to complete each line item on the form. Comments submitted relative to this information collection should reference the information collection titled Report of Sales and Royalty Remittance, OMB Control Number 1010-0022.
- (2) MMS-3160-Used by onshore oil and gas lease operators to report monthly oil and gas production to MMS. Public reporting burden for paper submission is estimated to average 15 minutes per form, including the time necessary to assemble data, ensure that production and disposition numbers are accurate, and enter data on the form. Companies reporting electronically may average 7.5 minutes per month to complete the form. Comments submitted relative to this information collection should reference the information collection titled PAAS Oil and Gas Reports, OMB Control Number 1010-0040
- (3) MMS-4025—This form is used to establish a data base of payor accounts for oil and gas leases on Federal or Indian lands, reporting changes in payor accounts, and notifying MMS of the products on which royalties will be paid. Public reporting burden is estimated to average 30 minutes per form, including time spent reading instructions, completing, and mailing the form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0033.

- (4) MMS-4051—Used to establish a reference data base identifying the facilities where oil and gas production is stored or processed and the metering points where production is measured for sale or transfer. Public reporting burden is estimated to average 30 minutes per form for facility operators to review and update the data base. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010–0040.
- (5) MMS-4053—Designed as an audit tool to be used to confirm sales data. Public reporting burden is estimated to average 30 minutes per form, including time spent reading instructions, completing, and mailing the form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0040.
- (6) MMS-4054—This three-part form identifies all oil and gas lease production from Federal and Indian lands. MMS uses information from this form to track oil and gas from the point of production to the point of first sale or other disposition. Respondents will generally not use all three parts of the form. Public reporting burden for paper submission is estimated to average 30 minutes per month, including the time necessary to assemble data, ensure that production and disposition numbers are accurate, and enter data on the form. Companies reporting electronically may average 15 minutes per month to complete the form. Comments submitted relative to this information collection should reference the information collection titled PAAS Oil and Gas Reports, OMB Control Number 1010-0040.
- (7) MMS-4055—This report identifies the separate components of natural gas production. It is submitted quarterly or semiannually by lease operators when gas production is processed before royalty value has been determined. Public reporting burden is estimated to average 15 minutes per form including time required gathering data, completing, and mailing the form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010–0040.
- (8) MMS-4056—Submitted monthly by gas plant operators to identify components and disposition of natural gas

- from Federal and Indian leases. Public reporting burden is estimated to average 30 minutes per form, including time required gathering data, completing, and mailing the form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010–0040.
- (9) MMS-4058—Submitted monthly by operators of the facilities and measurement points where production from a Federal or Indian lease is commingled with production from other sources before it is measured for royalty determination. The data reported is used to determine whether sales reported by lessees are reasonable. Public reporting burden is estimated to average 15 minutes per form, including time required gathering data, completing, and mailing the form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0040.
- (10) MMS-4070—After publication in the Federal Register of a Notice of Availability of Royalty Oil, refiners interested in the purchase of royalty oil should submit their applications using this form. The information collected is used by MMS to determine if the applicant meets eligibility requirements to contract to purchase the oil. Public reporting burden is estimated to average 1 hour per form, including time required gathering data, completing, and mailing the form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0042.
- (11) MMS-4109-Used to claim an allowance for the reasonable, actual costs of removing hydrocarbon and nonhydrocarbon elements or compounds from the gas streams. Public reporting burden varies depending on the type of contract involved. Under an arm's-length contract, burden is estimated to average 1 hour for the submission of page 1 and schedule 1 of the form requiring the lessee's name and address, payor code, plant name, accounting identification number, product code, and selling arrangement. Nonarm's-length contract claims require completion of all pages of the form including calculations of allowable operating and maintenance costs, overhead, depreciation, and return on

#### §210.10

undepreciated capital investment. Public reporting burden is estimated to average 10 hours to complete the entire form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010–0075.

(12) MMS-4110-Used to claim an allowance for expenses incurred by a lessee in transporting oil from the lease site to a point remote from the lease where value is determined. Public reporting burden varies depending on the type of contract involved. Under an arm's-length contract, burden is estimated to average 2 hours for the submission of page 1 and schedule 1 of the form requiring the lessee's name and address, payor code, accounting identification number, product code, and selling arrangement. Nonarm's-length contract claims require completion of all pages of the form including calculations of allowable operating and maintenance costs, overhead, depreciation, and return on undepreciated capital investment. Public reporting burden is estimated to average 5 hours to complete the entire form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0061.

(13) MMS-4280—This form is used to claim a reward for information leading to the recovery of payments owed to the United States from oil and gas leases on Federal land or the Outer Continental Shelf. Claimants must provide name, address, Social Security number, and a brief description of the violation being reported. Public reporting burden is estimated to average 30 minutes to complete this form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0076.

(14) MMS-4292—This form is used to claim an allowance for the reasonable, actual costs incurred to wash coal. Public reporting burden varies depending on the type of contract involved. Under an arm's-length contract, burden is estimated to average 1 hour for the submission of page 1 of the form requiring the lessee's name and address, payor code, accounting identification number, product code, and selling arrangement. Nonarm's-length contract claims require completion of all pages

of the form including calculations of allowable operating and maintenance costs, overhead, depreciation, and return on undepreciated capital investment. Public reporting burden is estimated to average 40 hours to complete the entire form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010–0074.

(15) MMS-4293-Used to claim an allowance for the reasonable, actual costs of transporting coal to a sales point or a washing facility remote from the mine or lease. Public reporting burden varies depending on the type of contract involved. Under an arm'slength contract, burden is estimated to average 1 hour for the submission of page 1 of the form requiring the lessee's name and address, payor code, accounting identification number, product code, and selling arrangement. Nonarm's-length contract claims require completion of all pages of the form including calculations of allowable operating and maintenance costs, overhead, depreciation, and return on undepreciated capital investment. Public reporting burden is estimated to average 40 hours to complete the entire form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0074.

(16) MMS-4295— This form is used to claim an allowance for the reasonable, actual costs of transporting gas from the lease to the point of first sale. Public reporting burden varies depending on the type of contract involved. Under an arm's-length contract, burden is estimated to average 1 hour for the submission of page 1 and schedule 1 of the form requiring the lessee's name and address, payor code, accounting identification number, product code, and selling arrangement. Nonarm's-length contract claims require completion of all pages of the form including calculations of allowable operating and maintenance costs, overhead, depreciation, and return on undepreciated capital investment. Public reporting burden is estimated to average 3 hours to complete the entire form. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010-0075.

(17) MMS-4377— This form must be submitted by operators of stripper oil properties to notify MMS of reduced royalty rates granted by the Bureau of Land Management under 43 CFR 3103.4–1 for each 12-month qualifying period. Reporting burden is estimated to require an average of 30 minutes per form to supply the operator name, lease and agreement numbers, calculated and current royalty rate, and the period covered. Comments submitted relative to this information collection should reference Paperwork Reduction Project 1010–0090.

(18) MMS-4430—Submitted monthly to report production from and royalty due on all Federal and Indian solid minerals leases (see §210.201). MMS uses the data to distribute payments to appropriate recipients and to determine if lessees properly paid lease obligations. Public reporting burden is estimated to be 20 minutes per month per reporter. Comments relating to this information collection should reference OMB Control Number 1010-0120.

(19) Facility data—Submitted monthly by operators of wash plant, refining, ore concentration, or other processing facilities for specific solid minerals produced from specific Federal and Indian lease types or when otherwise requested by MMS (see §210.204). MMS uses the data to assure that Federal or Indian lease processed production (the output of process plants) is consistent with the input of raw production. Public reporting burden is estimated to be approximately 15 minutes per reporter per month to compile in-house formatted information and submit that information electronically. Comments relating to this information collection should reference OMB Control Number

(20) Sales contracts—Submitted semiannually by producers of specific solid mineral products on specific Federal and Indian lease types or when otherwise requested by MMS (see §210.203). MMS uses contracts, agreements and contract amendments for compliance purposes including, but not limited to, identifying valuation issues and establishing selling arrangement relationships. Public reporting burden is estimated to be 2 hours per reporter per year to compile and submit contracts and contract amendments. Comments relating to this information collection should reference OMB Control Number 1010–0120.

(21)Sales summaries—Submitted monthly by producers of specific solid minerals from specific Federal and Indian lease types or when otherwise requested by MMS (see §210.202). The MMS uses these data for compliance purposes including, but not limited to, assuring that sales volumes and values are properly attributed or allocated to Federal or Indian leases. Public reporting burden is estimated to be 15 minutes per month for each reporter to compile in-house formatted sales information and submit that information electronically. Comments relating to this information collection should reference OMB Control Number 1010-0120.

(d) Comments on burden estimates. Send comments on the accuracy of this burden estimate or suggestions on reducing this burden to the Minerals Management Service, Attention: Information Collection Clearance Officer, (OMB Control Number 1010-0120 (insert appropriate OMB Control Number), Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number.

[57 FR 41864, Sept. 14, 1992, as amended at 64 FR 38122, July 15, 1999; 66 FR 45769, Aug. 30, 2001]

### § 210.20 When is electronic reporting required?

(a) You must submit Forms MMS-2014 and MMS-4054 to MMS electronically. You must begin reporting electronically according to the following timetable unless you qualify for the exceptions to electronic reporting listed in §210.22:

If you report the following number of lines each month on a required form	Then, you must submit that form electronically beginning
(1) 6 or more	November 1, 1999. November 1, 2000. November 1, 2001.

(b) See §218.40(c) for the definition of a royalty report line on Form MMS-2014 and §216.40(c) for the definition of

#### §210.21

a production report line on Form MMS-4054; and

(c) For purposes of this part, multiple submissions of the same form in one month equals one form.

[64 FR 38122, July 15, 1999]

### §210.21 How do you report electronically?

- (a) You may use any of the following electronic media types, unless MMS instructs you differently:
- (1) Électronic Data Interchange (EDI) <sup>1</sup>—The inter-organizational, computer-to-computer exchange of structured information in a standard, machine-processable format;
- (2) Electronic Mail (e-mail) <sup>1</sup>—Any communication service used to electronically transmit and store messages and attach files. MMS has three electronic file options:
- (i) Template—MMS-provided software that generates blank forms on a personal computer to assist companies in preparing MMS regulatory reports (this option is not available for Form MMS-4054);
- (ii) Comma Separated Values (CSV)— A file format where attribute fields are separated by commas; and
- (iii) American Standard Code for Information Interchange (ASCII)—A file format of fixed-length records with fixed-length attribute fields;
- (3) Reporter-Prepared Diskette (3½ inch)—A data storage medium used to transmit report data using one of the following file formats:
  - (i) Template;
  - (ii) CSV; and
  - (iii) ASCII;
- (4) Magnetic or Cartridge Tape—A data storage medium used to transmit report data in an ASCII file format.
- (b) MMS prefers that you use the media types in the order presented in paragraph (a) of this section to the extent it is cost effective and practical. As technology changes, MMS will consider other media types and the order of MMS preference may change. Refer to our electronic commerce brochure for the most current reporting options.

You can receive a copy of our brochure by calling your MMS representative or by accessing our Internet site at www.rmp.mms.gov.

- (c) Before you may begin reporting electronically:
- (1) You must submit an electronic sample of your report for MMS approval using the MMS-supplied electronic reporting guidelines;
- (2) MMS must notify you that your sample report has been approved;
- (3) MMS must assign you a sender identification number and security code for any EDI transmissions; and
- (4) MMS must assign you an originating address and compression software password for any e-mail transmissions.

[64 FR 38123, July 15, 1999]

### § 210.22 What are the exceptions to the electronic reporting requirements?

MMS will allow the following grace periods and exceptions to the electronic reporting requirements in §210.20:

- (a) If you become a new MMS reporter after any of the dates you are required to submit electronic reports under §210.20(a), you have 3 months from the day your first report is due to begin reporting electronically;
- (b) If you exceed the maximum number of lines you are allowed to report on paper under §210.20(a), you have 3 months from the last day of the month in which you exceeded the line limit to begin reporting electronically;
- (c) You are not required to report electronically if you report only rent, minimum royalty, or other annual obligations on the Form MMS-2014; and
- (d) You are not required to report electronically if you are a small business as defined by the U.S. Small Business Administration, and you have no computer, no resources to purchase a computer or contract with an electronic reporting service, nor access to a computer at a local library or other public facility.

[64 FR 38123, July 15, 1999]

<sup>&</sup>lt;sup>1</sup>MMS has developed security measures, authentication procedures, and automated acknowledgments for this electronic media type.

## Subpart B—Oil, Gas, and OCS Sulfur—General

AUTHORITY: The Federal Oil and Gas Royalty Management Act of 1982 (30 U.S.C. 1701 et seq.).

Source:  $49 \ FR \ 37345$ , Sept.  $21, \ 1984$ , unless otherwise noted.

#### §210.50 Required recordkeeping.

Information required by the MMS shall be filed using the forms prescribed in this subpart, which are available from MMS. Records may be maintained in microfilm, microfiche, or other recorded media that is easily reproducible and readable.

#### §210.51 Payor information form.

The Payor Information Form (Form MMS-4025) must be filed for each Federal or Indian lease on which royalties are paid. Where specifically determined by MMS, Form MMS-4025 is also required for all Federal leases on which rent is due. The completed form must be filed by the party who is making the rent or royalty payment (payor) for each revenue source. Form MMS-4025 must be filed no later than 30 days after issuance of a new lease or a modification to an existing lease which changes the paying responsibility on the lease

### § 210.52 Report of sales and royalty remittance.

- (a) You must submit a completed Form MMS-2014 (Report of Sales and Royalty Remittance) to MMS with:
  - (1) All royalty payments; and,
- (2) Rents on nonproducing leases, where specified.
- (b) When you submit Form MMS-2014 data electronically, you must not submit the form itself.
- (c) Completed Forms MMS-2014 for royalty payments are due by the end of the month following the production month
- (d) Where applicable, completed Forms MMS-2014 for rental payments are due no later than the anniversary date of the lease.
- (e) This section does not prohibit you from making early payments voluntarily.

[64 FR 38123, July 15, 1999]

#### §210.53 Reporting instructions.

- (a) Specific guidance on how to prepare and submit required information collection reports and forms to MMS is contained in an MMS "Oil and Gas Payor Handbook," a "Production Accounting and Auditing System Reporter Handbook," and a "PAAS On-shore Oil and Gas Reporter Handbook." The Payor Handbook is available from the Minerals Management Service, Royalty Management Program, P.O. Box 5760, Denver, Colorado 80217-5760. The Reporter Handbooks are available from the Minerals Management Service, Royalty Management Program, P.O. Box 17110, Denver, Colorado 80217-0110.
- (b) Royalty payors or production reporters should refer to these handbooks for specific guidance with respect to oil and gas reporting requirements. If additional information is required, the payor or reporter should contact the MMS at the above address. The appropriate telephone numbers are listed in the handbooks.

[51 FR 45882, Dec. 23, 1986, as amended at 53 FR 16412, May 9, 1988; 57 FR 41867, Sept. 14, 1992; 58 FR 64902, Dec. 10, 1993]

#### § 210.54 Definitions.

Terms used in this subpart shall have the same meaning as in 30 U.S.C. 1702.

[49 FR 37345, Sept. 21, 1984. Redesignated at 51 FR 45882, Dec. 23, 1986]

#### § 210.55 Special forms or reports.

- (a) MMS may require you to submit additional information, forms, or reports other than those specifically referred to in this subpart. MMS will give you instructions for providing such information or filing such reports or forms. MMS will make requests for additional information, forms, or reports under this section in conformity with the Paperwork Reduction Act of 1995, 44 U.S.C. 3501, and other applicable laws.
- (b) If you file a Form MMS-4025, Payor Information Form (PIF) under §210.51, you must provide the following information to MMS upon request for each PIF:
  - (1) The AID number for the lease;
- (2) The name, address, Taxpayer Identification Number (TIN), and

#### §210.200

phone number of the person for whom you are reporting and paying royalties or making other payments under the PIF:

- (3) Whether the person you named in paragraph (b)(2) of this section with respect to the lease for which you filed the PIF is a:
- (i) Lessee of record (record title owner);
- (ii) Operating rights owner (working interest owner); or
  - (iii) Operator;
- (4) The name, address, and phone number of the individual to contact for the person you named in paragraph (b)(2) of this section;
  - (5) Your TIN; and
- (6) Whether you are the Designee of the person you named in paragraph (b)(2) of this section under 30 U.S.C. 1712(a), and, if so:
- (i) The date your designation became effective; and
- (ii) The date your designation terminates, if applicable; and
- (iii) A copy of the written designation;
- (c) If you have been identified under paragraph (b)(2) of this section, you must provide the following information to MMS upon request:
- (1) Confirmation that you are the person identified under paragraph (b)(2) of this section;
- (2) Confirmation that the person identified in paragraph (b)(6) of this section is your designee; and
- (3) A designation under §218.52 of this title if the person identified in paragraph (b)(6) of this section is not your Designee, and if you are not reporting and paying royalties and making other payments to MMS.

[62 FR 42066, Aug. 5, 1997]

# Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D—Federal and Indian Gas [Reserved]

#### Subpart E—Solid Minerals, General

SOURCE: 66 FR 45771, Aug. 30, 2001, unless otherwise noted.

### §210.200 What is the purpose of this subpart?

This subpart explains your reporting requirements if you produce coal or other solid minerals from Federal or Indian leases. Included are your requirements for reporting production, sales, and royalties.

#### § 210.201 How do I submit Form MMS-4430, Solid Minerals Production and Royalty Report?

- (a) What to submit. (1) You must submit a completed Form MMS-4430 for—
- (i) Production of all coal and other solid minerals from any Federal or Indian lease;
  - (ii) Sale of any such mineral;
- (iii) Any such mineral held in stockpile or inventory; and
- (iv) Payment of rents (other than those for which you receive from MMS a Courtesy Notice as defined in §218.51(a) of this chapter), minimum royalty, deferred bonus, advance royalty, minimum royalty payable in advance, settlements, recoupments, and other financial obligations.
- (2) You must submit a completed Form MMS-4430 for any product you sell from a remote storage site. If you sell from five or fewer remote storage sites, you must report sales from each site on separate Forms MMS-4430. If you sell from more than five remote storage sites, you must total the data from all sites and report the summarized data on one Form MMS-4430.
- (3) Instructions for completing and submitting Form MMS-4430 are available on our Internet reporting web site or you may contact us toll free at 1-888-201-6416.
- (b) When to submit. (1) Unless your lease terms specify a different frequency for royalty payments, you must submit your Form MMS-4430 on or before the end of the month following the month in which you produce any solid mineral, sell any solid mineral, or hold any solid mineral production in stockpile or inventory. However, if the last day of the month falls on a weekend or holiday, your Form MMS-4430 is due on the next business day.
- (2) If your lease terms specify a different frequency for royalty payment, then you must submit your Form MMS-4430 on or before the date on

which you must pay royalty under the terms of the lease.

- (3) You must submit your Form MMS-4430 for payment of rents (other than those for which you receive from MMS a Courtesy Notice as defined in §218.51(a) of this chapter), minimum royalty, deferred bonus, advance royalty, minimum royalty payable in advance, settlements, recoupments, and other financial obligations on or before the date on which you must pay those obligations under the terms of the lease.
- (4) If the information on a previously reported Form MMS-4430 is no longer correct, you must submit a revised Form MMS-4430 by the last day of the month in which you learn that the previously reported information is no longer correct, except when the last day of the month falls on a weekend or holiday. If the last day of the month falls on a weekend or holiday, your revised Form MMS-4430 is due on the first business day of the following month.
- (c) How to submit. (1) You must submit Form MMS-4430 electronically using our Internet reporting web site unless you meet the conditions in paragraph (c)(2). We will provide written instructions and a valid login and password before you begin reporting.
- (2) You are not required to report electronically if you are a small business as defined by the U.S. Small Business Administration (13 CFR 121.201) and you have no computer, no plans to purchase a computer, and no contract with an electronic reporting service.
- (3) If you do not report electronically, you must submit the completed Form MMS-4430 to us at one of the following addresses, unless MMS publishes notice in the FEDERAL REGISTER giving a different address:

- (i) For U.S. Postal Service regular mail or Express Mail: Minerals Management Service, Minerals Revenue Management, P.O. Box 5810, Denver, Colorado 80217-5810; or
- (ii) For courier service or overnight mail (excluding Express Mail): Minerals Management Service, Minerals Revenue Management, Building 85, Denver Federal Center, Room A-614, Denver, Colorado 80225.

[66 FR 45771, Aug. 30, 2001; 66 FR 50827, Oct. 5, 2001]

### §210.202 How do I submit sales summaries?

- (a) What to submit. (1) You must submit sales summaries for all coal and other solid minerals produced from Federal and Indian leases and for any remote storage site from which you sell Federal or Indian solid minerals. You do not have to submit a sales summary for those months in which you do not sell any Federal or Indian production.
- (2) If you sell from five or fewer remote storage sites, you must submit a sales summary for each site. If you sell from more than five remote storage sites, you may total the data from all sites and submit the summarized data as one sales summary. The details you report on the sales summary are for the same sales reported on Form MMS-4430.
- (3) Use the following table to determine the time frames for submitting sales summaries and the data elements you must include. Your submitted sales summaries must include the following data but may be internally generated documents from your own records. You do not need to re-format them before submitting them to us:

Data element	Coal	Sodium/potas- sium	Western phosphate	Metals	All other leases with ad valorem royalty terms	All other leases with no ad valo- rem roy- alty terms
(i) Purchaser Name or Unique Identi- fication.	Monthly	Monthly	Monthly	Monthly	Monthly	As Requested.
(ii) Sales Units (iii) Gross Proceeds.	Monthly	Monthly	Monthly Not Required	Monthly	Monthly Monthly	Monthly. Not Required.

#### §210.203

Data element	Coal	Sodium/potas- sium	Western phosphate	Metals	All other leases with ad valorem royalty terms	All other leases with no ad valo- rem roy- alty terms
(iv) Processing or washing costs.	Monthly	Monthly	Not Required	Monthly	Monthly	Not Re- quired.
(v) Transportation costs.	Monthly	Monthly	Not Required	Monthly	Monthly	Not Re- quired.
(vi) Name of product type sold.	Not Required	Monthly	Not Required	Monthly	Monthly	As Re- quest- ed.
(vii) Btu/lb	Monthly	Not Required	Not Required	Not Required	Not Required	Not Re- auired.
(viii) Ash %	Monthly	Not Required	Not Required	Not Required	Not Required	Not Re- auired.
(ix) Sulfur %	Monthly	Not Required	Not Required	Not Required	Not Required	Not Re- quired.
(x) lbs SO2	Monthly	Not Required	Not Required	Not Required	Not Required	Not Re- quired.
(xi) Moisture %	Monthly	Not Required	Monthly	Not Required	Not Required	Not Re- quired.
(xii) By-product Units.	Not Required	As Requested	Monthly	As Requested	As Requested	Not Re- quired.
(xiii) P2O5 %	Not Required	Not Required	Monthly	Not Required	Not Required	Not Re- quired.
(xiv) Size	Not Required	Not Required	Not Required	Not Required	As Requested	Not Re- quired.
(xv) Net Smelter Return data.	Not Required	Not Required	Not Required	Monthly	Not Required	Not Re- quired.
(xvi) Other Data e.g., Royalty Calculation Worksheet.	As Requested	Monthly	As Requested	As Requested	As Requested	As Request-

- (b) When to submit. (1) For leases with ad valorem royalty terms (that is, leases for which royalty is a percentage of the value of production), you must submit your sales summaries monthly at the same time you submit Form MMS-4430. You do not have to submit a sales summary for any month in which you did not sell Federal or Indian production.
- (2) For leases with no ad valorem royalty terms (that is, leases in which the royalty due is not a function of the value of production, such as cents-perton or dollars-per-unit), you must submit monthly sales summaries only if we specifically request you to do so.
- (c) *How to submit.* (1) You should provide the sales summary data via electronic mail where possible. We will provide instructions and the proper email address for these submissions.
- (2) If you submit sales summaries by paper copy, mail them to one of the following addresses, unless MMS publishes notice in the FEDERAL REGISTER giving a different address:

- (i) For U.S. Postal Service regular mail or Express Mail: Minerals Management Service, Minerals Revenue Management, Solid Minerals and Geothermal Compliance and Asset Management, P.O. Box 25165, MS 390G1, Denver, Colorado 80225-0165.
- (ii) For courier service or overnight mail (excluding Express Mail): Minerals Management Service, Solid Minerals and Geothermal Compliance and Asset Management, 12600 West Colfax Avenue, Suite C-100, Lakewood, Colorado 80215.

### §210.203 How do I submit sales contracts?

- (a) What to submit. You must submit sales contracts, agreements, and contract amendments for the sale of all coal and other solid minerals produced from Federal and Indian leases with ad valorem royalty terms.
- (b) When to submit. (1) For coal and metal production, you must submit the required documents semi-annually, no later than March 30 and September 30 of each year.

#### Minerals Management Service, Interior

- (2) For sodium, potassium, and phosphate production, and production from any other lease with ad valorem royalty terms, you must submit the required documents only if you are specifically requested to do so.
- (c) How to submit. You must submit complete copies of the sales contracts and amendments to us at the applicable address given in §210.202(c)(2), unless MMS publishes notice in the FEDERAL REGISTER giving a different address.

### § 210.204 How do I submit facility data?

- (a) What to submit. (1) You must submit facility data if you operate a wash plant, refining, ore concentration, or other processing facility for any coal, sodium, potassium, metals, or other solid minerals produced from Federal or Indian leases with ad valorem royalty terms, regardless of whether the facility is located on or off the lease.
- (2) You do not have to submit facility data for those months in which you do not process solid minerals produced from Federal or Indian leases and do not have any such minerals in stockpile inventory.
- (3) You must include in your facility data all production processed in the facility from all properties, not just production from Federal and Indian leases.
- (4) Facility data submissions must include the following minimum information:
  - (i) Identification of your facility;
  - (ii) Mines served;
  - (iii) Input quantity;
- (iv) Input quality or ore grade (except for coal);
  - (v) Output quantity; and
  - (vi) Output quality or product grades.
- (5) Your submitted facility data may be internally generated documents from your own records. You do not need to re-format them before submitting them to us.
- (b) When to submit. You must submit your facility data monthly at the same time you submit your Form MMS-4430.
- (c) How to submit. (1) You should provide the facility data via electronic mail where possible. We will provide instructions and the proper email address for these submissions before you begin reporting.

(2) If you submit facility data by paper copy, send it to the applicable address given in §210.202(c)(2).

# § 210.205 Will I need to submit additional documents or evidence to MMS?

- (a) Federal and Indian lease terms allow us to request detailed statements, documents, or other evidence necessary to verify compliance with lease terms and conditions and applicable rules.
- (b) We will request this additional information as we need it, not as a regular submission.

### § 210.206 How will information submissions be kept confidential?

Information submitted under this part that constitutes trade secrets or commercial and financial information that is identified as privileged or confidential, or that is exempt from disclosure under the Freedom of Information Act, 5 U.S.C. 552, shall not be available for public inspection or made public or disclosed without the consent of the lessee, except as otherwise provided by law or regulation.

#### Subpart F—Coal [Reserved]

# Subpart G—Other Solid Minerals [Reserved]

#### Subpart H—Geothermal Resources

Source:  $56\ FR\ 57286,\ Nov.\ 8,\ 1991,\ unless$  otherwise noted.

#### § 210.350 Definitions.

Terms used in this subpart shall have the same meaning as in 30 CFR 206.351.

#### §210.351 Required recordkeeping.

Information required by MMS shall be filed using the forms prescribed in this subpart, which are available from MMS. Records may be maintained on microfilm, microfiche, or other recorded media that are easily reproducible and readable. See subpart H of 30 CFR part 212.

#### §210.352

#### §210.352 Payor information forms.

The Payor Information Form (Form MMS-4025) must be filed for each Federal lease on which geothermal royalties (including byproduct royalties) are paid. Where specifically determined by MMS, Form MMS-4025 is also required for all Federal leases on which rent is due. The completed form must be filed by the party who is making the rent or royalty payment (payor) for each revenue source. Form MMS-4025 must be filed no later than 30 days after issuance of a new lease or a modification to an existing lease that changes the paying responsibility on the lease. The Form MMS-4025 shall identify the payor of production royalty, and identify revenue sources and selling arrangements for all leased geothermal resources (including byproducts). After filing the initial form, a new Form MMS-4025 must be filed no later than 30 days after the occurrence of any of the following:

- (a) Assignment of all or any part of the lease:
  - (b) Production of new product;
- (c) A change in a selling arrangement;
  - (d) Change in royalty rate;
  - (e) Change of payor; or
  - (f) Abandonment of a lease.

#### § 210.353 Special forms and reports.

The MMS may require submission of additional information on special forms or reports. When special forms or reports other than those referred to in this subpart are necessary, MMS will give instructions for the filing of such forms or reports. Requests for the submission of such forms will be made in conformity with the requirements of the Paperwork Reduction Act of 1980 and other applicable laws.

### §210.354 Monthly report of sales and royalty.

A completed Report of Sales and Royalty Remittance (Form MMS-2014) must be submitted each month once sales or utilization of production occur, even though sales may be intermittent, unless otherwise authorized by MMS. This report is due on or before the last day of the month following the month in which production was sold or uti-

lized, together with the royalties due the United States.

#### §210.355 Reporting instructions.

- (a) Specific guidance on how to prepare and submit required information collection reports and forms to MMS is contained in an MMS Oil and Gas Payor Handbook which is available from the Minerals Management Service, Royalty Management Program, P.O. Box 5760, Denver, Colorado 80217-5760.
- (b) Royalty payors should refer to this handbook for specific guidance with respect to geothermal resources reporting requirements. If additional information is required, the payor should contact the MMS at the above address. The appropriate telephone numbers are listed in the handbook.

[56 FR 57286, Nov. 8, 1991, as amended at 58 FR 64902, Dec. 10, 1993]

#### Subpart I—OCS Sulfur [Reserved]

# PART 212—RECORDS AND FILES MAINTENANCE

#### Subpart A—General Provisions [Reserved]

#### Subpart B—Oil, Gas, and OCS Sulphur— General

Sec.

212.50 Required recordkeeping and reports.

212.51 Records and files maintenance.

212.52 Definitions.

### Subpart C—Federal and Indian Oil [Reserved]

### Subpart D—Federal and Indian Gas [Reserved]

#### Subpart E—Solid Minerals—General

212.200 Maintenance of and access to records.

#### Subpart F—Coal [Reserved]

# Subpart G—Other Solid Minerals [Reserved]

#### Subpart H—Geothermal Resources

212.350 Definitions.

212.351 Required recordkeeping and reports.

#### Subpart I—OCS Sulfur [Reserved]

#### Minerals Management Service, Interior

AUTHORITY: 5 U.S.C. 301 et seq.; 25 U.S.C. 396 et seq., 396a et seq., 2101 et seq.; 30 U.S.C. 181 et seq., 351 et seq., 1001 et seq., 1701 et seq.; 31 U.S.C. 9701; 43 U.S.C. 1301 et seq., 1331 et seq., and 1801 et seq.

# Subpart A—General Provisions [Reserved]

# Subpart B—Oil, Gas, and OCS Sulphur—General

# § 212.50 Required recordkeeping and reports.

All records pertaining to offshore and onshore Federal and Indian oil and gas leases shall be maintained by a lessee, operator, revenue payor, or other person for 6 years after the records are generated unless the recordholder is notified, in writing, that records must be maintained for a longer period. When an audit or investigation is underway, records shall be maintained until the recordholder is released by written notice of the obligation to maintain records.

[49 FR 37345, Sept. 21, 1984]

# § 212.51 Records and files maintenance.

(a) Records. Each lessee, operator, revenue payor, or other person shall make and retain accurate and complete records necessary to demonstrate that payments of rentals, royalties, net profit shares, and other payments related to offshore and onshore Federal and Indian oil and gas leases are in compliance with lease terms, regulations, and orders. Records covered by this section include those specified by lease terms, notices and orders, and by the various parts of this chapter. Records also include computer programs, automated files, and supporting systems documentation used to produce automated reports or magnetic tape submitted to the Minerals Management Service (MMS).

(b) Period for keeping records. Lessees, operators, revenue payors, or other persons required to keep records under this section shall maintain and preserve them for 6 years from the day on which the relevant transaction recorded occurred unless the Secretary notifies the record holder of an audit or investigation involving the records and

that they must be maintained for a longer period. When an audit or investigation is underway, records shall be maintained until the recordholder is released in writing from the obligation to maintain the records. Lessees, operators, revenue payors, or other persons shall maintain the records generated during the period for which they have paying or operating responsibility on the lease for a period of 6 years.

(c) Inspection of records. The lessee, operator, revenue payor, or other person required to keep records shall be responsible for making the records available for inspection. Records shall be provided at a business location of the lessee, operator, revenue payor, or other person during normal business hours upon the request of any officer, employee or other party authorized by the Secretary. Lessees, operators, revenue payors, and other persons will be given a reasonable period of time to produce historical records.

[49 FR 37345, Sept. 21, 1984; 49 FR 40576, Oct. 17, 1984, as amended at 67 FR 19111, Apr. 18, 2002]

#### § 212.52 Definitions.

Terms used in this subpart shall have the same meaning as in 30 U.S.C. 1702.

[49 FR 37345, Sept. 21, 1984]

# Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D—Federal and Indian Gas [Reserved]

#### Subpart E—Solid Minerals— General

# § 212.200 Maintenance of and access to records.

(a) All records pertaining to Federal and Indian solid minerals leases shall be maintained by a lessee, operator, revenue payor, or other person for 6 years after the records are generated unless the record holder is notified, in writing, that records must be maintained for a longer period. When an audit or investigation is underway, records shall be maintained until the

#### §212.350

record holder is released by written notice of the obligation to maintain records

- (b) The MMS shall have access to all records of the operator/lessee pertaining to compliance to Federal royalties, including, but not limited to:
- (1) Qualities and quantities of all products mined, processed, sold, delivered, or used by the operator/lessee.
- (2) Prices received for mined or processed products, prices paid for like or similar products, and internal transfer prices.
- (3) Costs of mining, processing, handling, and transportation.

[47 FR 33193, July 30, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983, and amended at 51 FR 15767, Apr. 28, 1986; 54 FR 1532, Jan. 13, 1989]

#### Subpart F—Coal [Reserved]

# Subpart G—Other Solid Minerals [Reserved]

# Subpart H—Geothermal Resources

Source:  $56\ FR\ 57286,\ Nov.\ 8,\ 1991,\ unless$  otherwise noted.

#### §212.350 Definitions.

Terms used in this subpart shall have the same meaning as in 30 CFR 206.351.

# § 212.351 Required recordkeeping and reports.

- (a) Records. Each lessee, operator, revenue payor, or other person shall make and retain accurate and complete records necessary to demonstrate that payments of royalties, rentals, and other amounts due under Federal geothermal leases are in compliance with laws, lease terms, regulations, and orders. Records covered by this section include those specified by lease terms, notices, and orders, and those identified in paragraph (c) of this section. Records also include computer programs, automated files, and supporting systems documentation used to produce automated reports or magnetic tapes submitted to MMS.
- (b) Period for keeping records. All records pertaining to Federal geothermal leases shall be maintained by a lessee, operator, revenue payor, or

other person for 6 years after the records are generated unless the recordholder is notified, in writing, before the expiration of that 6-year period that records must be maintained for a longer period for purposes of audit or investigation. When an audit or investigation is underway, records shall be maintained until the recordholder is released by written notice of the obligation to maintain records.

- (c) Access to records. The Associate Director for Minerals Revenue Management shall have access to all records in the possession of the lessee, operator, revenue payor, or other person pertaining to compliance with royalty obligations under Federal geothermal leases (regardless of whether such records were generated more than 6 years before a request or order to produce them and they otherwise were not disposed of), including, but not limited to:
- (1) Qualities and quantities of all products extracted, processed, sold, delivered, or used by the operator/lessee;
- (2) Prices received for products, prices paid for like or similar products, and internal transfer prices; and
- (3) Costs of extraction, power generation, electrical transmission, and by-product transportation.
- (d) Inspection of Records. The lessee, operator, revenue payor, or other person required to keep records shall be responsible for making the records available for inspection. Records shall be made available at a business location of the lessee, operator, revenue payor, or other person during normal business hours upon the request of any officer, employee, or other party authorized by the Secretary. Lessees, operators, revenue payors, and other persons will be given a reasonable period of time to produce records.

[56 FR 57286, Nov. 8, 1991, as amended at 67 FR 19111, Apr. 18, 2002]

#### Subpart I—OCS Sulfur [Reserved]

# PART 215—ACCOUNTING AND AUDITING STANDARDS [RESERVED]

# PART 216—PRODUCTION ACCOUNTING

### Subpart A—General Provisions

#### Sec.

- 216.1 Purpose.
- 216.2 Scope.
- 216.6 Definitions.
- 216.10 Information collection.
- 216.11 Electronic reporting.
- 216.15 Reporting instructions.
- 216.16 Where to report.
- 216.20 Applicability.
- 216.21 General obligations of the reporter.
- 216.25 Confidentiality.
- 216.30 Special forms and reports.
- 216.40 Assessments for incorrect or late reports and failure to report.

#### Subpart B—Oil and Gas, General

- 216.50 Monthly report of operations.
- 216.51 Facility and Measurement Information Form.
- 216.52 First Purchaser Report.
- 216.53 Oil and Gas Operations Report.
- 216.54 Gas Analysis Report.
- 216.55 Gas Plant Operations Report.
- 216.56 Production Allocation Schedule Report.
- 216.57 Stripper royalty rate reduction notification.

# Subpart C—Oil and Gas, Onshore [Reserved]

# Subpart D—Oil, Gas, and Sulphur, Offshore [Reserved]

Subpart E—Solid Minerals, General [Reserved]

Subpart F—Coal [Reserved]

Subpart G—Other Solid Minerals [Reserved]

Subpart H—Geothermal Resources [Reserved]

#### Subpart I—Indian Land [Reserved]

AUTHORITY: 5 U.S.C. 301 *et seq.*; 25 U.S.C. 396, 2107; 30 U.S.C. 189, 190, 359, 1023, 1751(a); 31 U.S.C. 3716, 9701; 43 U.S.C. 1334, 1801 *et seq.*; and 44 U.S.C. 3506(a).

SOURCE: 51 FR 8175, Mar. 7, 1986, unless otherwise noted.

#### **Subpart A—General Provisions**

#### §216.1 Purpose.

The purpose of this part is to ensure that the Federal Government receives proper information regarding energy and mineral resources removed from Federal and Indian leases and federally approved agreements, including the Outer Continental Shelf (OCS).

#### §216.2 Scope.

This part governs the reporting of oil or gas operations information on Federal and Indian leases or federally-approved agreements including leases or agreements on the OCS. This part also governs the reporting of other operational information associated with production from Federal and Indian leases or federally-approved agreements when such operations occur prior to the point of sale or royalty determination, whichever is applicable. Reporters are required to submit certain production reports to MMS as set forth in this part.

[58 FR 45254, Aug. 27, 1993, as amended at 66 FR 45773, Aug. 30, 2001]

#### § 216.6 Definitions.

For purposes of this part:

Agreement means a binding arrangement between two or more parties purporting to the act of agreeing or of coming to a mutual arrangement that is accepted by all parties to a transaction (e.g., communitizations, unitization, gas storage, or compensatory royalty agreements.).

Alaska Native Corporation means a corporation created pursuant to the provisions of the Alaska Native Claims Settlement Act (43 U.S.C. 1601 et seq.).

Associate Director means the Associate Director for Minerals Revenue Management of the MMS.

Facility means a structure(s) used to store or process Federal or Indian mineral production prior to or at the point of royalty determination.

Federal lease means a lease concerning minerals owned by the United States and includes a lease where an Alaska Native Corporation receives all or part of the royalties accruing from that lease, and the MMS has not waived administration of that lease.

#### §216.10

First purchaser means any entity receiving the lease production in a first transfer for value transaction.

Gas means any fluid, either combustible or noncombustible, which is extracted from a reservoir and which has neither independent shape nor volume, but tends to expand indefinitely; a substance that exists in a gaseous or rarefied state under standard temperature and pressure conditions.

Indian lease means a lease concerning lands or interest in lands of an Indian Tribe or an Indian allottee, his heirs or devisees, held in trust by the United States or which is subject to Federal restriction against alienation, including mineral resources and mineral estates reserved to an Indian Tribe or an Indian allottee, his heirs or devisees thereto in the conveyance of a surface or non-mineral estate, except that such term does not include any lands subject to the provisions of section 3 of the Act of June 28, 1906 (34 Stat. 539).

Lease means any contract, profitshare arrangement, joint venture, permit, or other agreement issued or approved by the United States under a mineral leasing law that authorizes exploration for, extraction of, or removal of oil or gas—or the land area covered by that authorization, whichever is covered by the context.

Lessee means any person to whom the United States, an Indian Tribe, or an Indian allottee, issues a lease, or any person who has been assigned an obligation to make royalty or other payments required by the lease.

Measurement device means a mechanical or electrical device that is used to measure production of oil or gas for sales, transfers, and/or royalty determination.

Mineral leasing law means any Federal law administered by the Secretary authorizing the disposition under lease of oil or gas.

Oil means any fluid hydrocarbon substance other than gas which is extracted in a fluid state from a reservoir and which exists in a fluid state under the existing temperature and pressure conditions of the reservoir. Oil includes liquefiable hydrocarbon substances such as drip gasoline or other natural condensates recovered in a liquid state from gas.

Operator means any person, including a lessee who has control of, or who manages operations on, any oil and gas lease site on Federal (including the OCS) or Indian lands. "Operator" also means any entity engaged in the business of developing, drilling for, producing, transporting, purchasing, selling, or processing oil or gas and/or which has the responsibility of reporting production from a lease or a portion thereof.

Outer Continental Shelf (OCS) has the same meaning as provided in section 2 of the Outer Continental Shelf Lands Act, 43 U.S.C. 1331.

*Person* means any individual, firm, corporation, association, partnership, consortium or joint venture.

Raw make means natural gas liquids (NGL's) that are extracted from the wet gas stream at a gas plant (e.g., ethane through natural gasoline) which sometimes is transferred to a fractionation plant for further processing.

*Reporter* means any reporting entity required to submit a production report or form to the MMS.

*Secretary* means the Secretary of the Interior or his/her designee.

[51 FR 8175, Mar. 7, 1986, as amended at 58 FR 45254, Aug. 27, 1993; 66 FR 45773, Aug. 30, 2001; 67 FR 19111, Apr. 18, 2002]

#### §216.10 Information collection.

The information collection requirements contained in this part have been approved by OMB under 44 U.S.C. 3501 *et seq.* The forms, filing date, and approved OMB clearance numbers are identified in 30 CFR 210.10.

[57 FR 41867, Sept. 14, 1992]

#### §216.11 Electronic reporting.

You must submit your Oil and Gas Operations Report, Form MMS-4054, in accordance with electronic reporting requirements in 30 CFR part 210.

[64 FR 38123, July 15, 1999]

#### §216.15 Reporting instructions.

(a) Specific guidance on how to prepare and submit required information collection reports and forms to MMS is contained in the production reporter handbook. The production reporter handbook is available from the Minerals Management Service, Minerals

Revenue Management, P.O. Box 17110, Denver, Colorado 80217-0110.

(b) Production reporters should refer to the handbook for specific guidance with respect to production reporting requirements. If additional information is required, the reporter should contact the MMS at the above address. The telephone number is listed in the handbook.

[53 FR 16412, May 9, 1988, as amended at 57 FR 41867, Sept. 14, 1992; 58 FR 64903, Dec. 10, 1993; 67 FR 19111, Apr. 18, 2001]

#### §216.16 Where to report.

- (a) All reporting forms listed in this part that are mailed or sent by U.S. Postal Service express mail should be mailed to the Minerals Management Service, Minerals Revenue Management, P.O. Box 17110, Denver, Colorado 80217-0110.
- (b) Reports delivered to MMS by special couriers or overnight mail, except U.S. Postal Service express mail, shall be addressed as follows: Minerals Management Service, Minerals Revenue Management, Building 85, Denver Federal Center, Denver, Colorado 80225.
- (c) A report is considered received when it is delivered to MMS at the addresses specified in paragraphs (a) and (b) of this section. Reports received at the MMS addresses specified in paragraphs (a) and (b) of this section after 4 p.m. mountain time are considered received the following business day.

[56 FR 20127, May 2, 1991, as amended at 57 FR 41867, Sept. 14, 1992; 58 FR 64903, Dec. 10, 1993; 67 FR 19111, Apr. 18, 2002]

#### §216.20 Applicability.

The requirements of this part shall apply to all oil and gas operators reporting information on Federal and Indian leases or federally-approved agreements, including leases or agreements on the OCS.

[58 FR 45254, Aug. 27, 1994, as amended at 66 FR 45773, Aug. 30, 2001]

### § 216.21 General obligations of the reporter.

The reporter shall submit accurately, completely and timely, pursuant to the requirements of this part, all information forms and other information required by MMS. Specific guidance on

the use of the required forms is contained in the production reporter handbook. Copies of the handbook are available from the MMS.

[51 FR 8175, Mar. 7, 1986, as amended at 67 FR 19111, Apr. 18, 2002]

#### § 216.25 Confidentiality.

- (a) Information obtained by MMS pursuant to the rules of this part shall be open for public inspection and copying during regular office hours upon a written request, pursuant to rules at 43 CFR part 2, except that:
- (1) Notwithstanding any other provision of this part, information obtained from a reporter under this part relating to a minerals agreement approved pursuant to the Indian Mineral Development Act of 1982, 25 U.S.C. 2101 et seq., the Tribal Leasing Act of 1938 (25 U.S.C. 396a et seq.), or the Allotted Indian Mineral Development Act of 1909 (25 U.S.C. 396), shall not be released without the written consent of the Indian Tribe(s) or individual Indian(s) who are parties to the mineral agreement.
- (2) Information obtained from a reporter pursuant to this part that constitutes a trade secret and/or commercial or financial information which is privileged or confidential, or other information that may be withheld under the Freedom of Information Act (5 U.S.C. 552(b)), such as geologic and geophysical data concerning wells, shall be available for public inspection in accordance with 43 CFR part 2. When such information is related to Indian lands, consent to release the information must also be obtained from the cognizant Tribe or allottee.
- (b) If any geologic and/or geophysical data is submitted under this part, these shall be made available to the public only in accordance with the provisions of 30 CFR 250.3, 250.4 and 252.7, if these relate to an offshore lease, and in accordance with 43 CFR 3162.8 if these relate to an onshore Federal or Indian lease.

#### § 216.30 Special forms and reports.

When special forms or reports other than those referred to in the regulations in this part are necessary, instructions for the filing of such forms

#### §216.40

or reports will be provided by the Associate Director. Such requests will be made in conformity with the requirements of the Paperwork Reduction Act of 1995, and are expected to involve less than 10 respondents annually.

[51 FR 8175, Mar. 7, 1986, as amended at 67 FR 19112, Apr. 18, 2002]

# §216.40 Assessments for incorrect or late reports and failure to report.

- (a) An assessment of an amount not to exceed \$10 per day may be charged for each report not received by MMS by the designated due date.
- (b) An assessment of an amount not to exceed \$10 may be charged for each incorrectly completed report.
- (c) For purposes of oil and gas reporting under the PAAS, a report is defined as each line of production information required on the Monthly Report of Operations (Form MMS-3160), Oil and Gas Operations Report (Form MMS-4054), Gas Analysis Report (Form MMS-4055), Gas Plant Operations Report (Form MMS-4056), and Production Allocation Schedule Report (Form MMS-4058).
- (d) The MMS will not make assessments for reporting problems which are beyond the control of the reporter (e.g., reports received late because of bad weather). The reporter shall have the burden of proving that a reporting problem was unavoidable.
- (e) An assessment under this section shall not be shared with a State, Indian tribe, Indian allottee, or Alaska Native Corporation.
- (f) The amount of the assessment to be imposed pursuant to paragraphs (a) and (b) of this section shall be established periodically by MMS. The assessment amount for each violation will be based on MMS's experience with costs and improper reporting. The MMS will publish a Notice of the assessment amount to be applied in the FEDERAL REGISTER.

[51 FR 8175, Mar. 7, 1986, as amended at 52 FR 27546, July 22, 1987; 53 FR 16412, May 9, 1988; 58 FR 64903, Dec. 10, 1993; 59 FR 38905, Aug. 1, 1994; 66 FR 45773, Aug. 30, 2001]

#### Subpart B—Oil and Gas, General

#### §216.50 Monthly report of operations.

- (a) You must submit a Monthly Report of Operations, Form MMS-3160, if you operate either an onshore Federal or Indian lease or an onshore federally-approved agreement that contains one or more wells that are not permanently plugged and abandoned. You may submit Form MMS-3160 electronically.
- (b) You must submit a Form MMS-3160 for each well for each calendar month, beginning with the month in which you complete drilling, unless you have only test production from a drilling well or MMS tells you in writing to do otherwise.
- (c) MMS must receive your completed Form MMS-3160 according to the following table:

If you submit your form	We must receive it by
(1) Electronically(2) Other than electronically	The 25th day of the second month following the month for which you are reporting. The 15th day of the second month following the month for which you are reporting.

- (d) You must continue reporting until either:
- (1) BLM approves all wells as permanently plugged or abandoned and you dispose of all inventory; or
- (2) The lease or agreement is terminated.
- (e) You are not required to submit Form MMS-3160 if:
- (1) You are authorized to submit an Oil and Gas Operations Report, Form MMS-4054, instead of a Form MMS-3160; or
- (2) You operate a gas storage agreement. You must report gas storage agreements to the appropriate BLM office.
- (f) Specific and detailed guidance on how to prepare and submit the required production data on the Form MMS-3160 are contained in the MMS *PAAS Onshore Oil and Gas Reporter Handbook*.See §216.15 of this part.
- (g)(1) Operators already reporting onshore lease production data to MMS in accordance with §216.53 of this part on the effective date of this rule may request to change to the provisions of this section. Any request to change to the requirements of this section must

be made by advance written notice to MMS and have MMS approval.

- (2) An operator who reports production data to MMS for offshore leases in accordance with §216.53 of this part may request to report for its onshore leases in accordance with the requirements of that section. Any such request must be made by advance written notice to MMS and have MMS approval.
- (h)(1) Except where disclosure is required by law, information submitted on Form MMS-3160 that MMS classifies as confidential will be protected as such by both MMS and BLM for the period of 1 year. Operators must petition MMS for each lease or agreement to obtain a confidential classification and to extend the classification period beyond 1 year.
- (2) Except as provided by statute, information submitted on Form MMS-3160 in regard to Federal leases and Indian leases which are part of a unit containing non-Indian leases is not considered to be confidential.
- (3) Except where disclosure is required by law, all information submitted on Form MMS-3160 in regard to Indian leases, other than those included in paragraph (d)(2) of this section, will be considered to be confidential
- (4) Except as provided in this subsection, all other information will be released.

[53 FR 16412, May 9, 1988, as amended at 58 FR 45254, Aug. 27, 1993; 58 FR 64903, Dec. 10, 1993; 64 FR 38123, July 15, 1999]

# § 216.51 Facility and Measurement Information Form.

A Facility and Measurement Information Form (Form MMS-4051) must be filed for each facility or measurement device which handles production from any Federal or Indian lease, or federally-approved agreement, through the point of first sale or the point of royalty computation, whichever is later. The completed form must be filed by any operator (reporting production on a Form MMS-4054) of an onshore Facility Measurement Point (FMP) that handles production from any Federal or Indian lease or federally-approved agreement prior to, or at the point of royalty determination, or any operator who acquires an onshore FMP that is currently reporting to the PAAS. The report must be filed no later than 30 days after the establishment of a new facility or measurement device, or 30 days after a change is made to an existing facility or measurement device.

[58 FR 45254, Aug. 27, 1993]

#### §216.52 First Purchaser Report.

The First Purchaser Report (Form MMS-4053) must be filed by first purchasers only upon the specific request of MMS.

[51 FR 8175, Mar. 7, 1986. Redesignated at 58 FR 64903, Dec. 10, 1993]

### §216.53 Oil and Gas Operations Report.

- (a) You must file an Oil and Gas Operations Report, Form MMS-4054, if you operate one of the following that contains one or more wells that are not permanently plugged or abandoned:
- (1) An OCS lease or federally-approved agreement; or
- (2) An onshore Federal or Indian lease or federally-approved agreement for which you elected to report on a Form MMS-4054 instead of a Form MMS-3160.
- (b) You must submit a Form MMS-4054 for each well for each calendar month, beginning with the month in which you complete drilling, unless you have only test production from a drilling well or MMS tells you in writing to do otherwise.
- (c) MMS must receive your completed Form MMS-4054 according to the following table:

If you submit your form	We must receive it by
(1) Electronically	The 25th day of the second month following the month for which you are reporting.
(2) Other than electronically	The 15th day of the second month following the month for which you are reporting.

- (d) You must continue reporting until either:
- (1) BLM or MMS approves all wells as permanently plugged or abandoned and you dispose of all inventory; or
- (2) The lease or agreement is terminated.

[64 FR 38124, July 15, 1999]

#### §216.54

#### §216.54 Gas Analysis Report.

When requested by MMS, any operator must file a Gas Analysis Report (GAR) (Form MMS-4055) for each royalty or allocation meter. The form must contain accurate and detailed gas analysis information. This requirement applies to offshore, onshore, or Indian leases.

- (a) MMS may request a GAR when you sell gas, or transfer gas for processing, before the point of royalty computation.
- (b) When MMS first requests this report, the report is due within 30 days. If MMS requests subsequent reports, they will be due no later than 45 days after the end of the month covered by the report.

[63 FR 26367, May 12, 1998]

#### §216.55 Gas Plant Operations Report.

- (a) You must submit a Gas Plant Operations Report, Form MMS-4056, if you operate either:
- (1) A gas plant that processes gas originating from an OCS lease or federally-approved agreement before the point of final royalty determination; or
- (2) A gas plant that processes gas from an onshore Federal or Indian lease or federally-approved agreement before the point of final royalty determination, and MMS has asked you to submit a Form MMS-4056.
- (b) You must submit a Form MMS-4056 for each calendar month beginning with the month gas processing is initiated.
- (c) MMS must receive your completed Form MMS-4056 according to the following table:

If you submit your Form MMS-4054	We must receive your Form MMS-4056 by
(1) Electronically(2) Other than electronically	The 25th day of the second month following the month for which you are reporting. The 15th day of the second month following the month for which you are reporting.

- (d) Your report must show 100 percent of the gas.
- (e) You are not required to file a Form MMS-4056 if:
- (1) Your plant has not processed gas that originated from a Federal onshore, OCS, or Indian lease, or federally-approved agreement before the

point of final royalty determination for 6 months; and

- (2) You notified MMS in writing within 30 days after the end of the 6-month period.
- (f) You must file a Form MMS-4056 when your plant resumes processing gas that originated from a Federal onshore, OCS, or Indian lease, or federally-approved agreement before the point of final royalty determination.

[64 FR 38124, July 15, 1999]

# § 216.56 Production Allocation Schedule Report.

- (a) Any operator of an offshore Facility Measurement Point (FMP) handling production from a Federal lease or federally-approved agreement that is commingled (with approval) with production from any other source prior to measurement for royalty determination must file a Production Allocation Schedule Report (Form MMS-4058). This report is not required whenever all of the following conditions are met:
- (1) All leases involved are Federal leases:
- (2) All leases have the same fixed royalty rate;
- (3) All leases are operated by the same operator;
- (4) The facility measurement device is operated by the same person as the leases/agreements;
- (5) Production has not been previously measured for royalty determination: and
- (6) The production is not subsequently commingled and measured for royalty determination at an FMP for which Form MMS-4058 is required under this part.
- (b) You must submit a Production Allocation Schedule Report, Form MMS-4058, for each calendar month beginning with the month in which you first handle production covered by this section
- (c) MMS must receive your Form MMS-4058 according to the following table:

If you submit your Form MMS-4054	We must receive your Form MMS-4058 by
(1) Electronically	The 25th day of the second month following the month for which you are reporting.

#### Minerals Management Service, Interior

If you submit your Form MMS-4054	We must receive your Form MMS-4058 by
(2) Other than electronically	The 15th day of the second month following the month for which you are reporting.

[58 FR 45255, Aug. 27, 1993. Redesignated at 58 FR 64903, Dec. 10, 1993, as amended at 64 FR 38124, July 15, 1999]

# § 216.57 Stripper royalty rate reduction notification.

In accordance with its regulations at 43 CFR 3103.4–1, titled "Waiver, suspension, or reduction of rental, royalty, or minimum royalty," the Bureau of Land Management (BLM) may grant reduced royalty rates to operators of low producing oil leases to encourage continued production. Operators who have been granted a reduced royalty rate(s) by BLM must submit a Stripper Royalty Rate Reduction Notification (Form MMS–4377) to MMS for each 12-month qualifying period that a reduced royalty rate(s) is granted.

[58 FR 64903, Dec. 10, 1993]

#### Subpart C—Oil and Gas, Onshore [Reserved]

Subpart D—Oil, Gas, and Sulfur, Offshore [Reserved]

Subpart E—Solid Minerals, General [Reserved]

Subpart F—Coal [Reserved]

Subpart G—Other Solid Minerals [Reserved]

Subpart H—Geothermal Resources [Reserved]

Subpart I—Indian Land [Reserved]

PART 217—AUDITS AND INSPECTIONS

Subpart A—General Provisions [Reserved]
Subpart B—Oil and Gas, General

Sec.

217.50 Audits of records.

217.51 Lease account reconciliation.

217.52 Definitions.

Subpart C—Oil and Gas, Onshore [Reserved]

Subpart D—Oil, Gas and Sulfur, Offshore [Reserved]

Subpart E-Coal

217.200 Audits.

Subpart F—Other Solid Minerals

217.250 Audits.

Subpart G—Geothermal [Reserved]

Subpart H—Indian Lands [Reserved]

AUTHORITY: 35 Stat. 312; 35 Stat. 781, as amended; secs. 32, 6, 26, 41 Stat. 450, 753, 1248; secs. 1, 2, 3, 44 Stat. 301, as amended; secs. 6, 3, 44 Stat. 659, 710; secs. 1, 2, 3, 44 Stat. 1057; 47 Stat. 1487; 49 Stat. 1482, 1250, 1967, 2026; 52 Stat. 347; sec. 10, 53 Stat. 1196, as amended; 56 Stat. 273; sec. 10, 61 Stat. 915; sec. 3, 63 Stat. 683; 64 Stat. 311; 25 U.S.C. 396, 396a-f, 30 U.S.C. 189, 271, 281, 293, 359. Interpret or apply secs. 5, 5, 44 Stat. 302, 1058, as amended; 58 Stat. 483-485; 5 U.S.C. 301, 16 U.S.C. 508b, 30 U.S.C. 189, 192c, 271, 281, 293, 359, 43 U.S.C. 387, unless otherwise noted.

# Subpart A—General Provisions [Reserved]

#### Subpart B—Oil and Gas, General

AUTHORITY: The Federal Oil and Gas Royalty Management Act of 1982 (30 U.S.C. 1701 et seq.).

SOURCE: 49 FR 37345, Sept. 21, 1984, unless otherwise noted.

#### §217.50 Audits of records.

The Secretary, or his/her authorized representative, shall initiate and conduct audits relating to the scope, nature and extent of compliance by lessees, operators, revenue payors, and other persons with rental, royalty, net profit share and other payment requirements on a Federal or Indian oil and gas lease. Audits also will relate to compliance with applicable regulations and orders. All audits will be conducted in accordance with the notice and other requirements of 30 U.S.C. 1717.

#### §217.51

#### §217.51 Lease account reconciliation.

Specific lease account reconciliations shall be performed with priority being given to reconciling those lease accounts specifically identified by a State or Indian tribe as having significant potential for underpayment.

#### §217.52 Definitions.

Terms used in this subpart shall have the same meaning as in 30 U.S.C. 1702.

# Subpart C—Oil and Gas, Onshore [Reserved]

#### Subpart D—Oil, Gas and Sulfur, Offshore [Reserved]

#### Subpart E—Coal

#### §217.200 Audits.

An audit of the accounts and books of operators/lessees for the purpose of determining compliance with Federal lease terms relating to Federal royalties may be required annually or at other times as directed by the Associate Director for Minerals Revenue Management. The audit shall be performed by a qualified independent certified public accountant or by an independent public accountant licensed by a State, territory, or insular possession of the United States or the District of Columbia, and at the expense of the operator/lessee. The operator/lessee shall furnish, free of charge, duplicate copies of audit reports that express opinions on such compliance to the Associate Director for Minerals Revenue Management within 30 days after the completion of each audit. Where such audits are required, the Associate Director for Minerals Revenue Management will specify the purpose and scope of the audit and the information which is to be verified or obtained.

 $[47\ FR\ 33195,\ July\ 30,\ 1982.\ Redesignated\ at\ 48\ FR\ 35641,\ Aug.\ 5,\ 1983,\ as\ amended\ at\ 67\ FR\ 19112,\ Apr.\ 18,\ 2002]$ 

#### Subpart F—Other Solid Minerals

#### §217.250 Audits.

An audit of the lessee's accounts and books may be made annually or at such other times as may be directed by the mining supervisor, by certified public accountants, and at the expense of the lessee. The lessee shall furnish free of cost duplicate copies of such annual or other audits to the mining supervisor, within 30 days after the completion of each auditing.

[37 FR 11041, June 1, 1972. Redesignated at 48 FR 35641, Aug. 5, 1983]

# Subpart G—Geothermal [Reserved]

#### Subpart H—Indian Lands [Reserved]

#### PART 218—COLLECTION OF ROY-ALTIES, RENTALS, BONUSES AND OTHER MONIES DUE THE FEDERAL GOVERNMENT

#### Subpart A—General Provisions

Sec.

218.10 Information collection.

218.40 Assessments for incorrect or late reports and failure to report.

218.41 Assessments for failure to submit payment of same amount as Form MMS-2014 or bill document or to provide adequate information.

218.42 Cross-lease netting in calculation of late-payment interest.

#### Subpart B—Oil and Gas, General

218.50 Timing of payment.

218.51 How to make payments.

218.52 How does a lessee designate a Designee?

218.53 Recoupment of overpayments on Indian mineral leases.

218.54 Late payments.

218.55 Interest payments to Indians.

218.56 Definitions.

218.57 Providing information and claiming rewards

#### Subpart C—Oil and Gas, Onshore

218.100 Royalty and rental payments.

218.101 Royalty and rental remittance (naval petroleum reserves).

218.102 Late payment or underpayment charges.

218.103 Payments to States.

218.104 Exemption of States from certain interest and penalties.

218.105 Definitions.

#### Subpart D-Oil, Gas and Sulfur, Offshore

- 218.150 Royalties, net profit shares, and rental payments.
- 218.151 Rental fees.
- 218.152 Fishermen's Contingency Fund.
- 218.153 [Reserved]
- 218.154 Effect of suspensions on royalty and rental.
- 218.155 Method of payment.
- 218.156 Definitions.

#### Subpart E—Solid Minerals—General

- 218.200 Payment of royalties, rentals, and deferred bonuses.
- 218.201 Method of payment.
- 218.202 Late payment or underpayment charges.
- 218.203 Recoupment of overpayments on Indian mineral leases.

#### Subpart F—Geothermal Resources

- 218.300 Payment of royalties, rentals, and deferred bonuses.
- 218.301 Method of payment.
- 218.302 Late payment or underpayment charges.

#### Subpart G—Indian Lands [Reserved]

AUTHORITY: 25 U.S.C. 396 et seq., 396a et seq., 2101 et seq.; 30 U.S.C. 181 et seq., 351 et seq., 1001 et seq., 1701 et seq.; 31 U.S.C. 3335; 43 U.S.C. 1301 et seq., 1331 et seq., and 1801 et seq.

SOURCE:  $48\ FR\ 35641$ , Aug. 5, 1983, unless otherwise noted.

#### **Subpart A—General Provisions**

#### §218.10 Information collection.

The information collection requirements contained in this part have been approved by OMB under 44 U.S.C. 3501 *et seq.* The forms, filing date, and approved OMB clearance numbers are identified in 30 CFR 210.10.

[57 FR 41867, Sept. 14, 1992]

# § 218.40 Assessments for incorrect or late reports and failure to report.

- (a) An assessment of an amount not to exceed \$10 per day may be charged for each report not received by MMS by the designated due date.
- (b) An assessment of an amount not to exceed \$10 may be charged for each incorrectly completed report.
- (c) For purposes of assessments discussed in this section, a report is defined as follows:

- (1) For coal and other solid mineral leases, a report is each line on the Solid Minerals Production and Royalty Report, Form MMS-4430.
- (2) For oil and gas and geothermal leases, a report is each line on the Report of Sales and Royalty Remittance, Form MMS-2014.
- (d) An assessment under this section shall not be shared with a State, Indian tribe, or Indian allottee.
- (e) The amount of the assessment to be imposed pursuant to paragraphs (a) and (b) of this section shall be established periodically by MMS. The assessment amount for each violation will be based on MMS's experience with costs and improper reporting. The MMS will publish a Notice of the assessment amount to be applied in the FEDERAL REGISTER.

[49 FR 37346, Sept. 21, 1984. Redesignated and amended at 51 FR 15767, Apr. 28, 1986; 52 FR 27546, July 22, 1987; 52 FR 37452, Oct. 7, 1987; 57 FR 52720, Nov. 5, 1992; 59 FR 38906, Aug. 1, 1994; 66 FR 45773, Aug. 30, 2001]

# § 218.41 Assessments for failure to submit payment of same amount as Form MMS-2014 or bill document or to provide adequate information.

- (a) An assessment of an amount not to exceed \$250 may be charged when the amount of a payment submitted by a payor is not equivalent in amount to the total of individual line items on the associated Form MMS 2014 or bill document, unless the difference in amount has been authorized by MMS.
- (b) An assessment of an amount not to exceed \$250 may be charged for each payment submitted by a payor that cannot be automatically applied by AFS to the associated Form MMS-2014 or bill document because of inadequate or erroneous information submitted by the payor. For purposes of this section, inadequate or erroneous information is defined as:
- (1) Absent or incorrect payor assigned document number, required to be identified by the payor in Block 3a on a Form MMS-2014, or the reuse of the same payor assigned document ("3a") number in a subsequent reporting period.
- (2) Absent or incorrect bill document invoice number (to include the four character alpha prefix and the eight

#### §218.42

digit number) or the payor-assigned 3a number required to be identified by the payor on the associated payment document, or the reuse of the same payor assigned 3a number in a subsequent reporting period.

(3) Absent or incorrect name of the administering Bureau of Indian Affairs Agency/Area office and the word "allotted" or the tribe name on payment documents remitted to MMS for an Indian tribe or allottee. If the payment is made by EFT, the payor must identify the tribe/allottee on the EFT message by a pre-established five digit code.

(4) Absent or incorrect MMS assigned payor code on a payment document.

(c) For purposes of this section, the term "Form MMS-2014" includes submission of reports of royalty information by magnetic media. Magnetic media submissions include submissions by magnetic tape, magnetic cartridge, or floppy diskette.

(d) For purposes of this section, a bill document is defined as any Bill of Collection (Form DI-1040b) that has been issued by MMS for assessments, late-payment interest charges, or other amounts owed.

- (e) For purposes of this section, a payment document is defined as one of the payment methods identified in §218.51(a)(3).
- (f) The amount of the assessment to be imposed pursuant to paragraphs (a) and (b) of this section shall be established periodically by MMS. The assessment amount will be based on MMS' experience with costs and improper reporting and/or payment as specified in this section. The MMS will publish a Notice in the FEDERAL REGISTER of the assessment amount to be applied with the effective date.

[58 FR 45438, Aug. 30, 1993]

# §218.42 Cross-lease netting in calculation of late-payment interest.

(a) Interest due from a payor on any underpayment for any Federal mineral lease or leases (onshore or offshore) and on any Indian tribal mineral lease or leases for any production month shall not be reduced by offsetting against that underpayment any overpayment made by the payor on any other lease or leases, except as provided in paragraph (b) of this section.

Interest due from a payor or any underpayment on any Indian allotted lease shall not be reduced by offsetting against any overpayment on any other Indian allotted lease under any circumstances.

- (b) Royalties attributed to production from a lease or leases which should have been attributed to production from a different lease or leases may be offset to determine whether and to what extent an underpayment exists on which interest is due if the following conditions are met:
- (1) The error results from attributing and reporting an equal volume of production, produced from a lease or leases during a particular production month, to a different lease or leases from which it was not produced for the same or another production month;
- (2) The payor is the same for the lease or leases to which production was attributed and the lease or leases to which it should have been attributed;
- (3) The payor submits production reports, pipeline allocation reports, or other similar documentary evidence pertaining to the specific production involved which verifies the correct production information;
- (4) The lessor is the same for the leases involved (in the case of Indian tribal leases, the same tribe is the lessor); and
- (5) The ultimate recipients of any royalty or other lease revenues under any applicable permanent indefinite appropriations are the same for, and receive the same percentage of revenue from, the leases.
- (c) If MMS assesses late-payment interest and the payor asserts that some or all of the interest assessed is not owed pursuant to the exception set forth in paragraph (b) of this section, the burden is on the payor to demonstrate that the exception applies in the specific circumstances of the case.
- (d) The exception set forth in paragraph (b) of this section shall not operate to relieve any payor of liability imposed by statute or regulation for erroneous reporting.

[57 FR 62206, Dec. 30, 1992]

#### Subpart B—Oil and Gas, General

SOURCE: 49 FR 37346, Sept. 21, 1984, unless otherwise noted.

#### §218.50 Timing of payment.

- (a) Royalty payments are due at the end of the month following the month during which the oil and gas is produced and sold except when the last day of the month falls on a weekend or holiday. In such cases, payments are due on the first business day of the succeeding month. Rental payments are due as specified by the lease terms.
- (b) Payments made on a Bill for Collection (Form DI-1040b) are due as specified by the Bill. Bills for Collection will be issued and payable as final collection actions.
- (c) All payments to MMS are due as specified and are not deferred or suspended by reason of an appeal having been filed unless such deferral or suspension is approved in writing by an authorized MMS official.

#### §218.51 How to make payments.

(a) Definitions.

*ACH*—Automated Clearing House. A type of EFT using the ACH network.

*Courtesy Notice*—An MMS-issued notice of rental or bonus due.

Deferred Bonus Payment—Lease bonus paid in equal annual installments over a specified number of years.

*EFT*—Electronic Funds Transfer. Any paperless transfer of funds a bank initiates through an electronic terminal. For MMS purposes, EFT is limited to FEDWIRE and ACH transfers.

FEDWIRE—A type of EFT using the Federal Reserve Wire network.

Invoice Document Identification—The MMS-assigned invoice document identification (four alpha and eight numeric characters).

Payment—Any monies for royalty, bonus, rental, late payment charge, assessment, penalty, or other money sent to MMS.

Person—Any individual, firm, corporation, association, partnership, consortium, or joint venture (when established as a separate entity). The term does not include Federal agencies.

Report—Form MMS-2014, Report of Sales and Royalty Remittance.

*RIK*—Royalty in kind.

- (b) General Instructions. You must make all payments to MMS electronically to the extent it is cost effective and practical. If you pay money to MMS or to an Indian tribe or allottee, you must follow these procedures:
- (1) If MMS instructs you to use EFT, you must use EFT for all payments to MMS and/or a tribe.
- (2) Contact MMS before using EFT. MMS will provide you with EFT payment instructions.
- (3) Separate any payments on a Federal lease from any payments on an Indian lease.
- (4) If you are not required to use EFT, use one of the following types of payment documents. MMS prefers that you use these payment documents in the order presented:
- (i) Commercial check drawn on a solvent bank:
  - (ii) Certified check;
- (iii) Cashier's check;
- (iv) Money order;
- (v) Bank draft drawn on a solvent bank; or
  - (vi) Federal Reserve check.
- (5) You must include your payor code on all payments.
  - (6) You must pay in U.S. dollars.
- (c) How to complete a non-EFT payment. (1) Make any payment on a Federal lease payable to: "Department of the Interior-Minerals Management Service" or "DOI-MMS."
- (2) For an Indian allottee payment, send a separate payment for each Bureau of Indian Affairs (BIA) agency or area office represented by the leases on your report or invoice document. You must include the name of the applicable BIA agency or area office on your payment. Make your payment document payable to: "Department of the Interior-Minerals Management Service for BIA [Name] Agency (allotted)" or "DOI-MMS for BIA [Name] Agency (allotted)."
- (3) For an Indian tribal payment other than a lockbox payment, send a separate payment for each tribe represented by the leases on your report or invoice document. You must include the name of the Indian tribe on your payment. Make it payable to: "Department of the Interior-Minerals Management Service for BIA [Name of Tribe]" or "DOI-MMS for BIA [Name of Tribe]."

#### §218.51

- (4) For an Indian tribal lockbox payment, follow the instructions MMS provides you on how to report and make the lockbox payment. These instructions are specific to each tribe's lockbox written agreement with the bank authorized to receive payments on the tribe's mineral leases. You will receive these instructions from MMS when you are required to use a tribal lockbox for reports and payments.
- (d) Where to send a non-EFT payment when you use the U.S. Postal Service. (1) For a payment to an Indian tribal lockbox, send your payment to the appropriate tribal lockbox address.
- (2) For a Federal nonproducing lease rental or deferred bonus payment, send it to:
- Minerals Management Service, Minerals Revenue Management, P.O. Box 5640, Denver. CO 80217-5640.
- (3) For all other Federal and Indian lease payments other than those going to an Indian tribal lockbox, send them to:
- Minerals Management Service, Minerals Revenue Management, P.O. Box 5810, Denver, CO 80217–5810.
- (e) Where to send a non-EFT payment when you use a courier or overnight delivery service. You should send this type of payment to:
- Minerals Management Service, Minerals Revenue Management, Building 85, Denver Federal Center, Room A-614, Denver, CO 80225-0165.
- (f) How to prepare and what to include on your payment document. (1) For Form MMS-2014 payments, you must include both your payor code (block 2) and your payor-assigned document number (block 3a).
- (2) For invoice payments, including RIK invoice payments, you must include both your payor code and invoice document identification (four-letter prefix and eight-digit number).
  - (3) For bonus payments:
- (i) For one-fifth bonus payments for offshore oil, gas, and sulphur leases, follow the instructions in the Notice of Lease Offering.
- (ii) For payment of the four-fifths bonus for an offshore lease, use EFT and follow the instructions in  $\S218.155(c)$ .

- (iii) For the successful bidder's bonus in the competitive sale of a coal, geothermal, or offshore mineral (other than oil, gas or sulfur) lease, follow the instructions and terms of the Notice of Competitive Lease Sale.
- (iv) For installment payments of deferred bonuses, you must use EFT.
- (4) If you are paying a lease rental you must:
- (i) See 30 CFR 218.155(c) for instructions on how to pay first-year rentals of an offshore oil, gas, or sulfur lease;
- (ii) See the Notice of Lease Offering for instructions on how to pay first-year rentals other than those covered in paragraph (f)(4)(i) of this section.
- (iii) Include the MMS Courtesy Notice, when provided, or write your payor code and government-assigned lease number on the payment document when paying a rental that is not reported on Form MMS-2014 and not paid by EFT.
- (g) When is a payment to MMS due? (1) All payments are due to MMS at the time law, regulation, or lease terms require unless MMS approves a change according to part 243 of this chapter. If you file an appeal, and the requirement to submit payment is suspended, the original payment due date for purposes such as calculating late payment interest is not changed.
- (2) If you use the U.S. Postal Service, courier, or overnight mail to send your payment, it is due at the MMS addresses in paragraphs (d) and (e) of this section before 4 p.m. Mountain Time on the due date, regardless of when you sent it.
- (3) If you use EFT to send your payment, it is due in the MMS account by the payment due date. You are responsible for your actions or your bank's actions that cause a late or incorrect payment. You will not be held responsible for mechanical or system failures of EFT payments.
- (h) What happens if payments are late or overdue?
- (1) If MMS receives your payment late, MMS will impose a late-payment interest charge under 30 CFR 218.54.
- (2) If you do not pay an amount you owe, MMS may assess civil penalties

under part 241 of this chapter or other applicable regulations.

[62 FR 19498, Apr. 22, 1997, as amended at 66 FR 45773, Aug. 30, 2001; 67 FR 19112, Apr. 18, 2002]

# §218.52 How does a lessee designate a Designee?

- (a) If you are a lessee under 30 U.S.C. 1701(7), and you want to designate a person to make all or part of the payments due under a lease on your behalf under 30 U.S.C. 1712(a), you must notify MMS or the applicable delegated State in writing of such designation. Your notification for each lease must include the following:
  - (1) The AID number for the lease;
- (2) The type of products you make payments for e.g., oil, gas.
- (3) The type of payments you are responsible for e.g., royalty, minimum royalty, rental.
  - (4) Whether you are:
- (i) A lessee of record (record title owner) in the lease, and the percentage of your record title ownership in the lease: or
- (ii) An operating rights owner (working interest owner) in the lease, and the percentage of your operating rights ownership in the lease;
- (5) The name, address, Taxpayer Identification Number (TIN), and phone number of your Designee;
- (6) The name, address, and phone number of the individual to contact for the person you named in paragraph (a) (5) of this section;
  - (7) Your TIN;
- (8) The date the designation is effective;
- (9) The date the designation terminates, if applicable, and
- (10) A copy of the written designation:
- (b) The person you designate under paragraph (a) of this section is your Designee under 30 U.S.C. 1701(24) and 30 U.S.C. 1712(a).
- (c) If you want to terminate a designation you made under paragraph (a) of this section, you must provide to MMS in writing before the termination:
- (1) The date the designation is due to terminate; and
- (2) If you are not reporting and paying royalties and making other pay-

ments to MMS, a new designation under paragraph (a) of this section.

(d) MMS may require you to provide notice when there is a change in the percentage of your record title or operating rights ownership.

[62 FR 42066, Aug. 5, 1997]

# § 218.53 Recoupment of overpayments on Indian mineral leases.

- (a) Whenever an overpayment is made under an Indian oil and gas lease, a payor may recoup the overpayment through a recoupment on Form MMS-2014 against the current month's royalties or other revenues owed on the same lease. However, for any month a payor may not recoup more than 50 percent of the royalties or other revenues owed in that month under an individual allotted lease or more than 100 percent of the royalties or other revenues owed in that month under a tribal lease.
- (b) With written permission authorized by tribal statute or resolution, a payor may recoup an overpayment against royalties or other revenues owed in that month under other leases for which that tribe is the lessor. A copy of the tribe's written permission must be furnished to MMS pursuant to instructions for reporting recoupments in the MMS revenue reporter handbook. See part 210 of this chapter. Recouping overpayments on one allotted lease from royalties paid to another allotted lease is specifically prohibited.
- (c) Overpayments subject to recoupment under this section include all payments made in excess of the required payment for royalty, rental, bonus, or other amounts owed as specified by statute, regulation, order, or terms of an Indian mineral lease.
- (d) The MMS Director or his/her designee may order any payor to not recoup any amount for such reasonable period of time as may be necessary for MMS to review the nature and amount of any claimed overpayment.

[60 FR 3087, Jan. 13, 1995, as amended at 67 FR 19112, Apr. 18, 2002]

#### §218.54 Late payments.

(a) An interest charge shall be assessed on unpaid and underpaid

#### §218.55

amounts from the date the amounts are due.

- (b) The interest charge on late payments shall be at the underpayment rate established by the Internal Revenue Code, 26 U.S.C. 6621(a)(2) (Supp. 1987)
- (c) Interest will be charged only on the amount of the payment not received. Interest will be charged only for the number of days the payment is late.
- (d) A portion of the interest collected will be paid to a State where the State shares in mineral revenues from Federal leases.
- (e) An overpayment on a lease or leases may be offset against an underpayment on a different lease or leases to determine a net underpayment on which interest is due pursuant to conditions specified in §218.42.

[49 FR 37346, Sept. 21, 1984, as amended at 55 FR 37230, Sept. 10, 1990; 57 FR 62206, Dec. 30, 1992]

#### §218.55 Interest payments to Indians.

- (a) All interest collected from unpaid or underpayments on Indian tribal or allotted leases will be paid to the tribe or allottee.
- (b) Any disbursement of Indian mineral revenues not made by the due date as required in §219.103 of this chapter shall accrue interest.
- (c) Interest shall be computed at the underpayment rate established by the Internal Revenue Code, 26 U.S.C. 6621(a)(2) (Supp. 1987).
- (d) The interest shall be payable only for the number of days the disbursement is late.

[49 FR 37346, Sept. 21, 1984, as amended at 55 FR 37230, Sept. 10, 1990]

#### § 218.56 Definitions.

Terms used in this subpart shall have the same meaning as in 30 U.S.C. 1702. [49 FR 37346, Sept. 21, 1984. Redesignated at 51 FR 15767, Apr. 28, 1986]

# §218.57 Providing information and claiming rewards.

(a) *General.* (1) If a person has any information that could lead to the recovery of royalty or other payments owed to the United States with respect to any oil and gas lease on Federal lands

or the Outer Continental Shelf, such information may be provided to the Minerals Management Service (MMS) in accordance with this paragraph. The MMS is authorized, under the Federal Oil and Gas Royalty Management Act of 1982 (FOGRMA), 30 U.S.C. 1723, to pay a reward for information with respect to Federal oil and gas leases. Funds must be appropriated before payment of any reward. Criteria and procedures covering claims for and payment of rewards are provided in paragraphs (b), (c), and (d) of this section.

- (2) If a person has any information he or she believes would be valuable to MMS, that person ("informant") should submit the information in writing, in the form of a letter, mailed or delivered in person to the Director, Minerals Management Service, Department of the Interior, 18th and C Street, NW., Washington, DC 20240, or to the Director's designated representative. Although written communications are preferred, oral information will be accepted.
- (3) The informant should provide all data he or she has with respect to royalty or other payments owed. The information provided should include: identification of the alleged debtor; the source of the informant's knowledge of royalties or other payments owed; the date, if known, of the indebtedness; and any other information that could be used to establish indebtedness. All information received by MMS from persons providing information will be considered "highly confidential" and will not be disclosed to any individual except on a "need to know" basis in the performance of official duties.
- (b) Claim for reward. (1) Any informant who provides information that could lead to the recovery of royalty or other payments may file a claim for reward unless the person is an officer or employee of the United States, an officer or employee of a State or Indian tribe acting pursuant to a cooperative agreement or delegation under the FOGRMA, or any person acting pursuant to a contract authorized by the FOGRMA.
- (2) A claim for reward is not acceptable if filed on behalf of a claimant by

his or her agent under power of attorney. However, an agent may provide MMS with information for an unidentified informant, to be evaluated and used by MMS as it deems appropriate. The informant's identity ultimately must be disclosed if the informant intends to file a claim for reward so that MMS can report the reward as taxable income to the Internal Revenue Service. An executor, administrator, or other legal representative of a deceased informant may file a claim on behalf of such deceased informant if, prior to his or her death, the informant was eligible to file a claim under this section. The representative must attach to the claim evidence of authority to file it.

- (3) To file a claim for reward the informant must:
- (i) Notify the Director, MMS, or the person to whom the information was reported, that he/she is claiming a reward.
- (ii) Request an "Application for Reward for Original Information" (Form MMS-4280). This form provides for information to enable MMS to determine and pay rewards, to control reward applications, and to report a claimant's reward as taxable income to the Internal Revenue Service.
- (iii) File a claim for reward by completing Form MMS-4280, sign it with his or her true name, and mail or deliver it in person to the Director or to the Director's designated representative. If the informant provided the information in person, the claim should include the name and title of the person to whom the information was reported and the date that it was reported.
- (4) If the informant used an identity other than his or true name when the information was originally reported, the person should attach proof to the claim that he or she is the person who gave the information. The MMS does not disclose the identity of its informants to unauthorized persons.
- (c) Basis for rejection of claims. No reward will be paid to a claimant:
- (1) Where the information originally furnished was deemed unworthy of initiating an investigation, but at some later date the records of the lessee are examined without reference to the information furnished. The claim will be

rejected on the basis that the information did not cause the investigation nor did it, in itself, result in any recovery.

- (2) For information that would have been discovered during the normal course of an audit or investigation.
- (3) Unless the informant's true identity is disclosed.
- (4) Until after all of the royalties, penalties, or other payments discovered to be owed as a result of information provided are collected and no longer subject to dispute.
- (5) Unless funds are appropriated for the payment of rewards.
- (d) Basis for allowance of claims. (1) The value of the information furnished in relation to the facts developed by the investigation will be taken into account in determining whether a reward shall be paid and, if so, the amount thereof. Information must be voluntarily given and upon the informant's own initiative to warrant the allowance of a reward. Information secured by representatives of MMS from witnesses and others in the course of their investigative activities does not constitute a basis for reward.
- (2) In determining whether a reward will be allowed and, if so, the amount thereof, consideration will be given to any corresponding adjustment(s) which will result in potential savings to the lessee for other leases owned by the lessee or an affiliate of the lessee. An example of such an adjustment is a reduction in royalty payment on a different lease as the result of a revised allocation under a unitization or communitization agreement or from an offshore pipeline system. Rewards otherwise allowable will be reduced or rejected by reason of such offsetting adiustments.
- (3) If several claims filed by one informant are considered in one recommendation, the reward, if any, may be allowed on one claim and the others may be closed by reference.
- (4) Where an informant has provided information and filed a claim for reward with respect to royalty reports of one lessee for several leases, no reward will be granted with respect to an individual lease which has been examined until examination of all leases involved

#### §218.100

has been completed. Because the possibility exists that adjustments made to the reports for the open leases may result in offsetting adjustments, no reward will be allowed until the overall results of the information are evaluated.

- (e) Amount and payment of reward. (1) The Director, MMS will determine whether a reward will be paid and, if so, the amount thereof. In making this decision, the information provided will be evaluated in relation to the facts developed by the resulting investigation. Claims for reward will be paid in proportion to the value of information furnished voluntarily and on the informati's own initiative with respect to recovered royalties or other payments. The amount of reward will be determined as follows:
- (i) For specific and responsible information that caused the investigation and resulted in recovery, the reward will be 10 percent of the first \$75,000 recovered, 5 percent of the next \$25,000, and 1 percent of any additional recovery. The total reward cannot exceed \$100.000.
- (ii) For information that caused the examination and was of value in determining royalty or other payments due, although not specific, and for information that was a direct factor in recovering royalty or other payments, the reward will be 5 percent of the first \$75,000 recovered, 2½ percent of the next \$25,000, and ½ percent of any additional recovery. The total reward cannot exceed \$100,000.
- (iii) For information that caused the investigation but was of no value in determining royalty or other payments due, the reward will be 1 percent of the first \$75,000 recovered and ½ percent of any additional recovery. The total reward cannot exceed \$100,000.
- (2) Rewards will be paid only if moneys are appropriated for that purpose. Subject to appropriations, payments will be made as soon as possible after collection of the amounts owed by the lessee, and after those amounts no longer are subject to dispute by the payor. The reward payment to an informant will be net of Federal and State income tax in accordance with withholding guidelines of the Internal

Revenue Service and the applicable State(s).

(3) A decision by the Director, MMS, either denying a reward or establishing the amount of any reward is a final departmental action and may not be appealed to the Interior Board of Land Appeals in accordance with the provisions of 30 CFR part 290.

(Approved by the Office of Management and Budget under control number 1010-0076)

[52 FR 24451, July 1, 1987]

#### Subpart C—Oil and Gas. Onshore

#### §218.100 Royalty and rental payments.

- (a) Payment of royalties and rentals. As specified under the provisions of the lease, the lease shall submit all rental payments when due and shall pay in value or deliver in production all royalties in the amounts of value or production determined by MMS to be due.
- (b) If the lessor elects to take royalty in oil or gas, unless otherwise agreed upon, such royalty shall be delivered on the leasehold, by the lessee to the order of and without cost to the lessor, as instructed by the Associate Director.
- (c) Method of payment. The payor shall tender all payments in accordance with 30 CFR 218.51.

[47 FR 47773, Oct. 27, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983, and amended at 52 FR 23815, June 25, 1987]

### §218.101 Royalty and rental remittance (naval petroleum reserves).

Remittance covering payments of royalty or rental on naval petroleum reserves must be accomplished by necessary identification information and sent direct to the Director, Naval Petroleum Reserves in California.

[47 FR 47773, Oct. 27, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983]

#### §218.102 Late payment or underpayment charges.

(a) The failure to make timely or proper payments of any monies due pursuant to leases, permits, and contracts subject to these regulations will result in the collection by the MMS of the full amount past due plus a late payment charge. Exceptions to this late payment charge may be granted

when estimated payments on minerals production have already been made timely and otherwise in accordance with instructions provided by MMS to the payor. However, late payment charges assessed with respect to any Indian lease, permit, or contract shall be collected and paid to the Indian or tribe to which the amount overdue is owed.

- (b) Late payment charges will be assessed on any late payment or underpayment from the date that the payment was due until the date that the payment was received at the MMS addresses specified in §218.51. Payments received at the specified MMS addresses after 4 p.m. mountain time are considered received the following business day.
- (c) Late payment charges apply to all underpayments and payments received after the date due. The charges include production and minimum royalties; assessments for liquidated damages; administrative fees and payments by purchasers of royalty taken-in-kind; or any other payments, fees, or assessments that a lessee/operator/permittee/payor/royalty taken-in-kind purchaser is required to pay by a specified date. The failure to pay past due amounts, including late-payment charges, will result in the initiation of other enforcement proceedings.
- (d) An overpayment on a lease or leases may be offset against an underpayment on a different lease or leases to determine a net underpayment on which interest is due pursuant to conditions specified in §218.42.

[47 FR 47773, Oct. 27, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983, and amended at 49 FR 37347, Sept. 21, 1984; 57 FR 41868, Sept. 14, 1992; 57 FR 62206, Dec. 30, 1992; 67 FR 19112, Apr. 18, 2002]

#### §218.103 Payments to States.

- (a) Any amount that is payable by MMS to a State but is not paid on the due date, as specified in §219.100 of this chapter, or that is held in a suspense account pending resolution of a dispute as specified in §219.101 of this chapter, shall accrue interest payable to the State.
- (b) Interest shall be computed at the underpayment rate established by the

Internal Revenue Code, 26 U.S.C. 6621(a)(2) (Supp. 1987).

(c) Interest shall be computed only for the number of days the disbursement is late. In the case of suspended amounts subject to interest, it shall be computed beginning with the calendar day following the day that the monies normally would have been paid to the State had they not been in suspense.

[49 FR 37347, Sept. 21, 1984, as amended at 55 FR 37230, Sept. 10, 1990]

### § 218.104 Exemption of States from certain interest and penalties.

- (a) States are exempt from being assessed for any interest or penalties found to be due against the Department of the Interior for failure to comply with the Emergency Petroleum Allocation Act of 1973, as amended, or any regulation issued by the Secretary of Energy thereunder concerning the certification or processing of crude oil taken in-kind as royalty by the Secretary.
- (b) Any State shall be assessed for its share of any overcharge resulting from a determination that DOI failed to comply with the Emergency Petroleum Allocation Act of 1973, as amended. Each State's share shall be assessed against monies owed to the State. Such assessment shall be first against monies owed to such State as a result of royalty audits prior to January 12, 1983, the enactment date of the Federal Oil and Gas Royalty Management Act of 1982, then against other monies owed. The State shall be liable for any balance.
- (c) A State's liability for repayment of an overcharge under this section shall exist for any amounts resulting from a judgment in a civil suit or as the result of settlement of a claim through a negotiated agreement. State liability would be offset against future mineral revenue distributions to the State.

[49 FR 37347, Sept. 21, 1984]

#### § 218.105 Definitions.

Terms used in this subpart have the same meaning as in 30 U.S.C. 1702.

[49 FR 37347, Sept. 21, 1984]

#### §218.150

#### Subpart D—Oil, Gas and Sulfur, Offshore

# §218.150 Royalties, net profit shares, and rental payments.

(a) As specified under the provisions of the lease, the lessee shall submit all rental payments when due and shall pay in value or deliver in production all royalties and net profit shares in the amounts of value or production determined by MMS to be due.

(b) The failure to make timely or proper payments of any monies due pursuant to leases, permits, and contracts subject to these regulations will result in the collection of the amount past due plus a late payment charge. Exceptions to this late payment charge may be granted when estimated payments on minerals production have already been made timely and otherwise in accordance with instructions provided by MMS to the payor.

(c) Late payment charges will be assessed on any late payment or underpayment from the date that the payment was due until the date that the payment was received at the MMS addresses specified in §218.51. Payments received at the specified MMS addresses after 4 p.m. mountain time are considered received the following business day.

(d) Late payment charges apply to all underpayments and payments received after the date due. These charges include production and minimum royal-

ties; assessments for liquidated damages; administrative fees and payments by purchasers of royalty taken-in-kind; or any other payments, fees, or assessments that a lessee/operator/payor/permittee/royalty taken-in-kind purchaser is required to pay by a specified date. The failure to pay past due amounts, including late payment charges, will result in the initiation of other enforcement proceedings.

(e) An overpayment on a lease or leases, excluding rental payments, may be offset against an underpayment on a different lease or leases to determine a net underpayment on which interest is due pursuant to conditions specified in § 218.42.

[47 FR 22528, May 25, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983, and amended at 49 FR 37347, Sept. 21, 1984; 52 FR 23815, June 25, 1987; 57 FR 41868, Sept. 14, 1992; 57 FR 62206, Dec. 30, 1992; 67 FR 19112, Apr. 18, 2002]

#### §218.151 Rental fees.

The annual rental paid in any year is in addition to, and is not credited against, any royalties due from production. The lessee must pay an annual rental as shown in paragraphs (a), (b), and (c) of this section. Discovery means one or more wells on the lease that meet the requirements in 250, subpart A of this title.

(a) This paragraph applies to any lease not covered by paragraph (b) or paragraph (c) of this section.

For—	Issued as a result of a sale held—	The lessee must pay rental—
(1) An oil and gas lease	Before March 26, 2001	On or before the first day of each lease year before the discovery of oil or gas on the lease.
(2) An oil and gas lease	After March 26, 2001	On or before the first day of each lease year before the dis- covery of oil or gas on the lease, then on or before the last day of each lease year in any full year in which royalties on production are not due.
(3) A mineral lease for other than oil or gas.	Before March 26, 2001	On or before the first day of each lease year before the discovery of paying quantities.
(4) A mineral lease for other than oil or gas.	After March 26, 2001	On or before the first day of each lease year before the date the first royalty payment is due on the lease, then on or before the last day of each lease year in any full year in which royalties on production are not due.

(b) This paragraph applies to any lease created by segregating a portion of a producing lease when there is no actual or allocated production on the segregated portion. The lessee must

pay an annual rental for the segregated portion at the rate specified in the lease. The lessee must pay the rental as shown in the following table.

If the lease results from a segregation—	The lessee must pay rental—
(1) Before March 26, 2001	On or before the first day of each lease year before the discovery of oil or gas on the segregated portion.
(2) After March 26, 2001	On or before the first day of each lease year before the discovery of oil or gas on the lease, then on or before the last day of each lease year in any full year in which royalties on production are not due.

(c) For leases issued subject to the net profit sharing provisions, annual rental payments shall be due and payable in advance, on the first day of each lease year which commences prior to the date the first profit share payment becomes due. The owner of any lease created by the segregation of a portion of a lease subject to net profit sharing provisions, shall pay an annual rental for such segregated portion at the rate per acre or hectare specified in the lease. This rental shall be payable each year following the year in which the segregation becomes effective and shall continue to be due and payable, in advance, on the first day of each year which commences prior to the date the first profit share payment becomes due.

[44 FR 38276, June 29, 1979, as amended at 45 FR 69175, Oct. 17, 1980; 47 FR 25972, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982, and at 48 FR 35641, Aug. 5, 1983; 66 FR 11518, Feb. 23, 2001; 67 FR 19112, Apr. 18, 2002]

# § 218.152 Fishermen's Contingency Fund.

Upon the establishment of the Fishermen's Contingency Fund, any holder of a lease issued or maintained under the Outer Continental Shelf Lands Act and any holder of an exploration permit or of an easement or right-of-way for the construction of a pipeline, shall pay an amount specified by the Director, MMS, who shall assess and collect the specified amount from each holder and deposit it into the Fund. With respect to prelease exploratory drilling permits, the amount will be collected at the time of issuance of the permit.

[52 FR 5458, Feb. 23, 1987]

#### §218.153 [Reserved]

# § 218.154 Effect of suspensions on royalty and rental.

(a) MMS will not relieve the lessee of the obligation to pay rental or minimum royalty for or during the suspension if the Regional Supervisor:

- (1) Grants a suspension of operations or production, or both, at the request of the lessee; or
- (2) Directs a suspension of operations or production, or both, under 30 CFR 250.173(a).
- (b) MMS will not require a lessee to pay rental or minimum royalty for or during the suspension if the Regional Supervisor directs a suspension of operations or production, or both, except as provided in (a)(2) of this section.
- (c) If the lease anniversary date falls within a period of suspension for which no rental or minimum royalty payments are required under paragraph (a) of this section, the prorated rentals or minimum royalties are due and payable as of the date the suspension period terminates. These amounts shall be computed and notice thereof given the lessee. The lessee shall pay the amount due within 30 days after receipt of such notice. The anniversary date of a lease shall not change by reason of any period of lease suspension or rental or royalty relief resulting therefrom

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979. Redesignated and amended at 47 FR 47006, 47007, Oct. 22, 1982. Further redesignated at 48 FR 35641, Aug. 5, 1983 and amended at 51 FR 19063, May 27, 1986; 54 FR 50616, Dec. 8, 1989; 64 FR 72775, Dec. 28, 1999]

#### §218.155 Method of payment.

- (a) Payment of royalties and rentals. With the exception of first-year rental, the payor shall tender all payments in accordance with §218.51. First-year rental shall be paid in accordance with paragraph (c) of this section.
- (b) Payment of the one-fifth bonus bid amount. (1) Each lease bid must include a payment for the one-fifth bonus bid deposit amount unless the bidder is otherwise directed by the Secretary. Further instructions on how to make payment with the bid will be included

#### §218.156

in the notice of each lease offering. EFT may be used as a method of payment for the one-fifth bonus bid amount.

(2) Beginning with lease offerings held after February 1, 1984, the onefifth bonus amount received from a high bidder shall be deposited into an escrow account created pursuant to an agreement between the Departments of the Interior and Treasury, pending acceptance or rejection of the bid. The one-fifth bonus funds will be invested in public debt securities. Investment of this amount by the U.S. Government does not indicate acceptance of the bid. The one-fifth bonus checks submitted with bids other than the highest valid bid shall be returned to respective bidders after bids are opened, recorded, and ranked. Return of such checks will not affect the status, validity, or ranking of bids. The one-fifth bonus bid amount received from any high bidder and held by the Government pending acceptance or rejection, will be returned with actual interest earned, if the bid is subsequently rejected. The interest accrued during the period held in the account pending acceptance or rejection of the bid will accrue to the Government when the bid is accepted.

(c) Payment of the four-fifths bonus bid amount and the first year's rental. Payment shall be made to MMS by EFT unless otherwise directed by the Secretary. The payment by EFT via the FRCS must be received by the Federal Reserve Bank of New York no later than noon, eastern standard time, on the 11th business day after receipt of the lease forms by the successful bidder. A "business day" is considered to be a day on which the OCS regional office issuing the lease is open for business. The lease will not be executed by the appropriate MMS official until payment is received. Failure to remit by EFT or as directed by the Secretary within the time specified above will result in forfeiture of the one-fifth bonus bid amount and the lease will not be executed by the appropriate MMS official. Payors will not be held responsible for late payment due to actions beyond their control, such as mechanical or systems failure of FRCS or FDS. Payors will be held responsible for incorrect actions of their bank

which result in late payments. A 2-day grace period will be allowed to make up a deficient payment, but a late payment charge will be assessed for this late payment and a penalty will also be assessed if appropriate. Late payment charges will be assessed in accordance with Subpart B of this part.

(d) General. (1) Payors using the appropriate means of payment (EFT, check, etc.) may pay for multiple lease obligations with a single remittance but must ensure that the payment complies with subpart B of this part and the remittance advice adequately identifies the single payment. The format to be used for such identification will be provided by the MMS Accounting Center.

(2) Where to pay.

- (3) The MMS mailing addresses for payments to MMS are specified in §218.51.
- (4) Payments received at the MMS addresses after 4 p.m. mountain time are considered received the following business day.
- (e) Miscellaneous payments. Payments shall be made to the manager of the appropriate Outer Continental Shelf field office by cash, check or bank draft payable to "Department of the Interior—MMS" for miscellaneous payments such as:
- (1) Pipeline rights-of-way application filing fees and rentals, pipeline accessory site rentals and application fees, and other related costs.
- (2) Filing and approval fees for transfers of interest in leases.

[49 FR 8605, Mar. 8, 1984, as amended at 52 FR 23815, June 25, 1987; 53 FR 43201, Oct. 26, 1988; 57 FR 41868, Sept. 14, 1992; 62 FR 19499, Apr. 22, 1997; 67 FR 19112, Apr. 18, 2002]

#### §218.156 Definitions.

Terms used in this subpart have the same meaning as in 30 U.S.C. 1702.

[52 FR 23815, June 25, 1987]

#### Subpart E—Solid Minerals— General

### § 218.200 Payment of royalties, rentals, and deferred bonuses.

As specified under the provisions of the lease, the lessee shall submit all rental and deferred bonus payments when due and shall pay in value all royalties in the amount determined by MMS to be due.

[52 FR 23815, June 25, 1987]

#### §218.201 Method of payment.

You must tender all payments in accordance with §218.51, except as follows:

- (a) For purposes of this section, *report* means the Solid Minerals Production and Royalty Report, Form MMS-4430, rather than the Form MMS-2014.
- (b) For Form MMS-4430 payments, include both your customer identification and your customer document identification numbers on your payment document, rather than the information required under §218.51(f)(1).
- (c) For a rental payment that is not reported on Form MMS-4430, include the MMS Courtesy Notice when provided or write your customer identification number and Government-assigned lease number on the payment document, rather than the information required under §218.51(f)(4)(iii).

[66 FR 45773, Aug. 30, 2001]

#### § 218.202 Late payment or underpayment charges.

- (a) The failure to make timely or proper payment of any monies due pursuant to leases and contracts subject to these rules will result in the collection by MMS of the full amount past due plus a late payment charge. Exceptions to this late payment charge may be granted when estimated payments on minerals production have already been made timely and otherwise in accordance with instructions provided by MMS to the operator/lessee. However, late payment charges assessed with respect to any Indian lease, permit, or contract shall be collected and paid to the Indian or tribe to which the amount overdue is owed.
- (b) Late payment charges will be assessed on any late payment or underpayment from the date that the payment was due until the date that the payment was received at the MMS addresses specified in §218.51. Payments received at the specified MMS addresses after 4 p.m. mountain time are considered received the following business day.

- (c) Late payment charges are calculated on the basis of a percentage assessment rate. In the absence of a specific lease, permit, license or contract provision prescribing a different rate, this percentage assessment rate is prescribed by the Department of the Treasury as the "Treasury Current Value of Funds Rate."
- (d) This rate is available in the Treasury Fiscal Requirements Manual Bulletins that are published prior to the first day of each calendar quarter for application to overdue payments or underpayments in the new calendar quarter. The rate is also published in the Notices section of the FEDERAL REGISTER and indexed under "Fiscal Service/Notices/Funds Rate; Treasury Current Value."
- (e) Late payment charges apply to all underpayments and payments received after the date due. These charges include production, minimum, or advance royalties; assessments for liquidated damages; or any other payments, fees, or assessments that an operator/lessee is required to pay by a specified date. The failure to pay past due payments, including late payment charges, will result in the initiation of other enforcement proceedings.
- (f) An overpayment on a lease or leases may be offset against an underpayment on a different lease or leases to determine a net underpayment on which interest is due pursuant to conditions specified in §218.42.

[47 FR 33195, July 30, 1982; 47 FR 53366, Nov. 26, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983, and further redesignated at 52 FR 23815, June 25, 1987, as amended at 57 FR 41868, Sept. 14, 1992; 57 FR 62207, Dec. 30, 1992; 59 FR 14559, Mar. 29, 1994; 65 FR 55189, Sept. 13, 2000; 67 FR 19112, Apr. 18, 2002]

### § 218.203 Recoupment of overpayments on Indian mineral leases.

(a) Whenever an overpayment is made under an Indian solid mineral lease, a payor may recoup the overpayment through a recoupment on Form MMS-4430 against the current month's royalties or other revenues owed on the same lease. However, for any month a payor may not recoup more than 50 percent of the royalties or other revenues owed in that month under an individual allotted lease or more than 100

#### §218.300

percent of the royalties or other revenues owed in that month under a tribal lease

- (b) With written permission authorized by tribal statute or resolution, a payor may recoup an overpayment against royalties or other revenues owed in that month under other leases for which that tribe is the lessor. A copy of the tribe's written permission must be furnished to MMS for reporting recoupments. Call 1-888-201-6416 for instructions. Recouping overpayments on one allotted lease from royalties paid to another allotted lease is specifically prohibited.
- (c) Overpayments subject to recoupment under this section include all payments made in excess of the required payment for royalty, rental, bonus, or other amounts owed as specified by statute, regulation, order, or terms of an Indian mineral lease.
- (d) The MMS Director or his/her designee may order any payor to not recoup any amount for such reasonable period of time as may be necessary for MMS to review the nature and amount of any claimed overpayment.

[60 FR 3087, Jan. 13, 1995, as amended at 66 FR 45773, Aug. 30, 2001; 66 FR 50827, Oct. 5, 2001]

#### Subpart F—Geothermal Resources

# § 218.300 Payment of royalties, rentals, and deferred bonuses.

As specified under the provisions of the lease, the lessee shall submit all rental and deferred bonus payments when due and shall pay in value all royalties in the amount determined by MMS to be due.

[52 FR 23815, June 25, 1987]

#### §218.301 Method of payment.

The payor shall tender all payments in accordance with 30 CFR 218.51.

[52 FR 23815, June 25, 1987]

#### §218.302 Late payment or underpayment charges.

(a) The failure to make timely or proper payment of any monies due pursuant to leases and contracts subject to these regulations will result in the collection by the Minerals Management Service (MMS) of the full amount

past due plus a late payment charge. Exceptions to this late payment charge may be granted when estimated payments on minerals production have already been made timely and otherwise in accordance with the instructions provided by the MMS to the payor.

- (b) Late payment charges will be assessed on any late payment or underpayment from the date that the payment was due until the date that the payment was received at the MMS addresses specified in §218.51. Payments received at the specified MMS addresses after 4 p.m. Mountain Time are considered received the following business day.
- (c) Late payment charges are calculated on the basis of a percentage assessment rate. In the absence of a specific lease, permit, license or contract provision prescribing a different rate, this percentage assessment rate is prescribed by the Department of the Treasury as the "Treasury Current Value of Funds Rate."
- (d) This rate is available in the Treasury Fiscal Requirements Manual Bulletins that are published prior to the first day of each calendar quarter for application to overdue payments or underpayments in the new calendar quarter. The rate is also published in the Notices section of the FEDERAL REGISTER and indexed under "Fiscal Service/Notices/Funds Rate; Treasury Current Value."
- (e) Late payment charges apply to all underpayments and payments received after the date due. These charges include production, minimum, and compensatory royalties; assessments for liquidated damages; administrative fees and payments by purchasers of royalty taken-in-kind; or any other payments, fees, or assessments that a lessee/operator/payor/royalty taken-in-kind purchaser is required to pay by a specified date. The failure to pay past due payments, including late payment charges, will result in the initiation of other enforcement proceedings.
- (f) An overpayment on a lease or leases may be offset against an underpayment on a different lease or leases to determine a net underpayment on

#### Minerals Management Service, Interior

which interest is due pursuant to conditions specified in §218.42.

[47 FR 22528, May 25, 1982. Redesignated at 48 FR 35641, Aug. 5, 1983, and further redesignated at 51 FR 15767, Apr. 28, 1986 and 52 FR 23815, June 25, 1987, as amended at 57 FR 41868, Sept. 14, 1992; 57 FR 62207, Dec. 30, 1992; 59 FR 14559, Mar. 29, 1994; 65 FR 55189, Sept. 13, 2000; 67 FR 19112, Apr. 18, 2002]

# Subpart G—Indian Lands [Reserved]

#### PART 219—DISTRIBUTION AND DIS-BURSEMENT OF ROYALTIES, RENT-ALS, AND BONUSES

Subpart A—General Provision [Reserved]

# Subpart B—Oil and Gas, General [Reserved]

#### Subpart C—Oil and Gas, Onshore

Sec.

219.100 Timing of payment to States.

219.101 Receipts subject to an interest charge.

219.102 Method of payment.

219.103 Payments to Indian accounts.

219.104 Explanation of payments to States and Indian tribes.

219.105 Definitions.

AUTHORITY: Section 104, Pub. L. 97–451, 96 Stat. 2451 (30 U.S.C. 1714).

Source: 49 FR 37347, Sept. 21, 1984, unless otherwise noted.

# Subpart A—General Provisions [Reserved]

# Subpart B—Oil and Gas, General [Reserved]

#### Subpart C—Oil and Gas, Onshore

#### §219.100 Timing of payment to States.

A State's share of mineral leasing revenues shall be paid to the State not later than the last business day of the month in which the U.S. Treasury issues a warrant authorizing the disbursement, except for any portion of such revenues which is under challenge and placed in a suspense account pending resolution of a dispute.

# §219.101 Receipts subject to an interest charge.

- (a) Subject to the availability of appropriations, the Minerals Management Service (MMS) shall pay the State its proportionate share of any interest charge for royalty and related monies that are placed in a suspense account pending resolution of matters which will allow distribution and disbursement. Such monies not disbursed by the last business day of the month following receipt by MMS shall accrue interest until paid.
- (b) Upon resolution, the suspended monies found due in paragraph (a) of this section, plus interest, shall be disbursed to the State under the provisions of §219.100.
- (c) Paragraph (a) of this section shall apply to revenues which cannot be disbursed to the State because the payor/lessee provided incorrect, inadequate, or incomplete information to MMS which prevented MMS from properly identifying the payment to the proper recipient.

#### § 219.102 Method of payment.

The MMS shall disburse monies to a State either by Treasury check or by Electronic Funds Transfer (EFT). Should a State prefer to receive its payment by EFT, it should request this payment method in writing to the Minerals Management Service, Minerals Revenue Management, P.O. Box 5760, Denver, Colorado 80217–5760.

[57 FR 41868, Sept. 14, 1992, as amended at 58 FR 64903, Dec. 10, 1993; 67 FR 19112, Apr. 18, 2002]

#### §219.103 Payments to Indian accounts.

Mineral revenues received from Indian leases shall be transferred to the appropriate Indian accounts managed by the Bureau of Indian Affairs (BIA) for allotted and tribal revenues. These accounts are specifically designated Treasury accounts. Revenues shall be transferred to the Indian accounts at the earliest practicable date after such funds are received, but in no case later than the last business day of the month in which revenues are received by the MMS.

#### §219.104

### §219.104 Explanation of payments to States and Indian tribes.

(a) Payments to States and BIA on behalf of Indian tribes or Indian allottees discussed in this part shall be described in Explanation of Payment reports prepared by the MMS. These reports will be at the lease level and shall include a description of the type of payment being made, the period covered by the payment, the source of the payment, sales amounts upon which the payment is based, the royalty rate, and the unit value. Should any State or Indian tribe desire additional information pertaining to mineral revenue payments, the State or tribe may request this information from the MMS.

(b) The report shall be provided to: (1) States not later than the 10th day of the month following the month in which MMS disburses the State's share of royalties and related monies; (2) the BIA on behalf of tribes and Indian allottees not later than the 10th day of the month following the month the funds are disbursed by MMS.

(c) Revenues that cannot be distributed to States, tribes, or Indian allottees because the payor/lessee provided incorrect, inadequate, or incomplete information, preventing MMS from properly identifying the payment to the proper recipient, shall not be included in the reports until the problem is resolved.

#### $\S 219.105$ Definitions.

Terms used in this subpart shall have the same meaning as in 30 U.S.C. 1702.

#### PART 220—ACCOUNTING PROCE-DURES FOR DETERMINING NET PROFIT SHARE PAYMENT FOR OUTER CONTINENTAL SHELF OIL AND GAS LEASES

Sec.

220.001 Purpose and scope.

220.002 Definitions.

220.003 Information collection.

220.010 NPSL capital account.

220.011 Schedule of allowable direct and allocable joint costs and credits.

220.012 Overhead allowance.

220.013 Unallowable costs.

220.014 Allocation of joint costs and credits. 220.015 Pricing of materiel purchases, trans-

fers, and dispositions.

220.020 Calculation of the allowance for capital recovery.

220.021 Determination of net profit share base.

220.022 Calculation of net profit share payment.

220.030 Maintenance of records.

220.031 Reporting and payment requirements.

220.032 Inventories.

220.033 Audits.

220.034 Redetermination and appeals.

AUTHORITY: Sec. 205, Pub. L. 95–372, 92 Stat. 643 (43 U.S.C. 1337).

SOURCE: 45 FR 36800, May 30, 1980, unless otherwise noted. Redesignated at 48 FR 1182, Jan. 11, 1983, and at 48 FR 35642, Aug. 5, 1983.

#### § 220.001 Purpose and scope.

(a) This part 220 establishes accounting procedures for determining the net profit share base and calculating net profit share payments due the United States for the production of oil and gas from OCS leases.

(b) The procedures established by this part 220 apply to any OCS lease issued by the Department of the Interior under any bidding system established by §260.110(a) of this chapter which has a net profit share component.

[45 FR 36800, May 30, 1980, as amended at 46 FR 29689, June 2, 1981. Redesignated at 48 FR 1182, Jan. 11, 1983, and at 48 FR 35642, Aug. 5, 1983]

#### § 220.002 Definitions.

For purposes of this part 220:

Allowance for capital recovery means the amount calculated according to procedures specified in §220.020. This amount allows a premium for risk initially undertaken by the lessee and a return on investment made during the capital recovery period. It is provided in lieu of interest on equipment and materiel charged to the NPSL capital account.

Capital recovery period means the period of time that begins on the date of issuance of the NPSL and ends on the last day of the month during which the sooner of the following occurs:

(1) The lessee completes the last well on the first platform specified in the development and production plan originally approved by the MMS, with any approved amendments thereto, and installation of wellhead equipment. In the event the last well is dry, then the capital recovery period shall be deemed to have ended with the determination that the last well is non-productive;

(2) The balance in the NPSL capital account changes from a debit balance to a credit balance; or

(3) The lessee, at his election, chooses to terminate the capital recovery period. A decision to terminate the capital recovery period prior to the events specified in paragraphs (a) (1) and (2) of this definition shall be communicated in writing to the Director and shall be irrevocable.

Controllable materiel means materiel which at the time is so classified in the Materiel Classification Manual as most recently recommended by the Council of Petroleum Accountants Societies of North America.

Cost means an expenditure or an accrual incurred by a lessee in conducting NPSL operations.

Cost pool means a grouping of costs identified with more than one OCS lease, whether the leases are NPSLs or other types of leases.

*Credit* means a payment, rebate, reimbursement to a lessee, or other reduction in cost or increase in revenue attributable to NPSL operations.

Direct cost means any cost listed in  $\S220.011$  that benefits only NPSL operations.

*Director* means the Director of MMS, Washington, DC, or his delegate.

Field employee means an employee below a first level supervisor who is directly employed in the NPSL project area.

First level supervisor means an employee whose primary function in NPSL operations is the direct supervision of other employees and/or contract labor directly employed on the NPSL project area in a field operating capacity.

 $\overset{\cdot}{G}$  &  $\overset{\cdot}{G}$  means geological, geophysical, geochemical and other similar investigations carried out on the NPSL tract.

*Joint cost* means any cost listed in §220.011 that benefits NPSL operations and one or more other operations of the lessee or an outside party.

Lessee means a person authorized by an OCS lease, or an approved assignment thereof, to develop and produce oil and gas, including all parties holding such authority by or through the lessee, and the person designated to conduct NPSL operations.

Lessee's cost of allowed employee absence means the lessee's cost of holiday, vacation, sickness, disability benefits, jury duty and other customary excused allowances.

*Materiel* means equipment, apparatus, and supplies.

Net profit share base means the end of the month credit balance in the NPSL capital account determined pursuant to § 220.021. The net profit share base is the production revenue remaining after subtracting all allowable costs and adding all allowable credits (including production revenue) in accordance with the procedures established by this part 220.

*Net profit share payment* means the portion of the net profit share base payable to the United States.

Net profit share rate means the percentage share of the net profit share base payable to the United States. The percentage share may be fixed in the notice of OCS lease sale or be the bid variable, depending upon the bidding system used, as established by §260.110(a) of this chapter.

NPSL means a net profit share lease, which is an OCS lease that provides for payment to the United States of a percentage share of the net profits for production of oil and gas from the tract. This percentage share may be fixed in the notice of OCS lease sale or be the bid variable, depending on the bidding system used, as established by \$260.110(a) of this chapter.

NPSL operations means all activities subsequent to issuance of the NPSL necessary and proper for the exploration, development, operation, maintenance, and final abandonment of the NPSL property.

NPSL project area means the NPSL tract, offshore facilities, and shore base facilities.

NPSL property means the NPSL tract, and materiel and offshore facilities acquired for use in NPSL operations and that are installed and/or used on the NPSL tract.

 $NPSL\ tract$  means a tract subject to an NPSL.

#### § 220.003

OCS lease means a Federal lease for oil and gas issued under the OCSLA.

OCS lease sale means the DOI proceeding by which leases for certain OCS tracts are offered for sale by competitive bidding and during which bids are received, announced, and recorded.

Offshore facilities means platform and support systems located offshore that are necessary to conduct NPSL operations, e.g., oil and gas handling facilities, living quarters, offices, shops, cranes, electrical supply equipment and systems, fuel and water storage and piping, heliport, marine docking installations, communication facilities, and navigation aids.

Outside party means any person who is not a lessee.

*Person* means person as defined in part 260 of this chapter.

Personal expenses means travel and other reasonable reimbursable expenses of lessee's employees.

Production means all oil, gas, or other hydrocarbon products produced, removed, saved, or sold from the NPSL property. Gas and liquids of all kinds are included in production. Production includes the allocated share of production from a unit of which the NPSL is a part.

Production revenue means the value of all production attributable to an NPSL property, which value is determined in accordance with §260.110(b) of this chapter.

Railway receiving point or recognized barge terminal means the location that a vendor would use in determining the sale price to the lessee of new materiel to be delivered to the NPSL project area.

Reliable supply store means a recognized source or common stock point for the particular materiel involved.

Shore base facilities means onshore facilities necessary for NPSL operations, including:

- (1) Shore base support facilities, e.g., a receiving and trans-shipment point for materiel, staging area for shuttling personnel to and from the NPSL tract, a communication, scheduling, and dispatching center; and
- (2) Shore base production facilities, e.g., pumps, separating facilities, gas plants, and tankage for production from the NPSL tract.

Technical employees means those employees having special and specific engineering, geological or other professional skills, and whose primary function in NPSL operations is the handling and resolution of specific operating conditions and problems for the benefit of NPSL operations.

Tract means land located on the OCS that is offered for lease through an OCS lease sale and that is identified by a leasing map or an official protraction diagram prepared by DOI.

[45 FR 36800, May 30, 1980, as amended at 46 FR 29689, June 2, 1981. Redesignated and amended at 48 FR 1182, Jan. 11, 1983. Redesignated at 48 FR 35642, Aug. 5, 1983]

#### § 220.003 Information collection.

- (a) The information collection requirements of this part have been approved by OMB under 44 U.S.C. 3501 et seq. and assigned OMB Clearance Number 1010-0073. The information will be used to determine all allowable direct and allocable joint costs incurred during the term of the lease, appropriate overhead allowances permitted on these costs pursuant to §220.012, and allowances for capital recovery calculated pursuant to §220.020. The information collection is mandatory in accordance with the Federal Oil and Gas Royalty Management Act of 1982, 30 U.S.C. 1701 et seq.
- (b) Public reporting burden is estimated to average 16 hours for each annual and monthly lease report, including time spent reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing burden, to the Information Collection Clearance Officer, Minerals Management Service, 281 Elden Street, Herndon, Virginia 22070; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Paperwork Reduction Project 1010-0073, Washington, DC 20503.

[57 FR 41868, Sept. 14, 1992, as amended at 58 FR 64903, Dec. 10, 1993]

#### §220.010 NPSL capital account.

- (a) For each NPSL tract, an NPSL capital account shall be established and maintained by the lessee for NPSL operations. The NPSL capital account shall include debit entries for all allowable direct and allocable joint costs incurred during the term of the lease, appropriate overhead allowances permitted on these costs pursuant to §220.012, and allowances for capital recovery calculated pursuant to §220.020. The NPSL capital account shall be credited with production revenues attributable to the NPSL and any other credits arising from NPSL activities.
- (b) The NPSL capital account shall be kept on an accrual basis.

#### § 220.011 Schedule of allowable direct and allocable joint costs and credits.

The costs and credits specified in paragraphs (a) through (p) of this section may be charged direct, or allocated to NPSL operations, as appropriate, in accordance with §220.014.

- (a) Lease rental. The rent paid by the lessee for the NPSL tract is allowable.
- (b) Labor. (1)(i) Salaries and wages of lessee's field employees, first level supervisors and technical employees employed in the NPSL project area in NPSL operations are allowable if such costs are not charged under paragraph (g) of this section.
- (ii) Salaries and wages of technical employees within technical branches of the lessee's organization who are either temporarily or permanently assigned to, and directly employed in NPSL operations are allowable provided that such employees work "full time" on some particular aspect of NPSL operations or some specific technical problem. Excluded from this category are employees assigned a role in NPSL operations as a duty collateral with other duties that do not directly benefit NPSL operations.
- (iii) Salaries and wages of technical employees within technical branches of the lessee's organization who are assigned technical tasks directly related to NPSL operations may be allowable. Costs may be charged to the NPSL if supported by adequate time records showing the nature of the task and the hours spent on that task.

- (2) Lessee's cost of allowed employee absence paid to employees whose salaries and wages are chargeable to NPSL operations under paragraphs (b)(1) (i) and (ii) of this section are allowable.
- (3) Expenditures or contributions made pursuant to assessments imposed by governmental authority that are applicable to lessee's costs chargeable to NPSL operations under paragraphs (b)(1) (i) and (ii) and (b)(2) of this section are allowable.
- (4) Reasonable personal expenses, including allowable relocation costs of employees whose salaries and wages are chargeable to NPSL operations under paragraphs (b)(1) (i) and (ii) of this section and that are paid by the lessee or for which the employees are reimbursed under the lessee's normal practice are allowable except as limited by §220.013(g).
- (i) Allowable relocation costs include:
- (A) Travel expenses, including transportation, lodging, subsistence, and reasonable incidental expenses of the employee and members of his immediate family and transportation of his household and personal effects to the new location.
- (B) Other necessary and reasonable expenses normally incident to relocation, such as costs of cancelling an unexpired lease, disconnecting and reinstalling household applicances, and purchases of insurance against damages to or loss of personal property are allowable. Costs of cancelling an unexpired lease shall not exceed three times the monthly rental.
- (C) Closing costs (i.e. brokerage fees, legal fees, appraisal fees, etc.) for the sale of the employee's actual residence when notified of the transfer are allowable; and
- (D) Continuing costs of ownership of the vacant former actual residence being sold, such as continuing mortgage principal and interest payments, maintenance of building and grounds (exclusive of fixing-up expenses), utilities, taxes, property insurance, etc., after settlement date of lease or date of new permanent residence are allowable.
- (ii) The combined total of costs listed in paragraphs (b)(4)(i) (C) through (D)

#### § 220.011

of this section shall not exceed 8 percent of the sales price of the property sold.

- (iii) Section 220.013(g) specifies employee relocation expenses that are not allowable as a charge to NPSL operations.
- (5) Lessee's current costs of established plans for employee's group life insurance, hospitalization, pension, retirement, stock purchase, thrift, bonds, and other benefit plans of a like nature that are made available to all of lessee's employees on an equitable basis, applicable to lessee's labor cost chargeable to NPSL operations under paragraphs (b)(1) (i) and (ii) and (b)(2) of this section, are allowable. The amount of these charges shall be lessee's actual cost not to exceed 23 percent of the total charges under paragraphs (b)(1) (i) and (ii) and (b)(2) except that the Director may from time to time establish a different maximum percentage.
- (6) Charges for expenses incurred under paragraphs (b)(2) through (b)(5) of this section may be made to NPSL accounts on a "when and as paid" basis or by a percentage assessment method. If the percentage assessment method is used, it shall be based upon the lessee's actual cost experience expressed as a percentage of costs chargeable under paragraphs (b)(1) (i) and (ii) and (b)(2) of this section. Under either method the lessee's own cost of administering the plans and paying the salaries and benefits defined in this paragraph shall be excluded. In determining actual cost experience of an employee benefit plan, any dividend or refunds received that are applicable to insurance or annuity policies shall be used to reduce the cost of such policies.
- (c) *Materiel*. (1) Materiel purchased or furnished by a lessee as NPSL property shall be charged or credited at amounts specified in §220.015. The purchase and inventorying of materiel is subject to the conditions and provisions in §220.032.
- (2) Charges to an NPSL account shall be made only for such materiel purchased or furnished as NPSL property as is reasonably practical and consistent with efficient and economical operations. The accumulation of surplus stocks shall be avoided.

- (3) Credit for salvaged or returned materiel shall be made to the NPSL capital account. When the amount originally charged qualifies for the allowance for capital recovery in §220.020, the credit shall be calculated pursuant to §220.021(a)(3).
- (d) *Transportation*. Transportation of employees and materiel necessary for NPSL operations to, from, and within the NPSL project area, are allowable, but subject to the following limitations:
- (1) If materiel is moved to the NPSL project area, no charge shall be made to NPSL operations for a distance greater than the distance from the nearest reliable supply store, recognized barge terminal, or railway receiving point where like materiel is normally available, unless agreed to by the Director.
- (2) If surplus materiel is moved from the NPSL project area, no charge shall be made to NPSL operations for a distance greater than the distance to the nearest reliable supply store, recognized barge terminal, or railway receiving point unless agreed to by the Director. No charge shall be made to NPSL operations for moving materiel to other properties owned by or under the control of a lessee, unless agreed to by the Director.
- (3) In the application of paragraphs (d)(1) and (d)(2) of this section, there shall be no equalization of actual gross trucking costs of \$200 or less, excluding accessorial charges.
- (e) Contract services. Except when excluded by paragraph (f) of this section and/or §220.013(c), the cost of services and utilities provided under contract by outside parties to the lessee and which constitute proper and necessary NPSL operations or support for NPSL operations, and rental charges paid to outside parties for the use of equipment used in the NPSL project area in support of NPSL operations, may be charged to NPSL operations subject to the following conditions and limitations:
- (1) Contract services (including professional consulting services and contract services of technical personnel) that are entirely performed in the NPSL project area and benefit exclusively NPSL operations may be

charged at the rates specified in the contract.

- (2) Contract services (including professional consulting services and contract services of technical personnel) that are entirely performed in the NPSL project area and benefit the NPSL operations and operations on other tracts must be allocated among all tracts benefited and only that portion representing services benefiting the NPSL tract charged to NPSL operations
- (3) Contract services (including professional consulting services and contract services of technical personnel) that are performed at sites outside the NPSL project area may be charged to NPSL operations only if:
- (i) The contracted services charged to the NPSL operations benefit only the NPSL tract or support NPSL operations;
- (ii) The contract under which such services are provided deals exclusively with services benefiting the NPSL tract or NPSL operations, or the costs of the contract services which are applicable to the NPSL tract or NPSL operations are separately and specifically identified in the contract; and
- (iii) Services specified in the contract relate to the resolution of specific technical problems confronting NPSL operations, or specific engineering design problems related to equipment or facilities required for NPSL operations
- (4) The cost of any contract service related to research and development is specifically excluded, as are contract services calling for feasibility studies not directly related to specific engineering design problems or alternatives for equipment and facilities required by NPSL operations.
- (f) Legal expenses. Expense of handling, investigating and settling litigation or claims, discharging of liens, payments of judgments and amounts paid for settlement of claims incurred in or resulting from NPSL operations, or necessary to protect or recover the NPSL property are allowable, except those costs listed in §220.013(f) as unallowable. This includes the salaries and wages of lessee's legal staff and the expense of outside attorneys who are assigned to matters described in this

paragraph if supported by adequate time records showing the nature of the matter, its direct relationship to NPSL operations, and the hours spent on the matter.

(g) Rental of equipment and facilities furnished by lessee. (1)(i) The NPSL capital account shall be charged for the use of equipment and facilities owned by a lessee that are proper and necessary for NPSL operations, including shore base and offshore facilities and pipelines from the tract to shore base production facilities, and that are not NPSL property. Rental charges shall be made at rates based upon actual costs of acquisition, construction, and operation. Such rates may include labor, the cost of setting up and dismantling equipment, maintenance, repairs, other operating expenses, insurance, taxes, depreciation (calculated using a method consistent with generally accepted accounting principles, consistently applied) and a return on the remaining undepreciated basis not to exceed 8 percent per year, except that the Director may from time to time establish a different maximum percentage. Any cost of acquiring real property in excess of that reasonably required to support the facilities furnished for NPSL operations shall not be included in the costs used to establish these rates. Rates charged shall not exceed average commercial rates for equipment and facilities of similar nature and capability currently prevailing in the vicinity of the NPSL project area.

(ii) The term "equipment and facilities" is used in the broad sense to include equipment that may be mobile or semimobile and also installations that may be semipermanent or permanent in nature. Such equipment and facilities listed below shall be charged on the basis indicated.

Equipment/facilities	Basis of charge
A. Mobile equipment:     Aircraft     Automobiles     Trucks     Tractors     Bulldozers     Mobile cranes     Trailer-mounted test separators     Truck-mounted cement mixers     Boats	Hour. Mile or hour. Mile or hour. Hour. Hour. Hour. Hour. Hour. Day or hour.
House trailers	Day.

#### § 220.011

Equipment/facilities	Basis of charge
B. Semimobile equipment:	
Drill rigs	Foot or day.
Workover rigs	Hour.
Pulling units	Hour.
Derricks	Day.
Drilling tender	Day.
Barges	Day.
C. Semipermanent installations:	
Skid-mounted separators	Day or volume.
Skid-mounted compressors	Day or volume.
D. Permanent installations:	
Compressor stations	Volume.
Saltwater disposal wells	Volume or wells.
Source water wells and supply systems.	Volume.
Roads	Wells.
Production/drilling platform	Volume or wells.
Canals	Wells.
Dock	Wells.
Oil storage and loading facilities	Volume.
Gathering systems and pipeline	Volume.
ACT systems	Volume.
Laboratory services (excluding re- search work).	Hour or unit.
Shore base production facilities	Volume.
Shore base support facilities	Wells.
E. Miscellaneous:	
Drill pipe	Foot or day.
Casing setting tools	Day.
Well testing equipment	Day.

Equipment and facilities that are not listed shall be charged on a basis consistent with the nature of the use.

- (2) In lieu of charges in paragraph (g)(1) of this section, the lessee may elect to use average commercial rates prevailing in the vicinity of the NPSL project area less 20 percent. For automotive equipment, the lessee may elect to use rates established by the Director. For other equipment for which no commercial rate exists, the lessee shall submit the basis for determining such costs to the Director for approval.
- (h) Damages and losses to NPSL property. All costs necessary for the repair or replacement of NPSL property made necessary because of damages or losses incurred by fire, flood, storm, theft, accident, or other causes not covered by insurance, except those resulting from lessee's negligence or willful misconduct may be charged to the NPSL capital account. Any settlement received from an insurance carrier should be credited to NPSL operations when received.
- (i) Taxes. All taxes, except income taxes, profit share payments, and taxes based upon income, that are assessed or levied upon or in connection with NPSL operations and which have been paid by the lessee are allowable. Al-

lowed taxes shall include, but not be limited to, production, severance, excise, ad valorem, and mineral taxes.

- (j) Insurance. (1) Net premiums paid for insurance required to be carried for NPSL operations are allowable. For NPSL operations in which the lessee may act as self-insurer for Workmen's Compensation and Employer's Liability, the lessee may include the risk under its self-insurance program in providing coverage under State and Federal laws and charge NPSL operations at lessee's cost not to exceed manual rates.
- (2) NPSL operations shall be credited for all reimbursements for costs of damage to NPSL property or personal injury. Reimbursements for damaged NPSL property shall be credited as follows:
- (i) If the damaged NPSL property is replaced or repaired, to the NPSL capital account charged for the cost of replacement or repair; or
- (ii) If the damaged NPSL property is not replaced or repaired, to the NPSL capital account except that if the cost of the property originally qualified for the allowance for capital recovery in §220.020, the credit shall be calculated pursuant to §220.021(a)(3).
- (k) Communications. Costs of leasing, acquiring, installing, operating, repairing and maintaining communication systems, including radio, microwave facilities, and computer production controls for the NPSL operations are allowable. If communication facilities systems serving the NPSL tract serve operations and/or facilities outside the NPSL project area, charges to NPSL operations shall be made as provided in paragraph (g) of this section or shall be allocated to NPSL operations in accordance with §220.014.
- (l) Ecological and environmental. Costs incurred in the NPSL project area as a result of statutory regulations for archeological and geophysical surveys relative to identification and protection of cultural resources and other environmental or ecological surveys required by the Bureau of Land Management or other regulatory authority, may be charged to the NPSL capital account. Also, the costs to provide or have available pollution containment

and removal equipment, including payments to organizations and/or funds which provide equipment and/or assistance in the event of oil spills or other environmental damage are allowable. The costs of actual control and cleanup of oil spills and resulting responsibilities required by applicable laws and regulations are allowable, except that a charge shall not be allowed for any such costs attributable to the lessee's negligence or willful misconduct.

(m) Dry or bottom hole contributions. The costs of dry or bottom hole contributions made to obtain information about the structure or other characteristics of the geology underlying the NPSL tract are allowable.

(n) Abandonment costs. Actual costs incurred in the plugging of wells, dismantling of platforms and other facilities and in the restoration of the NPSL project area shall be charged to the NPSL capital account only when incurred (i.e., not on an accrual basis), except that costs incurred after the cessation of production shall not be charged to the NPSL capital account. Abandonment costs in excess of offsetting revenues shall not form the basis of any claim against the United States.

(o) Other costs. Any other costs not covered in paragraphs (a)-(n) of this section and not disallowed by §220.013 that are incurred by the lessee in the necessary and proper conduct of NPSL operation and are approved by the Director, are allowable. Approval of a plan of development and production for the NPSL tract by the Director shall be considered sufficient approval for these other costs provided they are separately identified in said plan of development and production. Such separate identification shall note the nature of these other costs and may include an estimate of their magnitude. Any cost approvals under this paragraph for which the specific amounts have not been itemized are presumed to be approved provided they fall within the limits for a prudent operator. Approval of costs under this paragraph shall be approval solely for the purposes of determining allowable costs and shall not preclude a subsequent adjustment at audit of the amount of such costs.

(p) Other credits. Credit shall be given to the NPSL capital account, depend-

ing on when it is incurred, for NPSL property leased or used in non-NPSL operations, for the sale of information derived from test wells and G & G, and for any and all amounts earned or otherwise due lessee as a result of NPSL operations.

[45 FR 36800, May 30, 1980. Redesignated at 48 FR 1182, Jan. 11, 1983, and at 48 FR 35642, Aug. 5, 1983, as amended at 67 FR 19112, Apr. 18, 2002]

#### § 220.012 Overhead allowance.

(a) During the capital recovery period the overhead allowance shall be calculated on a percentage basis at the rate of 4 percent of allowable direct and allocable joint costs charged to the NPSL capital account, exclusive of costs specified in paragraph (c) of this section. This overhead allowance shall be debited to the NPSL capital account in accordance with §220.021(b)(2).

(b) For each month after the end of the capital recovery period, an overhead allowance shall be calculated on a percentage basis at the rate of 10 percent of allowable direct and allocable joint costs charged to the NPSL capital account, exclusive of costs specified in paragraph (c) of this section. This overhead allowance shall be debited to the NPSL capital account in accordance with §220.021(c)(2).

(c) Overhead shall not be charged on the value of:

- (1) Lease rental (§220.011(a));
- (2) Contract services (§220.011(e));
- (3) Taxes (§ 220.011(i));

(4) Re-injected hydrocarbons, originally produced from the NPSL tract, that are charged under §220.011(c); and

(5) Credits for materiel charged under §220.011(c) that are salvaged, returned, or used for the benefit of non-NPSL operations.

#### § 220.013 Unallowable costs.

The following costs shall not be charged as direct or joint costs to NPSL operations:

- (a) Bonus payments to the United States:
- (b) Interest (except as permitted under § 220.011(g));
- (c) Depreciation, depletion, amortization, or any other charge for capital recovery for materiel charged to the NPSL capital account under §220.011(c),

#### § 220.014

except as explicitly provided by the allowance for capital recovery calculated according to §220.020;

- (d) The cost of taking inventory;
- (e) Research and development costs;
- (f) The following legal expenses:
- (1) The costs of litigation against the Federal government;
- (2) Fines or penalties levied by any Federal agency;
- (3) Settlement of claims or other litigation resulting from the lessee's violation of regulatory requirements or negligence; and
- (4) The cost of the lessee's legal staff or expense of outside attorneys, except as explicitly allowed under §220.011(f);
- (g) The following employee relocation costs (whether incurred by the employee or the lessee):
  - (1) Loss on the sale of a home;
- (2) Purchase price of a home in the new location;
- (3) Payments for employee income taxes incident to reimbursed relocation costs: and
- (4) Any relocation cost in connection with an employee move that is for the primary benefit of the lessee's non-NPSL operations;
- (h) The lessee's own cost of administering employee benefit plans;
- (i) The cost of acquiring or constructing shore base facilities and real property improvements that are charged to NPSL operations on a rental basis under § 220.011(g);
- (j) Rentals on any facilities, the investment costs of which have been charged either directly or as allocable joint costs, to the NPSL capital account; and
  - (k) Pre-NPSL expenditures.

### §220.014 Allocation of joint costs and credits.

- (a) Joint costs shall be grouped in cost pools for allocation to NPSL and non-NPSL operations in reasonable proportion to the beneficial or causal relationships which exist between a specific cost pool and the operations. That portion of a joint cost pool that may be allocated to NPSL operations is called an allocable joint cost.
- (b) The following allocation principles apply in allocating joint costs:
- (1) G & G. G & G shall be allocated on a line mile per tract basis.

- (2) Wages and salaries. Wages and salaries that are not charged as direct on the basis of time spent on a particular job shall be allocated on a reasonable and equitable basis.
- (3) Compensated personal absence, payroll taxes and personal expenses. These items shall be allocated on the same basis as wages and salaries.
- (4) Transportation costs. Transportation costs for employees that are not charged direct shall be allocated on the same basis as their wages and salaries.
- (c) Joint credits shall be allocated in the same manner as joint costs.
- (d) When the NPSL is made a part of a unit, the allowed costs shall be charged to the NPSL capital account on the basis specified in the unit operating agreement as approved by the Director. Revenues and other credits shall be made to the NPSL accounts on the same basis as specified in the approved operating agreement. Joint costs of an NPSL and a non-NPSL tract that are adjacent to one another and are on the same structure shall be allocated on a basis approved by the Director.

# § 220.015 Pricing of materiel purchases, transfers, and dispositions.

- (a)(1) Purchased materiel. Except as provided in paragraph (a)(2)(i) of this section, materiel purchased for use in NPSL operations shall be charged to NPSL operations at the price paid, after deduction of any discounts received. Should any purchased materiel be defective or returned to a vendor for other reasons, the credit shall be allocated to NPSL operations when received by the lessee in accordance with §220.011(c)(3).
- (2) Transferred and disposal materiel. An item of materiel, which is acquired by the lessee for use in NPSL operations by means other than purchase or disposed of by any means, shall be priced according to this subparagraph:
- (i) Condition A (new) materiel. (A) Tubular goods, except line pipe, shall be priced at the current market price in effect on date of movement on a minimum carload or barge load weight basis, regardless of quantity transferred, equalized to the lowest published price "free on board" (f.o.b.) railway receiving point or recognized

barge terminal nearest the NPSL tract where such materiel is normally available.

- (B) *Line pipe. (1)* Movement of less than 30,000 pounds shall be priced at the current price in effect at date of movement, as listed by a reliable supply store nearest the NPSL tract where such materiel is normally available.
- (2) Movement of 30,000 pounds or more shall be priced under the provisions for tubular goods pricing in paragraph (a)(2)(i)(A) of this section.
- (C) Other materiel shall be priced at the current price in effect at date of movement, as listed by a reliable supply store or f.o.b. railway receiving point nearest the NPSL tract where such materiel is normally available.
- (ii) *Condition B (good used) materiel.* Materiel in sound and serviceable condition and suitable for reuse without reconditioning:
- (A) Materiel transferred to the NPSL project area shall be priced at 75 percent of current Condition A price.
- (B) Materiel transferred from the NPSL project area shall be priced:
- (1) At 75 percent of current Condition A price, if the materiel was originally charged to NPSL operations as Condition A materiel, or
- (2) At 65 percent of current Condition A price, if the materiel was originally charged to NPSL operations as Condition B materiel at 75 percent of current Condition A price.
- (iii) Conditions C and D (other used) materiel—(A) Condition C. Materiel that is not in sound and serviceable condition and not suitable for its original function until after reconditioning shall be priced at 50 percent of current Condition A price.
- (B) Condition D. Materiel no longer suitable for its original purposes but suitable for some other purpose shall be priced on a basis commensurate with its use and comparable with that of materiel normally used for such other purpose. If the materiel has no alternative use it should be priced at prevailing prices as scrap.
- (iv) Obsolete materiel. Materiel that is serviceable and usable for its original function and has a value less than Condition A, B, or C materiel may be valued at a price agreed to by the Director. Such price should be the equiva-

lent of the value of the service rendered by such materiel.

- (b) Pricing conditions. (1) Loading and unloading costs shall be charged at a rate of 15 cents per hundred weight, or such other rate as may be set by the Director, on all tubular goods movements, in lieu of loading/unloading costs sustained, when the actual hauling costs of such tubular goods is equalized under provisions of \$220.011(d).
- (2) Materiel involving erection costs shall be charged at the applicable percentage of the current knocked-down price of new materiel.
- (c) When materiel subject to paragraphs (a)(2) (ii) and (iii) of this section is transferred, the cost of reconditioning shall be borne by the receiving party.

# § 220.020 Calculation of the allowance for capital recovery.

- (a) For purposes of this section, the cost base for the allowance for capital recovery in a particular month shall consist of the sum of:
- (1) All allowable direct and allocable joint costs chargeable to the NPSL capital account during the month less any costs specified in §220.012(c); plus
- (2) The value of contract services chargeable to the NPSL capital account during the month pursuant to §220.011(e); plus
- (3) The capital recovery period overhead allowance, calculated in accordance with §220.012(a), that is chargeable to the NPSL capital account for the month; less
- (4) Production revenues and other credits received during the month.
- (b) If the cost base for a month is greater than zero (that is, if the sum of the charges specified in paragraphs (a) (1) through (3) of this section exceeds the value of production revenues and other credits), the allowance for capital recovery shall be calculated by multiplying the cost base by the capital recovery factor, and shall be debited to the NPSL capital account as specified in §220.021(b).
- (c) If the cost base for a month is less than zero, the allowance for capital recovery for the NPSL capital account shall be calculated by multiplying the

#### § 220.021

resulting negative cost base by the capital recovery factor. The negative product of this calculation shall be debited to the NPSL capital account as specified in §220.021(b).

(d) No allowance for capital recovery shall be calculated on the charges or credits related to any time period after the end of the capital recovery period.

### § 220.021 Determination of net profit share base.

- (a) During each month of the lease term, the NPSL capital account shall be:
- (1) Debited with allowable direct and allocable joint costs;
- (2) Credited with an amount reflecting the production revenues for the month, calculated in accordance with §260.110(b) of this chapter.
- (3) Credited with amounts properly credited back to the NPSL capital account as specified in §220.011(p). Credits associated with charges to the NPSL capital account during the capital recovery period, however, shall first be increased by the value of the credit multiplied by the recovery factor, before crediting that sum to the NPSL capital account.
- (b) At the end of each month of the lease term during the capital recovery period:
- (1) The transactions specified in paragraph (a) of this section shall be made to the NPSL capital account.
- (2) The capital recovery period overhead allowance shall be calculated in accordance with §220.012(a) and debited to the NPSL capital account.
- (3) The allowance for capital recovery shall be calculated in accordance with §220.020 and the allowance debited (or the negative allowance debited, as appropriate) to the NPSL capital account. (A debit entry of a negative allowance for capital recovery shall have the same effect as a credit entry of the absolute value of the allowance for capital recovery.)
- (4) The balance in the NPSL capital account shall be calculated. If, as a result of the accounting transactions described in paragraphs (b) (1) through (3) of this section, there is a credit balance in the NPSL capital account, the capital recovery period will be considered terminated as of this month. The cred-

it balance will be forwarded to the next month, which will be the first month for which a profit share payment is due.

- (c) At the end of each month of the lease term following the end of the capital recovery period:
- (1) The transaction specified in paragraph (a) of this section shall be made to the NPSL capital account.
- (2) An overhead allowance shall be calculated in accordance with §220.012(b) and debited to the NPSL capital account.
- (3) The balance in the NPSL capital account shall be calculated.
- (d) If, as a result of the accounting transactions described in paragraph (c) of this section, there is a credit balance in the NPSL capital account, this credit balance is the net profit share base for that month. The opening debit and credit balances in the NPSL capital account for any month following a month in which there is a credit balance in the NPSL capital account (except as provided in paragraph (b)(4)) of this section shall be zero.
- (e) If, as a result of the accounting transactions described in paragraph (b) or (c) of this section, there is a debit balance in the NPSL capital account, this debit balance shall be the opening debit balance in the NPSL capital account for the following month.
- (f) Any credit balance in the NPSL capital account shall become the net profit share base as described in this section. Any debit balance in the NPSL capital account shall be maintained only insofar as necessary for the determination of profit share payments. Such debit balance shall not represent a claim against the United States.

[45 FR 36800, May 30, 1980. Redesignated at 48 FR 1182, Jan. 11, 1983, and at 48 FR 35642, Aug. 5, 1983, and amended at 55 FR 1210, Jan. 12, 1990]

### § 220.022 Calculation of net profit share payment.

The net profit share payment shall be calculated by multiplying the net profit share base calculated in accordance with §220.021 by the net profit share rate. The net profit share payment shall be paid to the United States in accordance with §220.031.

#### § 220.030 Maintenance of records.

- (a) Each lessee subject to this part 220 shall establish and maintain such records as are necessary to determine for each NPSL:
- (1) The volume and disposition of all oil and gas production saved, removed or sold for each month;
- (2) The value of all oil and gas production saved, removed or sold for each month:
- (3) The amount and description of costs and credits to the NPSL capital account:
- (4) The amount and description of all costs of acquisition, construction, and operation of equipment and facilities furnished by the lessee and charged to the NPSL capital account under §220.011(g). Such records shall include worksheets or other documents that indicate the method used to calculate the amount of each charge made under §220.011(g);
- (5) The cumulative balance of costs and credits to the NPSL capital account; and
  - (6) The inventory of materiel.
- (b) The ledger cards showing the charges and credits to the NPSL capital account shall be maintained until thirty-six months after the cessation of NPSL operations by the lessee. All other documents, journals and records shall be maintained for thirty-six months from the due date or date of mailing of the statement of account on an NPSL, whichever comes later, except that nothing in these regulations shall limit the time of investigation or the need to produce records when prima facie evidence of fraud or willful misconduct is obtained with respect to the government's interest in the NPSL.

### § 220.031 Reporting and payment requirements.

(a) Each lessee subject to this part shall file an annual report during the period from issuance of the NPSL until the first month in which production revenues are credited to the NPSL capital account. Such report shall list the costs incurred, including allowances applied, credits received, and the balance of the NPSL capital account. Not later than 60 days after the end of the first month in which production revenues are credited to the NPSL capital

- account, a final report relating to the period shall be filed.
- (b) Beginning with the first month in which production revenues are credited to the NPSL capital account, each lessee subject to this part 220 shall file a report for each NPSL, not later than 60 days following the end of each month, containing the following information for the month for which the report is filed:
- (1) The volume and disposition of all oil and gas production saved, removed or sold:
  - (2) The production revenue;
- (3) The amount and description of all costs and credits to the NPSL capital account:
- (4) The balance of the NPSL capital account; and
- (5) The net profit share base and net profit share payment due the United States and the monthly profit share of the lessee
- (c) Each lessee subject to this part 220 shall submit, together with the report required by paragraph (b) of this section, any net profit share payment due the United States for the period covered by the report.
- (d) Each lessee subject to this part 220 shall file a report not later than 90 days after each inventory is taken, reporting the controllable materiel on hand, acquired, transferred or used.
- (e) Each lessee subject to this part 220 shall file a final report, not later than 60 days following the cessation of production, together with the appropriate net profit share payment, indicating the remaining balance and costs and credits to the NPSL capital account for the period.
- (f) Reports required by this section shall be filed with the Director, either separately or as part of the reports that are currently filed.
- (g) Interest shall be calculated at the prevailing rate or rates as published in the Bulletin to the Department of the Treasury Fiscal Requirement Manual, in effect for the period or periods over which the net profit share payment is owed, compounded monthly, on the amount of a net profit share payment, from the due date (60 days following the end of each month for which the payment was due) of a net profit share

#### § 220.032

payment until such payment is received by the United States.

#### § 220.032 Inventories.

(a) The lessee is responsible for NPSL materiel and shall make proper and timely cost and credit notations for all materiel movements affecting NPSL property. The lessee shall provide only such materiel as may be required for immediate use or is consistent with practical, efficient, and economical operations. The accumulation of surplus stocks shall be avoided by proper materiel control, inventory and purchasing. The lessee shall make timely disposition of idle and surplus materiel through sale.

(b) At reasonable intervals, but at least once every three years, inventories of controllable materiel shall be taken by the lessee. Written notice of intention to take inventory shall be given by the lessee at least 30 days before any inventory is to be taken so that the Director may be represented at the taking of inventory. Failure of the Director to be represented at an inventory shall bind the Director to accept the inventory taken by the lessee, except in the case of willful misrepresentation or fraud.

(c) Inventory shall be valued with any generally accepted accounting method used by the lessee to value the same materiel for financial or income tax reporting purposes, provided that the method is consistently applied throughout the life of the materiel.

(d) Reconciliation shall be made of a physical inventory with the NPSL capital account by the lessee, and a list of overages and shortages shall be available to the Director for audit as provided in §220.033. Inventory adjustments of controllable materiel shall be made by the lessee to the NPSL capital account for overages and shortages. Controllable materiel removed from physical inventory that has not been credited to NPSL operations under §220.015(a)(2) shall be credited to NPSL operations at its original value, except that when the cost of the materiel originally qualified for the allowance for capital recovery in §220.020, the credit shall be calculated pursuant to § 220.021(a)(3).

#### § 220.033 Audits.

(a) The accounts of an NPSL lessee or of a contractor of the lessee which are related to NPSL operations shall be subject to audit by DOI or its appointed agent. Where possible, the auditor for DOI shall coordinate audit efforts with other nonoperators, if any. DOI shall have the right to initiate an audit any time within thirty-six months of the due date of the monthly statement that is to be audited or the date that the statement was mailed, whichever is later, provided, however, that audits may not be conducted any more frequently than once every year except upon a showing of fraud or willful misrepresentation.

(b)(1) When nonoperators of an NPSL lease call an audit in accordance with the terms of their operating agreement, the Director shall be notified of the audit call in the same manner as the operator is notified. DOI may elect to send an auditor with the audit team specified by the nonoperators in lieu of calling for a separate audit by DOI.

(2) If DOI determines to call for an audit, DOI shall notify the lessee of its audit call and set a time and place for the audit. Such a notice shall be sent at least thirty days before the suggested time for the audit to allow the nonoperators to join in DOI's audit in lieu of calling for their own audit. The place for the audit will normally be the place where the lessee maintains its records pertaining to the NPSL lease. The lessee shall send copies of the notice to the nonoperators on the lease. The lessee shall use reasonable effort to notify all nonoperators, but failure to include one or more nonoperators in the notification shall not void the no-

(3) When DOI calls for an audit, DOI may suggest the date and time when the audit may commence. The estimated duration of the audit may be mentioned to the lessee as well as to the other nonoperators who may elect to supply and auditor for their own audit purposes. The lessee's office where the audit will be held may be named or, if not known, inquired about. If a visit to a field plant or field office is contemplated by the government auditor, such a field trip may be mentioned. If DOI expresses a desire to

review a period on which the thirty-six month time limitation has expired, it is the lessee's prerogative to allow the review or to request that DOI adhere to the time limitation specified in these regulations.

- (c)(1) Exceptions to the accounting by the lessee, whether in favor of the government or the lessee, shall be noted in a report to the lessee. The lessee shall have 60 days from the mailing of a notice of exceptions to agree to the adjustments proposed by the DOI auditor or to object to the proposed adjustments. If the lessee accepts the proposed adjustments, the adjustment shall be booked in the month in which the lessee agrees to the adjustment, except where such adjustment would have resulted in a change in any net profit share payment due the United States. In such a case, there shall be a redetermination of the NPSL capital account pursuant to §220.034.
- (2) If the lessee disagrees with the adjustment, the lessee shall have the right to appeal the adjustment to the Director.
- (d) Upon receipt of an agreement by the government auditor that there are no required audit adjustments, upon final determination with respect to any audit adjustment proposed by the government auditor, or upon the lapse of thirty-six months from the due date or date of mailing of the statement of account on an NPSL lease, whichever comes later, the books shall be closed for audit adjustment purposes, except upon a showing of fraud or willful misrepresentation.
- (e) Records required to be kept under \$220.030(a) shall be made available for inspection by any authorized agent of DOI at any time during normal business hours upon the request of the Director or other authorized official.

### § 220.034 Redetermination and appeals.

(a) If, as a result of an inspection of records or an audit under §220.033, the Director determines that there is an error in the NPSL capital account or an error in calculating the net profit share payment, whether in favor of the government or the lessee, the Director shall redetermine the net profit share base and recalculate the net profit

share payment due the United States and notify the lessee of the recalculation.

- (b) The lessee shall pay any additional amount of net profit share payment owed plus interest, compounded monthly, from the date that the payment was due until the date it is actually paid. Interest shall be calculated at the prevailing rate or rates as published in the Bulletin to the Department of the Treasury Fiscal Requirements Manual, in effect for the period or periods over which the payment is owed.
- (c) If the recalculated profit share payment is less than the amount paid the United States, the lessee shall apply such overpayment to the next profit share payment.
- (d) Within 30 days after receiving notice of the recalculation as provided in paragraph (a) of this section, the lessee may appeal the decision of the Director in accordance with the appeals provision of 30 CFR part 290.

#### PART 227—DELEGATION TO STATES

DELEGATION OF MMS ROYALTY FUNCTIONS

Sec.

227.1 What is the purpose of this part?

- 227.10 What is the authority for information collection?
- 227.101 What royalty management functions may MMS delegate to a State?
- 227.102 What royalty management functions will MMS not delegate?

#### DELEGATION PROPOSALS

- 227.103 What must a State's delegation proposal contain?
- 227.104 What will MMS do when it receives a State's delegation proposal?

#### HEARING PROCESS

227.105 What are the hearing procedures?

#### DELEGATION PROCESS

- 227.106 What statutory requirements must a State meet to receive a delegation?
- 227.107 When will the MMS Director decide whether to approve a State's delegation proposal?
- 227.108 How will MMS notify a State of its decision?
- 227.109 What if the MMS Director denies a State's delegation proposal?
- 227.110 When and for how long are delegation agreements effective?

#### § 227.1

#### EXISTING DELEGATIONS

227.111 Do existing delegation agreements remain in effect?

#### COMPENSATION

227.112 What compensation will a State receive to perform delegated functions?

### STATES' RESPONSIBILITIES TO PERFORM DELEGATED FUNCTIONS

- 227.200 What are a State's general responsibilities if it accepts a delegation?
- 227.201 What standards must a State comply with for performing delegated functions?227.300 What audit functions may a State
- perform? 227.301 What are a State's responsibilities if it performs audits?
- 227.400 What functions may a State perform in processing production reports and royalty reports?
- 227.401 What are a State's responsibilities if it processes production reports or royalty reports?
- 227.500 What functions may a State perform to ensure that reporters correct erroneous report data?
- 227.501 What are a State's responsibilities to ensure that reporters correct erroneous data?
- 227.600 What automated verification functions may a State perform?
- 227.601 What are a State's responsibilities if it performs automated verification?
- 227.700 What enforcement documents may a State issue in support of its delegated function?

#### PERFORMANCE REVIEW

- 227.800 How will MMS monitor a State's performance of delegated functions?
- 227.801 What if a State does not adequately perform a delegated function?
- 227.802 How will MMS terminate a State's delegation agreement?
- 227.803 What are the hearing procedures for terminating a State's delegation agreement?
- 227.804 How else may a State's delegation agreement terminate?
- 227.805 How may a State obtain a new delegation agreement after termination?

AUTHORITY: 30 U.S.C. 1735; 30 U.S.C. 196; Pub L. 102–154.

Source:  $62\ FR\ 43084$ , Aug. 12, 1997, unless otherwise noted.

### DELEGATION OF MMS ROYALTY FUNCTIONS

### § 227.1 What is the purpose of this part?

This part provides procedures to delegate Federal royalty management

functions to States under section 205 of the Federal Oil and Gas Royalty Management Act of 1982 (the Act), 30 U.S.C. 1735, as amended by the Federal Oil and Gas Royalty Simplification and Fairness Act of 1996, Pub. L. 104-185, August 13, 1996, as corrected by Pub. L. 104-200. This part also provides procedures to delegate only audit and investigation functions to States under Pub. L. 102-154 for solid mineral leases, geothermal leases and leases subject to section 8(g) of the Outer Continental Shelf Lands Act, 43 U.S.C. 1337(g). This part does not apply to any inspection or enforcement responsibilities of the Bureau of Land Management for onshore leases or the MMS Offshore Minerals Management program for leases on the Outer Continental Shelf.

### § 227.10 What is the authority for information collection?

(a) The information collection requirements contained in this part have been approved by Office of Management and Budget (OMB) under 44 U.S.C. 3501 et seq. and assigned OMB Control Number 1010–0088. We will use the information collected to review and approve delegation proposals from States wishing to perform royalty management functions.

(b) Public reporting burden is estimated as follows. MMS estimates 400 annual burden hours per function for each State performing the delegated functions. The Federal Government will reimburse some of these costs as provided by statute. However, States could incur additional start-up costs, such as purchasing equipment necessary to perform a delegated function, that may not be reimbursable. MMS estimates that, if applicable, each payor or reporter would spend 50 burden hours annually coordinating their and interactions communications among the several States and with MMS. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing burden, to the Information Collection Clearance Officer, Minerals Management Service, 1849 C Street, NW., Washington, DC 20240; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Attention: Desk

Officer for the Interior Department, OMB Control Number 1010-0088, 725 17th Street, NW., Washington, DC 20503.

## § 227.101 What royalty management functions may MMS delegate to a State?

- (a) If there are oil and gas leases subject to the Act on Federal lands within your State, MMS may delegate the following royalty management functions for all such Federal oil and gas leases to you under this part:
- (i) Receiving and processing production or royalty reports;
- (2) Correcting erroneous report data; and
- (3) Performing automated verification.
- (b) If there are oil and gas leases subject to the Act on Federal lands within your State, MMS may delegate the following royalty management functions for some or all of the Federal oil and gas leases to you under this part:
- (1) Conducting audits and investigations: and
- (2) Issuing demands, subpoenas, and orders to perform restructured accounting, including related notices to lessees or their designees, and entering into tolling agreements under section 115(d)(1) of the Act, 30 U.S.C. 1725(d)(1).
- (c) If there are oil and gas leases offshore of your State subject to section 8(g) of the Outer Continental Shelf Lands Act, 43 U.S.C. 1337 (g), or solid mineral leases or geothermal leases on Federal lands within your State, MMS may delegate authority to conduct audits and investigations for some or all such Federal leases.

[64 FR 36784, July 8, 1999]

### § 227.102 What royalty management functions will MMS not delegate?

This section lists the principal royalty management functions that MMS will not delegate to a State. MMS will not delegate to a State the following functions:

(a) MMS must collect all moneys received from sales, bonuses, rentals, royalties, civil penalties, assessments and interest. MMS also must collect any moneys a lessee or its designee pays because of audits or other actions of a delegated State;

- (b) MMS must compare all cash and other payments it receives with payments shown on royalty reports or other documents, such as bills, to reconcile payor accounts. MMS also must disburse all appropriate moneys to States and other revenue recipients, including refunds and interest owed to lessees and their designees;
- (c) The Department of the Interior will receive, process, and decide all administrative appeals from demands or other orders issued to lessees, their designees, or any other person, including demands or orders a delegated State issues;
- (d) Only MMS may take enforcement actions other than issuing demands, subpoenas and orders to perform restructured accounting. MMS or the appropriate Federal agency will issue notices of non-compliance and civil penalties, collect debts, write off delinquent debts, pursue litigation, enforce subpoenas, and manage any alternative dispute resolution. MMS will conduct, coordinate and approve any settlement or other compromise of an obligation that a lessee or its designee owes;
- (e) MMS will decide all valuation policies, including issuing valuation regulations, determinations, and guidelines, and interpreting valuation regulations; and
- (f) MMS may reserve additional authorities and responsibilities not included in paragraphs (a) through (f) of this section.

#### DELEGATION PROPOSALS

### § 227.103 What must a State's delegation proposal contain?

If you want MMS to delegate royalty management functions to you, then you must submit a delegation proposal to the MMS Associate Director for Minerals Revenue Management. MMS will provide you with technical assistance and information to help you prepare your delegation proposal. Your proposal must contain the following minimum information:

(a) The name and title of the State official authorized to submit the delegation proposal and execute the delegation agreement;

#### §227.103

- (b) The name, address, and telephone number of the State contact for the proposal;
- (c) A copy of the legislation, State Attorney General opinion or other document that:
- (1) States which State entity or entities are responsible for performing delegated functions, and if more than one entity is delegated such responsibility, the position of the highest ranking State official having ultimate authority over the collection of royalties from leases on Federal lands within the State:
- (2) Demonstrates the State's authority to:
- (i) Accept a delegation from MMS;
- (ii) Receive State or Federal appropriations to perform delegated functions:
- (d) The date you propose to begin performing delegated functions;
- (e) A detailed statement of the delegable functions that you propose to perform. For each function, describe the resources available in your State to perform each function, the procedures you will use to perform each function, and how you will assure that you will meet all Federal laws, lease terms, regulations and relevant performance standards. As evidence that you have or will have the resources to perform each delegable function, provide the following information:
- (1) A description of the personnel you have available to perform delegated functions, including:
- (i) How many persons you will assign full-time and part-time to each delegated function;
- (ii) The technical qualifications of the key personnel you will assign to each function, including academic field and degree, professional credentials, and quality and amount of experience with similar functions; and
- (iii) Whether these persons are currently State employees. If not, explain how you propose to hire these persons or obtain their services, and when you expect to have those persons available to perform delegated functions;
- (2) A description of the facilities you will use to perform delegated functions, including:

- (i) Whether you currently have the facilities in which you will physically locate the personnel and equipment you will need to perform the functions you propose to assume. If not, how you propose to acquire such facilities, and when you expect to have such facilities available; and
- (ii) How much office space is available:
- (3) Describe the equipment you will use to perform delegated functions, including:
- (i) Hardware and software you will use to perform each delegated function, including equipment for:
- (A) Document processing, including compatibility with MMS automated systems, electronic commerce capabilities, and data storage capabilities;
  - (B) Accessing reference data;
- (C) Contacting production or royalty reporters;
  - (D) Issuing demands;
  - (E) Maintaining accounting records;
- (F) Performing automated verification;
- (G) Maintaining security of confidential and proprietary information; and
- (H) Providing data to other Federal agencies;
- (ii) Whether you currently have the equipment you will need to perform the functions you propose to assume. If not, how you propose to acquire such equipment and when you expect to have such equipment available;
- (f) Your estimates of the costs to fund the following resources necessary to perform the delegation:
- (1) Personnel, including hiring, employee salaries and benefits, travel and training;
- (2) Facilities, including acquisition, upgrades, operation, and maintenance; and
- (3) Equipment, including acquisition, operation, and maintenance;
- (g) Your plans to fund the resources under paragraph (f) of this section, including any items you will ask MMS to fund under the delegation agreement;
- (h) A statement identifying any areas where State law, including State appropriation law, may limit your ability to perform delegated functions, and an explanation of how you propose to remove any such limitation;

(i) A statement that in accordance with section 203 of the Act (30 U.S.C. 1733) persons who have access to information received under delegated functions are subject to the same provisions of law regarding confidentiality and disclosure of that information as Federal employees. Applicable laws include the Freedom of Information Act (FOIA), the Trade Secrets Act, and relevant Executive Orders. In addition, your statement must acknowledge that all documents produced, received, and maintained as part of any delegation functions are agency records for purposes of FOIA. Therefore, persons who have access to information received under delegated functions may not use such information or provide such information to any other person, including State personnel, for purposes other than performing delegated functions. However, this limitation does not apply if the person submitting the information consents in writing to its use for other State purposes.

[62 FR 43084, Aug. 12, 1997, as amended at 67 FR 19112, Apr. 18, 2002]

## § 227.104 What will MMS do when it receives a State's delegation proposal?

When MMS receives your delegation proposal, it will record the receipt date. MMS will notify you in writing within 15 business days whether your proposal is complete. If it is not complete, MMS will identify any missing items §227.103 requires. Once you submit all required information, MMS will notify you of the date your application is complete.

#### HEARING PROCESS

### § 227.105 What are the hearing procedures?

After MMS notifies you that your delegation proposal is complete, MMS will schedule a hearing on your proposal, if MMS determines a hearing is appropriate, as follows:

(a) The MMS Director will appoint a hearing official to conduct one or more public hearings for fact finding regarding your ability to assume the delegated functions requested. The hearing official will not decide whether to approve your delegation request;

- (b) The hearing official will contact you about scheduling a hearing date and location:
- (c) The MMS will publish notice of the hearing in the FEDERAL REGISTER and other appropriate media within your State:
- (d) MMS will publish notice of the proposal in the FEDERAL REGISTER. MMS will also post the proposal on the MMS Website, and upon request, MMS will send a copy of the delegation proposal to the trade associations to distribute to their members, as necessary;
- (e) At the hearing, you will have an opportunity to present testimony and written information in support of your proposal;
- (f) Other persons may attend the hearing and may present testimony and written information for the record;
  - (g) MMS will record the hearing;
- (h) MMS will maintain a record of all documents related to the proposal process;
- (i) After the hearing, MMS may require you to submit additional information in support of your delegation proposal.

#### **DELEGATION PROCESS**

## § 227.106 What statutory requirements must a State meet to receive a delegation?

The MMS Director will decide whether to approve your delegation request and will ask the Secretary of the Interior to concur in the decision. That decision is solely within the MMS Director's and the Secretary's discretion. The MMS Director's decision, which the Secretary concurs in, is the final decision for the Department of the Interior. The MMS Director may approve a State's request for delegation only if, based upon the State's delegation proposal and the hearing record, the MMS Director finds that:

- (a) It is likely that the State will provide adequate resources to achieve the purposes of the Act;
- (b) The State has demonstrated that it will effectively and faithfully administer the MMS regulations under the Act in accordance with subsections (c) and (d) of section 205 of the Act;
- (c) Such delegation will not create an unreasonable burden on any lessee;

#### § 227.107

- (d) The State agrees to adopt standardized reporting procedures MMS prescribes for royalty and production accounting purposes, unless the State and all affected parties (including MMS) otherwise agree;
- (e) The State agrees to follow and adhere to regulations and guidelines MMS issues under the mineral leasing laws regarding valuation of production; and
- (f) Where necessary for a State to carry out and enforce a delegated activity, the State agrees to enact such laws and promulgate such regulations as are consistent with relevant Federal laws and regulations.

## § 227.107 When will the MMS Director decide whether to approve a State's delegation proposal?

The MMS Director will decide whether to approve your delegation proposal within 90 days after your delegation proposal is considered complete under §227.104. MMS may extend the 90-day period with your written consent.

### § 227.108 How will MMS notify a State of its decision?

MMS will notify you in writing of its decision on your delegation proposal. If MMS approves your delegation proposal, then MMS will hold discussions with you to develop a delegation agreement detailing the functions that you will perform, the standards and requirements you must comply with to perform those functions, and any required transition period.

### § 227.109 What if the MMS Director denies a State's delegation proposal?

If the MMS Director denies your delegation proposal, MMS will state the reasons for denial. MMS also will inform you in writing of the conditions you must meet to receive approval. You may submit a new delegation proposal at any time following a denial.

### § 227.110 When and for how long are delegation agreements effective?

(a) Delegation agreements are effective for 3 years from the date the MMS Director signs the delegation agreement. However, during the development of the State's delegation proposal under §227.108 of this part, MMS, the

- delegated State, and any other affected person will determine an appropriate transition period for lessees and their designees to modify their systems to comply with any new requirements under a delegation agreement. MMS will publish notice of the effective date of a State's delegation agreement in the FEDERAL REGISTER and that notice will inform lessees and their designees of any transition period. MMS also will post the proposals on the MMS Website at www.mms.gov, and upon request, will send a copy of the delegation proposals to trade associations to distribute to their members.
- (b) You may ask MMS to renew the delegation for an additional 3 years no less than 6 months before your 3-year delegation agreement expires. You must submit your renewal request to the MMS Associate Director for Minerals Revenue Management as follows:
- (1) If you do not want to change the terms of your delegation agreement for the renewal period, you need only ask to extend your existing agreement for the 3-year renewal period. MMS will not schedule a hearing unless you request one;
- (2) If you want to change the terms of your delegation agreement for the renewal period, you must submit a new delegation proposal under this part.
- (c) The MMS Director may approve your renewal request only if MMS determines that you are meeting the requirements of the applicable standards and regulations. If the MMS Director denies your renewal request, MMS will state the reasons for denial. MMS also will inform you in writing of the conditions you must meet to receive approval. You may submit a new renewal request any time after denial.
- (d) After the 3-year renewal period for your delegation agreement ends, if you wish to continue performing one or more delegated functions, you must request a new delegation agreement from MMS under this part. MMS will schedule a hearing on your request, if MMS determines a hearing is appropriate. As part of the decision whether to approve your request for a new delegation, the MMS Director will consider whether you are meeting the requirements of

the applicable standards and regulations under your existing delegation agreement.

(e) If you do not request a hearing under paragraphs (b)(1) or (d) of this section, any other affected person may submit a written request for a hearing under those paragraphs to the MMS Associate Director for Minerals Revenue Management.

[62 FR 43084, Aug. 12, 1997, as amended at 67 FR 19112, Apr. 18, 2002]

#### EXISTING DELEGATIONS

### § 227.111 Do existing delegation agreements remain in effect?

This section explains your options if you have a delegation agreement in effect on the effective date of this regulation.

- (a) If you do not want to perform any royalty management functions in addition to those authorized under your existing agreement, you may continue your existing agreement until its expiration date. Before the agreement expires, if you wish to continue to perform one or more of the delegated functions you performed under the expired agreement, you must request a new delegation agreement meeting the requirements of this part and the applicable standards.
- (b) If you want to perform royalty management functions in addition to those authorized under your existing agreement, you must request a new delegation agreement under this part.
- (c) MMS may extend any delegation agreement in effect on the effective date of this regulation for up to 3 years beyond the date it is due to expire.

#### COMPENSATION

#### § 227.112 What compensation will a State receive to perform delegated functions?

You will receive compensation for your costs to perform each delegated function subject to the following conditions:

- (a) Compensation for costs is subject to Congressional appropriations;
- (b) Compensation may not exceed the reasonably anticipated expenditures that MMS would incur to perform the same function;

- (c) The cost for which you request compensation must be directly related to your performance of a delegated function and necessary for your performance of that delegated function;
- (d) At a minimum, you must provide vouchers detailing your expenditures quarterly during the fiscal year. However, you may agree to provide vouchers on a monthly basis in your delegation agreement;
- (e) You must maintain adequate books and records to support your vouchers;
- (f) MMS will pay you quarterly or monthly during the fiscal year as stated in your delegation agreement; and
- (g) MMS may withhold compensation to you for your failure to properly perform any delegated function as provided in section 227.801 of this part.

STATES' RESPONSIBILITIES TO PERFORM DELEGATED FUNCTIONS

## § 227.200 What are a State's general responsibilities if it accepts a delegation?

For each delegated function you perform, you must:

- (a) Operate in compliance with all Federal laws, regulations, and Secretarial and MMS determinations and orders relating to calculating, reporting, and paying mineral royalties and other revenues. You must seek information or guidance from MMS regarding new, complex, or unique issues. If MMS determines that written guidance or interpretation is appropriate, MMS will provide the guidance or interpretation in writing to you and you must follow the interpretation or guidance given;
- (b) Comply with Generally Accepted Accounting Principles (GAAP). You must:
- (1) Provide complete disclosure of financial results of activities;
- (2) Maintain correct and accurate records of all mineral-related transactions and accounts;
- (3) Maintain effective controls and accountability;
- (4) Maintain a system of accounts that includes a comprehensive audit trail so that all entries may be traced to one or more source documents; and
- (5) Maintain adequate royalty and production information for royalty management purposes;

#### § 227.201

- (c) Assist MMS in meeting the requirements of the Government Performance and Results Act (GPRA) as well as assisting in developing and endeavoring to comply with the MMS Strategic Plan and Performance Measurements;
- (d) Maintain all records you obtain or create under your delegated function, such as royalty reports, production reports, and other related information. You must maintain such records in a safe, secure manner, including taking appropriate measures for protecting confidential and proprietary information and assisting MMS in responding to Freedom of Information Act requests when necessary. You must maintain such records for at least 7 years;
- (e) Provide reports to MMS about your activities under your delegated functions. MMS will specify in your delegation agreement what reports you must submit and how often you must submit them. At a minimum, you must provide periodic statistical reports to MMS summarizing the activities you carried out, such as:
- (1) Production and royalty reports processed;
  - (2) Erroneous reports corrected;
- (3) Results of automated verification findings;
  - (4) Number of audits performed; and
- (5) Enforcement documents issued.
- (f) Assist MMS in maintaining adequate reference, royalty, and production databases as provided in the *Standards* issued under §227.201 of this part and the delegation agreement;
  - (g) Develop annual work plans that:
- (1) Specify the work you will perform for each delegated function; and
- (2) Identify the resources you will commit to perform each delegated function;
- (h) Help MMS respond to requests for information from other Federal agencies, Congress, and the public;
- (i) Cooperate with MMS's monitoring of your delegated functions; and
- (j) Comply with the *Standards* as required under § 227.201 of this part.

## § 227.201 What standards must a State comply with for performing delegated functions?

- (a) If MMS delegates royalty management functions to you, you must comply with the *Standards*. The *Standards* explain how you must carry out the activities under each of the delegable functions.
- (b) Your delegation agreement may include additional standards specifically applicable to the functions delegated to you.
- (c) Failure to comply with your delegation agreement, the *Standards*, or any of the specific standards and requirements in the delegation agreement, is grounds for termination of all or part of your delegation agreement, or other actions as provided under §§ 227.801 and 227.802.
- (d) MMS may revise the *Standards* and will provide notice of those changes in the FEDERAL REGISTER. You must comply with any changes to the *Standards*.

### § 227.300 What audit functions may a State perform?

An audit consists of an examination of records to verify that royalty reports and payments accurately reflect actual production, sales, revenues and costs, and compliance with Federal statutes, regulations, lease terms, and MMS policy determinations.

- (a) If you request delegation of audit functions, you must perform at least the following:
  - (1) Submitting requests for records;
- (2) Examining royalty and production reports;
- (3) Examining lessee production and sales records, including contracts, payments, invoices, and transportation and processing costs to substantiate production and royalty reporting;
- (4) Providing assistance to MMS for appealed demands or orders, including preparing field reports, performing remanded actions, modifying orders, and providing oral and written briefing and testimony as expert witnesses.
- (b) If necessary for a particular audit, you may also perform any of the following:
  - (1) Issuing engagement letters;
- (2) Arranging for entrance conferences:

- (3) Scheduling site visits; and
- (4) Issuing record releases and audit closure letters; and
  - (5) Holding closeout conferences.

### § 227.301 What are a State's responsibilities if it performs audits?

If you perform audits you must:

- (a) Comply with the MMS Audit Procedures Manual and the Government Auditing Standards issued by the Comptroller General of the United States;
- (b) Follow the MMS Annual Audit Work Plan and 5-year Audit Strategy, which MMS will develop in consultation with States having delegated audit authority;
- (c) Agree to undertake special audit initiatives MMS identifies targeting specific royalty issues, such as valuation or volume determinations;
- (d) Prepare, construct, or compile audit work papers under the appropriate procedures, manuals, and guidelines;
- (e) Prepare and submit MMS Audit Work Plans. You may modify your Audit Work Plans with MMS approval; and
- (f) Comply with procedures for appealed demands or orders, including meeting timeframes, supplying information, and using the appropriate format.

## § 227.400 What functions may a State perform in processing production reports or royalty reports?

Production reporters or royalty reporters provide production, sales, and royalty information on mineral production from leases that must be collected, analyzed, and corrected.

- (a) If you request delegation of either production report or royalty report processing functions, you must perform at least the following:
- (1) Receiving, identifying, and date stamping production reports or royalty reports;
- (2) Processing production or royalty data to allow entry into a data base;
- (3) Creating copies of reports by means such as electronic imaging;
- (4) Timely transmitting production report or royalty report data to MMS and other affected Federal agencies as provided in your delegation agreement and the *Standards*;

- (5) Providing training and assistance to production reporters or royalty reporters;
- (6) Providing production data or royalty data to MMS and other affected Federal agencies; and
- (7) Providing assistance to MMS for appealed demands or orders, including meeting timeframes, supplying information, using the appropriate format, performing remanded actions, modifying orders, and providing oral and written briefing and testimony as expert witnesses.
- (b) If you request delegation of either production report or royalty report processing functions, or both, you may perform the following functions:
- (1) Granting exceptions from reporting and payment requirements for marginal properties; and
- (2) Approving alternative royalty and payment requirements for unit agreements and communitization agreements.
- (c) You must provide MMS with a copy of any exceptions from reporting and payment requirements for marginal properties and any alternative royalty and payment requirements for unit agreements and communitization agreements you approve.

## § 227.401 What are a State's responsibilities if it processes production reports or royalty reports?

In processing production reports or royalty reports you must:

- (a) Process reports accurately and timely as provided in the *Standards* and your delegation agreement;
- (b) Identify and resolve fatal errors to use in subsequent error correction that the State or MMS performs;
- (c) Accept multiple forms of electronic media from reporters, as MMS specifies;
- (d) Timely transmit required production or royalty data to MMS and other affected Federal agencies;
- (e) Access well, lease, agreement, and reporter reference data from MMS and provide updated information to MMS;
- (f) For production reports, maintain adequate system software edits to ensure compliance with the provisions of 30 CFR part 216, the production reporter handbook, any interagency memorandums of understanding to

#### § 227.500

which MMS is a party, and the Standards:

- (g) For royalty reports, maintain adequate system software edits to ensure compliance with the provisions of 30 CFR part 218, the *Oil and Gas Payor Handbook, Volume II,* "Dear Payor" letters, and the *Standards*; and
- (h) Comply with the procedures for appealed demands or orders, including meeting timeframes, supplying information, and using the appropriate format.

[62 FR 43084, Aug. 12, 1997, as amended at 67 FR 19112, Apr. 18, 2002]

## § 227.500 What functions may a State perform to ensure that reporters correct erroneous report data?

Production data and royalty data must be edited to ensure that what is reported is correct, that disbursement is made to the proper recipient, and that correct data are used for other functions, such as automated verification and audits. If you request delegation of error correction functions for production reports or royalty reports, or both, you must perform at least the following:

- (a) Correcting all fatal errors and assigning appropriate confirmation indicators:
- (b) Verifying whether production reports are missing;
- (c) Contacting production reporters or royalty reporters about missing reports and resolving exceptions;
- (d) Documenting all corrections made, including providing production reporters or royalty reporters with confirmation reports of any changes;
- (e) Providing training and assistance to production reporters or royalty reporters;
- (f) Issuing notices, orders to report, and bills as needed, including, but not limited to, imposing assessments on a person who chronically submits erroneous reports; and
- (g) Providing assistance to MMS for appealed demands or orders, including preparing field reports, performing remanded actions, modifying orders, and providing oral and written briefing and testimony as expert witnesses.

## § 227.501 What are a State's responsibilities to ensure that reporters correct erroneous data?

To ensure the correction of erroneous data, you must:

- (a) Ensure compliance with the provisions of 30 CFR parts 216 and 218, any applicable handbook specified under 30 CFR 227.401 (f) and (g), interagency memorandums of understanding to which MMS is a party, and the *Standards*:
- (b) Ensure that reporters accurately and timely correct all fatal errors as designated in the *Standards*. These errors include, for example, invalid or incorrect reporter/payor codes, incorrect lease/agreement numbers, and missing data fields:
- (c) Submit accepted and corrected lines to MMS to allow processing in a timely manner as provided in the *Standards* and 30 CFR part 219; and
- (d) Comply with the procedures for appealed demands or orders, including meeting timeframes, supplying information, and using the appropriate format.

[62 FR 43064, Aug. 12, 1997, as amended at 67 FR 19112, Apr. 18, 2002]

### § 227.600 What automated verification functions may a State perform?

Automated verification involves systematic monitoring of production and royalty reports to identify and resolve reporting or payment discrepancies. States may perform the following:

- (a) Automated comparison of sales volumes reported by royalty reporters to sales and transfer volumes reported by production reporters. If you request delegation of automated comparison of sales and production volumes, you must perform at least the following functions:
- (1) Performing an initial sales volume comparison between royalty and production reports;
- (2) Performing subsequent comparisons when reporters adjust royalty or production reports;
- (3) Checking unit prices for reasonable product valuation based on reference price ranges MMS provides;
- (4) Resolving volume variances using written correspondence, telephone inquiries, or other media;

#### Minerals Management Service, Interior

- (5) Maintaining appropriate file documentation to support case resolution; and
- (6) Issuing orders to correct reports or payments;
- (b) Any one or more of the following additional automated verification functions:
- (1) Verifying compliance with lease financial terms, such as payment of rent, minimum royalty, and advance royalty;
- (2) Identifying and resolving improper adjustments;
- (3) Identifying late payments and insufficient estimates, including calculating interest owed to MMS and verifying payor-calculated interest owed to MMS;
- (4) Calculating interest due to a lessee or its designee for an adjustment or refund, including identifying overpayments and excessive estimates;
  - (5) Verifying royalty rates; and
- (6) Verifying compliance with transportation and processing allowance limitations;
- (c) Issuing notices and bills associated with any of the functions under paragraphs (a) and (b) of this section; and
- (d) Providing assistance to MMS for any of these delegated functions on appealed demands or orders, including meeting timeframes, supplying information, using the appropriate format, taking remanded actions, modifying orders, and providing oral and written briefing and testimony as expert witnesses.

## § 227.601 What are a State's responsibilities if it performs automated verification?

To perform automated verification of production reports or royalty reports, you must:

(a) Verify through research and analysis all identified exceptions and prepare the appropriate billings, assessment letters, warning letters, notification letters, Lease Problem Reports, other internal forms required, and correspondence required to perform any required follow-up action for each function, as specified in the *Standards* or your delegation agreement;

- (b) Resolve and respond to all production reporter or royalty reporter inquiries;
- (c) Maintain all documentation and logging procedures as specified in the *Standards* or your delegation agreement:
- (d) Access well, lease, agreement, and production reporter or royalty reporter reference data from MMS and provide updated information to MMS; and
- (e) Comply with procedures for appealed demands and orders, including meeting time frames, supplying information, and using the appropriate format.

## § 227.700 What enforcement documents may a State issue in support of its delegated function?

This section explains what enforcement actions you may take as part of your delegated functions.

- (a) You may issue demands, subpoenas, and orders to perform restructured accounting, including related notices to lessees and their designees. You also may enter into tolling agreements under section 15(d)(1) of the Act, 30 U.S.C. 1725(d)(1).
- (b) When you issue any enforcement document you must comply with the requirements of section 115 of the Act, 30 U.S.C. 1725.
- (c) When you issue a demand or enter into a tolling agreement under section 15(d)(1) of the Act, 30 U.S.C. 1725(d)(1), the highest State official having ultimate authority over the collection of royalties or the State official to whom that authority has been delegated must sign the demand or tolling agreement.
- (d) When you issue a subpoena or order to perform a restructured accounting you must:
- (1) Coordinate with MMS to ensure identification of issues that may concern more than one State before you issue subpoenas and orders to perform restructured accounting; and
- (2) Ensure that the highest State official having ultimate authority over the collection of royalties signs any subpoenas and orders to perform restructured accounting, as required under section 115 of the Act, 30 U.S.C. 1725. This official may not delegate signature authority to any other person.

#### § 227.800

#### PERFORMANCE REVIEW

## § 227.800 How will MMS monitor a State's performance of delegated functions?

This section explains MMS's procedures for monitoring your performance of any of your delegated functions.

- (a) A monitoring team of MMS officials will annually review your performance of the delegated functions and compliance with your delegation agreement, the *Standards*, and 30 U.S.C. 1735, including conducting fiscal examination to verify your costs for reimbursement.
  - (b) The monitoring team also will:
- (1) Periodically review your statistical reports required under §227.200(e) to verify your accuracy, timeliness, and efficiency:
- (2) Check for timely transmittal of production report or royalty report information to MMS and other affected agencies, as applicable, to allow for proper disbursement of funds and processing of information;
- (3) Coordinate on-site visits and Office of the Inspector General, General Accounting Office, and MMS audits of your performance of your delegated functions; and
- (4) Maintain reports of its monitoring activities.

## § 227.801 What if a State does not adequately perform a delegated function?

If your performance of the delegated function does not comply with your delegation agreement, or the *Standards*, or if MMS finds that you can no longer meet the statutory requirements under §227.106, then MMS may:

- (a) Notify you in writing of your noncompliance or inability to comply. The notice will prescribe corrective actions you must take, and how long you have to comply. You may ask MMS for an extension of time to comply with the notice. In your extension request you must explain why you need more time; and
- (b) If you do not take the prescribed corrective actions within the time that MMS allows in a notice issued under paragraph (a) of this section, then MMS may:

- (1) Initiate proceedings under §227.802 to terminate all or a part of your delegation agreement;
- (2) Withhold compensation provided to you under §227.112; and
- (3) Perform the delegated function, before terminating or without terminating your delegation agreement, including, but not limited to, issuing a demand or order to a Federal lessee, or its designee, or any other person when:
- (i) Your failure to issue the demand or order would result in an underpayment of an obligation due MMS; and
- (ii) The underpayment would go uncollected without MMS intervention.

### § 227.802 How will MMS terminate a State's delegation agreement?

This section explains the procedures MMS will use to terminate all or a part of your delegation agreement:

- (a) MMS will notify you in writing that it is initiating procedures to terminate your delegation agreement;
- (b) MMS will provide you notice and opportunity for a hearing under § 227.803 of this part;
- (c) The MMS Director, with concurrence from the Secretary, will decide whether to terminate your delegation agreement.
  - (d) After the hearing, MMS may:
- (1) Terminate your delegation agreement: or
- (2) Allow you 30 days to correct any remaining deficiencies. If you do not correct the deficiency within 30 days, MMS will terminate all or a part of your delegation agreement.
- (e) MMS will determine the date your agreement is terminated and will notify you of that date in writing. MMS will determine the termination date based on the number of delegated functions and the impact of the termination on all affected parties.

## § 227.803 What are the hearing procedures for terminating a State's delegation agreement?

(a) The MMS Director will appoint a hearing official to conduct one or more public hearings for fact finding and to determine any actions you must take to correct the noncompliance. The hearing official will not decide whether

#### Minerals Management Service, Interior

to terminate your delegation agreement:

- (b) The hearing official will contact you about scheduling a hearing date and location;
- (c) The hearing official will publish notice of the hearing in the FEDERAL REGISTER and other appropriate media within your State;
- (d) At the hearing, you will have an opportunity to present testimony and written information on your ability to perform your delegated functions as required under this part, your delegation agreement, and the *Standards*;
- (e) Other persons may attend the hearing and may present testimony and written information for the record;
  - (f) MMS will record the hearing;
- (g) After the hearing, MMS may require you to submit additional information; and
- (h) Information presented at each public hearing will help MMS to determine whether:
- (1) You have complied with the terms and conditions of your delegation agreement; or
- (2) You have the capability to comply with the requirements under §227.106 of this part.

### § 227.804 How else may a State's delegation agreement terminate?

You may request MMS to terminate your delegation at any time by submitting your written notice of intent 6 months prior to the date on which you want to terminate. MMS will determine the date your agreement is terminated and will notify you of that date in writing. MMS will determine the termination date based on the number of delegated functions and the impact of the termination on all affected parties.

#### § 227.805 How may a State obtain a new delegation agreement after termination?

After your delegation agreement is terminated, you may apply again for delegation by beginning with the proposal process under this part.

#### PART 228—COOPERATIVE ACTIVI-TIES WITH STATES AND INDIAN TRIBES

#### **Subpart A—General Provisions**

- 228.1 Purpose.
- 228.2 Policy.
- 228.3 Limitation on applicability.
- 228.4 Authority
- 228.5 Delegation of authority.
- 228.6 Definitions.
- 228.10 Information collection.

### Subpart B—Oil and Gas, General [Reserved]

#### Subpart C—Oil and Gas, Onshore

- 228.100 Entering into an agreement.
- 228.101 Terms of agreement.
- 228.102 Establishment of standards.
- 228.103 Maintenance of records.
- 228.104 Availability of information.
- 228.105 Funding of cooperative agreements.
- $228.107 \quad \hbox{Eligible cost of activities}.$
- 228.108 Deduction of civil penalties accruing to the State or tribe from the Federal share of a cooperative agreement.

AUTHORITY: Sec. 202, Pub. L. 97-451, 96 Stat. 2457 (30 U.S.C. 1732).

SOURCE: 49 FR 37348, Sept. 21, 1984, unless otherwise noted.

#### Subpart A—General Provisions

#### § 228.1 Purpose.

It is the purpose of cooperative agreements to effectively utilize the capabilities of the States and Indian tribes in developing and maintaining an efficient and effective Federal royalty management system as indicated at 30 U.S.C. 1701.

#### § 228.2 Policy.

It shall be the policy of DOI to enter into cooperative agreements with States and Indian tribes to carry out audits and related investigations and enforcement actions whenever a State or tribe initiates a request to enter into an agreement and a finding is made that a State or tribe has the ability to carry out cooperative activities in a timely and efficient manner.

#### § 228.3

#### § 228.3 Limitation on applicability.

As of the effective date of this rule, September 11, 1997, this part does not apply to Federal lands.

[62 FR 43091, Aug. 12, 1997]

#### § 228.4 Authority.

The Secretary of the Interior is authorized to enter into cooperative agreements with States and Indian tribes (30 U.S.C. 1732) to share oil or gas royalty management information, and to carry out auditing and related investigation or enforcement activities in cooperation with the Secretary.

#### § 228.5 Delegation of authority.

(a) Authority to enter into cooperative agreements to carry out audit and related investigation and enforcement activities with State and tribal governments has been delegated to the Director of the Minerals Management Service (MMS).

(b) Authority to enter into cooperative agreements with State and tribal governments to carry out inspection and related investigation and enforcement activities has been delegated to the Director of the Bureau of Land Management (BLM) and is not covered by this part.

(c) The entry into a cooperative agreement with either MMS or BLM will not affect the ability of a State or Indian tribe to choose to enter into such an agreement with the other agency. A State may enter into a delegation agreement (30 U.S.C. 1735) with MMS to perform certain functions without affecting its ability to enter into a cooperative agreement with either MMS or BLM, or both, to cooperate in the performance of those functions which are not delegated in this part

#### § 228.6 Definitions.

For the purposes of this part, terms shall have the same meaning as in 30 U.S.C. 1702. In addition, the following definition shall apply:

Audit means an examination of the financial accounting and lease related records of the lessee and other interest holders, who by lease or contract pay royalties or are obligated to pay royal-

ties, rents, bonuses or other payments on Federal or Indian leases. An examination is to be conducted in accordance with generally accepted audit standards as adopted by the American Institute of Certified Public Accountants. Activities to be examined which are considered to be an audit function include reconciliation of lease accounts under the Royalty Accounting System; records of lease activities related to Federal leases located within the boundaries of the State entering into a cooperative agreement; records of lease activities related to leases located on Indian lands, and the review and resolution of exceptions processed by the official accounting systems for royalty reporters and payors maintained by the MMS.

[49 FR 37348, Sept. 21, 1984, as amended at 67 FR 19112, Apr. 18, 2002]

#### § 228.10 Information collection.

(a) The information collection requirements contained in this part have been approved by OMB under 44 U.S.C. 3501 et seq. and assigned OMB Clearance Number 1010–0087. The information collected will be used to prepare a cooperative agreement with a State or Indian tribe wishing to perform royalty audits. The information should be submitted voluntarily in order to enter into a cooperative agreement authorized by 30 U.S.C. 1732.

(b) Public reporting burden is estimated to average 136 hours for the preparation of the original request for consideration and application to enter into a cooperative agreement. Subsequent requests for renewal of the agreement may require about 40 hours for the preparation of an annual budget and work plan, and an estimated 8 hours per quarter for preparation of a reimbursement voucher and an audit progress report. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing burden, to the Information Collection Clearance Officer, Minerals Management Service, 381 Elden Street, Herndon, Virginia 22070; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Paperwork Reduction Project 1010–0087, Washington, DC 20503.

[57 FR 41868, Sept. 14, 1992, as amended at 58 FR 64903, Dec. 10, 1993]

### Subpart B—Oil and Gas, General [Reserved]

#### Subpart C—Oil and Gas, Onshore

#### § 228.100 Entering into an agreement.

- (a) A State or Indian tribe may request the Department to enter into a cooperative agreement by sending a letter from the governor, tribal chairman, or other appropriate official with delegation authority, to the Director of MMS.
- (b) The request for an agreement shall be in a format prescribed by MMS and should include at a minimum the following information:
- (1) Type of eligible activities to be undertaken.
  - (2) Proposed term of the agreement.
- (3) Evidence that the State or Indian tribe meets, or can meet by the time the agreement is in effect, the standards established by the Secretary for the types of activities to be conducted under the terms of the agreement.
- (4) If the State is proposing to undertake activities on Indian lands located within the State, a resolution from the appropriate tribal council indicating their agreement to delegate to the State responsibilities under the terms of the cooperative agreement for activities to be conducted on tribal or allotted land.
- (c) The eligible activities to be conducted under the terms of a cooperative agreement may be funded or unfunded by the Department. See §228.105 of this subpart for funding of cooperative agreements.

 $[49\ FR\ 37348,\ Sept.\ 21,\ 1984,\ as\ amended\ at\ 56\ FR\ 10512,\ Mar.\ 13,\ 1991]$ 

#### $\S 228.101$ Terms of agreement.

(a) Agreements entered into under this part shall be valid for a period of 3 years and shall be renewable or additional consecutive 3-year periods upon request of the State or Indian tribe which is a party to the agreement.

- (b) An agreement may be terminated at any time by mutual agreement and upon any terms and conditions as agreed upon by the parties.
- (c) A State or Indian tribe may unilaterally terminate an agreement by giving a 120-day written notice of intent to terminate.
- (d) The MMS may commence termination of an agreement by giving a 120day written notice of intent to terminate. MMS shall provide the State or Indian tribe with the reasons for the proposed termination in writing if the termination is proposed because of alleged deficiencies by the State or Indian tribe in carrying out the provisions of the agreement. The State or Indian tribe will be given 60 days to respond to the notice of deficiencies and to provide a plan for correction of those deficiencies. No final action on termination shall be taken until any submission of the State or Indian tribe provided within the above prescribed 60 days has been reviewed by MMS for content or merit.
- (e) Termination of a cooperative agreement shall not bar a later request by a State or Indian tribe to enter into a subsequent cooperative agreement.

#### § 228.102 Establishment of standards.

The MMS, after consultation with States and Indian tribes, shall establish standards for carrying out the activities under the provisions of this part. The standards will be incorporated into the agreement and shall be no more stringent than those applicable to similar activities of the MMS. The States and Indian tribes shall coordinate their planned auditing activities with MMS. Where an MMS audit team is permanently assigned to a lessee/payor, contact by State and Indian tribal auditors with the lessee/payor shall be through the MMS auditor in residence.

#### § 228.103 Maintenance of records.

(a) The State or Indian tribe entering into a cooperative agreement under this part must retain all records, reports, working papers, and any backup materials for a period specified by

#### § 228.104

MMS. All records and support materials must be available for inspection and review by appropriate personnel of the Department including the Office of the Inspector General.

(b) The State or Indian tribe shall maintain all books and records as may be necessary to assure compliance with the provisions of chapter 1, 48 CFR 31.107 and 48 CFR subpart 31.6 (Contracts with State, local, and federally recognized Indian tribal Governments).

[56 FR 10512, Mar. 13, 1991]

#### § 228.104 Availability of information.

- (a) Under the provisions of this part, information necessary to carry out the activities authorized under the terms of a cooperative agreement will be provided by DOI to the States and Indian tribes entering into such agreements. The information will consist of data provided from all relevant sources on a lease level basis for leases located within the boundaries of the State or Indian tribe which has entered into the agreement. This information will include any records or data held by the lessee or other person that have not been submitted to MMS, but that affect Federal lease interests and could be required to be submitted under the lease terms or Federal regulations.
- (b) None of the provisions of this subpart should be construed as limiting information already being provided to Indian tribes and allottees regarding their lease interests.
- (c) Information will be provided by MMS on a monthly basis and will include data on royalties, rents, and bonuses collected on the lease, volumes produced, sales made, value of products disposed of as a sale and used as a basis for royalty calculation, and other information necessary to allow the State or tribe to carry out its responsibilities under the cooperative agreement.
- (d) Proprietary data that is made available to a State or tribe under provisions of 30 U.S.C. 1733 shall be subject to the constraints of 18 U.S.C. 1905. To receive proprietary data, the State or tribe must—
- (1) Demonstrate what audit, investigation, or litigation under provisions of 30 U.S.C. 1734 is planned for or underway for which this data is essential;

- (2) Demonstrate why this particular data is necessary; and
- (3) Agree to safeguard proprietary data as provided.

### § 228.105 Funding of cooperative agreements.

- (a)(1) The Department may, under the terms of the cooperative agreement, reimburse the State or Indian tribe up to 100 percent of the costs of eligible activities. Eligible activities will be agreed upon annually upon the submission and approval of a workplan and funding requirement.
- (2) A cooperative agreement may be entered into with a State or Indian tribe, upon request, without a requirement for reimbursement of costs by the Department.
- (b) All cooperative agreements under this part are subject to annual funding and the availability of appropriations specifically designated for the purpose of this part.
- (c) The State or Indian tribe shall submit a voucher for reimbursement of eligible costs incurred within 30 days of the end of each calendar quarter. The State or Indian tribe must provide the Department a summary of costs incurred, for which the State or Indian tribe is seeking reimbursement, with the voucher.

[49 FR 37348, Sept. 21, 1984, as amended at 56 FR 10512, Mar. 13, 1991]

#### §228.107 Eligible cost of activities.

- (a) If a cooperative agreement provides for Federal funding, only costs directly associated with eligible activities undertaken by the State or Indian tribe under the terms of a cooperative agreement will be eligible for reimbursement. Costs of services or activities which cannot be directly related to the support of activities specified in the agreement will not be eligible for Federal funding or for inclusion in the State's share or in the Indian tribe's share of funding that may be established in the agreement.
- (b) Eligible costs are the cost of salaries and benefits associated with technical, support, and clerical personnel engaged in eligible activities; direct cost of travel, rentals, and other normal administrative activities in direct support of the project or projects; basic

#### Minerals Management Service, Interior

and specialized training for State and tribal participants; and cost of any contractual services which can be shown to be in direct support of the activities covered by the agreement. Each cooperative agreement shall contain detailed schedules identifying those activities and costs which qualify for funding and the procedures, timing, and mechanics for implementing Federal funding.

 $[49\ FR\ 37348,\ Sept.\ 21,\ 1984,\ as\ amended\ at\ 56\ FR\ 10512,\ Mar.\ 13,\ 1991]$ 

#### § 228.108 Deduction of civil penalties accruing to the State or tribe from the Federal share of a cooperative agreement.

As provided at 30 U.S.C. 1736, 50 percent of any civil penalty collected as a result of activities under a cooperative agreement will be shared with the State or Indian tribe performing the cooperative agreement; however, the amount of the civil penalty shared will be deducted from any Federal funding owed under that cooperative agreement. MMS shall maintain records of civil penalties collected and distributed to the States and tribes involved in cooperative agreements. Each quarterly payment of the Federal share of a cooperative agreement will be reduced by the amount of the civil penalties paid to the State or tribe during the prior quarter.

#### **PART 229—DELEGATION TO STATES**

#### Subpart A—General Provisions

Sec.

229.1 Purpose.

229.2 Policy.

229.3 Limitation on applicability.

229.4 Authority.

229.6 Definitions.

229.10 Information collection requirements.

### Subpart B—Oil and Gas, General [Reserved]

#### Subpart C—Oil and Gas, Onshore

Administration of Delegations

229.100 Authorities and responsibilities subject to delegation.

229.101 Petition for delegation.

229.102 Fact-finding and hearings.

229.103 Duration of delegations; termination of delegations.

229.104 Terms of delegation of authority.

229.105 Evidence of Indian agreement to delegation.

229.106 Withdrawal of Indian lands from delegated authority.

229.107 Disbursement of revenues.

229.108 Deduction of civil penalties accruing to the State or tribe under the delegation of authority.

229.109 Reimbursement for costs incurred by a State under the delegation of authority.

229.110 Examination of the State activities under delegation.

229.111 Materials furnished to States necessary to perform delegation.

#### DELEGATION REQUIREMENTS

229.120 Obtaining regulatory and policy guidance.

229.121 Recordkeeping requirements.

229.122 Coordination of audit activities.

229.123 Standards for audit activities.

229.124 Documentation standards.

229.125 Preparation and issuance of enforcement documents.

229.126 Appeals.

229.127 Reports from States.

AUTHORITY: 30 U.S.C. 1735.

#### Subpart A—General Provisions

SOURCE: 49 FR 37350, Sept. 21, 1984, unless otherwise noted.

#### § 229.1 Purpose.

The purpose of this part is to promote the effective utilization of the capabilities of the States in developing and maintaining an efficient and effective Federal royalty management system.

#### § 229.2 Policy.

It shall be the policy of the Department of the Interior (DOI) to honor any properly made petition from the Chief Executive or other appopriate official of a State seeking delegation of authority under the provisions of 30 U.S.C. 1735 and to make a delegation to conduct audits and related investigations when the Secretary finds that the provisions of 30 U.S.C. 1735 have been complied with or can be complied with by a State seeking the delegation.

#### § 229.3

#### § 229.3 Limitation on applicability.

As of the effective date of this rule, September 11, 1997, this part does not apply to Federal lands.

[62 FR 43091, Aug. 12, 1997]

#### § 229.4 Authority.

The Secretary of the DOI is authorized under provisons of 30 U.S.C. 1735 to delegate authority to States to conduct audits and related investigations with respect to all Federal lands within a State, and to those Indian lands to which a State has received permission from the respective Indian tribe(s) or allottee(s) to carry out audit activities under a delegation from the Secretary.

#### § 229.6 Definitions.

The definitions contained in 30 U.S.C. 1702 and in part 228 of this chapter apply to the activities carried out under the provisions of this part.

### § 229.10 Information collection requirements.

The information collection requirements contained in this part do not require approval by the Office of Management and Budget under 44 U.S.C. 3501 *et seq.*, because there are fewer than 10 respondents annually.

## Subpart B—Oil and Gas, General [Reserved]

#### Subpart C—Oil and Gas, Onshore

AUTHORITY: The Federal Oil and Gas Royalty Management Act of 1982 (30 U.S.C. 1701 et sea.).

ADMINISTRATION OF DELEGATIONS

### § 229.100 Authorities and responsibilities subject to delegation.

- (a) All or part of the following authorities and responsibilities of the Secretary under the Act may be delegated to a State authority:
- (1) Conduct of audits related to oil and gas royalty payments made to the MMS which are attributable to leased Federal or Indian lands within the State. Delegations with respect to any Indian lands require the written permission, subject to the review of the

MMS, of the affected Indian tribe or allottee.

- (2) Conduct of investigations related to oil and gas royalty payments made to the MMS which are attributable to leased Federal lands or Indian lands within the State. Delegation with respect to any Indian lands require the written permission, subject to the review of the MMS, of the affected Indian tribe or allottee. No investigation will be initiated without the specific approval of the MMS or the Secretary's designee and in accordance with the Departmental Manual.
- (b) The following authorities and responsibilities are specifically reserved to the MMS and are not delegable under these regulations:
- (1) Enforcement actions to assess and collect additional royalties identified as a consequence of audits, inspections, and investigations. These include all actions related to resolution of royalty obligations so identified, and the establishment and maintenance of payment performance bonds which may be required during the resolution process.
- (2) Enforcement actions to collect civil penalties and interest charges related to findings of audits, inspections, and investigations.
- (3) Administration of all appeals and all actions of the Department related to administrative and judicial litigation.
  - (4) Issuance of subpoenas.
- (c) The provisions of this section do not limit the authority provided to the States by section 204 of the Act.

[49 FR 40026, Oct. 12, 1984]

#### §229.101 Petition for delegation.

(a) The governor or other authorized official of any State which contains Federal oil and gas leases, or Indian oil and gas leases where the Indian tribe and allottees have given the State an affirmative indication of their desire for the State to undertake certain royalty management-related activities on their lands, may petition the Secretary to assume responsibilities to conduct audits and related investigations of royalty related matters affecting Federal or Indian oil and gas leases within the State.

(b) A State may enter into a delegation of authority under this part without affecting a State's ability to enter into a cooperative agreement under Part 228 of this chapter.

(c) The Secretary shall carry out all factfinding and hearings he may decide are necessary in order to approve or

disapprove the petition.

(d) In the event that the Secretary denies the petition, the Secretary must provide the State with the specific reasons for denial of the petition. The State will then have 60 days to either contest or correct specific deficiencies and to reapply for a delegation of authority.

[49 FR 37350, Sept. 21, 1984. Redesignated and amended at 49 FR 40025, Oct. 12, 1984]

#### § 229.102 Fact-finding and hearings.

- (a) Upon receipt of a petition for delegation from a State, the Secretary shall appoint a representative to conduct a hearing or hearings to carry out factfinding and determine the ability of the petitioning State to carry out the delegated responsibilities requested in accordance with the provisions of this part.
- (b) The Secretary's representative, after proper notice in the FEDERAL REGISTER and other appropriate media within the State, shall hold one or more public hearings to determine whether:
- (1) The State has an acceptable plan for carrying out delegated responsibilities and if it is likely that the State will provide adequate resources to achieve the purposes of this part (30 U.S.C. 1735);
- (2) The State has the ability to put in place a process within 60 days of the grant of delegation which will assure the Secretary that the functions to be delegated to the State can be effectively carried out;
- (3) The State has demonstrated that it will effectively and faithfully administer the rules and regulations of the Secretary in accordance with the requirements at 30 U.S.C. 1735;
- (4) The State's plan to carry out the delegated authority will be in accordance with the MMS standards; and
- (5) The State's plan to carry out the delegated authority will be coordinated with MMS and the Office of Inspector

General audit efforts to eliminate added burden on any lessee or group of lessees operating Federal or Indian oil and gas leases within the State.

(c) A State petitioning for a delegation of authority shall be given the opportunity to present testimony at a public hearing.

[49 FR 37350, Sept. 21, 1984. Redesignated and amended at 49 FR 40025, Oct. 12, 1984]

### § 229.103 Duration of delegations; termination of delegations.

- (a) Delegations of authority shall be valid for a period of 3 years and may be renewable for an additional consecutive 3-year period upon request of the State and after the appropriate fact-finding required in §229.101. Delegations are subject to annual funding and the availability of appropriations specifically designated for the purpose of this part.
- (b) A delegation of authority may be terminated at any time and upon any terms and conditions as mutually agreed upon by the parties.
- (c) A State may terminate a delegation of authority by giving a 120-day written notice of intent to terminate.
- (d) The Department may terminate a delegation of authority when it is determined, after opportunity for a hearing, that the State has failed to substantially comply with the provisions of the delegation of authority.
- (e) No action to initiate formal hearing proceedings for termination shall be taken until the Department has notified the State in writing of alleged deficiencies and allowed the State 120 days to correct the deficiencies.
- (f) Termination of a delegation shall not bar a subsequent request by a State to regain a delegation of authority.

[49 FR 37351, Sept. 21, 1984, as amended at 49 FR 40025, Oct. 12, 1984]

### §229.104 Terms of delegation of authority.

Each delegation of authority under this part shall be in writing, shall incorporate all the requirements of this part, and shall specifically include:

- (a) Terms obligating the State to conduct audit and investigative activities for a specific period of time;
- (b) Terms describing the authorities and responsibilities reserved by the

#### § 229.105

MMS, including, but not limited to, those specified under § 229.100;

- (c) Terms requiring the State to provide annual audit workplans to include the lease universe by company, or by individual lease accounts, a description of the audit work product(s) to be delivered, and the State resources (staff and otherwise) to be committed to the delegation;
- (d) Terms requiring the State to notify the MMS of any changed circumstances which would affect the State's ability to carry out the terms of the delegation;
- (e) Terms requiring coordination of delegated activities among the State, the MMS, and the land management agencies responsible for management of the leases included in the audit universe:
- (f) Terms requiring the State to maintain and make available to the MMS all audit workpapers, documents, and information gained or developed as a consequence of activities conducted under the delegation;
- (g) Terms obligating the State to adhere to all Federal laws, rules and regulations, and Secretarial determinations and orders relating to the calculation, reporting, and payment of oil and gas royalties, in all activities performed under the delegation.

[49 FR 40026, Oct. 12, 1984]

### § 229.105 Evidence of Indian agreement to delegation.

In the case of a State seeking a delegation of authority for Indian lands as well as Federal lands, the State petition to the Secretary must be supported by an appropriate resolution or resolutions of tribal councils joining the State in petitioning for delegation and evidence of the agreement of individual Indian allottees whose lands would be involved in a delegation. Such evidence shall specifically speak to having the State assume delegated responsibility for specific functions related to royalty management activities

[49 FR 37351, Sept. 21, 1984. Redesignated at 49 FR 40025, Oct. 12, 1984]

### § 229.106 Withdrawal of Indian lands from delegated authority.

If at any time an Indian tribe or an individual Indian allottee determines that it wishes to withdraw from the State delegation of authority in relation to its lands, it may do so by sending a petition of withdrawal to the State. Once the petition has been received, the State shall within 30 days cease all activities being carried out under the delegation of authority on the lands covered by the petition for the tribe or allottee.

[49 FR 37351, Sept. 21, 1984. Redesignated at 49 FR 40025, Oct. 12, 1984]

#### § 229.107 Disbursement of revenues.

- (a) The additional royalties and late payment charges resulting from State audit work done under a delegation of authority shall be collected by MMS. The State's share of any amounts so collected shall be paid to the State in accordance with the provisions of 30 U.S.C. 191 and part 219 of this chapter.
- (b) Amounts collected for Indian leases shall be transferred to the appropriate Indian accounts (designated Treasury accounts) managed by the Bureau of Indian Affairs at the earliest practicable date after such funds are received, but in no case later than the last business day of the month in which such funds are received.
- (c) MMS shall provide to the State on a monthly basis, an accounting of collections resulting from audit work and enforcement actions resulting from a delegation of authority. Such accounting will identify collections broken down by royalties, penalties and interest paid.

[49 FR 40026, Oct. 12, 1984]

## § 229.108 Deduction of civil penalties accruing to the State or tribe under the delegation of authority.

Fifty percent of any civil penalty resulting from activities under a delegation of authority shall be shared with the delegated State. However, the amount of the civil penalty shared will be deducted from any Federal funding owed under a delegation of authority under the provisions of 30 U.S.C. 1735. MMS shall maintain records of civil penalties collected and distributed to

#### Minerals Management Service, Interior

the States involved in 30 U.S.C. 1735 delegations. Each quarterly payment will be reduced by the amount of the civil penalties paid to the delegated State or tribe during the prior quarter.

[49 FR 37351, Sept. 21, 1984. Redesignated at 49 FR 40025, Oct. 12, 1984]

#### § 229.109 Reimbursement for costs incurred by a State under the delegation of authority.

- (a) The Department of the Interior (DOI) shall reimburse the State for 100 percent of the direct cost associated with the activities undertaken under the delegation of authority. The State shall maintain books and records in accordance with the standards established by the DOI and will provide the DOI, on a quarterly basis, a summary of costs incurred for which the State is seeking reimbursement. Only costs as defined under the provisions of 30 U.S.C. 1735 are eligible for reimbursement.
- (b) The State shall submit a voucher for reimbursement of costs incurred within 30 days of the end of each calendar quarter.

[49 FR 37351, Sept. 21, 1984]

### § 229.110 Examination of the State activities under delegation.

- (a) The Department will carry out an annual examination of the State's delegated activities undertaken under the delegation of authority.
- (b) The examination required by this section will consist of a management review and a fiscal examination and evaluation to determine—
- (1) That activities being carried out by the State under the delegation of authority meet the standards established by the Department and in particular the provisions of 30 U.S.C. 1735; and
- (2) That costs incurred by the State under the delegation of authority are eligible for reimbursement by the Department.

[49 FR 37351, Sept. 21, 1984. Redesignated at 49 FR 40025, Oct. 12, 1984]

### § 229.111 Materials furnished to States necessary to perform delegation.

The MMS shall provide to the State all reports, files, and supporting mate-

rials within its possession necessary to allow the State to effectively carry out the terms of the delegation specified in §229.104.

[49 FR 40026, Oct. 12, 1984]

#### DELEGATION REQUIREMENTS

SOURCE: Sections 229.120 through 229.126 appear at 49 FR 40026, Oct. 12, 1984, unless otherwise noted.

### § 229.120 Obtaining regulatory and policy guidance.

All activities performed by a State under a delegation must be in full accord with all Federal laws, rules and regulations, and Secretarial and agency determinations and orders relating to the calculation, reporting, and payment of oil and gas royalties. In those cases when guidance or interpretations are necessary, the State will direct written requests for such guidance or interpretation to the appropriate MMS officials. All policy and procedural guidance or interpretation provided by the MMS shall be in writing and shall be binding on the State.

#### § 229.121 Recordkeeping requirements.

- (a) The State shall maintain in a safe and secure manner all records, workpapers, reports, and correspondence gained or developed as a consequence of audit or investigative activities conducted under the delegation. All such records shall be made available for review and inspection upon request by representatives of the Secretary and the Department's Office of Inspector General (OIG).
- (b) The State must maintain in a confidential manner all data obtained from DOI sources or from payor or company sources under the delegation which have been deemed "confidential or proprietary" by DOI or a company or payor. In this regard, the State regulatory authority shall be bound by provisions of 30 U.S.C. 1733. MMS shall provide to the State guidelines for determining confidential and proprietary material.
- (c) All records subject to the requirements of paragraph (a) must be maintained for a 6-year period measured from the end of the calendar year in

#### § 229.122

which the records were created. All dispositions or records must be with the written approval of the MMS. Upon termination of a delegation, the State shall, within 90 days from the date of termination, assemble all records specified in subsection (a), complete all working paper files in accordance with §229.124, and transfer such records to the MMS.

(d) The State shall maintain complete cost records for the delegation in accordance with generally accepted accounting principles. Such records shall be in sufficient detail to demonstrate the total actual costs associated with the project and to permit a determination by MMS whether delegation funds were used for their intended purpose. All such records shall be made available for review and inspection upon request by representatives of the Secretary and the Department's Office of Inspector General (OGIG).

### § 229.122 Coordination of audit activities.

(a) Each State with a delegation of authority shall submit annually to the MMS an audit workplan specifically identifying leases, resources, companies, and payors scheduled for audit. This workplan must be submitted 120 days prior to the beginning of each fiscal year. A State may request changes to its workplan (including the companies and leases to be audited) at the end of each quarter of each fiscal year. All requested changes are subject to approval by the MMS and must be submitted in writing.

(b) When a State plans to audit leases of a lessee or royalty payor for which there is an MMS or OIG resident audit team, all audit activities must be coordinated through the MMS or OIG resident supervisor. Such activities include, but are not limited to, issuance of engagement letters, arranging for entrance conferences, submission of data requests, scheduling of audit activities including site visits, submission of issue letters, and closeout conferences.

(c) The State shall consult with the MMS and/or OIG regarding resolution of any coordination problems encountered during the conduct of delegation activities.

### §229.123 Standards for audit activities.

(a) All audit activities performed under a delegation of authority must be in accordance with the "Standards for Audit of Governmental Organizations, Programs, Activities, and Functions" as issued by the Comptroller General of the United States.

(b) The following audit standards also shall apply to all audit work performed under a delegation of authority.

(1) General standards—(i) Qualifications. The auditors assigned to perform the audit must collectively possess adequate professional proficiency for the tasks required, including a knowledge of accounting, auditing, agency regulations, and industry operations.

(ii) Independence. In all matters relating to the audit work, the audit organization and the individual auditors must be free from personal or external impairments to independence and shall maintain an independent attitude and appearance.

(iii) *Due professional care.* Due professional care is to be used in conducting the audit and in preparing related reports

(iv) *Quality control*. The State governments must institute quality control review procedures to ensure that all audits are performed in conformity with the standards established herein.

(2) Examination and evaluation standards-Standards and requirements for examination and evaluation. Auditors should be alert to situations or transactions that could be indicative of fraud, abuse, or illegal acts with respect to the program. If such evidence exists, auditors should forward this evidence to MMS. The MMS will contact the appropriate Federal law enforcement agencies. The scope of examinations are to be governed by the principle of a justifiable relationship between cost and benefit as determined by the auditor or audit supervisor. Audit procedures should reflect the most efficient method of obtaining the requisite degree of satisfaction. The auditor should determine, to the extent possible, the effect on royalty reporting of the non-arms'-length nature of related party transactions, such as transfers of oil to refinery units affiliated with the producer. A review

should be made of compliance with the appropriate laws and regulations applicable to program operations. MMS shall issue guidelines as to the definition and nature of arms'-length and non-arms'-length transactions for use in carrying out delegated audit activities.

- (3) Standards of reporting. (i) Written audit reports are to be submitted to the appropriate MMS officials at the end of each field examination.
- (ii) A statement in the auditors' report that the examination was made in accordance with the generally accepted program audit standards (including the applicable General Accounting Office (GAO) standards) for royalty compliance audits should be in the appropriate language to indicate that the audit was made in accordance with this statement of standards.
- (iii) The auditor's report should contain a statement of positive assurance on those items tested and negative assurance on those items not tested. It should also include all instances of noncompliance and instances or indications of fraud, abuse, or illegal acts found during or in connection with the audit.
- (iv) The auditor's report should contain any other material deficiency identified during the audit not covered in paragraph (b)(3)(iii) of this section.
- (v) When factors external to the program and to the auditor restrict the audit or interfere with the auditor's ability to form objective opinions and conclusions (such as denial of access to information by a company), the auditor is to notify the MMS. If the limitation is not removed, a description of the matter must be included in the auditor's report. MMS will take all legally enforceable steps necessary to seek information necessary to complete the audit.
- (vi) If certain information is prohibited from general disclosure, the auditor's report should state the nature of the information omitted and the requirement that makes the omission necessary.
- (vii) Written audit reports are to be prepared in the format prescribed by the MMS.
- (viii) In instances where the extent of the audit findings or the amounts in-

volved do not warrant it, a formal audit report need not be issued. In lieu of an audit report, a memorandum of audit findings will be prepared and placed on the case file.

[49 FR 40026, Oct. 12, 1984, as amended at 58 FR 64903, Dec. 10, 1993]

#### § 229.124 Documentation standards.

Every audit performed by a State under a delegation of authority must meet certain documentation standards. In particular, detailed workpapers must be developed and maintained.

- (a) *Workpapers* are defined to include all records obtained or created in performing an audit.
- (b) Each audit performed varies in scope and detail. As a result, the audit team must determine the best presentation of the workpapers for a particular audit. The following general standards of workpaper preparation are consistent with the goal of achieving proper documentation while maintaining sufficient flexibility.
- (1) All relevant information obtained orally must be promptly recorded in writing and incorporated in the workpapers.
- (2) Workpapers must be complete and accurate in order to provide support for findings and conclusions.
- (3) Workpapers should be clear and understandable without the need for supplementary oral explanations. The information they contain must be clear, complete, and concise, so that anyone using the workpapers will be able to readily determine their purpose, the nature and scope of the work done, and the conclusions drawn.
- (4) Workpapers must be legible and as neat as practicable. They must meet standards which allow their use as evidence in judicial and administrative proceedings.
- (5) The information contained in workpapers should be restricted to matters which are materially important and relevant to the objectives established for the assignment.
- (6) Workpapers must be in sufficient detail to permit a subsequent independent execution of each audit procedure, assuming the target company retains its accounting documentation.

### § 229.125 Preparation and issuance of enforcement documents.

(a) Determinations of additional royalties due resulting from audit activities conducted under a delegation of authority must be formally communicated by the State, to the companies or other payors by an issue letter prior to any enforcement action. The issue letter will serve to ensure that all audit findings are accurate and complete by obtaining advance comments from officials of the companies or payors audited. Issue letters must be prepared in a format specified by the MMS, and transmitted to the company or payor. The company or payor shall be given 30 days from receipt of the letter to respond to the State on the findings contained in the letter.

(b) After evaluating the company or payor's response to the issue letter, the State shall draft a demand letter which will be submitted with supporting workpaper files to the MMS for appropriate enforcement action. Any sustantive revisions to the demand letter will be discussed with the State prior to issuance of the letter. Copies of all enforcement action documents shall be provided to the State by MMS upon their issuance to the company or payor.

#### $\S 229.126$ Appeals.

(a) Appeals made pursuant to the rules and procedures at 30 CFR parts 243 and 290 related to demand letters issued by officers of the MMS for additional royalties identified under a delegation of authority shall be filed with the MMS for processing. The State regulatory authority shall, upon the request of the MMS, provide competent and knowledgeable staff for testimony, as well as any required documentation and analyses, in support of the lessor's position during the appeal process.

(b) An affected State, upon the request of the MMS, shall provide expert witnesses from their audit staff for testimony as well as required documentation and analyses to support the Department's position during the litigation of court cases arising from denied appeals. The cost of providing expert witnesses including travel and per diem is reimbursable under the provisions of a delegation of authority, at the Fed-

eral Government's existing per diem rates.

#### § 229.127 Reports from States.

The State, acting under the authority of the Secretarial delegation, shall submit quarterly reports which will summarize activities carried out by the State during the preceding quarter of the year under the provisions of the delegation. The report shall include:

- (a) A statistical summary of the activities carried out, e.g., number of audits performed, accounts reconciled, and other actions taken;
- (b) A summary of costs incurred during the previous quarter for which the State is seeking reimbursement; and
- (c) A schedule of changes which the State proposes to make from its approved plan.

[49 FR 37351, Sept. 21, 1984. Redesignated at 49 FR 40025, Oct. 12, 1984]

### PART 230—RECOUPMENTS AND REFUNDS (RESERVED)

### PART 232—INTEREST PAYMENTS [RESERVED]

### PART 233—ESCROW AND INVESTMENTS [RESERVED]

## PART 234—BONDING—PAYMENT LIABILITY [RESERVED]

#### **PART 241—PENALTIES**

#### Subpart A—General Provisions [Reserved]

### Subpart B—Penalties for Federal and Indian Oil and Gas Leases

#### DEFINITIONS

Sec.

241.50 What definitions apply to this subpart?

PENALTIES AFTER A PERIOD TO CORRECT

- 241.51 What may MMS do if I violate a statute, regulation, order, or lease term relating to a Federal or Indian oil and gas lease?
- 241.52 What if I correct the violation?
- 241.53 What if I do not correct the violation?
- 241.54 How may I request a hearing on the record on a Notice of Noncompliance?

#### Minerals Management Service, Interior

- 241.55 Does my request for a hearing on the record affect the penalties?
- 241.56 May I request a hearing on the record regarding the amount of a civil penalty if I did not request a hearing on the Notice of Noncompliance?

#### PENALTIES WITHOUT A PERIOD TO CORRECT

- 241.60 May I be subject to penalties without prior notice and an opportunity to correct?
- 241.61 How will MMS inform me of violations without a period to correct?
- 241.62 How may I request a hearing on the record on a Notice of Noncompliance regarding violations without a period to correct?
- 241.63 Does my request for a hearing on the record affect the penalties?
- 241.64 May I request a hearing on the record regarding the amount of a civil penalty if I did not request a hearing on the Notice of Noncompliance?

#### GENERAL PROVISIONS

- 241.70 How does MMS decide what the amount of the penalty should be?
- 241.71 Does the penalty affect whether I owe interest?
- 241.72 How will the Office of Hearings and Appeals conduct the hearing on the record?
- 241.73 How may I appeal the Administrative Law Judge's decision?
- 241.74 May I seek judicial review of the decision of the Interior Board of Land Appeals?
- 241.75 When must I pay the penalty?241.76 Can MMS reduce my penalty once it is assessed?
- 241.77 How may MMS collect the penalty?

#### CRIMINAL PENALTIES

241.80 May the United States criminally prosecute me for violations under Federal and Indian oil and gas leases?

#### Subpart C—Federal and Indian Oil [Reserved]

#### Subpart D—Federal and Indian Gas [Reserved]

#### Subpart E—Solid Minerals, General [Reserved]

#### Subpart F—Coal [Reserved]

#### Subpart G—Other Solid Minerals [Reserved]

#### Subpart H—Geothermal [Reserved]

#### Subpart I—OCS Sulfur [Reserved]

AUTHORITY: 25 U.S.C. 396 et seq., 396a et seq., 2101 et seq.; 30 U.S.C. 181 et seq., 351 et seq., 1001 et seq., 1701 et seq.; 43 U.S.C. 1301 et seq., 1331 et seq., 1801 et seq.

#### Subpart A—General Provisions [Reserved]

#### Subpart B—Penalties for Federal and Indian Oil and Gas Leases

Source: 64 FR 26251, May 13, 1999, unless otherwise noted.

#### **DEFINITIONS**

#### § 241.50 What definitions apply to this subpart?

The terms used in this subpart have the same meaning as in 30 U.S.C. 1702.

PENALTIES AFTER A PERIOD TO CORRECT

#### §241.51 What may MMS do if I violate a statute, regulation, order, or lease term relating to a Federal or Indian oil and gas lease?

- (a) If we believe that you have not followed any requirement of a statute, regulation, order, or terms of a lease for any Federal or Indian oil or gas lease, we may send you a Notice of Noncompliance telling you what the violation is and what you need to do to correct it to avoid civil penalties under 30 U.S.C. 1719(a) and (b).
- (b) We will send the Notice to your address of record as shown in the following table:

For notices of noncompliance to—	The addressee of record is—	And—
(1) A refiner or other party involved in disposition of Federal royalty taken in kind.	The position title, department name and address, or individual name and address in the executed royalty sale contract; or a different position title, department name and address, or individual name and address that the refiner or other party under the executed royalty sale contract identifies in writing for billing purposes; or an agent designated in writing to receive notices of noncompliance.	notify MMS in writing of all addressee changes.

#### § 241.52

For notices of noncompliance to—	The addressee of record is—	And—
(2) Any person required to report oil or gas removed from Federal or Indian leases to the RMP Production Accounting and Auditing System.	The most recent position title, department name and address, or individual name and address that RMP has in its records for the reporter/payor; or an agent designated in writing to receive notices of noncompliance.	The reporter/payor must notify RMP, in writing, of any addressee changes.
(3) A lessee, designee, re- porter or payor whose records are subject to audit.	The position title, department name and address, or individual name and address the lessee, designee, reporter or payor identifies in writing at the initiation of the audit; or the most recent addressee that the lessee, designee, reporter or payor specified in writing; or an agent designated in writing to receive notices of noncompliance.	The lessee, designee, reporter or payor must notify MMS of any addressee changes.
<ul> <li>(4) A reporter reporting on the "Report of Sales and Royalty Remittance" (Form MMS— 2014).</li> <li>(5) A lessee, designee, re- porter or payor who remits rental and bonuses from nonproducing Federal leases.</li> </ul>	The most recent position title, department name and address, or individual name and address that the lessee, designee, reporter or payor identifies in writing; or an agent designated in writing to receive notices of noncompliance.  The most recent position title, department name and address, or individual name and address maintained in RMP records; or an agent designated in writing to receive notices of noncompliance.	The lessee, designee, reporter or payor is responsible for notifying RMP in writing of any addressee changes.  The lessee, designee, reporter or payor is responsible for notifying RMP in writing of any addressee changes.

(c) We will serve Notices of Noncompliance by using registered mail or personal service.

#### § 241.52 What if I correct the violation?

The matter will be closed if you correct all of the violations identified in the Notice of Noncompliance within 20 days after you receive the Notice (or within a longer time period specified in the Notice).

### § 241.53 What if I do not correct the violation?

(a) We may send you a Notice of Civil Penalty if you do not correct all of the violations identified in the Notice of Noncompliance within 20 days after you receive the Notice of Noncompliance (or within a longer time period specified in that Notice). The Notice of Civil Penalty will tell you how much penalty you must pay. The penalty may be up to \$500 per day, beginning with the date of the Notice of Noncompliance, for each violation identified in the Notice of Noncompliance for as long as you do not correct the violations

(b) If you do not correct all of the violations identified in the Notice of Noncompliance within 40 days after you receive the Notice of Noncompliance (or 20 days following the expiration of a longer time period specified in that Notice), we may increase the penalty to up to \$5,000 per day, beginning with the date of the Notice of Non-

compliance, for each violation for as long as you do not correct the violations

## § 241.54 How may I request a hearing on the record on a Notice of Noncompliance?

You may request a hearing on the record on a Notice of Noncompliance by filing a request within 30 days of the date you received the Notice of Noncompliance with the Hearings Division (Departmental), Office of Hearings and Appeals, U.S. Department of the Interior, 801 North Quincy Street, Arlington, Virginia 22203. You may do this regardless of whether you correct the violations identified in the Notice of Noncompliance.

[64 FR 26251, May 13, 1999, as amended at 67 FR 19112, Apr. 18, 2002]

### § 241.55 Does my request for a hearing on the record affect the penalties?

- (a) If you do not correct the violations identified in the Notice of Noncompliance, the penalties will continue to accrue even if you request a hearing on the record.
- (b) You may petition the Hearings Division (Departmental) of the Office of Hearings and Appeals, to stay the accrual of penalties pending the hearing on the record and a decision by the Administrative Law Judge under §241.72.

(1) You must file your petition within 45 calendar days of receiving the Notice of Noncompliance.

(2) To stay the accrual of penalties, you must post a bond or other surety instrument using the same standards and requirements as prescribed in 30 CFR part 243, subpart B, or demonstrate financial solvency using the same standards and requirements as prescribed in 30 CFR part 243, subpart C, for the principal amount of any unpaid amounts due that are the subject of the Notice of Noncompliance, including interest thereon, plus the amount of any penalties accrued before the date a stay becomes effective.

(3) The Hearings Division will grant or deny the petition under 43 CFR 4.21(b).

#### § 241.56 May I request a hearing on the record regarding the amount of a civil penalty if I did not request a hearing on the Notice of Noncompliance?

(a) You may request a hearing on the record to challenge only the amount of a civil penalty when you receive a Notice of Civil Penalty, if you did not previously request a hearing on the record under §241.54. If you did not request a hearing on the record on the Notice of Noncompliance under §241.54, you may not contest your underlying liability for civil penalties.

(b) You must file your request within 10 days after you receive the Notice of Civil Penalty with the Hearings Division (Departmental), Office of Hearings and Appeals, U.S. Department of the Interior, 801 North Quincy Street, Arlington, Virginia 22203.

[64 FR 26251, May 13, 1999, as amended at 67 FR 19113, Apr. 18, 2002]

### PENALTIES WITHOUT A PERIOD TO CORRECT

## § 241.60 May I be subject to penalties without prior notice and an opportunity to correct?

The Federal Oil and Gas Royalty Management Act sets out several specific violations for which penalties accrue without an opportunity to first correct the violation.

(a) Under 30 U.S.C. 1719(c), you may be subject to penalties of up to \$10,000

per day per violation for each day the violation continues if you:

(1) Knowingly or willfully fail to make any royalty payment by the date specified by statute, regulation, order or terms of the lease;

(2) Fail or refuse to permit lawful entry, inspection, or audit; or

(3) Knowingly or willfully fail or refuse to notify the Secretary, within 5 business days after any well begins production on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, of the date on which production has begun or resumed.

(b) Under 30 U.S.C. 1719(d), you may be subject to civil penalties of up to \$25,000 per day for each day each violation continues if you:

(1) Knowingly or willfully prepare, maintain, or submit false, inaccurate, or misleading reports, notices, affidavits, records, data, or other written information:

(2) Knowingly or willfully take or remove, transport, use or divert any oil or gas from any lease site without having valid legal authority to do so; or

(3) Purchase, accept, sell, transport, or convey to another person, any oil or gas knowing or having reason to know that such oil or gas was stolen or unlawfully removed or diverted.

## § 241.61 How will MMS inform me of violations without a period to correct?

We will inform you of violations without a period to correct by issuing a Notice of Noncompliance explaining what the violation is and how to correct it. We also will send you a Notice of Civil Penalty stating the amount of the penalty. The Notice of Noncompliance and Notice of Civil Penalty may be issued simultaneously. We will send the Notice of Noncompliance and the Notice of Civil Penalty to your address of record under §241.51(b) using the means of service specified under §241.51(c).

#### § 241.62 How may I request a hearing on the record on a Notice of Noncompliance regarding violations without a period to correct?

You may request a hearing on the record of a Notice of Noncompliance

#### § 241.63

regarding violations without a period to correct by filing a request within 30 days after you receive the Notice of Noncompliance with the Hearings Division (Departmental), Office of Hearings and Appeals, U.S. Department of the Interior, 801 North Quincy Street, Arlington, Virginia 22203. You may do this regardless of whether you correct the violations identified in the Notice of Noncompliance.

[64 FR 26251, May 13, 1999, as amended at 67 FR 19113, Apr. 18, 2002]

### § 241.63 Does my request for a hearing on the record affect the penalties?

- (a) If you do not correct the violations identified in the Notice of Noncompliance regarding violations without a period to correct, the penalties will continue to accrue even if you request a hearing on the record.
- (b) You may ask the Hearings Division (Departmental) to stay the accrual of penalties pending the hearing on the record and a decision by the Administrative Law Judge under §241.72.
- (1) You must file your petition within 45 calendar days after you receive the Notice of Noncompliance.
- (2) To stay the accrual of penalties, you must post a bond or other surety instrument using the same standards and requirements as prescribed in 30 CFR part 243, subpart B, or demonstrate financial solvency using the same standards and requirements as prescribed in 30 CFR part 243, subpart C, for the principal amount of any unpaid amounts due that are the subject of the Notice of Noncompliance, including interest thereon, plus the amount of any penalties accrued before the date a stay becomes effective.
- (3) The Hearings Division will grant or deny the petition under 43 CFR 4.21(b).

#### § 241.64 May I request a hearing on the record regarding the amount of a civil penalty if I did not request a hearing on the Notice of Noncompliance?

(a) You may request a hearing on the record to challenge only the amount of a civil penalty when you receive a Notice of Civil Penalty regarding violations without a period to correct, if you did not previously request a hear-

ing on the record under §241.62. If you did not request a hearing on the record on the Notice of Noncompliance under §241.62, you may not contest your underlying liability for civil penalties.

(b) You must file your request within 10 days after you receive Notice of Civil Penalty with the Hearings Division (Departmental), Office of Hearings and Appeals, U.S. Department of the Interior, 801 North Quincy Street, Arlington, Virginia 22203.

[64 FR 26251, May 13, 1999, as amended at 67 FR 19113, Apr. 18, 2002]

#### GENERAL PROVISIONS

#### § 241.70 How does MMS decide what the amount of the penalty should be?

We determine the amount of the penalty by considering the severity of the violations, your history of compliance, and if you are a small business.

### § 241.71 Does the penalty affect whether I owe interest?

- (a) The penalties under this part are in addition to interest you may owe on any underlying underpayments or unpaid debt.
- (b) If you do not pay the penalty by the date required under §241.75(d), MMS will assess you late payment interest on the penalty amount at the same rate interest is assessed under 30 CFR 218.54.

## § 241.72 How will the Office of Hearings and Appeals conduct the hearing on the record?

If you request a hearing on the record under §§241.54, 241.56, 241.62 or 241.64, the hearing will be conducted by a Departmental Administrative Law Judge from the Office of Hearings and Appeals. After the hearing, the Administrative Law Judge will issue a decision in accordance with the evidence presented and applicable law.

### § 241.73 How may I appeal the Administrative Law Judge's decision?

If you are adversely affected by the Administrative Law Judge's decision, you may appeal that decision to the Interior Board of Land Appeals under 43 CFR part 4, subpart E.

#### § 241.74 May I seek judicial review of the decision of the Interior Board of Land Appeals?

Under 30 U.S.C. 1719(j), you may seek judicial review of the decision of the Interior Board of Land Appeals. A suit for judicial review in the District Court will be barred unless filed within 90 days after the final order.

#### § 241.75 When must I pay the penalty?

- (a) You must pay the amount of the Notice of Civil Penalty issued under §§ 241.53 or 241.61, if you do not request a hearing on the record under § 241.54, § 241.56, § 241.62, or § 241.64.
- (b) If you request a hearing on the record under §241.54, §241.56, §241.62, or §241.64, but you do not appeal the determination of the Administrative Law Judge to the Interior Board of Land Appeals under §241.73, you must pay the amount assessed by the Administrative Law Judge.
- (c) If you appeal the determination of the Administrative Law Judge to the Interior Board of Land Appeals, you must pay the amount assessed in the IBLA decision.
- (d) You must pay the penalty assessed within  $40\ \text{days}$  after:
- (1) You received the Notice of Civil Penalty, if you did not request a hearing on the record under either §241.54, §241.56, §241.62, or §241.64;
- (2) You received an Administrative Law Judge's decision under §241.72, if you obtained a stay of the accrual of penalties pending the hearing on the record under §241.55(b) or §241.63(b) and did not appeal the Administrative Law Judge's determination to the IBLA under §241.73;
- (3) You received an IBLA decision under §241.73 if the IBLA continued the stay of accrual of penalties pending its decision and you did not seek judicial review of the IBLA's decision; or
- (4) A final non-appealable judgment of a court of competent jurisdiction is entered, if you sought judicial review of the IBLA's decision and the Department or the appropriate court suspended compliance with the IBLA's decision pending the adjudication of the case.
- (e) If you do not pay, that amount is subject to collection under the provisions of §241.77.

### § 241.76 Can MMS reduce my penalty once it is assessed?

Under 30 U.S.C. 1719(g), the Director or his or her delegate may compromise or reduce civil penalties assessed under this part.

### § 241.77 How may MMS collect the penalty?

- (a) MMS may use all available means to collect the penalty including, but not limited to:
- (1) Requiring the lease surety, for amounts owed by lessees, to pay the penalty;
- (2) Deducting the amount of the penalty from any sums the United States owes to you; and
- (3) Using judicial process to compel your payment under 30 U.S.C. 1719(k).
- (b) If the Department uses judicial process, or if you seek judicial review under §241.74 and the court upholds assessment of a penalty, the court shall have jurisdiction to award the amount assessed plus interest assessed from the date of the expiration of the 90-day period referred to in §241.74. The amount of any penalty, as finally determined, may be deducted from any sum owing to you by the United States.

#### CRIMINAL PENALTIES

# § 241.80 May the United States criminally prosecute me for violations under Federal and Indian oil and gas leases?

If you commit an act for which a civil penalty is provided at 30 U.S.C. 1719(d) and §241.60(b), the United States may pursue criminal penalties as provided at 30 U.S.C. 1720, in addition to any authority for prosecution under other statutes.

### Subpart C—Federal and Indian Oil [Reserved]

### Subpart D—Federal and Indian Gas [Reserved]

## Subpart E—Solid Minerals, General [Reserved]

#### Subpart F—Coal [Reserved]

#### Pt. 243

### Subpart G—Other Solid Minerals [Reserved]

### Subpart H—Geothermal [Reserved]

Subpart I—OCS Sulfur [Reserved]

PART 242—ORDERS [RESERVED]

#### PART 243—SUSPENSIONS PENDING APPEAL AND BONDING—MIN-ERALS REVENUE MANAGEMENT

#### **Subpart A—General Provisions**

Sec.

- 243.1 What is the purpose of this part?
- 243.2 What leases are subject to this part?
- 243.3 What definitions apply to this part?
- 243.4 How do I suspend compliance with an order?
- 243.5 May another person post a bond or other surety instrument or demonstrate financial solvency on my behalf?
- 243.6 When must I or another person meet the bonding or financial solvency requirements under this part?
- 243.7 What must a person do when posting a bond or other surety instrument or demonstrating financial solvency on behalf of an appellant?
- 243.8 When will MMS suspend my obligation to comply with an order?
- 243.9 Will MMS continue to suspend my obligation to comply with an order if I seek judicial review in a Federal court?
- judicial review in a Federal court? 243.10 When will MMS collect against a bond or other surety instrument or a person demonstrating financial solvency?
- 243.11 May I appeal the MMS bond-approving officer's determination of my surety amount or financial solvency?
- 243.12 May I substitute a demonstration of financial solvency for a bond posted before the effective date of this rule?

#### **Subpart B—Bonding Requirements**

- 243.100 What standards must my MMS-specified surety instrument meet?
- 243.101 How will MMS determine the amount of my bond or other surety in-

#### Subpart C—Financial Solvency Requirements

- 243.200 How do I demonstrate financial solvency?
- 243.201 How will MMS determine if I am financially solvent?
- 243.202 When will MMS monitor my financial solvency?

AUTHORITY: 5 U.S.C. 301 et seq.; 25 U.S.C. 396 et seq., 396a et seq., 2101 et seq.; 30 U.S.C. 181 et seq., 351 et seq., 1001 et seq., 1701 et seq.; 31 U.S.C. 9701; 43 U.S.C. 1301 et seq., 1331 et seq., and 1801 et seq.

SOURCE: 64 FR 26254, May 13, 1999, unless otherwise noted.

#### **Subpart A—General Provisions**

### § 243.1 What is the purpose of this part?

This part applies to you if you are a lessee or recipient of an order. This part explains:

- (a) How you may suspend compliance with an order that you (or your designee if you are a lessee) have appealed under 30 CFR part 290 in effect prior to May 13, 1999 and contained in the 30 CFR, parts 200 to 699, edition revised as of July 1, 1998, or under 30 CFR part 290, subpart b; and
- (b) When you or another person acting on your behalf must submit a bond or other surety or demonstrate financial solvency.

### § 243.2 What leases are subject to this part?

This part applies to all Federal mineral leases onshore and on the Outer Continental Shelf (OCS), and to all federally-administered mineral leases on Indian tribal and individual Indian mineral owners' lands.

### § 243.3 What definitions apply to this part?

Assessment means any fee or charge levied or imposed by the Secretary or a delegated State other than:

- (1) The principal amount of any royalty, minimum royalty, rental, bonus, net profit share or proceed of sale;
  - (2) Any interest; or
  - (3) Any civil or criminal penalty.

Designee means the person designated by a lessee under §218.52 of this chapter to make all or part of the royalty or other payments due on a lease on the lessee's behalf.

Lessee means any person to whom the United States, or the United States on behalf of an Indian tribe or individual Indian mineral owner, issues a lease, or any person to whom all or part of the lessee's interest or operating rights in a lease has been assigned.

MMS bond-approving officer means the Associate Director for Minerals Revenue Management or an official to whom the Associate Director delegates that responsibility.

MMS-specified surety instrument means an MMS-specified administrative appeal bond, an MMS-specified irrevocable letter of credit, a Treasury book-entry bond or note, or a financial institution book-entry certificate of deposit.

Notice of order means the notice that MMS or a delegated State issues to a lessee that informs the lessee that MMS or the delegated State has issued an order to the lessee's designee.

Order means an order appealable under 30 CFR part 290 in effect prior to May 13, 1999 and contained in the 30 CFR, parts 200 to 699, edition revised as of July 1, 1998, under 30 CFR part 290 subpart B, or under 30 CFR part 208.

*Person* means any individual, firm, corporation, association, partnership, consortium, or joint venture.

[64 FR 26254, May 13, 1999, as amended at 67 FR 19113, Apr. 18, 2002]

### § 243.4 How do I suspend compliance with an order?

- (a) If you timely appeal an order, and if that order or portion of that order:
- (1) Requires you to make a payment, and you want to suspend compliance with that order, you must post a bond or other surety instrument or demonstrate financial solvency under this part, except as provided in paragraph (b) of this section; or
- (2) Does not require you to make a payment, compliance with that order is suspended when you meet all requirements to file that appeal.
- (b) You need not meet the requirements of paragraph (a) of this section if:
  - (1) The order is an assessment; or
- (2) Another person agrees to fulfill these requirements on your behalf under § 243.5.

#### § 243.5 May another person post a bond or other surety instrument or demonstrate financial solvency on my behalf?

Any other person, including a designee, payor, or affiliate, may post a bond or other surety instrument or

demonstrate financial solvency under this part on behalf of an appellant required to post a bond or other surety instrument under §243.4(a)(1).

#### § 243.6 When must I or another person meet the bonding or financial solvency requirements under this part?

If you must meet the bonding or financial solvency requirements under §243.4(a)(1), or if another person is meeting your bonding or financial solvency requirements, then either you or the other person must post a bond or other surety instrument or demonstrate financial solvency within 60 days after you receive the order or the Notice of Order.

# §243.7 What must a person do when posting a bond or other surety instrument or demonstrating financial solvency on behalf of an appellant?

If you assume an appellant's responsibility to post a bond or other surety instrument or demonstrate financial solvency under §243.5, you:

- (a) Must notify MMS in writing at the address specified in §243.200(a) that you are assuming the appellant's responsibility under this part;
- (b) May not assert that you are not otherwise liable for royalties or other payments under 30 U.S.C. 1712(a), or any other theory, as a defense if MMS calls your bond or requires you to pay based on your demonstration of financial solvency; and
- (c) May end your voluntarily-assumed responsibility for posting a bond or other surety instrument only after the appellant under this part either:
- (1) Pays or posts a bond or other surety instrument; or
- (2) Demonstrates financial solvency.

### § 243.8 When will MMS suspend my obligation to comply with an order?

- (a) Federal leases. Subject to paragraph (d) of this section, if you appeal an order regarding the payment and reporting of royalties and other payments due from Federal mineral leases onshore or on the Outer Continental Shelf (OCS), and:
- (1) If the amount under appeal is less than \$10,000 or does not require payment of a specified amount, MMS will

#### § 243.9

suspend your obligation to comply with the order. MMS will use the lease surety posted with the Bureau of Land Management for onshore leases, and MMS for OCS leases, as collateral for the obligation; or

- (2) If the amount under appeal is \$10,000 or more, MMS will suspend your obligation to comply with that order if you:
- (i) Submit an MMS-specified surety instrument under subpart B of this part within a time period MMS prescribes; or
- (ii) Demonstrate financial solvency under subpart C.
- (b) *Indian leases*. Subject to paragraph (d) of this section, if you appeal an order regarding the payment and reporting of royalties and other payments due from Indian mineral leases subject to this part, and:
- (1) If the amount under appeal is less than \$1,000 or does not require payment, MMS will suspend your obligation to comply with the order. MMS will use the lease surety posted with the Bureau of Indian Affairs as collateral for the obligation; or
- (2) If the amount under appeal is \$1,000 or more, MMS will suspend your obligation to comply with that order if you submit an MMS-specified surety instrument under subpart B of this part within a time period MMS prescribes.
- (c) Nothing in this part prohibits you from paying any demanded amount or complying with any other requirement pending appeal. However, voluntarily paying any demanded amount or otherwise complying with any other requirement when suspension of an order is otherwise available under these rules does not create judicially reviewable final agency action under 5 U.S.C. 704.
- (d) Regardless of the amount under appeal, MMS may inform you that it will not suspend your obligation to comply with the order under paragraph (a) or (b) of this section because suspension would harm the interests of the United States or the Indian lessor.

#### § 243.9 Will MMS continue to suspend my obligation to comply with an order if I seek judicial review in a Federal court?

- (a) If you seek judicial review of an IBLA decision or other final action of the Department of the Interior regarding an order, MMS will suspend your obligation to comply with that order pending judicial review if you continue to meet the requirements of this part.
- (b) Notwithstanding the provisions of paragraph (a) of this section, MMS may decide that it will not suspend your obligation to comply with an order. MMS will notify you in writing of that decision and the reasons for it.

# § 243.10 When will MMS collect against a bond or other surety instrument or a person demonstrating financial solvency?

- (a) This section applies to you if, for an appeal of an order under this part, you:
- (1) Maintain a bond or an MMS-specified surety instrument on your own behalf or for another person; or
- (2) Have demonstrated financial solvency on your own behalf or for another person.
- (b) MMS may initiate collection against the bond or other surety instrument or the person demonstrating financial solvency:
- (1) If the MMS Director or the Deputy Commissioner of Indian Affairs decides your appeal adversely to you and you do not pay the amount due or appeal that decision to the IBLA under 43 CFR part 4, subpart E;
- (2) If the IBLA, the Director of the Office of Hearings and Appeals, an Assistant Secretary, or the Secretary decides your appeal adversely to you, and you do not pay the amount due or pursue judicial review within 90 days of the decision:
- (3) If a court of competent jurisdiction issues a final non-appealable decision adverse to you, and you do not pay the amount due within 30 days of the decision;
- (4) If you do not increase the amount of your bond or other surety instrument as required under §243.101(b), or otherwise fail to maintain an adequate surety instrument in effect, and you do not pay the amount due under the

order within 30 days of notice from MMS under §243.101(b);

- (5) If the obligation to comply with an order or decision is not suspended under §243.8 or §243.9 and you do not pay the amount required under the order or decision; or
- (6) If the MMS bond-approving officer determines that you are no longer financially solvent under §243.202(c), and you do not pay the order amount or post a bond or other MMS-specified surety instrument under subpart B within 30 days of that determination.

#### § 243.11 May I appeal the MMS bondapproving officer's determination of my surety amount or financial solvency?

Any decision on your surety amount under subpart B or your financial solvency under subpart C is final and is not subject to appeal.

#### § 243.12 May I substitute a demonstration of financial solvency for a bond posted before the effective date of this rule?

If you appealed an order before June 14, 1999 and you submitted an MMS-specified surety instrument to suspend compliance with that order, you may replace the surety with a demonstration of financial solvency under this part at an administratively convenient time, such as when the surety instrument is due for renewal.

#### **Subpart B—Bonding Requirements**

## § 243.100 What standards must my MMS-specified surety instrument meet?

- (a) An MMS-specified surety instrument must be in a form specified in MMS instructions. MMS will give you written information and standard forms for MMS-specified surety instrument requirements.
- (b) MMS will use a bank-rating service to determine whether a financial institution has an acceptable rating to provide a surety instrument adequate to indemnify the lessor from loss or damage.
- (1) Administrative appeal bonds must be issued by a qualified surety company which the Department of the Treasury has approved.

(2) Irrevocable letters of credit or certificates of deposit must be from a financial institution acceptable to MMS with a minimum 1-year period of coverage subject to automatic renewal up to 5 years.

## § 243.101 How will MMS determine the amount of my bond or other surety instrument?

- (a) The MMS bond-approving officer may approve your surety if he or she determines that the amount is adequate to guarantee payment. The amount of your surety may vary depending on the form of the surety and how long the surety is effective.
- (1) The amount of the MMS-specified surety instrument must include the principal amount owed under the order plus any accrued interest we determine is owed plus projected interest for a 1-year period.

(2) Treasury book-entry bond or note amounts must be equal to at least 120 percent of the required surety amount.

- (b) If your appeal is not decided within 1 year from the filing date, you must increase the surety amount to cover additional estimated interest for another 1-year period. You must continue to do this annually on the date your appeal was filed. We will determine the additional estimated interest and notify you of the amount so you can amend your surety instrument.
- (c) You may submit a single surety instrument that covers multiple appeals. You may change the instrument to add new amounts under appeal or remove amounts that have been adjudicated in your favor or that you have paid if you:
- (1) Amend the single surety instrument annually on the date you filed your first appeal; and
- (2) Submit a separate surety instrument for new amounts under appeal until you amend the instrument to cover the new appeals.

#### Subpart C—Financial Solvency Requirements

### § 243.200 How do I demonstrate financial solvency?

(a) To demonstrate financial solvency under this part, you must submit an audited consolidated balance sheet,

#### § 243.201

and, if requested by the MMS bond-approving officer, up to 3 years of tax returns to the MMS, Debt Collection Section using:

- (1) The U.S. Postal Service or private delivery at P.O. Box 5760, MS 3031, Denver, CO 80217-5760; or
- (2) Courier or overnight delivery at MS 3031, Denver Federal Center, Bldg. 85, Room A-212, Denver, CO 80225-0165.
- (b) You must submit an audited consolidated balance sheet annually, and, if requested, additional annual tax returns on the date MMS first determined that you demonstrated financial solvency as long as you have active appeals, or whenever MMS requests.
- (c) If you demonstrate financial solvency in the current calendar year, you are not required to redemonstrate financial solvency for new appeals of orders during that calendar year unless you file for protection under any provision of the U.S. Bankruptcy Code (Title 11 of the United States Code), or MMS notifies you that you must redemonstrate financial solvency.

### § 243.201 How will MMS determine if I am financially solvent?

- (a) The MMS bond-approving officer will determine your financial solvency by examining your total net worth, including, as appropriate, the net worth of your affiliated entities.
- (b) If your net worth, minus the amount we would require as surety under subpart B for all orders you have appealed is greater than \$300 million, you are presumptively deemed financially solvent, and we will not require you to post a bond or other surety instrument.
- (c) If your net worth, minus the amount we would require as surety under subpart B for all orders you have appealed is less than \$300 million, you must submit the following to the MMS Debt Collection Section by one of the methods in \$243.200(a):
- (1) A written request asking us to consult a business-information, or

credit-reporting service or program to determine your financial solvency; and

- (2) A nonrefundable \$50 processing fee:
- (i) You must pay the processing fee to us following the requirements for making payments found in 30 CFR 218.51. You are not required to use Electronic Funds Transfer (EFT) for these payments;
- (ii) You must submit the fee with your request under paragraph (c)(1) of this section, and then annually on the date we first determined that you demonstrated financial solvency, as long as you are not able to demonstrate financial solvency under paragraph (a) of this section and you have active appeals.
- (d) If you request that we consult a business-information or credit-reporting service or program under paragraph (c) of this section:
- (1) We will use criteria similar to that which a potential creditor would use to lend an amount equal to the bond or other surety instrument we would require under subpart B;
- (2) For us to consider you financially solvent, the business-information or credit-reporting service or program must demonstrate your degree of risk as low to moderate:
- (i) If our bond-approving officer determines that the business-information or credit-reporting service or program information demonstrates your financial solvency to our satisfaction, our bond-approving officer will not require you to post a bond or other surety instrument under subpart B;
- (ii) If our bond-approving officer determines that the business-information or credit-reporting service or program information does not demonstrate your financial solvency to our satisfaction, our bond-approving officer will require you to post a bond or other surety instrument under subpart B or pay the obligation.

### § 243.202 When will MMS monitor my financial solvency?

(a) If you are presumptively financially solvent under §243.201(b), MMS will determine your net worth as described under §§243.201(b) and (c) to evaluate your financial solvency at least annually on the date we first determined that you demonstrated financial solvency as long as you have active appeals and each time you appeal a new order.

- (b) If you ask us to consult a business-information or credit-reporting service or program under §243.201(c), we will consult a service or program annually as long as you have active appeals and each time you appeal a new order.
- (c) If our bond-approving officer determines that you are no longer financially solvent, you must post a bond or other MMS-specified surety instrument under subpart B.

### SUBCHAPTER B—OFFSHORE

### PART 250—OIL AND GAS AND SUL-PHUR OPERATIONS IN THE OUTER CONTINENTAL SHELF

#### Subpart A—General

AUTHORITY AND DEFINITION OF TERMS

Sec.

250.101 Authority and applicability.

250.102 What does this part do?

250.103 Where can I find more information about the requirements in this part?

250.104 How may I appeal a decision made under MMS regulations?

250.105 Definitions.

#### PERFORMANCE STANDARDS

250.106 What standards will the Director use to regulate lease operations?

250.107 What must I do to protect health, safety, property, and the environment?

250.108 What requirements must I follow for cranes and other material-handling equipment?

250.109 What documents must I prepare and maintain related to welding?

250.110 What must I include in my welding plan?

250.111 Who oversees operations under my welding plan?

250.112 What standards must my welding equipment meet?

250.113 What procedures must I follow when welding?

250.114 How must I install and operate electrical equipment?

250.115 How do I determine well producibility?

250.116 How do I determine producibility if my well is in the Gulf of Mexico?

250.117 How does a determination of well producibility affect royalty status?

250.118 Will MMS approve gas injection?

250.119 Will MMS approve subsurface gas storage?

250.120 How does injecting, storing, or treating gas affect my royalty payments?

250.121 What happens when the reservoir contains both original gas in place and injected gas?

250.122 What effect does subsurface storage have on the lease term?

250.123 Will MMS allow gas storage on unleased lands?

250.124 Will MMS approve gas injection into the cap rock containing a sulphur deposit?

### INSPECTION OF OPERATIONS

250.130 Why does MMS conduct inspections?

250.131 Will MMS notify me before conducting an inspection?

250.132 What must I do when MMS conducts an inspection?

250.133 Will MMS reimburse me for my expenses related to inspections?

#### DISQUALIFICATION

250.135 What will MMS do if my operating performance is unacceptable?

250.136 How will MMS determine if my operating performance is unacceptable?

#### SPECIAL TYPES OF APPROVALS

250.140 When will I receive an oral approval? 250.141 May I ever use alternate procedures or equipment?

250.142 How do I receive approval for departures?

250.143 How do I designate an operator?

250.144 How do I designate a new operator when a designation of operator terminates?

250.145 How do I designate an agent or a local agent?

250.146 Who is responsible for fulfilling leasehold obligations?

NAMING AND IDENTIFYING FACILITIES AND WELLS (DOES NOT INCLUDE MODUS)

250.150 How do I name facilities and wells in the Gulf of Mexico Region?

250.151 How do I name facilities in the Pacific Region?

250.152 How do I name facilities in the Alaska Region?

250.153 Do I have to rename an existing facility or well?

250.154 What identification signs must I display?

### RIGHT-OF-USE AND EASEMENT

250.160 When will MMS grant me a right-ofuse and easement, and what requirements must I meet?

250.161 What else must I submit with my application?

250.162 May I continue my right-of-use and easement after the termination of any lease on which it is situated?

250.163 If I have a State lease, will MMS grant me a right-of-use and easement?

250.164 If I have a State lease, what conditions apply for a right-of-use and easement?

250.165 If I have a State lease, what fees do I have to pay for a right-of-use and easement?

250.166 If I have a State lease, what surety bond must I have for a right-of-use and easement?

#### SUSPENSIONS

- 250.168 May operations or production be suspended?
- 250.169 What effect does suspension have on my lease?
- 250.170 How long does a suspension last?
- 250.171 How do I request a suspension?
- 250.172 When may the Regional Supervisor grant or direct an SOO or SOP?
- 250.173 When may the Regional Supervisor direct an SOO or SOP?
- 250.174 When may the Regional Supervisor grant or direct an SOP?
- 250.175 When may the Regional Supervisor grant an SOO?
- 250.176 Does a suspension affect my royalty payment?
- 250.177 What additional requirements may the Regional Supervisor order for a suspension?
- PRIMARY LEASE REQUIREMENTS, LEASE TERM EXTENSIONS, AND LEASE CANCELLATIONS
- 250.180 What am I required to do to keep my lease term in effect?
- 250.181 When may the Secretary cancel my lease and when am I compensated for cancellation?
- 250.182 When may the Secretary cancel a lease at the exploration stage?
- 250.183 When may MMS or the Secretary extend or cancel a lease at the development and production stage?
- and production stage? 250.184 What is the amount of compensation for lease cancellation?
- 250.185 When is there no compensation for a lease cancellation?

### INFORMATION AND REPORTING REQUIREMENTS

- 250.190 What reporting information and report forms must I submit?
- 250.191 What accident reports must I submit?
- 250.192 What evacuation statistics must I submit?
- 250.193 Reports and investigations of apparent violations.
- 250.194 What archaeological reports and surveys must I submit?
- $250.195^{\circ}$  Reimbursements for reproduction and processing costs.
- 250.196 Data and information to be made available to the public.

#### REFERENCES

- 250.198 Documents incorporated by reference.
- 250.199 Paperwork Reduction Act statements—information collection.

### Subpart B—Exploration and Development and Production Plans

- 250.200 General requirements.
- 250.201 Preliminary activities.
- 250.202 Well location and spacing.

- 250.203 Exploration Plan.
- 250.204 Development and Production Plan.

#### Subpart C—Pollution Prevention and Control

- 250.300 Pollution prevention.
- 250.301 Inspection of facilities.
- 250.302 Definitions concerning air quality.
- 250.303 Facilities described in a new or revised Exploration Plan or Development and Production Plan.
- 250.304 Existing facilities.

### Subpart D—Oil and Gas Drilling Operations

#### GENERAL REQUIREMENTS

- 250.400 Who is subject to the requirements of this subpart?
- 250.401 What must I do to keep wells under control?
- 250.402 When and how must I secure a well? 250.403 What drilling unit movements must I report?
- 250.404 What are the requirements for the crown block?
- 250.405 What are the safety requirements for diesel engines used on a drilling rig?
- 250.406 What additional safety measures must I take when I conduct drilling operations on a platform that has producing wells or has other hydrocarbon flow?
- 250.407 What tests must I conduct to determine reservoir characteristics?
- 250.408 May I use alternative procedures or equipment during drilling operations?
- 250.409 May I obtain departures from these drilling requirements?

#### APPLYING FOR A PERMIT TO DRILL

- 250.410 How do I obtain approval to drill a well?
- 250.411 What information must I submit with my application?
- 250.412 What requirements must the location plat meet?
- 250.413 What must my description of well drilling design criteria address?
- 250.414 What must my drilling prognosis include?
- 250.415 What must my casing and cementing programs include?
- 250.416 What must I include in the diverter and BOP descriptions?
- 250.417 What must I provide if I plan to use a mobile offshore drilling unit (MODU)?
- 250.418 What additional information must I submit with my APD?

### CASING AND CEMENTING REQUIREMENTS

- 250.420 What well casing and cementing requirements must I meet?
- 250.421 What are the casing and cementing requirements by type of casing string?
- 250.422 When may I resume drilling after cementing?

#### 30 CFR Ch. II (7-1-04 Edition)

### Pt. 250

- 250.423 What are the requirements for pressure testing casing?
- 250.424 What are the requirements for prolonged drilling operations?
- 250.425 What are the requirements for pressure testing liners?
- 250.426 What are the recordkeeping requirements for casing and liner pressure tests? 250.427 What are the requirements for pres-
- sure integrity tests?
- 250.428 What must I do in certain cementing and casing situations?

### DIVERTER SYSTEM REQUIREMENTS

- 250.430 When must I install a diverter system?
- 250.431 What are the diverter design and installation requirements?
- $250.432~{
  m How~do~\bar{I}}$  obtain a departure to diverter design and installation requirements?
- 250.433 What are the diverter actuation and testing requirements?
- 250.434 What are the recordkeeping requirements for diverter actuations and tests?

#### BLOWOUT PREVENTER (BOP) SYSTEM REQUIREMENTS

- 250.440 What are the general requirements for BOP systems and system compo-
- 250.441 What are the requirements for a surface BOP stack?
- 250.442 What are the requirements for a subsea BOP stack?
- 250.443 What associated systems and related equipment must all BOP systems include?
- 250.444 What are the choke manifold reauirements?
- 250.445 What are the requirements for kelly valves, inside BOPs, and drill-string safetv valves?
- 250.446 What are the BOP maintenance and inspection requirements?
- 250.447 When must I pressure test the BOP system?
- 250.448 What are the BOP pressure tests requirements?
- 250.449 What additional BOP testing requirements must I meet?
- 250.450 What are the recordkeeping requirements for BOP tests?
- 250.451 What must I do in certain situations involving BOP equipment or systems?

#### DRILLING FLUID REQUIREMENTS

- 250.455 What are the general requirements for a drilling fluid program?
- 250.456 What safe practices must the drill-
- ing fluid program follow? 250.457 What equipment is required to monitor drilling fluids?
- 250.458 What quantities of drilling fluids are required?

250.459 What are the safety requirements for drilling fluid-handling areas?

#### OTHER DRILLING REQUIREMENTS

- 250.460 What are the requirements for conducting a well test?
- 250.461 What are the requirements for directional and inclination surveys?
- 250.462 What are the requirements for wellcontrol drills?
- 250.463 Who establishes field drilling rules?

#### APPLYING FOR A PERMIT TO MODIFY AND WELL RECORDS

- 250.465 When must I submit an Application for Permit to Modify (AMP) or an End of Operations Report to MMS?
- 250.466 What records must I keep?
- 250.467 How long must I keep records?
- 250.468 What well records am I required to submit?
- 250.469 What other well records could I be required to submit?

#### HYDROGEN SULFIDE

250.490 Hydrogen sulfide.

#### Subpart E—Oil and Gas Well-Completion **Operations**

- 250.500 General requirements.
- 250.501 Definition.
- 250.502 Equipment movement.
- 250.503 Emergency shutdown system. 250.504
- Hydrogen sulfide. 250.505
- Subsea completions.
- 250.506 Crew instructions. 250.507-250.508 [Reserved]
- 250.509 Well-completion structures on fixed platforms.
- 250.510 Diesel engine air intakes.
- 250.511 Traveling-block safety device.
- 250.512 Field well-completion rules.
- 250.513 Approval and reporting of well-completion operations.
- 250.514 Well-control fluids, equipment, and operations.
- 250.515 Blowout prevention equipment.
- 250.516 Blowout preventer system tests, inspections, and maintenance.
- 250.517 Tubing and wellhead equipment.

### Subpart F-Oil and Gas Well-Workover **Operations**

- 250.600 General requirements
- 250.601 Definitions.
- Equipment movement. 250.602
- 250.603  $Emergency\ shutdown\ system.$
- 250.604  $Hydrogen\ sulfide.$
- 250 605 Subsea workovers
- 250.606 Crew instructions. 250.607-250.608 [Reserved]
- 250.609 Well-workover structures on fixed platforms.
- 250.610 Diesel engine air intakes.

- 250.611 Traveling-block safety device. 250.612 Field well-workover rules.
- 250.613 Approval and reporting for wellworkover operations.
- 250.614 Well-control fluids, equipment, and operations.
- 250.615 Blowout prevention equipment.
- 250.616 Blowout preventer system testing, records, and drills.
- 250.617 Tubing and wellhead equipment.
- 250.618 Wireline operations.

#### Subpart G [Reserved]

### Subpart H—Oil and Gas Production Safety Systems

- 250.800 General requirements.
- 250.801 Subsurface safety devices.
- Design, installation, and operation 250.802 of surface production-safety systems.
- 250.803 Additional production system reauirements.
- 250.804 Production safety-system testing and records.
- 250.805 Safety device training.
- 250.806 Safety and pollution prevention equipment quality assurance requirements.
- 250.807 Hydrogen sulfide.

### Subpart I—Platforms and Structures

- 250.900 General requirements.
- Application for approval
- 250.902 Platform Verification Program requirements.
- 250.903 Certified Verification Agent duties and nomination.
- 250.904 Environmental conditions.
- 250.905 Loads.
- 250 906 General design requirements.
- 250.907 Steel platforms.
- 250.908 Concrete-gravity platforms.
- 250.909 Foundation.
- 250.910 Marine operations.
- 250.911 Inspection during construction.
- 250.912 Periodic inspection and maintenance.
- 250.914 Records.

### Subpart J—Pipelines and Pipeline Rightsof-Way

- 250.1000 General requirements.
- 250.1001 Definitions.
- 250.1002 Design requirements for DOI pipelines.
- 250.1003 Installation, testing and repair requirements for DOI pipelines.
- 250.1004 Safety equipment requirements for DOI pipelines.
- 250.1005 Inspection requirements for DOI pipelines.
- 250.1006 Abandonment and out-of-service requirements for DOI pipelines.
- 250.1007 What to include in applications.

- 250.1008 Reports.
- 250.1009 Requirements to obtain pipeline right-of-way grants. 250.1010 General requirements for pipeline
- right-of-way holders. 250.1011 Bond requirements for pipeline right-of-way holders.
- 250.1012 Required payments for pipeline right-of-way holders.
- 250.1013 Grounds for forfeiture of pipeline
- right-of-way grants. 250.1014 When pipeline right-of-way grants
- expire. 250.1015 Applications for pipeline right-of-
- way grants.
  250.1016 Granting pipeline rights-of-way.
- 250.1017 Requirements for under pipeline right-of-way grants.
- 250.1018 Assignment of pipeline right-of-way grants.
- 250.1019 Relinquishment of pipeline right-ofway grants

### Subpart K—Oil and Gas Production Rates

- 250.1100 Definitions for production rates.
- 250.1101 General requirements and classification of reservoirs.
- 250.1102 Oil and gas production rates.
- Well production testing. 250.1103
- 250.1104 Bottomhole pressure survey
- 250.1105 Flaring or venting gas and burning liquid hydrocarbons.
- 250.1106 Downhole commingling.
- 250.1107 Enhanced oil and gas recovery oper-

### Subpart L—Oil and Gas Production Measurement, Surface Commingling, and Security

- 250.1200 Question index table.
- 250.1201 Definitions.
- Liquid hydrocarbon measurement. 250.1202
- 250.1203 Gas measurement.
- 250.1204 Surface commingling.
- 250.1205 Site security.

### Subpart M—Unitization

- 250.1300 What is the purpose of this subpart? 250.1301 What are the requirements for unitization?
- 250.1302 What if I have a competitive reservoir on a lease?
- 250.1303 How do I apply for voluntary unitization?
- 250.1304 How will MMS require unitization?

### Subpart N—Outer Continental Shelf (OCS) **Civil Penalties**

- 250.1400 How does MMS begin the civil penalty process?
- 250.1401 Index table.
- $250.1402\,$  Definitions.  $250.1403\,$  What is the maximum civil penalty?

### Pt. 250

- 250.1404 Which violations will MMS review for potential civil penalties?
- 250.1405 When is a case file developed? 250.1406 When will MMS notify me and provide penalty information? 250.1407 How do I respond to the letter of
- notification?
- 250.1408 When will I be notified of the Reviewing Officer's decision?
- 250.1409 What are my appeal rights?

### Subpart O—Well Control and Production Safety Training

- 250.1500 Definitions.
- 250.1501 What is the goal of my training program?
- 250.1502 Is there a transition period for complying with the regulations in this subpart?
- 250.1503 What are my general responsibilities for training?
- 250.1504 May I use alternative training methods?
- 250.1505 Where may I get training for my employees?
- 250.1506 How often must I train my employees?
- 250.1507 How will MMS measure training results?
- 250.1508 What must I do when MMS administers written or oral tests?
- 250.1509 What must I do when MMS administers or requires hands-on, simulator, or other types of testing?
- 250.1510 What will MMS do if my training program does not comply with this subpart?

### Subpart P—Sulphur Operations

- 250.1600 Performance standard.
- 250.1601 Definitions.
- 250 1602 Applicability
- 250.1603 Determination of sulphur deposit.
- 250.1604 General requirements. 250.1605
- Drilling requirements. Control of wells.
- 250.1606
- 250.1607 Field rules.
- 250.1608 Well casing and cementing.
- 250.1609 Pressure testing of casing.
- 250.1610 Blowout preventer systems and system components.
- 250.1611 Blowout preventer systems tests, actuations, inspections, and maintenance.
- 250.1612 Well-control drills.
- 250.1613 Diverter systems.
- 250.1614 Mud program.
- 250.1615 Securing of wells.
- 250.1616 Supervision, surveillance, training.
- 250.1617 Application for permit to drill.
- 250.1618 Sundry notices and reports on wells
- 250.1619 Well records. 250.1620 Well-completion and well-workover requirements.

- 250.1621 Crew instructions.
- 250.1622 Approvals and reporting of wellcompletion and well-workover operations.
- 250.1623 Well-control fluids, equipment, and operations.
- 250.1624 Blowout prevention equipment.
- 250.1625 Blowout preventer system testing, records, and drills.
- 250.1626 Tubing and wellhead equipment.
- 250.1627 Production requirements.
  250.1628 Design, installation, and operation of production systems.
- 250.1629 Additional production and fuel gas system requirements.
- 250.1630 Safety-system testing and records.
- 250 1631 Safety device training.
- 250.1632 Production rates.
- 250.1633 Production measurement.
- 250.1634 Site security.

### Subpart Q—Decommissioning Activities

#### **GENERAL**

- 250.1700 What do the terms "decommissioning", "obstructions", and "facility"
- 250.1701 Who must meet the decommissioning obligations in this subpart?
- 250.1702 When do I accrue decommissioning obligations?
- 250.1703 What are the general requirements for decommissioning?
- 250.1704 When must I submit decommissioning applications and reports?

#### PERMANENTLY PLUGGING WELLS

- 250.1710 When must I permanently plug all wells on a lease?
- 250.1711 When will MMS order me to permanently plug a well?
- 250.1712 What information must I submit before I permanently plug a well or zone?
- 250.1713 Must I notify MMS before I begin well plugging operations?
- 250.1714 What must I accomplish with well plugs?
- 250.1715 How must I permanently plug a well?
- 250.1716 To what depth must I remove wellheads and casings?
- 250.1717 After I permanently plug a well, what information must I submit?

#### TEMPORARY ABANDONED WELLS

- 250.1721 If I temporarily abandon a well that I plan to re-enter, what must I do?
- 250.1722 If I install a subsea protective device, what requirements must I meet?
- 250.1723 What must I do when it is no longer necessary to maintain a well in temporary abandoned status?

#### REMOVING PLATFORMS AND OTHER FACILITIES

250.1725 When do I have to remove platforms and other facilities?

- 250.1726 When must I submit an initial platform removal application and what must it include?
- 250.1727 What information must I include in my final application to remove a platform or other facility?
- 250.1728 To what depth must I remove a platform or other facility?
- 250.1729 After I remove a platform or other facility, what information must I submit?
- 250.1730 When might MMS approve partial structure removal or toppling in place?
- SITE CLEARANCE FOR WELLS, PLATFORMS, AND OTHER FACILITIES
- 250.1740 How must I verify that the site of a permanently plugged well, removed platform, or other removed facility is clear of obstructions?
- 250.1741 If I drag a trawl across a site, what requirements must I meet?
- 250.1742 What other methods can I use to verify that a site is clear?
- 250.1743 How do I certify that a site is clear of obstructions?

#### PIPELINE DECOMMISSIONING

- 250.1750 When may I decommission a pipe-line in place?
- 250.1751 How do I decommission a pipeline in place?
- in place? 250.1752 How do I remove a pipeline?
- 250.1753 After I decommission a pipeline, what information must I submit?
- 250.1754 When must I remove a pipeline decommissioned in place?

AUTHORITY: 43 U.S.C. 1331, et seq.

SOURCE: 53 FR 10690, Apr. 1, 1988, unless otherwise noted. Redesignated at 63 FR 29479, May 29, 1998.

### Subpart A—General

SOURCE: 64 FR 72775, Dec. 28, 1999, unless otherwise noted.

AUTHORITY AND DEFINITION OF TERMS

### § 250.101 Authority and applicability.

The Secretary of the Interior (Secretary) authorized the Minerals Man-

agement Service (MMS) to regulate oil, gas, and sulphur exploration, development, and production operations on the outer Continental Shelf (OCS). Under the Secretary's authority, the Director requires that all operations:

- (a) Be conducted according to the OCS Lands Act (OCSLA), the regulations in this part, MMS orders, the lease or right-of-way, and other applicable laws, regulations, and amendments; and
- (b) Conform to sound conservation practice to preserve, protect, and develop mineral resources of the OCS to:
- (1) Make resources available to meet the Nation's energy needs;
- (2) Balance orderly energy resource development with protection of the human, marine, and coastal environments;
- (3) Ensure the public receives a fair and equitable return on the resources of the OCS:
- (4) Preserve and maintain free enterprise competition; and
- (5) Minimize or eliminate conflicts between the exploration, development, and production of oil and natural gas and the recovery of other resources.

### §250.102 What does this part do?

- (a) 30 CFR part 250 contains the regulations of the MMS Offshore program that govern oil, gas, and sulphur exploration, development, and production operations on the OCS. When you conduct operations on the OCS, you must submit requests, applications, and notices, or provide supplemental information for MMS approval.
- (b) The following table of general references shows where to look for information about these processes.

TABLE—WHERE TO FIND INFORMATION FOR CONDUCTING OPERATIONS

For information about	Refer to
Applications for permit to drill     Development and Production Plans (DPP)     Downhole commingling	§ 250.410. § 250.204.
4) Exploration Plans (EP)	§ 250.203.
5) Flaring	§ 250.1105. § 250.1203.
7) Off-lease geological and geophysical permits 8) Oil spill financial responsibility coverage 0) Oil and gas production safety systems	30 CFR 253.

TABLE—WHERE TO FIND INFORMATION FOR CONDUCTING OPERATIONS—Continued

For information about	
10) Oil spill response plans 11) Oil and gas well-completion operations (12) Oil and gas well-workover operations 13) Permanently plugging wells (14) Platforms and structures 15) Pipelines (16) Pipeline right-of-way 17) Sulphur operations (18) Training 19) Unitization	30 CFR 254. § 250.513. § 250.613. § 250.1710 § 250.901. § 250.1009. § 250.1004. § 250.1500. § 250.1300.

[64 FR 72775, Dec. 28, 1999, as amended at 67 FR 35405, May 17, 2002; 68 FR 8422, Feb. 20, 2003]

# § 250.103 Where can I find more information about the requirements in this part?

MMS may issue Notices to Lessees and Operators (NTLs) that clarify, supplement, or provide more detail about certain requirements. NTLs may also outline what you must provide as required information in your various submissions to MMS.

## § 250.104 How may I appeal a decision made under MMS regulations?

To appeal orders or decisions issued under MMS regulations in 30 CFR parts 250 to 282, follow the procedures in 30 CFR part 290.

### § 250.105 Definitions.

Terms used in this part will have the meanings given in the Act and as defined in this section:

Act means the OCS Lands Act, as amended (43 U.S.C. 1331 et seq.).

Affected State means with respect to any program, plan, lease sale, or other activity proposed, conducted, or approved under the provisions of the Act, any State:

- (1) The laws of which are declared, under section 4(a)(2) of the Act, to be the law of the United States for the portion of the OCS on which such activity is, or is proposed to be, conducted;
- (2) Which is, or is proposed to be, directly connected by transportation facilities to any artificial island or installation or other device permanently or temporarily attached to the seabed;
- (3) Which is receiving, or according to the proposed activity, will receive oil for processing, refining, or transshipment that was extracted from the

OCS and transported directly to such State by means of vessels or by a combination of means including vessels;

- (4) Which is designated by the Secretary as a State in which there is a substantial probability of significant impact on or damage to the coastal, marine, or human environment, or a State in which there will be significant changes in the social, governmental, or economic infrastructure, resulting from the exploration, development, and production of oil and gas anywhere on the OCS; or
- (5) In which the Secretary finds that because of such activity there is, or will be, a significant risk of serious damage, due to factors such as prevailing winds and currents to the marine or coastal environment in the event of any oil spill, blowout, or release of oil or gas from vessels, pipelines, or other transshipment facilities.

Air pollutant means any airborne agent or combination of agents for which the Environmental Protection Agency (EPA) has established, under section 109 of the Clean Air Act, national primary or secondary ambient air quality standards.

Analyzed geological information means data collected under a permit or a lease that have been analyzed. Analysis may include, but is not limited to, identification of lithologic and fossil content, core analysis, laboratory analyses of physical and chemical properties, well logs or charts, results from formation fluid tests, and descriptions of hydrocarbon occurrences or hazardous conditions.

Archaeological interest means capable of providing scientific or humanistic understanding of past human behavior,

cultural adaptation, and related topics through the application of scientific or scholarly techniques, such as controlled observation, contextual measurement, controlled collection, analysis, interpretation, and explanation.

Archaeological resource means any material remains of human life or activities that are at least 50 years of age and that are of archaeological interest.

Attainment area means, for any air pollutant, an area that is shown by monitored data or that is calculated by air quality modeling (or other methods determined by the Administrator of EPA to be reliable) not to exceed any primary or secondary ambient air quality standards established by EPA.

Best available and safest technology (BAST) means the best available and safest technologies that the Director determines to be economically feasible wherever failure of equipment would have a significant effect on safety, health, or the environment.

Best available control technology (BACT) means an emission limitation based on the maximum degree of reduction for each air pollutant subject to regulation, taking into account energy, environmental and economic impacts, and other costs. The Regional Director will verify the BACT on a case-by-case basis, and it may include reductions achieved through the application of processes, systems, and techniques for the control of each air pollutant.

Coastal environment means the physical, atmospheric, and biological components, conditions, and factors that interactively determine the productivity, state, condition, and quality of the terrestrial ecosystem from the shoreline inward to the boundaries of the coastal zone.

Coastal zone means the coastal waters (including the lands therein and thereunder) and the adjacent shorelands (including the waters therein and thereunder) strongly influenced by each other and in proximity to the shorelands of the several coastal States. The coastal zone includes islands, transition and intertidal areas, salt marshes, wetlands, and beaches. The coastal zone extends seaward to the outer limit of the U.S. territorial sea and extends inland from the shorelines to the extent necessary to control

shorelands, the uses of which have a direct and significant impact on the coastal waters, and the inward boundaries of which may be identified by the several coastal States, under the authority in section 305(b)(1) of the Coastal Zone Management Act (CZMA) of 1972.

Competitive reservoir means a reservoir in which there are one or more producible or producing well completions on each of two or more leases or portions of leases, with different lease operating interests, from which the lessees plan future production.

Correlative rights when used with respect to lessees of adjacent leases, means the right of each lessee to be afforded an equal opportunity to explore for, develop, and produce, without waste, minerals from a common source.

Data means facts and statistics, measurements, or samples that have not been analyzed, processed, or interpreted.

Departures means approvals granted by the appropriate MMS representative for operating requirements/procedures other than those specified in the regulations found in this part. These requirements/procedures may be necessary to control a well; properly develop a lease; conserve natural resources, or protect life, property, or the marine, coastal, or human environment.

Development means those activities that take place following discovery of minerals in paying quantities, including but not limited to geophysical activity, drilling, platform construction, and operation of all directly related onshore support facilities, and which are for the purpose of producing the minerals discovered.

*Director* means the Director of MMS of the U.S. Department of the Interior, or an official authorized to act on the Director's behalf.

District Supervisor means the MMS officer with authority and responsibility for operations or other designated program functions for a district within an MMS Region.

Easement means an authorization for a nonpossessory, nonexclusive interest in a portion of the OCS, whether leased or unleased, which specifies the rights of the holder to use the area embraced

in the easement in a manner consistent with the terms and conditions of the granting authority.

Eastern Gulf of Mexico means all OCS areas of the Gulf of Mexico the Director decides are adjacent to the State of Florida. The Eastern Gulf of Mexico is not the same as the Eastern Planning Area, an area established for OCS lease sales.

Emission offsets means emission reductions obtained from facilities, either onshore or offshore, other than the facility or facilities covered by the proposed Exploration Plan (EP) or Development and Production Plan (DPP).

Enhanced recovery operations means pressure maintenance operations, secondary and tertiary recovery, cycling, and similar recovery operations that alter the natural forces in a reservoir to increase the ultimate recovery of oil or gas.

Existing facility, as used in §250.303, means an OCS facility described in an Exploration Plan or a Development and Production Plan approved before June 2, 1980.

*Exploration* means the commercial search for oil, gas, or sulphur. Activities classified as exploration include but are not limited to:

- (1) Geophysical and geological (G&G) surveys using magnetic, gravity, seismic reflection, seismic refraction, gas sniffers, coring, or other systems to detect or imply the presence of oil, gas, or sulphur; and
- (2) Any drilling conducted for the purpose of searching for commercial quantities of oil, gas, and sulphur, including the drilling of any additional well needed to delineate any reservoir to enable the lessee to decide whether to proceed with development and production.

Facility means:

(1) As used in §250.130, any installation permanently or temporarily attached to the seabed on the OCS (including manmade islands and bottom-sitting structures). It includes mobile offshore drilling units (MODUs) or other vessels engaged in drilling or downhole operations, used for oil, gas, or sulphur drilling, production, or related activities. It also includes facilities for product measurement and royalty determination (e.g., Lease Auto-

matic Custody Transfer units, gas meters) of OCS production on installations not on the OCS. Any group of OCS installations interconnected with walkways, or any group of installations that includes a central or primary installation with processing equipment and one or more satellite or secondary installations is a single facility. The Regional Supervisor may decide that the complexity of the individual installations justifies their classification as separate facilities.

(2) As used in §250.303, means any installation or device permanently or temporarily attached to the seabed. It includes mobile offshore drilling units (MODUs), even while operating in the "tender assist" mode (i.e. with skid-off drilling units) or other vessels engaged in drilling or downhole operations. They are used for exploration, development, and production activities for oil, gas, or sulphur and emit or have the potential to emit any air pollutant from one or more sources. During production, multiple installations or devices are a single facility if the installations or devices are at a single site. Any vessel used to transfer production from an offshore facility is part of the facility while it is physically attached to the facility.

(3) As used in §250.490(b), means a vessel, a structure, or an artificial island used for drilling, well-completion, well-workover, and/or production operations.

*Gas reservoir* means a reservoir that contains hydrocarbons predominantly in a gaseous (single-phase) state.

Gas-well completion means a well completed in a gas reservoir or in the associated gas-cap of an oil reservoir.

Governor means the Governor of a State, or the person or entity designated by, or under, State law to exercise the powers granted to such Governor under the Act.

*H*<sub>2</sub>*S absent* means:

- (1) Drilling, logging, coring, testing, or producing operations have confirmed the absence of  $H_2S$  in concentrations that could potentially result in atmospheric concentrations of 20 ppm or more of  $H_2S$ ; or
- (2) Drilling in the surrounding areas and correlation of geological and seismic data with equivalent stratigraphic

units have confirmed an absence of  $H_2S$  throughout the area to be drilled.

 $H_2S$  present means drilling, logging, coring, testing, or producing operations have confirmed the presence of  $H_2S$  in concentrations and volumes that could potentially result in atmospheric concentrations of 20 ppm or more of  $H_2S$ .

 $H_2S$  unknown means the designation of a zone or geologic formation where neither the presence nor absence of  $H_2S$  has been confirmed.

Human environment means the physical, social, and economic components, conditions, and factors that interactively determine the state, condition, and quality of living conditions, employment, and health of those affected, directly or indirectly, by activities occurring on the OCS.

Interpreted geological information means geological knowledge, often in the form of schematic cross sections, 3-dimensional representations, and maps, developed by determining the geological significance of data and analyzed geological information.

Interpreted geophysical information means geophysical knowledge, often in the form of schematic cross sections, 3-dimensional representations, and maps, developed by determining the geological significance of geophysical data and analyzed geophysical information.

Lease means an agreement that is issued under section 8 or maintained under section 6 of the Act and that authorizes exploration for, and development and production of, minerals. The term also means the area covered by that authorization, whichever the context requires.

Lease term pipelines means those pipelines owned and operated by a lessee or operator that are completely contained within the boundaries of a single lease, unit, or contiguous (not cornering) leases of that *lessee* or operator.

Lessee means a person who has entered into a lease with the United States to explore for, develop, and produce the leased minerals. The term lessee also includes the MMS-approved assignee of the lease, and the owner or the MMS-approved assignee of operating rights for the lease.

Major Federal action means any action or proposal by the Secretary that is subject to the provisions of section 102(2)(C) of the National Environmental Policy Act of 1969, 42 U.S.C. (2)(C) (i.e., an action that will have a significant impact on the quality of the human environment requiring preparation of an environmental impact statement under section 102(2)(C) of the National Environmental Policy Act).

Marine environment means the physical, atmospheric, and biological components, conditions, and factors that interactively determine the productivity, state, condition, and quality of the marine ecosystem. These include the waters of the high seas, the contiguous zone, transitional and intertidal areas, salt marshes, and wetlands within the coastal zone and on the OCS.

Material remains means physical evidence of human habitation, occupation, use, or activity, including the site, location, or context in which such evidence is situated.

Maximum efficient rate (MER) means the maximum sustainable daily oil or gas withdrawal rate from a reservoir that will permit economic development and depletion of that reservoir without detriment to ultimate recovery.

Maximum production rate (MPR) means the approved maximum daily rate at which oil or gas may be produced from a specified oil-well or gaswell completion.

*Minerals* includes oil, gas, sulphur, geopressured-geothermal and associated resources, and all other minerals that are authorized by an Act of Congress to be produced.

Natural resources includes, without limiting the generality thereof, oil, gas, and all other minerals, and fish, shrimp, oysters, clams, crabs, lobsters, sponges, kelp, and other marine animal and plant life but does not include water power or the use of water for the production of power.

Nonattainment area means, for any air pollutant, an area that is shown by monitored data or that is calculated by air quality modeling (or other methods determined by the Administrator of EPA to be reliable) to exceed any primary or secondary ambient air quality standard established by EPA.

Nonsensitive reservoir means a reservoir in which ultimate recovery is

not decreased by high reservoir production rates.

*Oil reservoir* means a reservoir that contains hydrocarbons predominantly in a liquid (single-phase) state.

Oil reservoir with an associated gas cap means a reservoir that contains hydrocarbons in both a liquid and gaseous (two-phase) state.

Oil-well completion means a well completed in an oil reservoir or in the oil accumulation of an oil reservoir with an associated gas cap.

*Operating rights* means any interest held in a lease with the right to explore for, develop, and produce leased substances.

Operator means the person the lessee(s) designates as having control or management of operations on the leased area or a portion thereof. An operator may be a lessee, the MMS-approved designated agent of the lessee(s), or the holder of operating rights under an MMS-approved operating rights assignment.

Outer Continental Shelf (OCS) means all submerged lands lying seaward and outside of the area of lands beneath navigable waters as defined in section 2 of the Submerged Lands Act (43 U.S.C. 1301) whose subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.

Person includes, in addition to a natural person, an association (including partnerships and trusts), a State, a political subdivision of a State, or a private, public, or municipal corporation.

*Pipelines* are the piping, risers, and appurtenances installed for transporting oil, gas, sulphur, and produced waters.

Processed geological or geophysical information means data collected under a permit or a lease that have been processed or reprocessed. Processing involves changing the form of data to facilitate interpretation. Processing operations may include, but are not limited to, applying corrections for known perturbing causes, rearranging or filtering data, and combining or transforming data elements. Reprocessing is the additional processing other than ordinary processing used in the general course of evaluation. Reprocessing operations may include varying identi-

fied parameters for the detailed study of a specific problem area.

Production means those activities that take place after the successful completion of any means for the removal of minerals, including such removal, field operations, transfer of minerals to shore, operation monitoring, maintenance, and workover operations.

Production areas are those areas where flammable petroleum gas, volatile liquids or sulphur are produced, processed (e.g., compressed), stored, transferred (e.g., pumped), or otherwise handled before entering the transportation process.

*Projected emissions* means emissions, either controlled or uncontrolled, from a source or sources.

Regional Director means the MMS officer with responsibility and authority for a Region within MMS.

Regional Supervisor means the MMS officer with responsibility and authority for operations or other designated program functions within an MMS Region.

Right-of-use means any authorization issued under this part to use OCS lands.

*Right-of-way pipelines* are those pipelines that are contained within:

- (1) The boundaries of a single lease or unit, but are not owned and operated by a lessee or operator of that lease or unit:
- (2) The boundaries of contiguous (not cornering) leases that do not have a common lessee or operator;
- (3) The boundaries of contiguous (not cornering) leases that have a common lessee or operator but are not owned and operated by that common lessee or operator; or

(4) An unleased block(s).

Routine operations, for the purposes of subpart F, means any of the following operations conducted on a well with the tree installed:

- (1) Cutting paraffin;
- (2) Removing and setting pumpthrough-type tubing plugs, gas-lift valves, and subsurface safety valves that can be removed by wireline operations:
  - (3) Bailing sand;
  - (4) Pressure surveys;
  - (5) Swabbing;

- (6) Scale or corrosion treatment;
- (7) Caliper and gauge surveys;
- (8) Corrosion inhibitor treatment;
- (9) Removing or replacing subsurface pumps;
- (10) Through-tubing logging (diagnostics);
  - (11) Wireline fishing;
- (12) Setting and retrieving other subsurface flow-control devices; and
  - (13) Acid treatments.
- Sensitive reservoir means a reservoir in which high reservoir production rates will decrease ultimate recovery. For submitting the first MER, all oil reservoirs with an associated gas cap are classified as sensitive.

Significant archaeological resource means those archaeological resources that meet the criteria of significance for eligibility to the National Register of Historic Places as defined in 36 CFR 60.4, or its successor.

Suspension means a granted or directed deferral of the requirement to produce (Suspension of Production (SOP)) or to conduct leaseholding operations (Suspension of Operations (SOO)).

Waste of oil, gas, or sulphur means:

- (1) The physical waste of oil, gas, or sulphur:
- (2) The inefficient, excessive, or improper use, or the unnecessary dissipation of reservoir energy;
- (3) The locating, spacing, drilling, equipping, operating, or producing of any oil, gas, or sulphur well(s) in a manner that causes or tends to cause a reduction in the quantity of oil, gas, or sulphur ultimately recoverable under prudent and proper operations or that causes or tends to cause unnecessary or excessive surface loss or destruction of oil or gas; or
  - (4) The inefficient storage of oil.

Welding means all activities connected with welding, including hot tapping and burning.

Wellbay is the area on a facility within the perimeter of the outermost wellheads.

Well-completion operations means the work conducted to establish production from a well after the production-casing string has been set, cemented, and pressure-tested.

Well-control fluid means drilling mud, completion fluid, or workover fluid as

appropriate to the particular operation being conducted.

Western Gulf of Mexico means all OCS areas of the Gulf of Mexico except those the Director decides are adjacent to the State of Florida. The Western Gulf of Mexico is not the same as the Western Planning Area, an area established for OCS lease sales.

Workover operations means the work conducted on wells after the initial well-completion operation for the purpose of maintaining or restoring the productivity of a well.

You means a lessee, the owner or holder of operating rights, a designated agent of the lessee(s), a pipeline right-of-way holder, or a State lessee granted a right-of-use and easement.

[64 FR 72775, Dec. 28, 1999, as amended at 68 FR 8422, Feb. 20, 2003]

#### PERFORMANCE STANDARDS

# § 250.106 What standards will the Director use to regulate lease operations?

The Director will regulate all operations under a lease, right-of-use and easement, or right-of-way to:

- (a) Promote orderly exploration, development, and production of mineral resources;
  - (b) Prevent injury or loss of life;
- (c) Prevent damage to or waste of any natural resource, property, or the environment; and
- (d) Cooperate and consult with affected States, local governments, other interested parties, and relevant Federal agencies.

# § 250.107 What must I do to protect health, safety, property, and the environment?

- (a) You must protect health, safety, property, and the environment by:
- (1) Performing all operations in a safe and workmanlike manner; and
- (2) Maintaining all equipment in a safe condition.
- (b) You must immediately control, remove, or otherwise correct any hazardous oil and gas accumulation or other health, safety, or fire hazard.
- (c) You must use the best available and safest technology (BAST) whenever practical on all exploration, development, and production operations. In

general, we consider your compliance with MMS regulations to be the use of BAST.

- (d) The Director may require additional measures to ensure the use of BAST:
- (1) To avoid the failure of equipment that would have a significant effect on safety, health, or the environment;
  - (2) If it is economically feasible; and
  - (3) If the benefits outweigh the costs.

# § 250.108 What requirements must I follow for cranes and other material-handling equipment?

- (a) All cranes installed on fixed platforms must be operated in accordance with American Petroleum Institute's Recommended Practice for Operation and Maintenance of Offshore Cranes (API RP 2D), incorporated by reference as specified in 30 CFR 250.198.
- (b) All cranes installed on fixed platforms must be equipped with a functional anti-two block device by March 16, 2005.
- (c) If a fixed platform is installed after March 17, 2003, all cranes on the platform must meet the requirements of the American Petroleum Institute's Specification for Offshore Cranes (API Spec 2C), incorporated by reference as specified in 30 CFR 250.198.
- (d) All cranes manufactured after March 17, 2003, and installed on a fixed platform, must meet the requirements of API Spec 2C, incorporated by reference as specified in 30 CFR 250.198.
- (e) You must maintain records specific to a crane or the operation of a crane installed on an OCS fixed platform, as follows:
- (1) Retain all design and construction records, including installation records for any anti-two block safety devices, for the life of the crane. The records must be kept at the OCS fixed platform.
- (2) Retain all inspection, testing, and maintenance records of cranes for at least 4 years. The records must be kept at the OCS fixed platform.
- (3) Retain the qualification records of the crane operator and all rigger personnel for at least 4 years. The records must be kept at the OCS fixed platform.
- (f) You must operate and maintain all other material-handling equipment

in a manner that ensures safe operations and prevents pollution.

[68 FR 7426, Feb. 14, 2003]

#### § 250.109 What documents must I prepare and maintain related to welding?

- (a) You must submit a Welding Plan to the District Supervisor before you begin drilling or production activities on a lease. You may not begin welding until the District Supervisor has approved your plan.
- (b) You must keep the following at the site where welding occurs:
- (1) A copy of the plan and its approval letter; and
- (2) Drawings showing the designated safe-welding areas.

## § 250.110 What must I include in my welding plan?

You must include all of the following in the Welding Plan that you prepare under §250.109:

- (a) Standards or requirements for welders:
- (b) How you will ensure that only qualified personnel weld;
- (c) Practices and procedures for safe welding that address:
  - (1) Welding in designated safe areas;
- (2) Welding in undesignated areas, including wellbay;
  - (3) Fire watches;
- (4) Maintenance of welding equipment; and
- (5) Plans showing all designated safewelding areas.
- (d) How you will prevent spark-producing activities (i.e., grinding, abrasive blasting/cutting and arc-welding) in hazardous locations.

# § 250.111 Who oversees operations under my welding plan?

A welding supervisor or a designated person in charge must be thoroughly familiar with your welding plan. This person must ensure that each welder is properly qualified according to the welding plan. This person also must inspect all welding equipment before welding.

## § 250.112 What standards must my welding equipment meet?

Your welding equipment must meet the following requirements:

- (a) All engine-driven welding equipment must be equipped with spark arrestors and drip pans;
- (b) Welding leads must be completely insulated and in good condition;
- (c) Hoses must be leak-free and equipped with proper fittings, gauges, and regulators; and
- (d) Oxygen and fuel gas bottles must be secured in a safe place.

## § 250.113 What procedures must I follow when welding?

- (a) Before you weld, you must move any equipment containing hydrocarbons or other flammable substances at least 35 feet horizontally from the welding area. You must move similar equipment on lower decks at least 35 feet from the point of impact where slag, sparks, or other burning materials could fall. If moving this equipment is impractical, you must protect that equipment with flame-proofed covers, shield it with metal or fire-resistant guards or curtains, or render the flammable substances inert.
- (b) While you weld, you must monitor all water-discharge-point sources from hydrocarbon-handling vessels. If a discharge of flammable fluids occurs, you must stop welding.
- (c) If you cannot weld in one of the designated safe-welding areas that you listed in your safe welding plan, you must meet the following requirements:
  - (1) You may not begin welding until:
- (i) The welding supervisor or designated person in charge advises in writing that it is safe to weld.
- (ii) You and the designated person in charge inspect the work area and areas below it for potential fire and explosion hazards.
- (2) During welding, the person in charge must designate one or more persons as a fire watch. The fire watch must:
- (i) Have no other duties while actual welding is in progress;
- (ii) Have usable firefighting equipment;
- (iii) Remain on duty for 30 minutes after welding activities end; and
- (iv) Maintain a continuous surveillance with a portable gas detector during the welding and burning operation if welding occurs in an area not equipped with a gas detector.

- (3) You may not weld piping, containers, tanks, or other vessels that have contained a flammable substance unless you have rendered the contents inert and the designated person in charge has determined it is safe to weld. This does not apply to approved hot taps.
- (4) You may not weld within 10 feet of a wellbay unless you have shut in all producing wells in that wellbay.
- (5) You may not weld within 10 feet of a production area, unless you have shut in that production area.
- (6) You may not weld while you drill, complete, workover, or conduct wireline operations unless:
- (i) The fluids in the well (being drilled, completed, worked over, or having wireline operations conducted) are noncombustible; and
- (ii) You have precluded the entry of formation hydrocarbons into the wellbore by either mechanical means or a positive overbalance toward the formation.

### § 250.114 How must I install and operate electrical equipment?

The requirements in this section apply to all electrical equipment on all platforms, artificial islands, fixed structures, and their facilities.

- (a) You must classify all areas according to API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Division 1 and Division 2, or API RP 505, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Zone 0, Zone 1, and Zone 2.
- (b) Employees who maintain your electrical systems must have expertise in area classification and the performance, operation and hazards of electrical equipment.
- (c) You must install all electrical systems according to API RP 14F, Recommended Practice for Design and Installation of Electrical Systems for Fixed and Floating Offshore Petroleum Facilities for Unclassified and Class I, Division 1, and Division 2 Locations (incorporated by reference as specified

in §250.198), or API RP 14FZ, Recommended Practice for Design and Installation of Electrical Systems for Fixed and Floating Offshore Petroleum Facilities for Unclassified and Class I, Zone 0, Zone 1, and Zone 2 Locations (incorporated by reference as specified in §250.198).

(d) On each engine that has an electric ignition system, you must use an ignition system designed and maintained to reduce the release of electrical energy.

[64 FR 72775, Dec. 28, 1999, as amended at 65 FR 219, Jan. 4, 2000; 68 FR 43298, July 22, 2003]

### §250.115 How do I determine well producibility?

You must follow the procedures in this section to determine well producibility if your well is not in the GOM. If your well is in the GOM you must follow the procedures in either this section or in §250.116 of this subpart.

- (a) You must write to the Regional Supervisor asking for permission to determine producibility.
  - (b) You must either:
- (1) Allow the District Supervisor to witness each test that you conduct under this section; or
- (2) Receive the District Supervisor's prior approval so that you can submit either test data with your affidavit or third party test data.
- (c) If the well is an oil well, you must conduct a production test that lasts at least 2 hours after flow stabilizes.
- (d) If the well is a gas well, you must conduct a deliverability test that lasts at least 2 hours after flow stabilizes, or a four-point back pressure test.

# § 250.116 How do I determine producibility if my well is in the Gulf of Mexico?

If your well is in the GOM, you must follow either the procedures in §250.115 of this subpart or the procedures in this section to determine producibility.

- (a) You must write to the Regional Supervisor asking for permission to determine producibility.
- (b) You must provide or make available to the Regional Supervisor, as requested, the following log, core, analyses, and test criteria that MMS will consider collectively:

- (1) A log showing sufficient porosity in the producible section.
- (2) Sidewall cores and core analyses that show that the section is capable of producing oil or gas.
- (3) Wireline formation test and/or mud-logging analyses that show that the section is capable of producing oil or gas.
- (4) A resistivity or induction electric log of the well showing a minimum of 15 feet (true vertical thickness except for horizontal wells) of producible sand in one section.
- (c) No section that you count as producible under paragraph (b)(4) of this section may include any interval that appears to be water saturated.
- (d) Each section you count as producible under paragraph (b)(4) of this section must exhibit:
- (1) A minimum true resistivity ratio of the producible section to the nearest clean or water-bearing sand of at least 5:1; and
  - (2) One of the following:
- (i) Electrical spontaneous potential exceeding 20-negative millivolts beyond the shale baseline; or
- (ii) Gamma ray log deflection of at least 70 percent of the maximum gamma ray deflection in the nearest clean water-bearing sand—if mud conditions prevent a 20-negative millivolt reading beyond the shale baseline.

# § 250.117 How does a determination of well producibility affect royalty status?

A determination of well producibility invokes minimum royalty status on the lease as provided in 30 CFR 202.53.

### § 250.118 Will MMS approve gas injection?

The Regional Supervisor may authorize you to inject gas on the OCS, on and off-lease, to promote conservation of natural resources and to prevent waste.

- (a) To receive MMS approval for injection, you must:
- (1) Show that the injection will not result in undue interference with operations under existing leases; and
- (2) Submit a written application to the Regional Supervisor for injection of gas.

- (b) The Regional Supervisor will approve gas injection applications that:
  - (1) Enhance recovery;
- (2) Prevent flaring of casinghead gas; or
- (3) Implement other conservation measures approved by the Regional Supervisor.

## § 250.119 Will MMS approve subsurface gas storage?

The Regional Supervisor may authorize subsurface storage of gas on the OCS, on and off-lease, for later commercial benefit. To receive MMS approval you must:

- (a) Show that the subsurface storage of gas will not result in undue interference with operations under existing leases; and
- (b) Sign a storage agreement that includes the required payment of a storage fee or rental.

# § 250.120 How does injecting, storing, or treating gas affect my royalty payments?

- (a) If you produce gas from an OCS lease and inject it into a reservoir on the lease or unit for the purposes cited in §250.118(b), you are not required to pay royalties until you remove or sell the gas from the reservoir.
- (b) If you produce gas from an OCS lease and store it according to §250.119, you must pay royalty before injecting it into the storage reservoir.
- (c) If you produce gas from an OCS lease and treat it at an off-lease or off-unit location, you must pay royalties when the gas is first produced.

# § 250.121 What happens when the reservoir contains both original gas in place and injected gas?

If the reservoir contains both original gas in place and injected gas, when you produce gas from the reservoir you must use an MMS-approved formula to determine the amounts of injected or stored gas and gas original to the reservoir.

### § 250.122 What effect does subsurface storage have on the lease term?

If you use a lease area for subsurface storage of gas, it does not affect the continuance or expiration of the lease.

### § 250.123 Will MMS allow gas storage on unleased lands?

You may not store gas on unleased lands unless the Regional Supervisor approves a right-of-use and easement for that purpose, under §\$250.160 through 250.166 of this subpart.

# § 250.124 Will MMS approve gas injection into the cap rock containing a sulphur deposit?

To receive the Regional Supervisor's approval to inject gas into the cap rock of a salt dome containing a sulphur deposit, you must show that the injection:

- (a) Is necessary to recover oil and gas contained in the cap rock; and
- (b) Will not significantly increase potential hazards to present or future sulphur mining operations.

#### INSPECTION OF OPERATIONS

### § 250.130 Why does MMS conduct inspections?

MMS will inspect OCS facilities and any vessels engaged in drilling or other downhole operations. These include facilities under jurisdiction of other Federal agencies that we inspect by agreement. We conduct these inspections:

- (a) To verify that you are conducting operations according to the Act, the regulations, the lease, right-of-way, the approved Exploration Plan or Development and Production Plans; or right-of-use and easement, and other applicable laws and regulations; and
- (b) To determine whether equipment designed to prevent or ameliorate blowouts, fires, spillages, or other major accidents has been installed and is operating properly according to the requirements of this part.

## § 250.131 Will MMS notify me before conducting an inspection?

MMS conducts both scheduled and unscheduled inspections.

### § 250.132 What must I do when MMS conducts an inspection?

- (a) When MMS conducts an inspection, you must provide:
- (1) Access to all platforms, artificial islands, and other installations on your leases or associated with your lease,

right-of-use and easement, or right-ofway; and

- (2) Helicopter landing sites and refueling facilities for any helicopters we use to regulate offshore operations.
- (b) You must make the following available for us to inspect:
- (1) The area covered under a lease, right-of-use and easement, right-of-way, or permit;
- (2) All improvements, structures, and fixtures on these areas; and
- (3) All records of design, construction, operation, maintenance, repairs, or investigations on or related to the area.

## § 250.133 Will MMS reimburse me for my expenses related to inspections?

Upon request, MMS will reimburse you for food, quarters, and transportation that you provide for MMS representatives while they inspect lease facilities and operations. You must send us your reimbursement request within 90 days of the inspection.

### DISQUALIFICATION

### § 250.135 What will MMS do if my operating performance is unacceptable?

If your operating performance is unacceptable, MMS may disapprove or re-

voke your designation as operator on a single facility or multiple facilities. We will give you adequate notice and opportunity for a review by MMS officials before imposing a disqualification.

# § 250.136 How will MMS determine if my operating performance is unacceptable?

In determining if your operating performance is unacceptable, MMS will consider, individually or collectively:

- (a) Accidents and their nature;
- (b) Pollution events, environmental damages and their nature;
  - (c) Incidents of noncompliance;
  - (d) Civil penalties;
- (e) Failure to adhere to OCS lease obligations; or
  - (f) Any other relevant factors.

SPECIAL TYPES OF APPROVALS

### §250.140 When will I receive an oral approval?

When you apply for MMS approval of any activity, we normally give you a written decision. The following table shows circumstances under which we may give an oral approval.

When you	We may	And
(a) Request approval orally.	Give you an oral approval.	You must then confirm the oral request by sending us a written request within 72 hours.
(b) Request approval in writing.	Give you an oral ap- proval if quick action is needed.	We will send you a written approval afterward. It will include any conditions that we place on the oral approval.
(c) Request approval orally for gas flaring.	Give you an oral approval.	You don't have to follow up with a written request unless the Regional Supervisor requires it. When you stop the approved flaring, you must promptly send a letter summarizing the location, dates and hours, and volumes of liquid hydrocarbons produced and gas flared by the approved flaring. (See 30 CFR 250, subpart K.)

### § 250.141 May I ever use alternate procedures or equipment?

You may use alternate procedures or equipment after receiving approval as described in this section.

- (a) Any alternate procedures or equipment that you propose to use must provide a level of safety and environmental protection that equals or surpasses current MMS requirements.
- (b) You must receive the District or Regional Supervisor's written approval

before you can use alternate procedures or equipment.

(c) To receive approval, you must either submit information or give an oral presentation to the appropriate Supervisor. Your presentation must describe the site-specific application(s), performance characteristics, and safety features of the proposed procedure or equipment.

### § 250.142 How do I receive approval for departures?

We may approve departures to the operating requirements. You may apply for a departure by writing to the District or Regional Supervisor.

[65 FR 6536, Feb. 10, 2000]

### § 250.143 How do I designate an operator?

- (a) You must provide the Regional Supervisor an executed Designation of Operator form unless you are the only lessee and are the only person conducting lease operations. When there is more than one lessee, each lessee must submit the Designation of Operator form and the Regional Supervisor must approve the designation before the designated operator may begin operations on the leasehold.
- (b) This designation is authority for the designated operator to act on your behalf and to fulfill your obligations under the Act, the lease, and the regulations in this part.
- (c) You, or your designated operator, must immediately provide the Regional Supervisor a written notification of any change of address.

# § 250.144 How do I designate a new operator when a designation of operator terminates?

- (a) When a Designation of Operator terminates, the Regional Supervisor must approve a new designated operator before you may continue operations. Each lessee must submit a new executed Designation of Operator form.
- (b) If your Designation of Operator is terminated, or a controversy develops between you and your designated operator, you and your designated operator must protect the lessor's interests.

### § 250.145 How do I designate an agent or a local agent?

- (a) You or your designated operator may designate for the Regional Supervisor's approval, or the Regional Director may require you to designate an agent empowered to fulfill your obligations under the Act, the lease, or the regulations in this part.
- (b) You or your designated operator may designate for the Regional Supervisor's approval a local agent empowered to receive notices and submit re-

quests, applications, notices, or supplemental information.

## § 250.146 Who is responsible for fulfilling leasehold obligations?

- (a) When you are not the sole lessee, you and your co-lessee(s) are jointly and severally responsible for fulfilling your obligations under the provisions of 30 CFR parts 250 through 282, unless otherwise provided in these regulations.
- (b) If your designated operator fails to fulfill any of your obligations under 30 CFR parts 250 through 282, the Regional Supervisor may require you or any or all of your co-lessees to fulfill those obligations or other operational obligations under the Act, the lease, or the regulations.
- (c) Whenever the regulations in 30 CFR parts 250 through 282 require the lessee to meet a requirement or perform an action, the lessee, operator (if one has been designated), and the person actually performing the activity to which the requirement applies are jointly and severally responsible for complying with the regulation.

NAMING AND IDENTIFYING FACILITIES AND WELLS (DOES NOT INCLUDE MODUS)

### § 250.150 How do I name facilities and wells in the Gulf of Mexico Region?

- (a) Assign each facility a letter designation except for those types of facilities identified in paragraph (c)(1) of this section. For example, A, B, CA, or CB.
- (1) After a facility is installed, rename each predrilled well that was assigned only a number and was suspended temporarily at the mudline or at the surface. Use a letter and number designation. The letter used must be the same as that of the production facility, and the number used must correspond to the order in which the well was completed, not necessarily the number assigned when it was drilled. For example, the first well completed for production on Facility A would be renamed Well A-1, the second would be Well A-2, and so on; and
- (2) When you have more than one facility on a block, each facility installed, and not bridge-connected to another facility, must be named using

a different letter in sequential order. For example, EC 222A, EC 222B, EC 222C.

- (3) When you have more than one facility on multiple blocks in a local area being co-developed, each facility installed and not connected with a walkway to another facility should be named using a different letter in sequential order with the block number corresponding to the block on which the platform is located. For example, EC 221A, EC 222B and EC 223C.
- (b) In naming multiple well caissons, you must assign a letter designation.
- (c) In naming single well caissons, you must use certain criteria as follows:
- (1) For single well caissons not attached to a facility with a walkway, use the well designation. For example, Well No. 1:
- (2) For single well caissons attached to a facility with a walkway, use the same designation as the facility. For example, rename Well No.10 as A-10; and
- (3) For single well caissons with production equipment, use a letter designation for the facility name and a letter plus number designation for the well. For example, the Well No. 1 caisson would be designated as Facility A, and the well would be Well A-1.

## § 250.151 How do I name facilities in the Pacific Region?

The operator assigns a name to the facility.

### § 250.152 How do I name facilities in the Alaska Region?

Facilities will be named and identified according to the Regional Director's directions.

### § 250.153 Do I have to rename an existing facility or well?

You do not have to rename facilities installed and wells drilled before January 27, 2000, unless the Regional Director requires it.

### § 250.154 What identification signs must I display?

(a) You must identify all facilities, artificial islands, and mobile offshore drilling units with a sign maintained in a legible condition.

- (1) You must display an identification sign that can be viewed from the waterline on at least one side of the platform. The sign must use at least 3-inch letters and figures.
- (2) When helicopter landing facilities are present, you must display an additional identification sign that is visible from the air. The sign must use at least 12-inch letters and figures and must also display the weight capacity of the helipad unless noted on the top of the helipad. If this sign is visible to both helicopter and boat traffic, then the sign in paragraph (a)(1) of this section is not required.
  - (3) Your identification sign must:
- (i) List the name of the lessee or designated operator;
- (ii) In the GOM OCS Region, list the area designation or abbreviation and the block number of the facility location as depicted on OCS Official Protraction Diagrams or leasing maps;
- (iii) In the Pacific OCS Region, list the lease number on which the facility is located; and
- (iv) List the name of the platform, structure, artificial island, or mobile offshore drilling unit.
- (b) You must identify singly completed wells and multiple completions as follows:
- (1) For each singly completed well, list the lease number and well number on the wellhead or on a sign affixed to the wellhead;
- (2) For wells with multiple completions, downhole splitter wells, and multilateral wells, identify each completion in addition to the well name and lease number individually on the well flowline at the wellhead; and
- (3) For subsea wells that flow individually into separate pipelines, affix the required sign on the pipeline or surface flowline dedicated to that subsea well at a convenient location on the receiving platform. For multiple subsea wells that flow into a common pipeline or pipelines, no sign is required.

RIGHT-OF-USE AND EASEMENT

# § 250.160 When will MMS grant me a right-of-use and easement, and what requirements must I meet?

MMS may grant you a right-of-use and easement on leased and unleased

lands on the OCS, if you meet these requirements:

- (a) You must need the right-of-use and easement to construct and maintain platforms, artificial islands, and installations and other devices at an OCS site other than an OCS lease you own, that are:
- (1) Permanently or temporarily attached to the seabed; and
- (2) Used for conducting exploration, development, and production activities or other operations on or off lease; or
- (3) Used for other purposes approved by MMS.
- (b) You must exercise the right-ofuse and easement according to the regulations of this part;
- (c) You must meet the requirements at 30 CFR 256.35 (Qualification of lessees); establish a regional Company File as required by MMS; and must meet bonding requirements;

(d) If you apply for a right-of-use and easement on a leased area, you must notify the lessee and give her/him an opportunity to comment on your application; and

- (e) You must receive MMS approval for all platforms, artificial islands, and installations and other devices permanently or temporarily attached to the seabed.
- (f) You must pay a fee as required by paragraph (g) of this section if:
- (1) You obtain a right-of-use and easement after January 12, 2004; or
- (2) You ask MMS to modify your right-of-use and easement to change the footprint of the associated platform, artificial island, or installation or device.
- (g) If you meet either of the conditions in paragraph (f) of this section, you must pay a fee to MMS as shown in the following table:

f... Then...

 Your right-of-use and easement site is located in water depths of less than 200 meters;

(2) Your right-of-use and easement site is located in water depths of 200 meters or greater;

- You must pay a rental of \$5 per acre per year with a minimum of \$450 per year. The area subject to annual rental includes the areal extent of anchor chains, pipeline risers, and other equipment associated with the platform, artificial island, installation or device.
- You must pay a rental of \$7.50 per acre per year with a minimum of \$675 per year. The area subject to annual rental includes the areal extent of anchor chains, pipeline risers, and other equipment associated with the platform, artificial island, or installation or device.
- (h) You may make the rental payments required by paragraph (g)(1) and (g)(2) of this section on an annual basis, for a 5-year period, or for multiples of 5 years. You must make the first payment at the time you submit the right-of-use and easement application. You must make all subsequent payments before the respective time periods begin.
- (i) Late payments. An interest charge will be assessed on unpaid and underpaid amounts from the date the amounts are due, in accordance with the provisions found in 30 CFR 218.54. If you fail to make a payment that is late after written notice from MMS, MMS may initiate cancellation of the right-of-use grant and easement.

[64 FR 72775, Dec. 28, 1999, as amended at 68 FR 69311, Dec. 12, 2003; 69 FR 29433, May 24, 2004]

## § 250.161 What else must I submit with my application?

With your application, you must describe the proposed use giving:

- (a) Details of the proposed uses and activities including access needs and special rights of use that you may need;
- (b) A description of all facilities for which you are seeking authorization;
- (c) A map or plat describing primary and alternate project locations; and
- (d) A schedule for constructing any new facilities, drilling or completing any wells, anticipated production rates, and productive life of existing production facilities.

#### § 250.162 May I continue my right-ofuse and easement after the termination of any lease on which it is situated?

If your right-of-use and easement is on a lease, you may continue to exercise the right-of-use and easement after the lease on which it is situated terminates. You must only use the right-of-use and easement for the purpose that the grant specifies. All future lessees of that portion of the OCS on which your right-of-use and easement is situated must continue to recognize the right-of-use and easement for the purpose that the grant specifies.

# § 250.163 If I have a State lease, will MMS grant me a right-of-use and easement?

- (a) MMS may grant a lessee of a State lease located adjacent to or accessible from the OCS a right-of-use and easement on the OCS.
- (b) MMS will only grant a right-ofuse and easement under this paragraph to enable a State lessee to conduct and maintain a device that is permanently or temporarily attached to the seabed (i.e., a platform, artificial island, or installation). The lessee must use the device to explore for, develop, and produce oil and gas from the adjacent or accessible State lease and for other operations related to these activities.

# § 250.164 If I have a State lease, what conditions apply for a right-of-use and easement?

- (a) A right-of-use and easement granted under the heading of "Right-of-use and easement" in this subpart is subject to MMS regulations, 30 CFR parts 250 through 282, and any terms and conditions that the Regional Director prescribes.
- (b) For the whole or fraction of the first calendar year, and annually after that, you must pay to MMS, in advance, an annual rental payment.

# § 250.165 If I have a State lease, what fees do I have to pay for a right-of-use and easement?

When you apply for a right-of-use and easement, you must pay:

(a) A nonrefundable filing fee as specified in §0.1010(a); and

(b) The first year's rental as specified in §250.1009(c)(2).

# § 250.166 If I have a State lease, what surety bond must I have for a right-of-use and easement?

- (a) Before MMS issues you a right-ofuse and easement on the OCS, you must furnish the Regional Director a surety bond for \$500,000.
- (b) The Regional Director may require additional security from you (i.e., security above the prescribed \$500,000) to cover additional costs and liabilities for regulatory compliance. This additional surety:
- (1) Must be in the form of a supplemental bond or bonds meeting the requirements of §256.54 (General requirements for bonds) or an increase in the coverage of an existing surety bond.
- (2) Covers additional costs and liabilities for regulatory compliance, including well abandonment, platform and structure removal, and site clearance from the seafloor of the right-of-use and easement.

#### SUSPENSIONS

### § 250.168 May operations or production be suspended?

- (a) You may request approval of a suspension, or the Regional Supervisor may direct a suspension (Directed Suspension), for all or any part of a lease or unit area.
- (b) Depending on the nature of the suspended activity, suspensions are labeled either Suspensions of Operations (SOO) or Suspensions of Production (SOP).

### § 250.169 What effect does suspension have on my lease?

- (a) A suspension may extend the term of a lease (see §250.180(b)). The extension is equal to the length of time the suspension is in effect, except as provided in paragraph (b) of this section.
- (b) A Directed Suspension does not extend the term of a lease when the Regional Supervisor *directs* a suspension because of:
  - (1) Gross negligence; or
- (2) A willful violation of a provision of the lease or governing statutes and regulations.

### § 250.170 How long does a suspension last?

- (a) MMS may issue suspensions for up to 5 years per suspension. The Regional Supervisor will set the length of the suspension based on the conditions of the individual case involved. MMS may grant consecutive suspension periods.
- (b) An SOO ends automatically when the suspended operation commences.
- (c) An SOP ends automatically when production begins.
- (d) A Directed Suspension normally ends as specified in the letter directing the suspension.
- (e) MMS may terminate any suspension when the Regional Supervisor determines the circumstances that justified the suspension no longer exist or that other lease conditions warrant termination. The Regional Supervisor will notify you of the reasons for termination and the effective date.

### § 250.171 How do I request a suspension?

You must submit your request for a suspension to the Regional Supervisor, and MMS must receive the request before the end of the lease term (i.e., end of primary term, end of the 180-day period following the last leaseholding operation, and end of a current suspension).

- (a) The justification for the suspension including the length of suspension requested:
- (b) A reasonable schedule of work leading to the commencement or restoration of the suspended activity;
- (c) A statement that a well has been drilled on the lease and determined to be producible according to §§ 250.115, 250.116, or 250.1603 (SOP only); and
- (d) A commitment to production (SOP only).

#### § 250.172 When may the Regional Supervisor grant or direct an SOO or SOP?

The Regional Supervisor may grant or direct an SOO or SOP under any of the following circumstances:

(a) When necessary to comply with judicial decrees prohibiting any activities or the permitting of those activities. The effective date of the suspension will be the effective date required by the action of the court:

- (b) When activities pose a threat of serious, irreparable, or immediate harm or damage. This would include a threat to life (including fish and other aquatic life), property, any mineral deposit, or the marine, coastal, or human environment. MMS may require you to do a site-specific study. (See §250.177(a).)
- (c) When necessary for the installation of safety or environmental protection equipment;
- (d) When necessary to carry out the requirements of NEPA or to conduct an environmental analysis; or
- (e) When necessary to allow for inordinate delays encountered in obtaining required permits or consents, including administrative or judicial challenges or appeals.

### § 250.173 When may the Regional Supervisor direct an SOO or SOP?

The Regional Supervisor may direct a suspension when:

- (a) You failed to comply with an applicable law, regulation, order, or provision of a lease or permit; or
- (b) The suspension is in the interest of national security or defense.

## \$250.174 When may the Regional Supervisor grant or direct an SOP?

The Regional Supervisor may grant or direct an SOP when the suspension is in the national interest, and it is necessary because the suspension will meet one of the following criteria:

- (a) It will allow you to properly develop a lease, including time to construct and install production facilities;
- (b) It will allow you time to obtain adequate transportation facilities;
- (c) It will allow you time to enter a sales contract for oil, gas, or sulphur. You must show that you are making an effort to enter into the contract(s); or
- (d) It will avoid continued operations that would result in premature abandonment of a producing well(s).

## § 250.175 When may the Regional Supervisor grant an SOO?

(a) The Regional Supervisor may grant an SOO when necessary to allow you time to begin drilling or other operations when you are prevented by

reasons beyond your control, such as unexpected weather, unavoidable accidents, or drilling rig delays.

- (b) The Regional Supervisor may grant an SOO when all of the following conditions are met:
- (1) The lease was issued with a primary lease term of 5 years, or with a primary term of 8 years with a requirement to drill within 5 years;
- (2) Before the end of the third year of the primary term, you or your predecessor in interest must have acquired and interpreted geophysical information that indicates:
  - (i) The presence of a salt sheet;
- (ii) That all or a portion of a potential hydrocarbon-bearing formation may lie beneath or adjacent to the salt sheet; and
- (iii) The salt sheet interferes with identification of the potential hydrocarbon-bearing formation.
- (3) The geologic information required under paragraph (b)(2) of this section must include full 3-D depth migration beneath the salt sheet and over the entire lease area.
- (4) Before requesting the suspension, you have conducted or are conducting additional data processing or interpretation of the geophysical information with the objective of identifying a potential hydrocarbon-bearing formation.
- (5) You demonstrate that additional time is necessary to:
- (i) complete current processing or interpretation of existing geophysical data or information:
- (ii) acquire, process, or interpret new geophysical data or information; or
- (iii) drill into the potential hydrocarbon-bearing formation identified as a result of the activities conducted in paragraphs (b)(2), (b)(4), and (b)(5) of this section.

[64 FR 72775, Dec. 28, 1999, as amended at 67 FR 44360, July 2, 2002]

## § 250.176 Does a suspension affect my royalty payment?

A directed suspension may affect the payment of rental or royalties for the lease as provided in §218.154.

# § 250.177 What additional requirements may the Regional Supervisor order for a suspension?

- If MMS grants or directs a suspension under paragraph §250.172(b), the Regional Supervisor may require you to:
  - (a) Conduct a site-specific study.
- (1) The Regional Supervisor must approve or prescribe the scope for any site-specific study that you perform.
- (2) The study must evaluate the cause of the hazard, the potential damage, and the available mitigation measures.
- (3) You must pay for the study unless you request, and the Regional Supervisor agrees to arrange, payment by another party.
- (4) You must furnish copies and results of the study to the Regional Supervisor.
- (5) MMS will make the results available to other interested parties and to the public.
- (6) The Regional Supervisor will use the results of the study and any other information that becomes available:
- (i) To decide if the suspension can be lifted; and
- (ii) To determine any actions that you must take to mitigate or avoid any damage to the environment, life, or property.
- (b) Submit a revised Exploration Plan (including any required mitigating measures);
- (c) Submit a revised Development and Production Plan (including any required mitigating measures); or
- (d) Submit a revised Development Operations Coordination Document according to 30 CFR Part 250, subpart B.

PRIMARY LEASE REQUIREMENTS, LEASE TERM EXTENSIONS, AND LEASE CAN-CELLATIONS

### § 250.180 What am I required to do to keep my lease term in effect?

- (a) If your lease is in its primary term:
- (1) You must submit a report to the District Supervisor according to paragraphs (h) and (i) of this section whenever production begins initially, whenever production ceases during the last 180 days of the primary term, and

whenever production resumes during the last 180 days of the primary term.

- (2) Your lease expires at the end of its primary term unless you are conducting operations on your lease (see 30 CFR part 256). For purposes of this section, the term *operations* means, drilling, well-reworking, or production in paying quantities. The objective of the drilling or well-reworking must be to establish production in paying quantities on the lease.
- (b) If you stop conducting operations during the last 180 days of your primary lease term, your lease will expire unless you either resume operations or receive an SOO or an SOP from the Regional Supervisor under §\$ 250.172, 250.173, 250.174, or 250.175 before the end of the 180th day after you stop operations.
- (c) If you extend your lease term under paragraph (b) of this section, you must pay rental or minimum royalty, as appropriate, for each year or part of the year during which your lease continues in force beyond the end of the primary lease term.
- (d) If you stop conducting operations on a lease that has continued beyond its primary term, your lease will expire unless you resume operations or receive an SOO or an SOP from the Regional Supervisor under §250.172, 250.173, 250.174, or 250.175 before the end of the 180th day after you stop operations
- (e) You may ask the Regional Supervisor to allow you more than 180 days to resume operations on a lease continued beyond its primary term when operating conditions warrant. The request must be in writing and explain the operating conditions that warrant a longer period. In allowing additional time, the Regional Supervisor must determine that the longer period is in the national interest, and it conserves resources, prevents waste, or protects correlative rights.
- (f) When you begin conducting operations on a lease that has continued beyond its primary term, you must immediately notify the District Supervisor either orally or by fax or e-mail and follow up with a written report according to paragraph (g) of this section.

- (g) If your lease is continued beyond its primary term, you must submit a report to the District Supervisor under paragraphs (h) and (i) of this section whenever production begins initially, whenever production ceases, whenever production resumes before the end of the 180-day period after having ceased, or whenever drilling or well-reworking operations begin before the end of the 180-day period.
- (h) The reports required by paragraphs (a) and (g) of this section must contain:
  - (1) Name of lessee or operator;
- (2) The well number, lease number, area, and block;
- (3) As appropriate, the unit agreement name and number; and
- (4) A description of the operation and pertinent dates.
- (i) You must submit the reports required by paragraphs (a) and (g) of this section within the following time-frames:
- (1) Initialization of production—within 5 days of initial production.
- (2) Cessation of production—within 15 days after the first full month of zero production.
- (3) Resumption of production—within 5 days of resuming production after ceasing production under paragraph (i)(2) of this section.
- (4) Drilling or well reworking operations—within 5 days of beginning and completing the leaseholding operations.
- (j) For leases continued beyond the primary term, you must immediately report to the District Supervisor if operations do not begin before the end of the 180-day period.

#### § 250.181 When may the Secretary cancel my lease and when am I compensated for cancellation?

If the Secretary cancels your lease under this part or under 30 CFR part 256, you are entitled to compensation under §250.184. Section 250.185 states conditions under which you will receive *no* compensation. The Secretary may cancel a lease after notice and opportunity for a hearing when:

(a) Continued activity on the lease would probably cause harm or damage to life (including fish and other aquatic life), property, any mineral deposits (in

areas leased or not leased), or the marine, coastal, or human environment;

- (b) The threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time:
- (c) The advantages of cancellation outweigh the advantages of continuing the lease in force; and
- (d) A suspension has been in effect for at least 5 years or you request termination of the suspension and lease cancellation.

### § 250.182 When may the Secretary cancel a lease at the exploration stage?

MMS may not approve an exploration plan (EP) under 30 CFR part 250, subpart B, if the Regional Supervisor determines that the proposed activities may cause serious harm or damage to life (including fish and other aquatic life), property, any mineral deposits, the national security or defense, or to the marine, coastal, or human environment, and that the proposed activity cannot be modified to avoid the condition(s). The Secretary may cancel the lease if:

- (a) The primary lease term has not expired (or if the lease term has been extended) and exploration has been prohibited for 5 years following the disapproval; or
- (b) You request cancellation at an earlier time.

# § 250.183 When may MMS or the Secretary extend or cancel a lease at the development and production stage?

- (a) MMS may extend your lease if you submit a DPP and the Regional Supervisor disapproves the plan according to the regulations in 30 CFR part 250, subpart B. Following the disapproval:
- (1) MMS will allow you to hold the lease for 5 years, or less time at your request:
- (2) Any time within 5 years after the disapproval, you may reapply for approval of the same or a modified plan; and
- (3) The Regional Supervisor will approve, disapprove, or require modification of the plan under 30 CFR part 250, subpart B.
- (b) If the Regional Supervisor has not approved a DPP or required you to sub-

mit a DPP for approval or modification, the Secretary will cancel the lease:

 When the 5-year period in paragraph (a)(1) of this section expires; or

(2) If you request cancellation at an earlier time.

### § 250.184 What is the amount of compensation for lease cancellation?

When the Secretary cancels a lease under  $\S$ 250.181, 250.182 or 250.183 of this subpart, you are entitled to receive compensation under 43 U.S.C. 1334 (a)(2)(C). You must show the Director that the amount of compensation claimed is the lesser of paragraph (a) or (b) of this section:

- (a) The fair value of the cancelled rights as of the date of cancellation, taking into account both:
- (1) Anticipated revenues from the lease; and
- (2) Costs reasonably anticipated on the lease, including:
- (i) Costs of compliance with all applicable regulations and operating orders; and
- (ii) Liability for cleanup costs or damages, or both, in the case of an oil spill.
- (b) The excess, if any, over your revenues from the lease (plus interest thereon from the date of receipt to date of reimbursement) of:
- (1) All consideration paid for the lease (plus interest from the date of payment to the date of reimbursement); and
- (2) All your direct expenditures (plus interest from the date of payment to the date of reimbursement):
- (i) After the issue date of the lease; and
- (ii) For exploration or development, or both.
- (c) Compensation for leases issued before September 18, 1978, will be equal to the amount specified in paragraph (a) of this section.

#### § 250.185 When is there no compensation for a lease cancellation?

You will not receive compensation from MMS for lease cancellation if:

(a) MMS disapproves a DPP because you do not receive concurrence by the State under section 307(c)(3)(B) (i) or (ii) of the CZMA, and the Secretary of

Commerce does not make the finding authorized by section 307(c)(3)(B)(iii) of the CZMA:

- (b) You do not submit a DPP under 30 CFR part 250, subpart B or do not comply with the approved DPP;
- (c) As the lessee of a nonproducing lease, you fail to comply with the Act, the lease, or the regulations issued under the Act, and the default continues for 30 days after MMS mails you a notice by overnight mail;
- (d) The Regional Supervisor disapproves a DPP because you fail to comply with the requirements of applicable Federal law; or
- (e) The Secretary forfeits and cancels a producing lease under section 5(d) of the Act (43 U.S.C. 1334(d)).

## INFORMATION AND REPORTING REQUIREMENTS

## § 250.190 What reporting information and report forms must I submit?

- (a) You must submit information and reports as MMS requires.
- (1) You may obtain copies of forms from, and submit completed forms to, the Regional or District Supervisor.
- (2) Instead of paper copies of forms available from the Regional or District Supervisor, you may use your own computer-generated forms that are equal in size to MMS's forms. You must arrange the data on your form identical to the MMS form. If you generate your own form and it omits terms and conditions contained on the official MMS form, we will consider it to contain the omitted terms and conditions.
- (3) You may submit digital data when the Region/District is equipped to accept it.
- (b) When MMS specifies, you must include, for public information, an additional copy of such reports.
- (1) You must mark it *Public Information*.
- (2) You must include all required information, except information exempt from public disclosure under §250.196 or otherwise exempt from public disclosure under law or regulation.

### § 250.191 What accident reports must I submit?

(a) You must notify the District Supervisor of all serious accidents, any

- death or serious injury, and all fires, explosions, and blowouts connected with any activities or operations on the lease. You must report all spills of oil or other liquid pollutants according to 30 CFR part 254.
- (b) If you hold an easement, right-ofway, or other permit, and your operation is related to the exercise of the easement, right-of-way, or other permit, you must comply with paragraph (a) by notifying and reporting to the Regional Supervisor any accidents occurring on the area covered by the easement, right-of-way, or other permit.
- (c) Any investigation that the Secretary or the U.S. Coast Guard (USCG) conducts under the authority of sections 22(d)(1) and (2) of the Act (43 U.S.C. 1348 d(1) and (2)), is a fact-finding proceeding with no civil or criminal issues and no adverse parties. The purpose of the investigation is to prepare a public report that determines the cause or causes of the accident. The investigation may involve panel meetings conducted by a chairperson appointed by MMS. The following requirements must be met for any panel meetings involving persons giving testimony:
- (1) A person giving testimony may have legal and/or other representative(s) present to provide advice or counsel while the person is giving testimony. The chairperson may require a verbatim transcript to be made of all testimony. The chairperson also may accept a sworn written statement in lieu of oral testimony.
- (2) Only panel members, panel's legal advisors, and any experts the panel deems necessary may address questions to any person giving testimony.
- (3) The chairperson may issue subpoenas to persons to appear and provide testimony and/or documents at a panel meeting. A subpoena may not require a person to attend a panel meeting held at a location more than 100 miles from where a subpoena is served.
- (4) Any person giving testimony may request compensation for mileage and fees for service within 90 days after the panel meeting. The compensated expenses must be similar to mileage and fees the U.S. District Courts allow.

### § 250.192 What evacuation statistics must I submit?

You must submit evacuation statistics to the Regional Supervisor for a natural occurrence such as an earthquake or hurricane. MMS will notify local and national authorities and the public, as appropriate. Statistics include facilities and rigs evacuated and amount of production shut-in for gas and oil. You must:

- (a) Submit the statistics by fax or email as soon as possible when evacuation occurs;
- (b) Submit statistics on a daily basis by 11:00 a.m., as conditions allow, during the period of shut-in and evacuation;
- (c) Inform MMS when you resume production; and
- (d) Submit statistics either by MMS district or the total figures for your operations in the Region.

### § 250.193 Reports and investigations of apparent violations.

Any person may report to MMS an apparent violation or failure to comply with any provision of the Act, any provision of a lease, license, or permit issued under the Act, or any provision of any regulation or order issued under the Act. When MMS receives a report of an apparent violation, or when an MMS employee detects an apparent violation after making an initial determination of the validity, MMS will investigate according to MMS procedures.

## § 250.194 What archaeological reports and surveys must I submit?

- (a) If it is likely that an archaeological resource exists in the lease area, the Regional Director will notify you in writing. You must include an archaeological report in the EP or DPP. If the archaeological report suggests that an archaeological resource may be present, you must either:
- (i) Locate the site of any operation so as not to adversely affect the area where the archaeological resource may be: or
- (2) Establish to the satisfaction of the Regional Director that an archaeological resource does not exist or will not be adversely affected by operations. This requires further archae-

ological investigation, conducted by an archaeologist and a geophysicist, using survey equipment and techniques the Regional Director considers appropriate. You must submit the investigation report to the Regional Director for review.

- (b) If the Regional Director determines that an archaeological resource is likely to be present in the lease area and may be adversely affected by operations, the Regional Director will notify you immediately. You must not take any action that may adversely affect the archaeological resource until the Regional Director has told you how to protect the resource.
- (c) If you discover any archaeological resource while conducting operations in the lease area, you must immediately halt operations within the area of the discovery and report the discovery to the Regional Director. If investigations determine that the resource is significant, the Regional Director will tell you how to protect it.

### § 250.195 Reimbursements for reproduction and processing costs.

- (a) MMS will reimburse you for costs of reproducing data and information that the Regional Director requests if:
- (1) You deliver geophysical and geological (G&G) data and information to MMS for the Regional Director to inspect or select and retain;
- (2) MMS receives your request for reimbursement and the Regional Director determines that the requested reimbursement is proper; and
- (3) The cost is at your lowest rate or at the lowest commercial rate established in the area, whichever is less.
- (b) MMS will reimburse you for the costs of processing geophysical information (that does not include cost of data acquisition):
- (1) If, at the request of the Regional Director, you processed the geophysical data or information in a form or manner other than that used in the normal conduct of business; or
- (2) If you collected the information under a permit that MMS issued to you before October 1, 1985, and the Regional Director requests and retains the information.
- (c) When you request reimbursement, you must identify reproduction and

processing costs separately from acquisition costs.

(d) MMS will not reimburse you for data acquisition costs or for the costs of analyzing or processing geological information or interpreting geological or geophysical information.

## § 250.196 Data and information to be made available to the public.

MMS will protect data and information you submit under this part, as described in this section. The tables in paragraphs (a) and (b) of this section describe what data and information will be made available to the public without the consent of the lessee and under what circumstances and in what time period.

(a) MMS will disclose data and information you submit on MMS forms according to the following table:

-			
Data and information that you submit on form	In the following items	Will be released	And
(1) MMS-123, Application for Permit to Drill.	All entries except items 17, 24, and 25.	At any time	The data and information in items 17, 24, and 25 will be released according to the table in paragraph (b) of this section or when the well goes on production, whichever is earlier.
(2) MMS-124, Sundry Notices and Reports on Wells.	All entries except item 36.	At any time	The data and information in item 36 will be re- leased according to the table in paragraph (b) or when the well goes on production, which- ever is earlier.
(3) MMS-125, Well Summary Report.	All entries except items 17, 24, 34, 37, and 46 through 87.	At any time	The data and information in the excepted items will be released according to the table in paragraph (b) of this section or when the well goes on production, whichever is earlier. However, items 78 through 87 will not be released when the well goes on production unless the period of time in the table in paragraph (b) has expired
(4) MMS–126, Well Potential Test Report. (5) MMS–127, Request for Reservoir Maximum Efficient Rate (MER).	All entries except item 101. All entries except items 124 through 168.	When the well goes on production. At any time	The data and information in item 101 will be re- leased 2 years after you submit it. The data and information in items 124 through 168 will be released according to the time pe- riods in the table in paragraph (b) of this sec- tion.
(6) MMS-128, Semi- annual Well Test Re- port.	All entries	At any time.	

## (b) MMS will disclose lease data and information that you submit, but that

are not usually submitted on MMS forms, according to the following table:

If	MMS will release	At this time	Special provisions
(1) The Director determines that data and information are needed to unitize operations on two or more leases, to determine whether a reservoir is com- petitive to ensure proper plans of de- velopment for competitive reservoirs, or to promote operational safety or protect the environment.	Geophysical data, Geological data, Interpreted (G&G) information, Proc- essed G&G infor- mation, Analyzed geological infor- mation.	At any time	Data and information will be shown only to persons with an interest in the issue.
(2) The Director determines that data and information are needed for spe- cific scientific or research purposes for the Government.	Geophysical data, Geological data Interpreted G&G information, Proc- essed G&G infor- mation, Analyzed geological infor- mation.	At any time	MMS will release data and information only if release would further the national interest without unduly damaging the competitive position of the lessee.

If	MMS will release	At this time	Special provisions
(3) Data or information is collected with high-resolution systems (e.g., bathymetry, side-scan sonar, subbottom profiler, and magnetometer) to comply with safety or environmental protection requirements.	Geophysical data, Geological data, Interpreted G&G information, Proc- essed geological information, Ana- lyzed geological information.	60 days after MMS receives the data or information, if the Regional Su- pervisor deems it necessary.	MMS will release the data and information earlier than 60 days if the Regional Supervisor determines it is needed by affected States to make decisions under subpart B. The Regional Supervisor will reconsider earlier release if you satisfy him/her that it would unduly damage your competitive position.
(4) Your lease is no longer in effect	Geophysical data, Geological data, Processed G&G information Inter- preted G&G infor- mation, Analyzed geological infor- mation.	When your lease terminates.	This release time applies only if the provisions in this table governing high- resolution systems and the provisions in §252.7 do not apply. The release time applies to the geophysical data and information only if acquired postlease for a lessee's exclusive use.
(5) Your lease is still in effect	Geophysical data Processed geo- physical informa- tion, Interpreted G&G information.	10 years after you submit the data and information.	This release time applies only if the provisions in this table governing high-resolution systems and the provisions in §252.7 do not apply. This release time applies to the geophysical data and information only if acquired postlease for a lessee's exclusive use.
(6) Your lease is still in effect and within the primary term specified in the lease.	Geological data, Analyzed geologi- cal information.	2 years after the re- quired submittal date or 60 days after a lease sale if any portion of an offered lease is within 50 miles of a well, which- ever is later.	These release times apply only if the provisions in this table governing high-resolution systems and the provisions in § 252.7 do not apply. If the primary term specified in the lease is extended under the heading of "Suspensions" in this subpart, the extension applies to this provision.
(7) Your lease is in effect and beyond the primary term specified in the lease.	Geological data, Analyzed geologi- cal information.	2 years after the required submittal date.	None.
(8) Data is released to the owner of an adjacent lease under subpart D of part 250.	Directional survey data.	If the lessee from whose lease the directional survey was taken con- sents.	None.
(9) Data and information are obtained from beneath unleased land as a re- sult of a well deviation that has not been approved by the Regional or Dis- trict Supervisor.	Any data or infor- mation obtained.	At any time	None.
(10) Data and information acquired by a permit under part 251 is submitted by a lessee under part 250.	Geophysical data, Processed geo- physical informa- tion, Interpreted geophysical infor- mation.	Geophysical data: 50 years, Geo- physical informa- tion: 25 years after you submit it.	None.

### REFERENCES

## § 250.198 Documents incorporated by reference.

(a) MMS is incorporating by reference the documents listed in the table in paragraph (e) of this section. The Director of the Federal Register has approved this incorporation by reference according to 5 U.S.C. 552(a) and 1 CFR part 51.

- (1) MMS will publish any changes to these documents in the FEDERAL REGISTER.  $\label{eq:public_public_public_public}$
- (2) MMS may make the rule amending the document effective without prior opportunity for public comment when MMS determines:
- (i) That the revisions to a document result in safety improvements or represent new industry standard technology and do not impose undue costs on the affected parties; and

- (ii) MMS meets the requirements for making a rule immediately effective under 5 U.S.C. 553.
- (b) MMS incorporated each document or specific portion by reference in the sections noted. The entire document is incorporated by reference, unless the text of the corresponding sections in this part calls for compliance with specific portions of the listed documents. In each instance, the applicable document is the specific edition or specific edition and supplement or addendum cited in this section.
- (c) Under §§ 250.141 and 250.142, you may comply with a later edition of a specific document incorporated by reference, provided:
- (1) You show that complying with the later edition provides a degree of pro-

tection, safety, or performance equal to or better than would be achieved by compliance with the listed edition; and

- (2) You obtain the prior written approval for alternative compliance from the authorized MMS official.
- (d) You may inspect these documents at the Minerals Management Service, 381 Elden Street, Room 3313, Herndon, Virginia; or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal\_register/

federal\_register/
code\_of\_federal\_regulations/
ibr\_locations.html. You may obtain the
documents from the publishing organizations at the addresses given in the
following table:

For	Write to
ACI Standards AISC Standards ANSI/ASME Codes	American Concrete Institute, P. O. Box 19150, Detroit, MI 48219.  American Institute of Steel Construction, Inc., P.O. Box 4588, Chicago, IL 60680.  American National Standards Institute, Attention Sales Department, 25 West 43rd Street, 4th Floor, New York, NY 10036; and/or American Society of Mechanical Engineers, 22 Law Drive, P.O. Box 2900, Fairfield, NJ 07007.
API Recommended Practices, Specs, Standards, Manual of Petroleum Meas- urement Standards (MPMS) chapters.	American Petroleum Institute, 1220 L Street, NW., Washington, DC 20005–4070.
ASTM Standards	American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428–2959.
AWS Codes	American Welding Society, 550 NW, LeJeune Road, P.O. Box 351040, Miami, FL 33135.
NACE Standards	National Association of Corrosion Engineers, P.O. Box 218340, Houston, TX 77218.

(e) This paragraph lists documents incorporated by reference. To easily reference text of the corresponding sections with the list of documents incor-

porated by reference, the list is in alphanumerical order by organization and document.

Title of documents	Incorporated by reference at
ACI Standard 318–95, Building Code Requirements for Reinforced Concrete, plus Commentary on Building Code Requirements for Reinforced Concrete (ACI 318R–95).	§ 250.908(b)(4)(i), (b)(6)(i), (b)(7), (b)(8)(i), (b)(9), (b)(10), (c)(3), (d)(1)(v), (d)(5), (d)(6), (d)(7), (d)(8), (d)(9), (e)(1)(i), (e)(2)(i).
ACI Standard 357R-84, Guide for the Design and Construction of Fixed Offshore Concrete Structures, 1984.	§ 250.900(g); § 250.908(c)(2), (c)(3).
AISC Standard Specification for Structural Steel Buildings, Allowable Stress Design and Plastic Design, June 1, 1989, with Commentary.	§ 250.907(b)(1)(ii), (c)(4)(ii), (c)(4)(vii).
ANSI/ASME Boiler and Pressure Vessel Code, Section I, Rules for Construction of Power Boilers, including Appendices, 1998 Edition; July 1, 1999 Addenda, Rules for Construction of Power Boilers, by ASME Boiler and Pressure Vessel Committee Subcommittee on Power Boilers; and all Section I Interpretations Volume 43.	§ 250.803(b)(1), § 250.1629(b)(1), (b)(1)(i).
ANSI/ASME Boiler and Pressure Vessel Code, Section IV, Rules for Construction of Heating Boilers, including Nonmandatory Appendices A, B, C, D, E, F, H, I, K, and L, and the Guide to Manufacturers Data Report Forms, 1998 Edition; July 1, 1999 Addenda, Rules for Construction of Heating Boilers, by ASME Boiler and Pressure Vessel Committee Subcommittee on Heating Boilers; and all Section IV Interpretations Volumes 43 and 44.	§ 250.803(b)(1), (b)(1)(i); § 250.1629(b)(1), (b)(1)(i).

Title of documents	Incorporated by reference at
ANSI/ASME Boiler and Pressure Vessel Code, Section VIII, Rules for Construction of Pressure Vessels, Divisions 1 and 2, including Nonmandatory Appendices, 1998 Edition; July 1, 1999 Addenda, Rules for Construction of Pressure Vessels, by ASME Boiler and Pressure Vessel Committee Subcommittee on Pressure Vessels; and all Section VIII Interpretations, Divisions 1 and 2, Volumes 43 and 44.	§ 250.803(b)(1), § 250.1629(b)(1), (b)(1)(i). (b)(1)(i);
ANSI/ASME B 16.5-1988 (including Errata) and B 16.5a-1992 Addenda, Pipe Flanges and Flanged Fittings.	§ 250.1002(b)(2).
ANSI/ASME B 31.8–1995, Gas Transmission and Distribution Piping Systems	§ 250.1002(a). § 250.806(a)(2)(i).
ANSI Z88.2–1992, American National Standard for Respiratory Protection	§ 250.490(g)(4)(iv), (j)(13)(ii). § 250.1201. § 250.1202(l)(4).
API MPMS, Chapter 2, Section 2B, Calibration of Upright Cylindrical Tanks Using the Optical Reference Line Method, First Edition, March 1989, reaffirmed May 1996, API Stock No. H30023; also available as ANSI/ASTM D 4738–88.	250.1202(l)(4).
API MPMS, Chapter 3, Tank Gauging, Section 1A, Standard Practice for the Manual Gauging of Petroleum and Petroleum Products, First Edition, December 1994, API Stock No. H031A1.	§ 250.1202(I)(4).
API MPMS, Chapter 3, Section 1B, Standard Practice for Level Measurement of Liquid Hydrocarbons in Stationary Tanks by Automatic Tank Gauging, First Edition, April 1992, reaffirmed January 1997, API Stock No. H30060.	§ 250.1202(I)(4).
API MPMS, Chapter 4, Proving Systems, Section 1, Introduction, First Edition, July 1988, reaffirmed October 1993, API Stock No. H30081.	§ 250.1202(a)(3), (f)(1).
API MPMS, Chapter 4, Section 2, Conventional Pipe Provers, First Edition, October 1988, reaffirmed October 1993, API Stock No. H30082.	§ 250.1202(a)(3), (f)(1).
API MPMS, Chapter 4, Section 3, Small Volume Provers, First Edition, July 1988, re- affirmed October 1993, API Stock No. H30083.	§ 250.1202(a)(3), (f)(1).
API MPMS, Chapter 4, Section 4, Tank Provers, First Edition, October 1988, reaffirmed October 1993, API Stock No. H30084.	§ 250.1202(a)(3), (f)(1).
API MPMS, Chapter 4, Section 5, Master-Meter Provers, First Edition, October 1988, re- affirmed October 1993, API Stock No. H30085.	§ 250.1202(a)(3), (f)(1).
API MPMS, Chapter 4, Section 6, Pulse Interpolation, Second Edition, May 1999, API	§ 250.1202(a)(3) and (f)(1).
Stock No. H04062. API MPMS, Chapter 4, Section 7, Field Standard Test Measures, Second Edition, December 1998, API Stock No. H04072.	§ 250.1202(a)(3) and (f)(1).
API MPMS, Chapter 5, Metering, Section 1, General Considerations for Measurement by Meters, Third Edition, September 1995, API Stock No. H05013.	§ 250.1202(a)(3).
API MPMS, Chapter 5, Section 2, Measurement of Liquid Hydrocarbons by Displacement Meters, Second Edition, November 1987, reaffirmed January 1997, API Stock No. H30102.	§ 250.1202(a)(3).
API MPMS, Chapter 5, Section 3, Measurement of Liquid Hydrocarbons by Turbine Meters, Third Edition, September 1995, API Stock No. H05033.	§ 250.1202(a)(3).
API MPMS, Chapter 5, Section 4, Accessory Equipment for Liquid Meters, Third Edition, September 1995, with Errata, March 1996, API Stock No. H05043.	§ 250.1202(a)(3).
API MPMS, Chapter 5, Section 5, Fidelity and Security of Flow Measurement Pulsed- Data Transmission Systems, First Edition, June 1982, reaffirmed January 1997, API Stock No. H30105.	§ 250.1202(a)(3).
API MPMS, Chapter 6, Metering Assemblies, Section 1, Lease Automatic Custody Transfer (LACT) Systems, Second Edition, May 1991, reaffirmed July 1996, API Stock No. H30121.	§ 250.1202(a)(3).
API MPMS, Chapter 6, Section 6, Pipeline Metering Systems, Second Edition, May 1991, reaffirmed July 1996, API Stock No. H30126.	§ 250.1202(a)(3).
API MPMS, Chapter 6, Section 7, Metering Viscous Hydrocarbons, Second Edition, May 1991, reaffirmed July 1996, API Stock No. H30127.	§ 250.1202(a)(3).
API MPMS, Chapter 7, Temperature Determination, Section 2, Dynamic Temperature Determination, Second Edition, March 1995, API Stock No. H07022.	§ 250.1202(a)(3), (l)(4).
API MPMS, Chapter 7, Section 3, Static Temperature Determination Using Portable Electronic Thermometers, First Edition, July 1985, reaffirmed May 1996, API Stock No. H30143.	§ 250.1202(a)(3), (l)(4).
API MPMS, Chapter 8, Sampling, Section 1, Standard Practice for Manual Sampling of Petroleum and Petroleum Products, Third Edition, October 1995; also available as ANSI/ASTM D 4057–88, API Stock No. H30161.	§ 250.1202(b)(4)(i), (l)(4).
API MPMS, Chapter 8, Section 2, Standard Practice for Automatic Sampling of Liquid Petroleum and Petroleum Products, Second Edition, October 1995; also available as ANSI/ASTM D 4177, API Stock No. H30162.	§ 250.1202(a)(3), (I)(4).
API MPMS, Chapter 9, Density Determination, Section 1, Hydrometer Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products, First Edition, June 1981, reaffirmed December 1998, API Stock No. H30181; also available as ANSI/ASTM D 1298.	§ 250.1202(a)(3) and (l)(4).

Title of documents	Incorporated by reference at
API MPMS, Chapter 9, Section 2, Pressure Hydrometer Test Method for Density or Relative Density, First Edition, April 1982, reaffirmed December 1998, API Stock No. H30182.	§ 250.1202(a)(3) and (l)(4).
API MPMS, Chapter 10, Sediment and Water, Section 1, Determination of Sediment in Crude Oils and Fuel Oils by the Extraction Method, First Edition, April 1981, re- affirmed December 1993; also available as ANSI/ASTM D 473, API Stock No. 1400201.	§ 250.1202(a)(3), (I)(4).
API MPMS, Chapter 10, Section 2, Determination of Water in Crude Oil by Distillation Method, First Edition, April 1981, reaffirmed December 1993; also available as ANSI/ASTM D 4006, API Stock No. H30202.	§ 250.1202(a)(3), (l)(4).
API MPMS, Chapter 10, Section 3, Determination of Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), First Edition, April 1981, reaffirmed December 1993; also available as ANSI/ASTM D 4007, API Stock No. H30203.	§ 250.1202(a)(3), (l)(4).
API MPMS, Chapter 10, Section 4, Determination of Sediment and Water in Crude Oil by the Centrifuge Method (Field Procedure), Second Edition, May 1988, reaffirmed May 1998; also available as ANSI/ASTM D 96, API Stock No. H30204.	§250.1202(a)(3), (l)(4).
API MPMS, Chapter 10, Section 9, Standard Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration, First Edition, November 1993, API Stock No. 852–30210.	§ 250.1202(a)(3), (l)(4).
API MPMS, Chapter 11.1, Volume Correction Factors, Volume 1, Table 5A—General- ized Crude Oils and JP-4, Correction of Observed API Gravity to API Gravity at 60°F, and Table 6A—Generalized Crude Oils and JP-4, Correction of Volume to 60°F, against API Gravity 60°F, First Edition, August 1980, reaffirmed March 1997, API Stock No. H27000; also available as ANSI/ASTM D 1250.	§ 250.1202(a)(3), (g)(3) and (l)(4).
API MPMS, Chapter 11.2.1, Compressibility Factors for Hydrocarbons: 0–90° API Gravity Range, First Edition, August 1984, reaffirmed May 1996, API Stock No. H27300.	§ 250.1202(a)(3), (g)(4).
API MPMS, Chapter 11.2.2, Compressibility Factors for Hydrocarbons: 0.350–0.637 Relative Density (60°F/60°F) and -50°F to 140°F Metering Temperature, Second Edition, October 1986, reaffirmed March 1997, API Stock No. H27307; also available as Gas Processors Association (GPA) 8286.	§ 250.1202(a)(3) and (g)(4).
API MPMS, Chapter 11, Physical Properties Data, Addendum to Section 2.2, Compressibility Factors for Hydrocarbons, Correlation of Vapor Pressure for Commercial Natural Gas Liquids, First Edition, December 1994, reaffirmed March 1997; also available as GPA TP–15, API Stock No. H27308.	§ 250.1202(a)(3).
API MPMS, Chapter 11.2.3, Water Calibration of Volumetric Provers, First Edition, August 1984, reaffirmed, May 1996, API Stock No. H27310.	§ 250.1202(f)(1).
API MPMS, Chapter 12, Calculation of Petroleum Quantities, Section 2, Calculation of Petroleum Quantities Using Dynamic Measurement Methods and Volumetric Correction Factors, Including Parts 1 and 2, Second Edition, May 1995; also available as ANSI/API MPMS 12.2–1981, API Stock No. H30302.	§ 250.1202(a)(3), (g)(1), (g)(2).
API MPMS, Chapter 14, Natural Gas Fluids Measurement, Section 3, Concentric Square-Edged Orifice Meters, Part 1, General Equations and Uncertainty Guidelines, Third Edition, September 1990, reaffirmed August 1995; also available as ANSI/API 2530, Part 1, 1991, API Stock No. H30350.	§ 250.1203(b)(2).
API MPMS, Chapter 14, Section 3, Part 2, Specification and Installation Requirements, Third Edition, February 1991, reaffirmed May 1996, API Stock No. H30351; also available as ANSI/API 2530, 1991.	§ 250.1203(b)(2).
API MPMS, Chapter 14, Section 3, Part 3, Natural Gas Applications, Third Edition, August 1992, reaffirmed December 1998, API Stock No. H30353; also available as ANS/API 2530, Part 3.	§ 250.1203(b)(2).
API MPMS, Chapter 14, Section 5, Calculation of Gross Heating Value, Relative Density, and Compressibility Factor for Natural Gas Mixtures from Compositional Analysis, Revised 1996; order from Gas Processors Association, 6526 East 60th Street, Tulsa, Oklahoma 74145.	§ 250.1203(b)(2).
API MPMS, Chapter 14, Section 6, Continuous Density Measurement, Second Edition, April 1991, reaffirmed May 1998, API Stock No. H30346.	§ 250.1203(b)(2).
API MPMS, Chapter 14, Section 8, Liquefied Petroleum Gas Measurement, Second Edition, July 1997; reaffirmed May 1996, API Stock No. H14082.	§ 250.1203(b)(2).
API MPMS, Chapter 20, Section 1, Allocation Measurement, First Edition, September 1993, API Stock No. H30730.	§ 250.1202(k)(1).
API MPMS, Chapter 21, Section 1, Electronic Gas Measurement, First Edition, September 1993, API Stock No. H30730.	§ 250.1203(b)(4).
API RP 2A-WSD, Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms—Working Stress Design; Twenty-first Edition, December 2000 (API Order No. G2AWSD).	§ 250.900(g); § 250.912(a).
API RP 2D, Recommended Practice for Operation and Maintenance of Offshore Cranes, Fourth Edition, August 1, 1999, API Stock No. G02D04.	§250.108(a).
API RP 14B, Recommended Practice for Design, Installation, Repair and Operation of Subsurface Safety Valve Systems, Fourth Edition, July 1, 1994, with Errata dated June 1996, API Stock No. G14B04.	§250.801(e)(4); §250.804(a)(1)(i).

Title of documents	Incorporated by reference at
API RP 14C, Recommended Practice for Analysis, Design, Installation, and Testing of Basic Surface Safety Systems for Offshore Production Platforms, Seventh Edition, March 2001, API Stock No. C14C07.	\$ 250.802(b), (e)(2); \$ 250.803(a), (b)(2)(i), (b)(4), (b)(5)(i), (b)(7), (b)(9)(v), (c)(2); \$ 250.804(a), (a)(6); \$ 250.1002(d); \$ 250.1002(d); \$ 250.1002(b)(9); \$ 250.1628(c), (d)(2); \$ 250.1629(b)(2), (b)(4)(v); and \$ 250.1630(a).
API RP 14E, Recommended Practice for Design and Installation of Offshore Production Platform Piping Systems, Fifth Edition, October 1, 1991, API Stock No. G07185. API RP 14F, Recommended Practice for Design and Installation of Electrical Systems for Fixed and Floating Offshore Petroleum Facilities for Unclassified and Class I, Division 1 and Division 2 Locations, 4th edition, June 1999, API Stock No. G14F04.	\$ 250.802(e)(3);
API RP 14FZ, Recommended Practice for Design and Installation of Electrical Systems for Fixed and Floating Offshore Petroleum Facilities for Unclassified and Class I, Zone 0, Zone 1 and Zone 2 Locations, 1st edition, September 2001, API Stock No. G14FZ1. API RP 14G, Recommended Practice for Fire Prevention and Control on Open Type Offshore Production Platforms, Third Edition, December 1, 1993, API Stock No.	§ 250.114(c); § 250.803(b)(9)(v); § 250.1629(b)(4)(v). § 250.803(b)(8), (b)(9)(v); § 250.1629(b)(3), (b)(4)(v).
G07194.  API RP 14H, Recommended Practice for the Installation, Maintenance and Repair of Surface Safety Valves and Underwater Safety Valves Offshore, Fourth Edition, July 1, 1994, API Stock No. G14H04.	§ 250.802(d); 250.804(a)(4).
API RP 53, Recommended Practices for Blowout Prevention Equipment Systems for Drilling Wells, Third Edition, March 1997, API Stock No. G53003.	§250.442(c); §250.446(a).
API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities, Classified as Class I, Division 1 and Division 2, Second Edition, November 1997, API Stock No. C50002.	\$ 250.114(a);
API RP 505, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities, Classified as Class I, Zone 0, Zone 1, and Zone 2, First Edition, November 1997, API Stock No. C50501.	§ 250.114(a); § 250.459; § 250.802(e)(4)(i); § 250.803(b)(9)(i); § 250.1628(b)(3); (d)(4)(i); § 250.1629(b)(4)(i).
API RP 2556, Recommended Practice for Correcting Gauge Tables for Incrustation, Second Edition, August 1993, API Stock No. H25560; also available under the um- brella of the MPMS.	§ 250.1202(I)(4).
API Spec Q1, Specification for Quality Programs for the Petroleum and Natural Gas Industry, Sixth Edition, March 1, 1999. API Stock No. GQ1006.	§ 250.806(a)(2)(ii).
API Spec 2C, Specification for Offshore Cranes, Fifth Edition, April 1, 1995, API Stock No. G02C05.  API Spec 6A, Specification for Wellhead and Christmas Tree Equipment, Seventeenth	§250.108(c) and (d). §250.806(a)(3); §250.1002 (b)(1),
Edition, February 1, 1996, API Stock No. G06A17.  API Spec 6AV1, Specification for Verification Test of Wellhead Surface Safety Valves and Underwater Safety Valves for Offshore Service, First Edition, February 1, 1996,	(b)(2). § 250.806(a)(3).
API Stock No. G06AV1.  API Spec 6D, Specification for Pipeline Valves (Gate, Plug, Ball, and Check Valves), Twenty-first Edition, March 31, 1994, including Supplement 2, December 1, 1997, API Stock No. G03200.	§ 250.1002(b)(1).
API Spec 14A, Tenth Edition, November 2000, ISO10432:1999, Petroleum and Natural Gas Industries—Downhole Equipment—Subsurface Safety Valve Equipment, API Stock No. G14A09.	§ 250.806(a)(3).
API Standard 2551, Standard Method for Measurement and Calibration of Horizontal Tanks, First Edition, 1965, reaffirmed January 1997; API Stock No. H25510; also available under the umbrella of the MPMS.  API Standard 2552, Measurement and Calibration of Spheres and Spheroids, First Edi-	§ 250.1202(I)(4). § 250.1202(I)(4).
tion, 1966, reaffirmed January 1997, API Stock No. H25520; also available under the umbrella of the MPMS.	
API Standard 2555, Method for Liquid Calibration of Tanks, September 1966, reaffirmed January 1997, API Stock No. H25550; also available under the umbrella of the MPMS. ASTM Standard C 32, 909, Standard Specification for Congrete Agreeates.	§ 250.1202(I)(4).
ASTM Standard C 33–99a. Standard Specification for Concrete AggregatesASTM Standard C 94/C 94M–99, Standard Specification for Ready-Mixed Concrete	§ 250.908(b)(4)(i). § 250.908(e)(2)(i).
ASTM Standard C 150–99, Standard Specification for Portland Cement	§ 250.908(b)(2)(i). § 250.908(b)(4)(i).
ASTM Standard C 595–98, Standard Specification for Blended Hydraulic Cements	§ 250.908(b)(2)(i).
AWS D1.1–96, Structural Welding Code—Steel, 1996, including Commentary	§ 250.907(b)(1)(i) § 250.908(e)(3)(ii)
NACE Standard MR0175–99, Sulfide Stress Cracking Resistant Metallic Materials for Olifield Equipment, Revised January 1999, NACE Item No. 21302.	§ 250.490(p)(2).
NACE Standard RP 01–76–94, Standard Recommended Practice, Corrosion Control of Steel Fixed Offshore Platforms Associated with Petroleum Production.	§ 250.907(d).

[64 FR 72775, Dec. 28, 1999, as amended at 65 FR 218, 219, Jan. 4, 2000; 65 FR 3127, Jan. 20, 2000; 65 FR 14470, Mar. 17, 2000; 65 FR 15863, Mar. 24, 2000; 65 FR 18432, Apr. 7, 2000; 65 FR 25285, May 1, 2000; 65 FR 36328, June 8, 2000; 65 FR 40052, June 29, 2000; 65 FR 41002, July 3, 2000; 65 FR 76935, Dec. 8, 2000; 67 FR 51759, Aug. 9, 2002; 68 FR 46, Jan. 2, 2003; 68 FR 7427, Feb. 14, 2003; 68 FR 8422, Feb. 20, 2003; 68 FR 19355, Apr. 21, 2003; 68 FR 43298, July 22, 2003; 69 FR 18803, Apr. 9, 2004

### § 250.199 Paperwork Reduction Act statements—information collection.

- (a) OMB has approved the information collection requirements in part 250 under 44 U.S.C. 3501 et seq. The table in paragraph (e) of this section lists the subpart in the rule requiring the information and its title, provides the OMB control number, and summarizes the reasons for collecting the information and how MMS uses the information. The associated MMS forms required by this part are listed at the end of this table with the relevant information.
- (b) Respondents are OCS oil, gas, and sulphur lessees and operators. The requirement to respond to the information collections in this part is mandated under the Act (43 U.S.C. 1331 *et seq.*) and the Act's Amendments of 1978 (43 U.S.C. 1801 *et seq.*). Some responses are also required to obtain or retain a benefit or may be voluntary. Proprietary information will be protected

under §250.196, Data and information to be made available to the public; parts 251 and 252; and the Freedom of Information Act (5 U.S.C. 552) and its implementing regulations at 43 CFR part 2.

- (c) The Paperwork Reduction Act of 1995 requires us to inform the public that an agency may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number.
- (d) Send comments regarding any aspect of the collections of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.
- (e) MMS is collecting this information for the reasons given in the following table:

,	0
30 CFR 250 subpart/title (OMB control No.)	Reasons for collecting information and how used
(1) Subpart A, General (1010–0114)	To inform MMS of actions taken to comply with general operational requirements on the OCS. To ensure that operations on the OCS meet statutory and regulatory requirements, are safe and protect the environment, and result in diligent exploration, development, and production on OCS leases. To support the unproved and proved reserve estimation, resource assessment, and fair market value determinations.
(2) Subpart B, Exploration and Development and Production Plans (1010–0049).	To inform MMS, States, and the public of planned exploration, development, and production operations on the OCS. To ensure that operations on the OCS are planned to comply with statutory and regulatory requirements, will be safe and protect the human, marine, and coastal environment, and will result in diligent exploration, development, and production of leases.
(3) Subpart C, Pollution Prevention and Control (1010-0057)	To inform MMS of measures to be taken to prevent water and air pollution. To ensure that appropriate measures are taken to prevent water and air pollution.
(4) Subpart D, Oil and Gas Drilling Operations (1010–0141)	To inform MMS of the equipment and procedures to be used in drilling operations on the OCS. To ensure that drilling operations are safe and protect the human, marine, and coastal environment.
(5) Subpart E, Oil and Gas Well-Completion Operations (1010–0067).	To inform MMS of the equipment and procedures to be used in well-completion operations on the OCS. To ensure that well- completion operations are safe and protect the human, ma- rine, and coastal environment.
(6) Subpart F, Oil and Gas Well-Workover Operations (1010–0043).	To inform MMS of the equipment and procedures to be used during well-workover operations on the OCS. To ensure that well-workover operations are safe and protect the human, marine, and coastal environment.

30 CFR 250 subpart/title (OMB control No.)	Reasons for collecting information and how used
(7) Subpart H, Oil and Gas Production Safety Systems (1010–0059).	To inform MMS of the equipment and procedures to be used during production operations on the OCS. To ensure that production operations are safe and protect the human, marine, and coastal environment.
(8) Subpart I, Platforms and Structures (1010-0058)	To provide MMS with information regarding the design, fabrica- tion, and installation of platforms on the OCS. To ensure the structural integrity of platforms installed on the OCS.
(9) Subpart J, Pipelines and Pipeline Rights-of-Way (1010-0050).	To provide MMS with information regarding the design, instal- lation, and operation of pipelines on the OCS. To ensure that pipeline operations are safe and protect the human, ma- rine, and coastal environment.
(10) Subpart K, Oil and Gas Production Rates (1010-0041)	To inform MMS of production rates for hydrocarbons produced on the OCS. To ensure economic maximization of ultimate hydrocarbon recovery.
(11) Subpart L, Oil and Gas Production Measurement, Surface Commingling, and Security (1010–0051).	To inform MMS of the measurement of production, commingling of hydrocarbons, and site security plans. To ensure that produced hydrocarbons are measured and commingled to provide for accurate royalty payments and security is maintained.
(12) Subpart M, Unitization (1010-0068)	To inform MMS of the unitization of leases. To ensure that unitization prevents waste, conserves natural resources, and protects correlative rights.
(13) Subpart N, Remedies and Penalties (1010-0121)	The requirements in subpart N are exempt from the Paperwork Reduction Act of 1995 according to 5 CFR 1320.4.
(14) Subpart O, Training (1010–0078)	To inform MMS of training program curricula, course sched- ules, and attendance. To ensure that training programs are technically accurate and sufficient to meet safety and envi- ronmental requirements, and that workers are properly
(15) Subpart P, Sulphur Operations (1010–0086)	trained to operate on the OCS.  To inform MMS of sulphur exploration and development operations on the OCS. To ensure that OCS sulphur operations are safe; protect the human, marine, and coastal environment; and will result in diligent exploration, development,
(16) Subpart Q, Decommissioning Activities (1010–0142)	and production of sulphur leases.  To determine that decommissioning activities comply with regulatory requirements and approvals. To ensure that site clearance and platform or pipeline removal are properly performed to protect marine life and the environment and do not conflict with other upon of the OCS.
(17) Forms MMS-123, Application for Permit to Drill, and MMS-123S, Supplemental APD Information Sheet, Subparts D, E, P (1010-0044 and 1010-0131).	conflict with other users of the OCS.  To inform MMS of the procedures and equipment to be used in drilling operations. To ensure that drilling and well-completion are safe and protect the environment, use adequate equipment, conform with provisions of the lease, and the public is informed.
(18) Form MMS-124, Sundry Notices & Reports on Wells, Subparts D, E, F, G, P (1010-0045).	To inform MMS of well-completion and well-workover operations, changes to any ongoing well operations, and well abandonment operations. To ensure that MMS has up-to-date and accurate information on OCS drilling and other lease operations; operations are safe and protect the human, marine, and coastal environment; abandoned sites are cleared of obstructions; and the public is informed.
(19) Form MMS-125, Well Summary Report, Subparts D, E, F, P (1010-0046).	To inform MMS of the results of well-completion or well-workover operations or changes in well status or condition.  To ensure that MMS has up-to-date and accurate informa-
(20) Form MMS-126, Well Potential Test Report, Subpart K (1010-0039).	tion on the status and condition of wells.  To inform MMS of the production potential of an oil or gas well and to verify a requested production rate. To ensure that production results in ultimate full recovery of hydrocarbons,
(21) Form MMS-127, Request for Reservoir Maximum Efficiency Rate (MER), Subpart K (1010-0018).	and energy resources are produced at a prudent rate. To inform MMS of data concerning oil and gas well-completion in a rate-sensitive reservoir and to verify requested efficiency rate. To ensure that reservoirs are classified correctly and
(22) Form MMS-128, Semiannual Well Test Report, Subpart K (1010-0017).	the requested production rate will not waste oil or gas.  To inform MMS of the status and capacity of gas wells and verify production capacity. To ensure that depletion of reservoirs results in greatest ultimate recovery of hydrocarbons.
(23) Form MMS-131, Performance Measures Data (Voluntary) (1010-0112).	To collect data related to a set of performance measures. To evaluate the effectiveness of industry's continued improvement of safety and environmental management in the OCS.
(24) Form MMS-132, Evacuation Statistics (used in the GOM Region), Subpart A (1010-0114).	To inform MMS in the event of a major disruption in the availability and supply of natural gas and oil due to natural occurrences/hurricanes. To advise the USCG of rescue needs, and to alert the news media and interested public entities when production is shut in and when resumed.

30 CFR 250 subpart/title (OMB control No.)	Reasons for collecting information and how used
(25) Form MMS-133, Weekly Activity Report (used in the GOM Region), Subpart D (1010-0132).	To inform MMS of well status, well and casing tests, and well casing configuration data. To have accurate data and information on the wells under MMS jurisdiction to ensure compliance with approved plans.

[64 FR 72775, Dec. 28, 1999, as amended at 67 FR 35405, May 17, 2002; 68 FR 8422, Feb. 20, 2003]

## Subpart B—Exploration and Development and Production Plans

#### § 250.200 General requirements.

All exploration, development, and production activities except for preliminary activities shall be conducted in accordance with an Exploration Plan or a Development and Production Plan approved by the Regional Supervisor. A proposed plan may apply to one or more leases held by an individual lessee or may be submitted by a group of lessees. The Regional Supervisor may authorize lessees to jointly submit environmental information for leases that are in the same planning area and have similar environmental conditions. Any reference in this part to a Development and Production Plan shall be considered to include the Development Operations Coordination Document used in the western Gulf of Mexico (GOM) (see §250.204(d)).

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

#### §250.201 Preliminary activities.

Preliminary activities are geological, geophysical, and other surveys necessary to develop a comprehensive Exploration Plan or Development and Production Plan. Such preliminary activities are those which do not result in any physical penetration of the seabed of greater than 500 feet and which do not result in any significant adverse impact on the natural resources of the Outer Continental Shelf (OCS). The Regional Supervisor may require prior notification of the type, scope, and timing of any survey.

#### § 250.202 Well location and spacing.

(a) The Regional Supervisor is authorized to approve well location and spacing programs necessary for explo-

ration and development of a leased sulphur deposit or fluid hydrocarbon reservoir giving consideration to, among other factors, the location of drilling units and platforms, extent and thickness of the sulphur deposit, geological and other reservoir characteristics, number of wells that can be economically drilled, protection of correlative rights, optimum recovery of resources, minimization of risk to the environment, and prevention of any unreasonable interference with other uses of the OCS. Well location and spacing programs shall be determined independently for each leased sulphur deposit or hydrocarbon-bearing reservoir in a manner that will locate wells in the optimum position for the most effective production of sulphur and/or reservoir fluids and avoid the drilling of unnecessary wells.

(b) For wells which could intersect or drain an offset property, the Regional Supervisor may require special measures to protect the rights of the lessor and objecting offset lessees.

(c) The lessee shall drill and produce the wells the Regional Supervisor determines are necessary to protect the lessor from loss by reason of production on other properties or in lieu thereof, with the approval of the Regional Supervisor, pay a sum determined by the Regional Supervisor as adequate to compensate the lessor for the lessee's failure to drill and produce any well. Payment of that sum shall be considered as the equivalent of production in paying quantities for the purpose of extending the lease term.

[53 FR 10690, Apr. 1, 1988, as amended at 55 FR 47752, Nov. 15, 1990; 56 FR 32099, July 15, 1991. Redesignated at 63 FR 29749, May 29, 1998]

#### § 250.203 Exploration Plan.

(a) The leasee shall submit for approval an Exploration Plan which includes the following:

- (1) The proposed type and sequence of exploration activities to be undertaken together with a timetable for their performance from commencement to completion.
- (2) A description of the type of mobile drilling unit, platform, or artificial island to be used including a discussion of the drilling program and important safety and pollution-prevention features. In the Alaska OCS Region, lessees shall include provisions for—
- (i) Drilling a relief well should a blowout occur,
- (ii) Loss or disablement of a drilling unit, and
  - (iii) Loss or damage to support craft. (3) A table indicating the approxi-
- (3) A table indicating the approximate location of each proposed exploratory well, including surface locations, proposed well depths, and water depth at well sites.
- (b) The lessee shall submit the following supporting information to accompany the Exploration Plan:
- (1) Data and information described below which the Regional Supervisor deems necessary to evaluate geologic conditions:
- (i) Current structure contour maps drawn to the top of each prospective hydrocarbon accumulation showing the approximate surface and bottomhole location of each proposed well.
- (ii) Full-scale interpreted, and if appropriate, migrated Common Depth Point seismic lines intersecting at or near the primary well locations.
- (iii) A time versus depth chart based on the appropriate velocity analysis in the area of interpretation.
- (iv) Interpreted structure sections corresponding to each seismic line submitted in paragraph (b)(1)(ii) of this section showing the location and proposed depth of each well.
- (v) A generalized stratigraphic column from the surface to total depth.
- (vi) A description of the geology of the prospect.
- (vii) A plat showing exploration seismic coverage of the lease.
- (viii) A bathymetry map showing surface locations of proposed wells.
- (ix) An analysis of seafloor and subsurface geologic and manmade hazards. Unless the lessee can demonstrate to the satisfaction of the Regional Super-

- visor that data sufficient to determine the presence or absence of such conditions are available, the lessee shall conduct a shallow hazards survey in accordance with the Regional Supervisor's specifications. The Regional Supervisor may require the submission of a shallow hazards report and the data upon which the analysis is based.
- (2) An oil-spill response plan as described in part 254 or reference to an approved Regional Response Plan.
- (3) A discussion of the measures that have been or will be taken to satisfy the conditions of lease stipulations.
- (4) A list of the proposed drilling fluids, including components and their chemical compositions, information on the projected amounts and rates of drilling fluid and cuttings discharges, and method of disposal.
- (5) Information concerning the presence of hydrogen sulfide  $(H_2S)$  and the following proposed precautionary measures:
- (i) A classification of the lease area as to whether it is within an area known to contain  $H_2S$ , an area where the presence of  $H_2S$  is unknown, or an area where the absence of  $H_2S$  has been confirmed as described in §250.490 of this part and the documentation supporting the classification; and
- (ii) If the classification is an area known to contain  $H_2S$  or an area where the presence of  $H_2S$  is unknown, an  $H_2S$  Contingency Plan as required in §250.490 of this part.
- (6) A detailed discussion of new or unusual technology to be employed. The lessee shall indicate which portions of the supporting information the lessee believes are exempt from disclosure under the Freedom of Information Act (FOIA) (5 U.S.C. 552) and the implementing regulations (43 CFR part 2). The lessee shall include a written discussion of the general subject matter of the deleted portions for transmittal to the recipients of plan copies.
- (7) A brief description of the onshore facilities to be used to support the exploration activities including information as to whether the facilities are existing, proposed, or are to be expanded; a brief description of support vessels to be used and information concerning their frequency of travel; and a map

showing the lease relative to the shoreline and depicting proposed transportation routes.

- (8) For onshore support facilities, except in the western GOM, indicate the following:
- (i) The location, size, number, and land requirements (including rights-of-way and easements) of the onshore support and storage facilities and, where possible, a timetable for the acquisition of lands and the construction or expansion of any facilities.
- (ii) The estimated number of persons expected to be employed in support of offshore, onshore, and transportation activities and, where possible, the approximate number of new employees and families likely to move into the affected area.
- (iii) Major supplies, services, energy, water, or other resources within affected States necessary for carrying out the related plan.
- (iv) The source, composition, frequency, and duration of emissions of air pollutants.
- (9) The quantity, composition, and method of disposal of solid and liquid wastes and pollutants likely to be generated by offshore, onshore, and transportation operations.
- (10) Historic weather patterns and other meteorological conditions of off-shore areas including temperature, sky cover and visibility, precipitation, storm frequency and magnitude, wind direction and velocity, and freezing and icing conditions listing, where possible, the means and extremes of each.
- (11) Physical oceanography including onsite direction and velocity of currents and tides, sea states, temperature, and salinity, water quality, and icing conditions, where appropriate.
- (12) Onsite flora and fauna including both pelagic and benthic communities, transitory birds and mammals that may breed or migrate through the area when proposed activities are being conducted, identification of endangered and threatened species and their critical habitats that could be affected by proposed activities, and typical fishing seasons and locations of fishing activities. The results of any biological surveys required by the Regional Supervisor (including a copy of survey reports or references to previously sub-

mitted reports) should be incorporated into this discussion.

- (13) Environmentally sensitive areas (onshore as well as offshore), e.g., refuges, preserves, sanctuaries, rookeries, calving grounds, and areas of particular concern identified by an affected State pursuant to the Coastal Zone Management Act (CZMA) which may be affected by the proposed activities.
- (14) Onsite uses of the area based on information available, e.g., shipping, military use, recreation, boating, commercial fishing, subsistence hunting and fishing, and other mineral exploration in the area.
- (15) If the Regional Director believes that an archaeological resource may exist in the lease area, the Regional Director will notify the lessee in writing. Prior to commencing any operations, the lessee shall prepare a report, as specified by the Regional Director, to determine the potential existence of any archaeological resource that may be affected by operations. The report shall be prepared by an archaeologist and geophysicist and shall be based on an assessment of data from remotesensing surveys and of other pertinent archaeological and environmental information.
- (16) Existing and planned monitoring systems that are measuring or will measure environmental conditions and provide data and information on the impacts of activities in the geographic areas.
- (17) An assessment of the direct and cumulative effects on the offshore and onshore environments expected to occur as a result of implementation of the Exploration Plan, expressed in terms of magnitude and duration, with special emphasis upon the identification and evaluation of unavoidable and irreversible impacts on the environment. Measures to minimize or mitigate impacts should be identified and discussed.
- (18) Certificate(s) of coastal zone consistency as provided in 15 CFR part 930.
- (19) For each OCS facility, the lessee shall submit the information described below when it is needed to make the findings under §250.303 or §250.304 of this part:

- (i)(A) Projected emissions from each proposed or modified facility for each year of operation and the basis for all calculations to include (if the drilling unit has not yet been determined, the lessee shall use worst-case estimates for the type of unit proposed):
- (1) For each source, the amount of the emission by air pollutant expressed in tons per year and the frequency and duration of emissions.
- (2) For each facility, the total amount of emissions by air pollutant expressed in tons per year and, in addition for a modified facility only, the incremental amount of total emissions by air pollutant resulting from the new or modified source(s).
- (3) A detailed description of all processes, processing equipment, and storage units, including information on fuels to be burned.
- (4) A schematic drawing which identifies the location and elevation of each source.
- (5) If projected emissions are based on the use of emission-reduction control technology, a description of the controls providing the information required by paragraph (b)(19)(iv) of this section.
- (B) The distance of each proposed facility from the mean high water mark (mean higher high water mark on the Pacific coast) of any State.
- (ii)(A) The model(s) used to determine the effect on the onshore air quality of emissions from each facility, or from other facilities when required by the Regional Supervisor, and the results obtained through the use of the model(s). Only model(s) that has been approved by the Director may be used.
- (B) The best available meteorological information and data consistent with the model(s) used stating the basis for the data and information selected.
- (iii) The air quality status of any onshore area where the air quality is significantly affected (within the meaning of §250.303 of this part) by projected emissions from each facility proposed in the plan. The area should be classified as nonattainment, attainment, or unclassifiable to include the status of each area by air pollutant, the class of attainment area, and the air-pollution control agency whose jurisdiction covers the area identified.

- (iv) The emission-reduction controls available to reduce emissions, including the source, the emission-reduction control technology, reductions to be achieved, and monitoring system the lessee proposes to use to measure emissions. The lessee shall indicate which emission-reduction control technology the lessee believes constitutes the best available control technology and the basis for that opinion.
- (20) The name, address, and telephone number of an individual employee of the lessee to whom inquiries by the Regional Supervisor and the affected State(s) may be made.
- (21) Such other information and data as the Regional Supervisor may require.
- (c) Information and data discussed in other documents previously submitted to MMS or otherwise readily available to reviewers may be referenced. The material being referenced shall be cited, described briefly, and include a statement of where the material is available for inspection. Any material based on proprietary data which is not itself available for inspection shall not be so referenced.
- (d) The Regional Director, after consultation with the Governor of the affected State(s) or the Governor's designated representative, the CZM agency of affected State(s), and the Office of Ocean and Coastal Resource Management of the National Oceanic and Atmospheric Administration (NOAA) may limit the amount of information required to be included to that necessary to assure conformance with the Act, other laws, applicable regulations, and lease provisions.
- (e) The Regional Supervisor shall determine within 10 working days after receipt of the Exploration Plan whether additional information is needed. If no deficiencies are identified and the required number of copies have been received, the plan will be deemed submitted.
- (f) Within 2 working days after we deem the Exploration Plan submitted, the Regional Supervisor will send by

receipted mail a copy of the plan (except those portions exempt from disclosure under the Freedom of Information Act and 43 CFR part 2) to the Governor or the Governor's designated representative and the CZM agency of each affected State. Consistency review begins when the State's CZM agency receives a copy of the deemed submitted plan, consistency certification, and required necessary data and information as directed by 15 CFR 930 78.

- (g) In accordance with the National Environmental Policy Act (NEPA), the Regional Supervisor shall evaluate the environmental impacts of the activities described in the Exploration Plan.
- (h) In the evaluation of an Exploration Plan, the Regional Supervisor shall consider written comments from the Governor of an affected State or the Governor's designated representative which are received prior to the deadline specified by the Regional Supervisor. The Regional Supervisor may consult directly with affected States regarding matters contained in the comments.
- (i) Within 30 days of submission of a proposed Exploration Plan, the Regional Supervisor shall accomplish one of the following:
  - (1) Approve the plan;
- (2) Require the lessee to modify any plan which is inconsistent with the provisions of the lease, the Act, or the regulations prescribed under the Act including air quality, environmental, safety, and health requirements; or
- (3) Disapprove the plan if the Regional Supervisor determines that a proposed activity would probably cause serious harm or damage to life (including fish and other aquatic life), property, natural resources offshore including any mineral deposits (in areas leased or not leased), the national security or defense, or the marine, coastal, or human environment, and that the proposed activity cannot be modified to avoid the condition(s).
- (j) The Regional Supervisor shall notify the lessee in writing of the reason(s) for disapproving an Exploration Plan or for requiring modification of a plan. For plans requiring modification, the Regional Supervisor shall also notify the lessee in writing of the condi-

tions that must be met for plan approval.

- (k)(1) The lessee may resubmit an Exploration Plan, as modified, to the Regional Supervisor in the same manner as for a new plan. Only information related to the proposed modifications need be submitted. The Regional Supervisor shall approve, disapprove, or require modification of the resubmitted plan based upon the criteria in paragraph (i) of this section within 30 days of the resubmission date.
- (2) An Exploration Plan which has been disapproved pursuant to paragraph (i)(3) of this section may be resubmitted if there is a change in the conditions which caused it to be disapproved. The Regional Supervisor shall approve, require modification, or disapprove such a plan within 30 days of the resubmission date.
- (l) When a State objects to a lessee's coastal zone consistency certification, the lessee shall modify the plan to accommodate the State's objection(s) and resubmit the plan to—
- (1) The Regional Supervisor for review pursuant to the criteria in paragraphs (h), (i), and (j) of this section; and
- (2) Through the Regional Supervisor to the State for review pursuant to the CZMA and the implementing regulations (15 CFR 930.83 and 930.84).

Alternatively, the lessee may appeal the State's objection to the Secretary of Commerce pursuant to the procedures described in section 307 of the CZMA and the implementing regulations (subpart H of 15 CFR part 930). The Regional Supervisor shall approve or disapprove a plan as resubmitted within 30 days of the resubmission data.

- (m) If the Regional Supervisor disapproves an Exploration Plan, the Secretary may, subject to the provisions of section 5(a)(2)(B) of the Act and the implementing regulations in §250.182 and 256.77 of this chapter II, cancel the lease(s), and the lessee shall be entitled to compensation in accordance with section 5(a)(2)(c) of the Act.
- (n)(1) The Regional Supervisor shall periodically review the activities being conducted under an approved Exploration Plan and may request updated

information on schedules and procedures. The frequency and extent of the Regional Supervisor's review shall be based upon the significance of any changes in available information and in other onshore or offshore conditions affecting or affected by exploration activities being conducted pursuant to the plan. If the review indicates that the plan should be revised to meet the requirements of this part, the Regional Supervisor shall require the needed revision.

- (2) Revisions to an approved or pending Exploration Plan, whether initiated by the lessee or ordered by the Regional Supervisor, shall be submitted to the Regional Supervisor for approval. Only information related to the proposed revisions need be submitted. When the Regional Supervisor determines that a proposed revision could result in a significant change in the impacts previously identified and evaluated or requires additional permits, the revisions shall be subject to all of the procedures in this section.
- (o) To ensure safety and protection of the environment and archaeological resources, the Regional Director may authorize or direct the lessee to conduct geological, geophysical, biological, archaeological, or other surveys or monitoring programs. The lessee shall provide the Regional Director, upon request, with copies of any data obtained as a result of those surveys and monitoring programs.
- (p) The lessee may not drill any well until the District Supervisor's approval of an Application for Permit to Drill (APD), submitted in accordance with the requirements of §250.410 through §250.418 of this part, has been received. The District Supervisor shall not approve any APD until all affected States with approved CZM programs have concurred or have been conclusively presumed to concur with the applicant's coastal zone consistency certification accompanying a plan, or the Secretary of Commerce has made the finding authorized by section 307(c)(3)(B)(iii) of the CZMA. The APD's must conform to the activities described in detail in the approved Exploration Plan and shall not be subject to a separate State coastal zone consistency review.

(q) Nothing in this section or in an approved plan shall limit the lessee's responsibility to take appropriate measures to meet emergency situations. In such situations, the Regional Supervisor may approve or require departures from an approved Exploration Plan.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988, as amended at 54 FR 50616, Dec. 8, 1989; 59 FR 53093, Oct. 21, 1994; 62 FR 13996, Mar. 25, 1997. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 64 FR 53200, Oct. 1, 1999; 64 FR 72794, Dec. 28, 1999; 68 FR 8422, Feb. 20, 2003]

### § 250.204 Development and Production Plan.

- (a) The lessee shall submit for approval a Development and Production Plan which includes the following:
- (1) A description of and schedule for the development and production activities to be performed including plan commencement date, date of first production, total time to complete all development and production activities, and dates and sequences for drilling wells and installing facilities and equipment.
- (2) A description of any drilling vessels, platforms, pipelines, or other facilities and operations located offshore which are proposed or known by the lessee (whether or not owned or operated by the lessee) to be directly related to the proposed development, including the location, size, design, and important safety, pollution prevention, and environmental monitoring features of the facilities and operations.
- (b) The lessee shall submit the following supporting information to accompany the Development and Production Plan:
- (1) Geological and geophysical (G&G) data and information, including the following:
- (i) A plat showing the surface location of any proposed fixed structure or well.
- (ii) A plat showing the surface and bottomhole locations and giving the measured and true vertical depths for each proposed well.
- (iii) Current interpretations of relevant G&G data.

- (iv) Current structure map(s) showing the surface and bottomhole location of each proposed well and the depths of expected productive formations.
- (v) Interpreted structure sections showing the depths of expected productive formations.
- (vi) A bathymetric map showing surface locations of fixed structures and wells or a table of water depths at each proposed site.
- (vii) A discussion of seafloor conditions including a shallow hazards analysis for proposed drilling and platform sites and pipeline routes. This information shall be derived from the shallow hazards report required by §250.909 of this part.
- (2) Information concerning the presence of H<sub>2</sub>S and proposed precautionary measures, including the following:
- (i) A classification of the lease area as to whether it is within an area known to contain  $H_2S$ , an area where the presence of  $H_2S$  is unknown, or an area where the absence of  $H_2S$  has been confirmed as described in §250.490 of this part and the documentation supporting the classification; or
- (ii) If the classification is an area known to contain  $H_2S$  or an area where the presence of  $H_2S$  is unknown, an  $H_2S$  Contingency Plan as required in §250.490 of this part.
- (3) A description of the environmental safeguards to be implemented, including an updated oil-spill response plan as described in part 254 of this chapter or reference to an approved plan.
- (4) A discussion of the steps that have been or will be taken to satisfy the conditions of lease stipulations.
- (5)(i) A description of technology and reservoir engineering practices intended to increase the ultimate recovery of oil and gas, i.e., secondary, tertiary, or other enhanced recovery practices;
- (ii) A description of technology and recovery practices and procedures intended to assure optimum recovery of sulphur; or
- (iii) A description of technology and recovery practices and procedures intended to assure optimum recovery of oil and gas and sulphur.

- (6) A discussion of the proposed drilling and completion programs.
- (7) A detailed description of new or unusual technology to be employed. The lessee shall indicate which portions of the information the lessee believes are exempt from disclosure under the FOIA (5 U.S.C. 552) and the implementing regulations (43 CFR part 2). The lessee shall include a written discussion of the general subject matter of the deleted portions for transmittal to recipients of plan copies.
- (8) A brief description of the following:
- (i) The location, description, and size of any offshore, and to the maximum extent practicable, land-based operations to be conducted or contracted for as a result of the proposed activity, including the following:
- (A) The acreage required within a State for facilities, rights-of-way, and easements.
- (B) The means proposed for transportation of oil, gas, and sulphur to shore; the routes to be followed by each mode of transportation; and the estimated quantities of oil, gas, and sulphur to be moved along such routes.
- (C) An estimate of the frequency of boat and aircraft departures and arrivals, the onshore location of terminals, and the normal routes for each mode of transportation.
- (ii) A list of the proposed drilling fluids including components and their chemical compositions, information on the projected amounts and rates of drilling fluid and cuttings discharges, and method of disposal. If the information is provided in an approved Environmental Protection Agency, National Pollutant Discharge Elimination System permit, or a pending permit application, the lessee may reference these documents.
- (iii) The quantities, types, and plans for disposal of other solid and liquid wastes and pollutants likely to be generated by offshore, onshore, and transport operations and, regarding any wastes which may require onshore disposal, the means of transportation to be used to bring the wastes to shore, disposal methods to be utilized, and location of onshore waste disposal or treatment facilities.

- (iv) The following information on onshore support facilities, except in the western GOM:
- (A) The approximate number, timing, and duration of employment of persons who will be engaged in onshore development and production activities, an approximate number of local personnel who will be employed for or in support of the development activities (classified by the major skills or crafts that will be required from local sources and estimated number of each such skill needed), and the approximate total number of persons who will be employed during the onshore construction activity and during all activities related to offshore development and production.
- (B) The approximate number of people and families to be added to the population of local nearshore areas as a result of the planned development.
- (C) An estimate of significant quantities of energy and resources to be used or consumed including electricity, water, oil and gas, diesel fuel, aggregate, or other supplies which may be purchased within an affected State.
- (D) The types of contractors or vendors which will be needed, although not specifically identified, and which may place a demand on local goods and services.
- (E) The source, composition, frequency, and duration of emissions of air pollutants.
- (v) A narrative description of the existing environment with an emphasis placed on those environmental values that may be affected by the proposed action. This section shall contain a description of the physical environment of the area covered by the related plan. This portion of the plan shall include data and information obtained or developed by the lessee together with other pertinent information and data available to the lessee from other sources. The environmental information and data shall include the following, where appropriate:
- (A) If the Regional Director believes that an archaeological resource may exist in the lease area, the Regional Director will notify the lessee in writing. Prior to commencing any operations, the lessee shall prepare a report, as specified by the Regional Director, to

determine the potential existence of any archaeological resource that may be affected by operations. The report shall be prepared by an archaeologist and geophysicist and shall be based on an assessment of data from remotesensing surveys and of other pertinent archaeological and environmental information.

- (B) The aquatic biota, including a description of fishery and marine mammal use of the lease and the significance of the lease, and a description of any threatened and endangered species and their critical habitat. The results of any biological surveys required by the Regional Supervisor (including a copy of survey reports or references to previously submitted reports) should be incorporated into these discussions.
- (C) Environmentally sensitive areas (e.g., refuges, preserves, sanctuaries, rookeries, calving grounds, coastal habitat, beaches, and areas of particular environmental concern) which may be affected by the proposed activities.
- (D) The predevelopment, ambient water-column quality and temperature data for incremental depths for the areas encompassed by the plan.
- (E) The physical oceanography, including ocean currents described as to prevailing direction, seasonal variations, and variations at different water depths in the lease.
- (F) Historic weather patterns and other meteorological conditions, including storm frequency and magnitude, wave height and direction, wind direction and velocity, air temperature, visibility, freezing and icing conditions, and ambient air quality listing, where possible, the means and extremes of each.
- (G) The other uses of the area known to the lessee, including military use for national security or defense, subsistence hunting and fishing, commercial fishing, recreation, shipping, and other mineral exploration or development.
- (H) The existing or planned monitoring systems that are measuring or will measure impacts of activities on the environment in the planning area.
- (9) For sulphur operations, the degree of subsidence that is expected at various stages of production, and measures that will be taken to assure safety

of operations and protection of the environment. Special attention shall be given to the effects of subsidence on existing or potential oil and gas production, fixed bottom-founded structures, and pipelines.

(10) For sulphur operations, a discussion of the potential toxic or thermal effects on the environment caused by the discharge of bleedwater, including a description of the measures that will be taken into account to mitigate

- these impacts.

  (11) An assessment of the effects on the environment expected to occur as a result of implementation of the plan, identifying specific and cumulative impacts that may occur both onshore and offshore, and the measures proposed to mitigate these impacts. Such impacts shall be quantified to the fullest extent possible including magnitude and duration and shall be accumulated for all activities for each of the major elements of the environment (e.g., water or biota).
- (12) A discussion of alternatives to the activities proposed that were considered during the development of the plan including a comparison of the environmental effects.
- (13) Certificate(s) of coastal zone consistency as provided in 15 CFR part 930.
- (14) For each OCS facility, such information described below needed to make the findings under §250.303 or §250.304 of this part:
- (i)(A) Projected emissions from each proposed or modified facility for each year of operation and basis for all calculations to include the following:
- (1) For each source, the amount of the emission by air pollutant expressed in tons per year and frequency and duration of emissions;
- (2) For each proposed facility, the total amount of emissions by air pollutant expressed in tons per year, the frequency distribution of total emissions by air pollutant expressed in pounds per day and, in addition for a modified facility only, the incremental amount of total emissions by air pollutant resulting from the new or modified source(s):
- (3) A detailed description of all processes, processing equipment, and storage units, including information on fuels to be burned;

- (4) A schematic drawing which identifies the location and elevation of each source; and
- (5) If projected emissions are based on the use of emission-reduction control technology, a description of the controls providing the information required by paragraph (b)(12)(iv)(A) of this section.
- (B) The distance of each proposed facility from the mean high water mark (mean higher high water mark on the Pacific coast) of any State.
- (ii)(A) The model(s) used to determine the effect on the onshore air quality of emissions from each facility, or from other facilities when required by the Regional Supervisor, and the result obtained through the use of the model(s). Only model(s) that has been approved by the Director may be used.
- (B) The best available meteorological information and data consistent with the model(s) used stating the basis for the information and data selected.
- (iii) The air quality status of any onshore area where the air quality is significantly affected (within the meaning of §250.303 of this part) by projected emissions from each facility proposed in the plan. The area should be classified as nonattainment, attainment, or unclassifiable listing the status of each area by air pollutant, the class of attainment areas, and the air pollution control agency whose jurisdiction covers the area identified.
- (iv)(A) The emission-reduction controls available to reduce emissions including the source, emission-reduction control technology, reductions to be achieved, and monitoring system the lessee proposes to use to measure emissions. The lessee shall indicate which emission-reduction control technology the lessee believes constitutes the best available control technology and the basis for that opinion.
- (B) The ownership of the offshore and onshore offsetting source(s) and the reduction obtainable from each offsetting source.
- (15) A brief discussion of any approved or anticipated suspensions of production necessary to hold the lease(s) in an active status.
- (16) The name, address, and telephone number of an individual employee of

the lessee to whom inquiries by the Regional Supervisor and the affected State(s) may be directed.

(17) Such other data and information as the Regional Supervisor may re-

(c) Data and information discussed in other documents previously submitted to MMS or otherwise readily available to reviewers may be incorporated by reference. The material being incorporated shall be cited and described briefly and include a statement of where the material is available for inspection. Any material based on proprietary data which is not itself available for inspection shall not be incorporated by reference.

(d)(1) Development and Production Plans are not required for leases in the western GOM. For these leases, the lessee shall submit to the Regional Supervisor for approval a Development Operations Coordination Document with all information necessary to assure conformance with the Act, other laws, applicable regulations, lease provisions, or as otherwise needed to carry out the functions and responsibilities of the Regional Supervisor.

(2) Any information required in paragraph (d)(1) of this section shall be considered a Development and Production Plan for the purpose of references in any law, regulation, lease provision, agreement, or other document referring to the preparation or submission of a plan.

(e) The Regional Director, after consultation with the Governor(s) of the affected State(s) or the Governor's designated representative, the CZM agency of the affected State(s), and the Office of Ocean and Coastal Resource Management of NOAA may limit the amount of information required to be included in a Development and Production Plan to that necessary to assure conformance with the Act, other laws, applicable regulations, and lease provisions. In determining the information to be included in a plan, the Regional Director shall consider current and expected operating conditions together with experience gained during past operations of a similar nature in the area of proposed activities.

(f) The Regional Supervisor shall determine within 20 working days after receipt whether additional material is needed. If no deficiencies are identified and the requested number of copies have been received, the plan shall be deemed submitted.

(g) Within 5 working days after a Development and Production Plan has been deemed submitted, the Regional Supervisor shall transmit a copy of the plan, except for those portions of the plan determined to be exempt from disclosure under the FOIA and the implementing regulations (43 CFR part 2), to the Governor or the Governor's designated representative and the CZM agency of each affected State and to the executive of each affected local government that requests a copy. The Regional Supervisor shall make copies available to appropriate Federal Agencies, interstate entities, and the public. The plan will be available for review at the appropriate MMS Regional Public Information Office.

(h) The Governor or the Governor's designated representative and the CZM agency of each affected State and the executive of each affected local government shall have 60 days from the date of receipt of the Development and Production Plan to submit comments and recommendations to the Regional Supervisor. The executive of any affected local government must forward all recommendations to the Governor of the State prior to submitting them to the Regional Supervisor. The Regional Supervisor shall accept those recommendations from the Governor that provide for a reasonable balance between the national interest and the well-being of the citizens of the affected State. The Regional Supervisor shall explain in writing the reasons for accepting or rejecting any ommendations. In addition, any interested Federal Agency or person may submit comments and recommendations to the Regional Supervisor. All comments and recommendations shall be made available to the public.

(i) We will process the plan according to this section and 15 CFR part 930. Accordingly, consistency review begins when the State's CZM agency receives a copy of the deemed submitted plan, consistency certification, and required necessary data and information as directed by 15 CFR 930.78.

- (j) The Regional Supervisor will evaluate the environmental impact of the activities described in the Development and Production Plan (DPP) and prepare the appropriate environmental documentation required by the National Environmental Policy Act of 1969. At least once in each planning area (other than the western and central Gulf of Mexico planning areas), we will prepare an environmental impact statement (EIS) and send copies of the draft EIS to the Governor of each affected State and the executive of each affected local government that requests a copy. Additionally, when we prepare a DPP EIS and when the State's federally approved coastal management program requires a DPP NEPA document for use in determining consistency, we will forward a copy of the draft EIS to the State's CZM Agency. We will also make copies of the draft EIS available to any appropriate Federal Agency, interstate entity, and the public.
- (k) Prior to or immediately after a determination by the Director that approval of a Development and Production Plan requires that the procedures under NEPA shall commence, the Regional Supervisor may require lessees of tracts in the vicinity, for which Development and Production Plans have not been approved, to submit preliminary or final plans for their leases.
- (l) No later than 60 days after the last day of the comment period provided in paragraph (h) of this section or within 60 days of the release of the final EIS describing the proposed activities, the Regional Supervisor shall accomplish the following:
  - (1) Approve the plan;
- (2) Require modification of the plan if it is determined that the lessee has failed to make adequate provisions for safety, environmental protection, or conservation of resources including compliance with the regulations prescribed under the Act; or
- (3) Disapprove the plan if one or more of the following occurs:
- (i) The lessee fails to demonstrate that compliance with the requirements of the Act, provisions of the regulations prescribed under the Act, or other applicable Federal laws is possible;

- (ii) State concurrence with the applicant's coastal zone consistency certification has not been received, the State's concurrence has not been conclusively presumed, or the State objects to the consistency certification, and the Secretary of Commerce does not make the determination authorized by section 307(c)(3)(B)(iii) of the CZMA;
- (iii) Operations threaten national security or defense; or
- (iv) Exceptional geological conditions in the lease area, exceptional resource value in the marine or coastal environment, or other exceptional circumstances exist, and all of the following:
- (A) Implementation of the plan would probably cause serious harm or damage to life (including fish and other aquatic life), property, any mineral deposits (in areas leased or not leased), the national security or defense, or to the marine, coastal, or human environments.
- (B) The threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time.
- (C) The advantages of disapproving the plan outweigh the advantages of development and production.
- (m) The Regional Supervisor shall notify the lessee in writing of the reason(s) for disapproving a Development and Production Plan or for requiring modification of a plan and the conditions which must be met for plan approval.
- (n) The lessee may resubmit a Development and Production Plan, as modified, to the Regional Supervisor. Only information related to the proposed modifications need be submitted. Within 60 days following the 60-day comment period provided for in paragraph (h) of this section, the Regional Supervisor shall approve, disapprove, or require modification of the modified plan.
- (o)(1) If a Development and Production Plan is disapproved for the sole reason that a State consistency certification has not been obtained, the Regional Supervisor shall approve the plan upon receipt of the concurrence, at the time when concurrence is conclusively presumed, or when the Secretary of Commerce makes a finding

authorized by section 307(c)(3)(B)(iii) of the CZMA.

(2) If a Development and Production Plan is disapproved because a State objects to the lessee's coastal zone consistency certification, the lessee shall modify the plan to accommodate the State's objection(s) and resubmit the plan to (i) the Regional Supervisor for review pursuant to the criteria in paragraph (l) of this section; and (ii) through the Regional Supervisor, to the State for review pursuant to the CZMA and the implementing regulations (15 CFR 930.83 and 930.84). Alternatively, the lessee may appeal the State's objection to the Secretary of Commerce pursuant to the procedures described in section 307 of the CZMA and the implementing regulations (subpart H of 15 CFR part 930). The Regional Supervisor shall approve, disapprove, or require modification of a plan as revised within 60 days following the 60-day comment period provided for in paragraph (h) of this section.

(p) Development and Production Plans disapproved pursuant to paragraph (1)(3) of this section are subject to the provisions of section 25(h)(2) of the Act and the implementing regulations in §\$250.183 and 256.77 of this chapter.

(q)(1) The Regional Supervisor shall periodically review the activities being conducted under an approved Development and Production Plan. The frequency and extent of the Regional Supervisor's review shall be based upon the significance of any changes in available information and onshore or offshore conditions affecting or impacted by development or production activities being conducted pursuant to the plan. If the review indicates that the plan should be revised to meet the requirements of this part, the Regional Supervisor shall require the needed revisions.

(2) Revisions to an approved or pending Development and Production Plan, whether initiated by the lessee or ordered by the Regional Supervisor, shall be submitted to the Regional Supervisor for approval. Only information related to the proposed revisions need be submitted. When the Regional Supervisor determines that a proposed revision could result in a significant

change in the impacts previously identified and evaluated, requires additional permits, or proposes activities not previously identified and evaluated, the revision shall be subject to all of the procedures in this section.

(3) When any revision to an approved Development and Production Plan is proposed by the lessee, the Regional Supervisor may approve the revision if it is determined that the revision is consistent with the protection of the marine, coastal, and human environments and will lead to greater recovery of oil and natural gas; will improve the efficiency, safety, and environmental protection of the recovery operation; is the only means available to avoid substantial economic hardship to the lessee; or is otherwise not inconsistent with the provisions of the Act.

(r) Whenever the lessee fails to submit a Development and Production Plan in accordance with provisions of this section or fails to comply with an approved plan, the lease may be cancelled in accordance with sections 5 (c) and (d) of the Act and the implementing regulations in §§ 250.183 and 256.77 of this chapter.

(s) To ensure safety and protection of the environment and archaeological resources, the Regional Director may authorize or direct the lessee to conduct geological, geophysical, biological, archaeological, or other surveys or monitoring programs. The lessee shall provide the Regional Director, upon request, copies of any data obtained as a result of those surveys and monitoring programs.

(t) The lessee may not drill any well until the District Supervisor's approval of an APD, filed in accordance with the requirements of §250.410 through §250.418 of this part, has been received. All APD's and applications to install platforms and structures, pipelines, and production equipment must conform to the activities described in detail in the approved Development and Production Plan and shall not be subject to a separate State coastal zone consistency review.

(u) Nothing in this section or approved plans shall limit the lessee's responsibility to take appropriate measures to meet emergency situations. In

such situations, the Regional Supervisor may approve or require departures from an approved Development and Production Plan.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988, as amended at 54 FR 50616, Dec. 8, 1989; 55 FR 47752, Nov. 15, 1990; 56 FR 32099, July 15, 1991; 59 FR 53093, Oct. 21, 1994; 62 FR 13996, Mar. 25, 1997. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 64 FR 9065, Feb. 24, 1999; 64 FR 53200, Oct. 1, 1999; 64 FR 72794, Dec. 28, 1999; 68 FR 8422, Feb. 20, 2003]

### Subpart C—Pollution Prevention and Control

#### §250.300 Pollution prevention.

- (a) During the exploration, development, production, and transportation of oil and gas or sulphur, the lessee shall take measures to prevent unauthorized discharge of pollutants into the offshore waters. The lessee shall not create conditions that will pose unreasonable risk to public health, life, property, aquatic life, wildlife, recreation, navigation, commercial fishing, or other uses of the ocean.
- (1) When pollution occurs as a result of operations conducted by or on behalf of the lessee and the pollution damages or threatens to damage life (including fish and other aquatic life), property, any mineral deposits (in areas leased or not leased), or the marine, coastal, or human environment, the control and removal of the pollution to the satisfaction of the District Supervisor shall be at the expense of the lessee. Immediate corrective action shall be taken in all cases where pollution has occurred. Corrective action shall be subject to modification when directed by the District Supervisor.
- (2) If the lessee fails to control and remove the pollution, the Director, in cooperation with other appropriate Agencies of Federal, State, and local governments, or in cooperation with the lessee, or both, shall have the right to control and remove the pollution at the lessee's expense. Such action shall not relieve the lessee of any responsibility provided for by law.

(b)(1) The District Supervisor may restrict the rate of drilling fluid discharges or prescribe alternative discharge methods. The District Supervisor may also restrict the use of com-

ponents which could cause unreasonable degradation to the marine environment. No petroleum-based substances, including diesel fuel, may be added to the drilling mud system without prior approval of the District Supervisor.

- (2) Approval of the method of disposal of drill cuttings, sand, and other well solids shall be obtained from the District Supervisor.
- (3) All hydrocarbon-handling equipment for testing and production such as separators, tanks, and treaters shall be designed, installed, and operated to prevent pollution. Maintenance or repairs which are necessary to prevent pollution of offshore waters shall be undertaken immediately.
- (4) Curbs, gutters, drip pans, and drains shall be installed in deck areas in a manner necessary to collect all contaminants not authorized for discharge. Oil drainage shall be piped to a properly designed, operated, and maintained sump system which will automatically maintain the oil at a level sufficient to prevent discharge of oil into offshore waters. All gravity drains shall be equipped with a water trap or other means to prevent gas in the sump system from escaping through the drains. Sump piles shall not be used as processing devices to treat or skim liquids but may be used to collect treated-produced water, treated-produced sand, or liquids from drip pans and deck drains and as a final trap for hydrocarbon liquids in the event of equipment upsets. Improperly designed, operated, or maintained sump piles which do not prevent the discharge of oil into offshore waters shall be replaced or repaired.
- (5) On artificial islands, all vessels containing hydrocarbons shall be placed inside an impervious berm or otherwise protected to contain spills. Drainage shall be directed away from the drilling rig to a sump. Drains and sumps shall be constructed to prevent seepage.
- (6) Disposal of equipment, cables, chains, containers, or other materials into offshore waters is prohibited.
- (c) Materials, equipment, tools, containers, and other items used in the Outer Continental Shelf (OCS) which are of such shape or configuration that

they are likely to snag or damage fishing devices shall be handled and marked as follows:

- (1) All loose material, small tools, and other small objects shall be kept in a suitable storage area or a marked container when not in use and in a marked container before transport over offshore waters;
- (2) All cable, chain, or wire segments shall be recovered after use and securely stored until suitable disposal is accomplished:
- (3) Skid-mounted equipment, portable containers, spools or reels, and drums shall be marked with the owner's name prior to use or transport over offshore waters; and
- (4) All markings must clearly identify the owner and must be durable enough to resist the effects of the environmental conditions to which they may be exposed.
- (d) Any of the items described in paragraph (c) of this section that are lost overboard shall be recorded on the facility's daily operations report, as appropriate, and reported to the District Supervisor.

[53 FR 10690, Apr. 1, 1988, as amended at 56 FR 32099, July 15, 1991. Redesignated at 63 FR 29479, May 29, 1998]

#### § 250.301 Inspection of facilities.

(a) Drilling and production facilities shall be inspected daily or at intervals approved or prescribed by the District Supervisor to determine if pollution is occurring. Necessary maintenance or repairs shall be made immediately. Records of such inspections and repairs shall be maintained at the facility or at a nearby manned facility for 2 years.

[53 FR 10690, Apr. 1, 1988, as amended at 62 FR 13996, Mar. 25, 1997. Redesignated at 63 FR 29479, May 29, 1998]

### § 250.302 Definitions concerning air quality.

For purposes of \$\$250.303 and 250.304 of this part:

Air pollutant means any combination of agents for which the Environmental Protection Agency (EPA) has established, pursuant to section 109 of the Clean Air Act, national primary or secondary ambient air quality standards.

Attainment area means, for any air pollutant, an area which is shown by

monitored data or which is calculated by air quality modeling (or other methods determined by the Administrator of EPA to be reliable) not to exceed any primary or secondary ambient air quality standards established by EPA.

Best available control technology (BACT) means an emission limitation based on the maximum degree of reduction for each air pollutant subject to regulation, taking into account energy, environmental and economic impacts, and other costs. The BACT shall be verified on a case-by-case basis by the Regional Supervisor and may include reductions achieved through the application of processes, systems, and techniques for the control of each air pollutant.

*Emission offsets* means emission reductions obtained from facilities, either onshore or offshore, other than the facility or facilities covered by the proposed Exploration Plan or Development and Production Plan.

Existing facility is an OCS facility described in an Exploration Plan or a Development and Production Plan submitted or approved prior to June 2, 1980

Facility means any installation or device permanently or temporarily attached to the seabed which is used for exploration, development, and production activities for oil, gas, or sulphur and which emits or has the potential to emit any air pollutant from one or more sources. All equipment directly associated with the installation or device shall be considered part of a single facility if the equipment is dependent on, or affects the processes of, the installation or device. During production, multiple installations or devices will be considered to be a single facility if the installations or devices are directly related to the production of oil, gas, or sulphur at a single site. Any vessel used to transfer production from an offshore facility shall be considered part of the facility while physically attached to it.

Nonattainment area means, for any air pollutant, an area which is shown by monitored data or which is calculated by air quality modeling (or other methods determined by the Administrator of EPA to be reliable) to exceed any

primary or secondary ambient air quality standard established by EPA.

*Projected emissions* means emissions, either controlled or uncontrolled, from a source(s).

Source means an emission point. Several sources may be included within a single facility.

Temporary facility means activities associated with the construction of platforms offshore or with facilities related to exploration for or development of offshore oil and gas resources which are conducted in one location for less than 3 years.

Volatile organic compound (VOC) means any organic compound which is emitted to the atmosphere as a vapor. The unreactive compounds are exempt from the above definition.

[53 FR 10690, Apr. 1, 1988, as amended at 56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

## § 250.303 Facilities described in a new or revised Exploration Plan or Development and Production Plan.

- (a) New plans. All Exploration Plans and Development and Production Plans shall include the information required to make the necessary findings under paragraphs (d) through (i) of this section, and the lessee shall comply with the requirements of this section as necessary.
- (b) Applicability of §250.303 to existing facilities. (1) The Regional Supervisor may review any Exploration Plan or Development and Production Plan to determine whether any facility described in the plan should be subject to review under this section and has the potential to significantly affect the air quality of an onshore area. To make these decisions, the Regional Supervisor shall consider the distance of the facility from shore, the size of the facility, the number of sources planned for the facility and their operational status, and the air quality status of the onshore area.
- (2) For a facility identified by the Regional Supervisor in paragraph (b)(1) of this section, the Regional Supervisor shall require the lessee to refer to the information required in §250.203(b)(19) or §250.204(b)(12) of this part and to submit only that information required to make the necessary findings under

paragraphs (d) through (i) of this section. The lessee shall submit this information within 120 days of the Regional Supervisor's determination or within a longer period of time at the discretion of the Regional Supervisor. The lessee shall comply with the requirements of this section as necessary.

- (c) Revised facilities. All revised Exploration Plans and Development and Production Plans shall include the information required to make the necessary findings under paragraphs (d) through (i) of this section. The lessee shall comply with the requirements of this section as necessary.
- (d) Exemption formulas. To determine whether a facility described in a new, modified, or revised Exploration Plan or Development and Production Plan is exempt from further air quality review, the lessee shall use the highest annualtotal amount of emissions from the facility for each air pollutant calculated § 250.203(b) (19) (i) (A) in §250.204(b)(12)(i)(A) of this part and compare these emissions to the emission exemption amount "E" for each air pollutant calculated using the following formulas: E=3400D<sup>2/3</sup> for carbon monoxide (CO); and E=33.3D for total suspended particulates (TSP), sulphur dioxide (SO<sub>2</sub>), nitrogen oxides (NO<sub>X</sub>), and VOC (where E is the emission exemption amount expressed in tons per year, and D is the distance of the proposed facility from the closest onshore area of a State expressed in statute miles). If the amount of these projected emissions is less than or equal to the emission exemption amount "E" for the air pollutant, the facility is exempt from further air quality review required under paragraphs (e) through (i) of this section.
- (e) Significance levels. For a facility not exempt under paragraph (d) of this section for air pollutants other than VOC, the lessee shall use an approved air quality model to determine whether the projected emissions of those air pollutants from the facility result in an onshore ambient air concentration above the following significance levels:

SIGNIFICANCE LEVELS: AIR POLLUTANT CONCENTRATIONS (µG/M³)

Air pollutant	Averaging time (hours)				
All politiant	Annual	24	8	3	1
SO <sub>2</sub>	1	5		25	
TSP	1	5			
NO <sub>2</sub>	1				
CO			500		2,000

- (f) Significance determinations. (1) The projected emissions of any air pollutant other than VOC from any facility which result in an onshore ambient air concentration above the significance level determined under paragraph (e) of this section for that air pollutant, shall be deemed to significantly affect the air quality of the onshore area for that air pollutant.
- (2) The projected emissions of VOC from any facility which is not exempt under paragraph (d) of this section for that air pollutant shall be deemed to significantly affect the air quality of the onshore area for VOC.
- (g) Controls required. (1) The projected emissions of any air pollutant other than VOC from any facility, except a temporary facility, which significantly affect the quality of a nonattainment area, shall be fully reduced. This shall be done through the application of BACT and, if additional reductions are necessary, through the application of additional emission controls or through the acquisition of offshore or onshore offsets.
- (2) The projected emissions of any air pollutant other than VOC from any facility which significantly affect the air quality of an attainment or unclassifiable area shall be reduced through the application of BACT.
- (i) Except for temporary facilities, the lessee also shall use an approved air quality model to determine whether the emissions of TSP or  $SO_2$  that remain after the application of BACT cause the following maximum allowable increases over the baseline concentrations established in 40 CFR 52.21 to be exceeded in the attainment or unclassifiable area:

MAXIMUM ALLOWABLE CONCENTRATION INCREASES ( $\mu$ G/M<sup>3</sup>)

	Averaging times			
Air pollutant	Annual mean <sup>1</sup>	24- hour max- imum	3-hour max- imum	
Class I:				
TSP	5	10		
SO <sub>2</sub>	2	5	25	
Class II:				
TSP	19	37		
SO <sub>2</sub>	20	91	512	
Class III:				
TSP	37	75		
SO <sub>2</sub>	40	182	700	

<sup>1</sup> For TSP—geometric; For SO<sub>2</sub>—arithmetric.

No concentration of an air pollutant shall exceed the concentration permitted under the national secondary ambient air quality standard or the concentration permitted under the national primary air quality standard, whichever concentration is lowest for the air pollutant for the period of exposure. For any period other than the annual period, the applicable maximum allowable increase may be exceeded during one such period per year at any one onshore location.

- (ii) If the maximum allowable increases are exceeded, the lessee shall apply whatever additional emission controls are necessary to reduce or offset the remaining emissions of TSP or SO $_2$  so that concentrations in the onshore ambient air of an attainment or unclassifiable area do not exceed the maximum allowable increases.
- (3)(i) The projected emissions of VOC from any facility, except a temporary facility, which significantly affect the onshore air quality of a nonattainment area shall be fully reduced. This shall be done through the application of BACT and, if additional reductions are necessary, through the application of additional emission controls or through the acquisition of offshore or onshore offsets.
- (ii) The projected emissions of VOC from any facility which significantly affect the onshore air quality of an attainment area shall be reduced through the application of BACT.
- (4)(i) If projected emissions from a facility significantly affect the onshore air quality of both a nonattainment and an attainment or unclassifiable

area, the regulatory requirements applicable to projected emissions significantly affecting a nonattainment area

shall apply.

(ii) If projected emissions from a facility significantly affect the onshore air quality of more than one class of attainment area, the lessee must reduce projected emissions to meet the maximum allowable increases specified for each class in paragraph (g)(2)(i) of this section.

(h) Controls required on temporary facilities. The lessee shall apply BACT to reduce projected emissions of any air pollutant from a temporary facility which significantly affect the air quality of an onshore area of a State.

- (i) Emission offsets. When emission offsets are to be obtained, the lessee must demonstrate that the offsets are equivalent in nature and quantity to the projected emissions that must be reduced after the application of BACT; a binding commitment exists between the lessee and the owner or owners of the source or sources; the appropriate air quality control jurisdiction has been notified of the need to revise the State Implementation Plan to include the information regarding the offsets; and the required offsets come from sources which affect the air quality of the area significantly affected by the lessee's offshore operations.
- (j) Review of facilities with emissions below the exemption amount. If, during the review of a new, modified, or revised Exploration Plan or Development and Production Plan, the Regional Supervisor determines or an affected State submits information to the Regional Supervisor which demonstrates, in the judgment of the Regional Supervisor, that projected emissions from an otherwise exempt facility will, either individually or in combination with other facilities in the area, significantly affect the air quality of an onshore area, then the Regional Supervisor shall require the lessee to submit additional information to determine whether emission control measures are necessary. The lessee shall be given the opportunity to present information to the Regional Supervisor which demonstrates that the exempt facility is not significantly affecting the air quality of an onshore area of the State.

- (k) Emission monitoring requirements. The lessee shall monitor, in a manner approved or prescribed by the Regional Supervisor, emissions from the facility. The lessee shall submit this information monthly in a manner and form approved or prescribed by the Regional Supervisor.
- (İ) Collection of meteorological data. The Regional Supervisor may require the lessee to collect, for a period of time and in a manner approved or prescribed by the Regional Supervisor, and submit meteorological data from a facility.

[53 FR 10690, Apr. 1, 1988; 53 FR 19856, May 31, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1009]

#### § 250.304 Existing facilities.

- (a) Process leading to review of an existing facility. (1) An affected State may request that the Regional Supervisor supply basic emission data from existing facilities when such data are needed for the updating of the State's emission inventory. In submitting the request, the State must demonstrate that similar offshore and onshore facilities in areas under the State's jurisdiction are also included in the emission inventory.
- (2) The Regional Supervisor may require lessees of existing facilities to submit basic emission data to a State submitting a request under paragraph (a)(1) of this section.
- (3) The State submitting a request under paragraph (a)(1) of this section may submit information from its emission inventory which indicates that emissions from existing facilities may be significantly affecting the air quality of the onshore area of the State. The lessee shall be given the opportunity to present information to the Regional Supervisor which demonstrates that the facility is not significantly affecting the air quality of the State.
- (4) The Regional Supervisor shall evaluate the information submitted under paragraph (a)(3) of this section and shall determine, based on the basic emission data, available meteorological data, and the distance of the facility or facilities from the onshore area, whether any existing facility has the

potential to significantly affect the air quality of the onshore area of the State.

(5) If the Regional Supervisor determines that no existing facility has the potential to significantly affect the air quality of the onshore area of the State submitting information under paragraph (a)(3) of this section, the Regional Supervisor shall notify the State of and explain the reasons for this finding.

(6) If the Regional Supervisor determines that an existing facility has the potential to significantly affect the air quality of an onshore area of the State submitting information under paragraph (a)(3) of this section, the Regional Supervisor shall require the lessee to refer to the information require-§ 250.203(b) (19) under 250.204(b)(12) of this part and submit only that information required to make the necessary findings under paragraphs (b) through (e) of this section. The lessee shall submit this information within 120 days of the Regional Supervisor's determination or within a longer period of time at the discretion of the Regional Supervisor. The lessee shall comply with the requirements of this section as necessary.

(b) Exemption formulas. To determine whether an existing facility is exempt from further air quality review, the lessee shall use the highest annual total amount of emissions from the facility for each air pollutant calculated § 250.203(b) (19) (i) (A) 250.204(b)(12)(i)(A) of this part and compare these emissions to the emission exemption amount "E" for each air pollutant calculated using the following formulas:  $E=3400D^{2/3}$  for CO; and E=33.3D for TSP, SO<sub>2</sub>, NO<sub>X</sub>, and VOC (where E is the emission exemption amount expressed in tons per year, and D is the distance of the facility from the closest onshore area of the State expressed in statute miles). If the amount of projected emissions is less than or equal to the emission exemption amount "E" for the air pollutant, the facility is exempt for that air pollutant from further air quality review required under paragraphs (c) through (e) of this section.

(c) Significance levels. For a facility not exempt under paragraph (b) of this

section for air pollutants other than VOC, the lessee shall use an approved air quality model to determine whether projected emissions of those air pollutants from the facility result in an onshore ambient air concentration above the following significance levels:

SIGNIFICANCE LEVELS: AIR POLLUTANT CONCENTRATIONS ( $\mu G/M^3$ )

Air pollutopt	Averaging time (hours)				
Air pollutant	Annual	24	8	3	1
SO <sub>2</sub>	1	5		25	
TSP	1	5			
NO <sub>2</sub>	1				
CO			500		2,000

(d) Significance determinations. (1) The projected emissions of any air pollutant other than VOC from any facility which result in an onshore ambient air concentration above the significance levels determined under paragraph (c) of this section for that air pollutant shall be deemed to significantly affect the air quality of the onshore area for that air pollutant.

(2) The projected emissions of VOC from any facility which is not exempt under paragraph (b) of this section for that air pollutant shall be deemed to significantly affect the air quality of the onshore area for VOC.

(e) *Controls required.* (1) The projected emissions of any air pollutant which significantly affect the air quality of an onshore area shall be reduced through the application of BACT.

(2) The lessee shall submit a compliance schedule for the application of BACT. If it is necessary to cease operations to allow for the installation of emission controls, the lessee may apply for a suspension of operations under the provisions of §250.174 of this part.

(f) Review of facilities with emissions below the exemption amount. If, during the review of the information required under paragraph (a)(6) of this section, the Regional Supervisor determines or an affected State submits information to the Regional Supervisor which demonstrates, in the judgment of the Regional Supervisor, that projected emissions from an otherwise exempt facility will, either individually or in combination with other facilities in the

area, significantly affect the air quality of an onshore area, then the Regional Supervisor shall require the lessee to submit additional information to determine whether control measures are necessary. The lessee shall be given the opportunity to present information to the Regional Supervisor which demonstrates that the exempt facility is not significantly affecting the air quality of an onshore area of the State.

(g) Emission monitoring requirements. The lessee shall monitor, in a manner approved or prescribed by the Regional Supervisor, emissions from the facility following the installation of emission controls. The lessee shall submit this information monthly in a manner and form approved or prescribed by the Regional Supervisor.

(h) Collection of meteorological data. The Regional Supervisor may require the lessee to collect, for a period of time and in a manner approved or prescribed by the Regional Supervisor, and submit meteorological data from a facility.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 64 FR 72794, Dec. 28,

#### Subpart D—Oil and Gas Drilling **Operations**

GENERAL REQUIREMENTS

#### § 250.400 Who is subject to the requirements of this subpart?

The requirements of this subpart apply to lessees, operating rights owners, operators, and their contractors and subcontractors.

[68 FR 8423, Feb. 20, 2003]

#### § 250.401 What must I do to keep wells under control?

You must take necessary precautions to keep wells under control at all times. You must:

- (a) Use the best available and safest drilling technology to monitor and evaluate well conditions and to minimize the potential for the well to flow
- (b) Have a person onsite during drilling operations who represents your interests and can fulfill your responsibilities:

(c) Ensure that the toolpusher, operator's representative, or a member of the drilling crew maintains continuous surveillance on the rig floor from the beginning of drilling operations until the well is completed or abandoned, unless you have secured the well with blowout preventers (BOPs), bridge plugs, cement plugs, or packers;

(d) Use personnel trained according to the provisions of subpart O; and

(e) Use and maintain equipment and materials necessary to ensure the safety and protection of personnel, equipment, natural resources, and the environment.

[68 FR 8423, Feb. 20, 2003]

#### §250.402 When and how must I secure a well?

Whenever you interrupt drilling operations, you must install a downhole safety device, such as a cement plug, bridge plug, or packer. You must install the device at an appropriate depth within a properly cemented casing string or liner.

- (a) Among the events that may cause you to interrupt drilling operations are:
  - (1) Evacuation of the drilling crew;
- (2) Inability to keep the drilling rig on location; or
- (3) Repair to major drilling or wellcontrol equipment.
- (b) For floating drilling operations, the District Supervisor may approve the use of blind or blind-shear rams or pipe rams and an inside BOP if you don't have time to install a downhole safety device or if special cumstances occur.

[68 FR 8423, Feb. 20, 2003]

#### §250.403 What drilling unit movements must I report?

- (a) You must report the movement of all drilling units on and off drilling locations to the District Supervisor. This includes both MODU and platform rigs. You must inform the District Supervisor 24 hours before:
- (1) The arrival of an MODU on loca-
- (2) The movement of a platform rig to a platform;
- (3) The movement of a platform rig to another slot;

- (4) The movement of an MODU to another slot; and
- (5) The departure of an MODU from the location.
- (b) You must provide the District Supervisor with the rig name, lease number, well number, and expected time of arrival or departure.
- (c) In the Gulf of Mexico OCS Region, you must report drilling unit movements on form MMS-144, Rig Movement Notification Report.

[68 FR 8423, Feb. 20, 2003]

### § 250.404 What are the requirements for the crown block?

You must have a crown block safety device that prevents the traveling block from striking the crown block. You must check the device for proper operation at least once per week and after each drill-line slipping operation and record the results of this operational check in the driller's report.

[68 FR 8423, Feb. 20, 2003]

#### § 250.405 What are the safety requirements for diesel engines used on a drilling rig?

You must equip each diesel engine with an air take device to shut down the diesel engine in the event of a runaway.

- (a) For a diesel engine that is not continuously manned, you must equip the engine with an automatic shutdown device;
- (b) For a diesel engine that is continuously manned, you may equip the engine with either an automatic or remote manual air intake shutdown device:
- (c) You do not have to equip a diesel engine with an air intake device if it meets one of the following criteria:
  - (1) Starts a larger engine;
  - (2) Powers a firewater pump;
  - (3) Powers an emergency generator;
- (4) Powers a BOP accumulator system:
- (5) Provides air supply to divers or confined entry personnel;
- confined entry personnel;

  (6) Powers temporary equipment on a nonproducing platform;
  - (7) Powers an escape capsule; or
- (8) Powers a portable single-cylinder rig washer.

[68 FR 8423, Feb. 20, 2003]

# § 250.406 What additional safety measures must I take when I conduct drilling operations on a platform that has producing wells or has other hydrocarbon flow?

You must take the following safety measures when you conduct drilling operations on a platform with producing wells or that has other hydrocarbon flow:

- (a) You must install an emergency shutdown station near the driller's console:
- (b) You must shut in all producible wells located in the affected wellbay below the surface and at the wellhead when:
- (1) You move a drilling rig or related equipment on and off a platform. This includes rigging up and rigging down activities within 500 feet of the affected platform;
- (2) You move or skid a drilling unit between wells on a platform;
- (3) A mobile offshore drilling unit (MODU) moves within 500 feet of a platform. You may resume production once the MODU is in place, secured, and ready to begin drilling operations.

[68 FR 8423, Feb. 20, 2003]

## § 250.407 What tests must I conduct to determine reservoir characteristics?

You must determine the presence, quantity, quality, and reservoir characteristics of oil, gas, sulphur, and water in the formations penetrated by logging, formation sampling, or well testing.

[68 FR 8423, Feb. 20, 2003]

## § 250.408 May I use alternative procedures or equipment during drilling operations?

You may use alternative procedures or equipment during drilling operations after receiving approval from the District Supervisor. You must identify and discuss your proposed alternative procedures or equipment in your Application for Permit to Drill (APD) (see §250.414(h)). Procedures for obtaining approval are described in section 250.141 of this part.

[68 FR 8423, Feb. 20, 2003]

#### Minerals Management Service, Interior

### § 250.409 May I obtain departures from these drilling requirements?

The District Supervisor may approve departures from the drilling requirements specified in this subpart. You may apply for a departure from drilling requirements by writing to the District Supervisor. You should identify and discuss the departure you are requesting in your APD (see § 250.414(h)).

[68 FR 8423, Feb. 20, 2003]

APPLYING FOR A PERMIT TO DRILL

### § 250.410 How do I obtain approval to drill a well?

You must obtain written approval from the District Supervisor before you begin drilling any well or before you sidetrack, bypass, or deepen a well. To obtain approval, you must:

(a) Submit the information required by §250.411 through 250.418;

(b) Include the well in your approved Exploration Plan (EP), Development and Production Plan (DPP), or Development Operations Coordination Document (DOCD);

(c) Meet the oil spill financial responsibility requirements for offshore facilities as required by 30 CFR part 253; and

(d) Submit the following forms to the District Supervisor:

(1) An original and two complete copies of form MMS-123, Application for a Permit to Drill (APD), and form MMS-123S, Supplemental APD Information Sheet; and

(2) A separate public information copy of forms MMS-123 and MMS-123S that meets the requirements of  $\S 250.127$ .

[68 FR 8423, Feb. 20, 2003]

### $\S\,250.411$ What information must I submit with my application?

In addition to forms MMS-123 and MMS-123S, you must include the information described in the following table.

Information that you must include with an APD	Where to find a description
(a) Plat that shows locations of the proposed well.	§ 250.412
(b) Design criteria used for the proposed well.	§250.413
(c) Drilling prognosis	§ 250.414

Information that you must include with an APD	Where to find a description
(d) Casing and cementing programs	§ 250.415 § 250.416 § 250.417 § 250.418

[68 FR 8423, Feb. 20, 2003]

### § 250.412 What requirements must the location plat meet?

The location plat must:

- (a) Have a scale of 1:24,000 (1 inch = 2,000 feet);
- (b) Show the surface and subsurface locations of the proposed well and all the wells in the vicinity;
- (c) Show the surface and subsurface locations of the proposed well in feet or meters from the block line;
- (d) Contain the longitude and latitude coordinates, and either Universal Transverse Mercator grid-system coordinates or state plane coordinates in the Lambert or Transverse Mercator Projection system for the surface and subsurface locations of the proposed well: and
- (e) State the units and geodetic datum (including whether the datum is North American Datum 27 or 83) for these coordinates. If the datum was converted, you must state the method used for this conversion, since the various methods may produce different values.

[68 FR 8423, Feb. 20, 2003]

## § 250.413 What must my description of well drilling design criteria address?

Your description of well drilling design criteria must address:

- (a) Pore pressures;
- (b) Formation fracture gradients, adjusted for water depth;
  - (c) Potential lost circulation zones;
  - (d) Drilling fluid weights;
  - (e) Casing setting depths;
- (f) Maximum anticipated surface pressures. For this section, maximum anticipated surface pressures are the pressures that you reasonably expect to be exerted upon a casing string and its related wellhead equipment. In calculating maximum anticipated surface pressures, you must consider: drilling, completion, and producing conditions; drilling fluid densities to be used below

various casing strings; fracture gradients of the exposed formations; casing setting depths; total well depth; formation fluid types; safety margins; and other pertinent conditions. You must include the calculations used to determine the pressures for the drilling and the completion phases, including the anticipated surface pressure used for designing the production string;

- (g) A single plot containing estimated pore pressures, formation fracture gradients, proposed drilling fluid weights, and casing setting depths in true vertical measurements;
- (h) A summary report of the shallow hazards site survey that describes the geological and manmade conditions if not previously submitted; and
  - (i) Permafrost zones, if applicable.

[68 FR 8423, Feb. 20, 2003]

### § 250.414 What must my drilling prognosis include?

Your drilling prognosis must include a brief description of the procedures you will follow in drilling the well. This prognosis includes but is not limited to the following:

- (a) Projected plans for coring at specified depths;
  - (b) Projected plans for logging;
- (c) Planned safe drilling margin between proposed drilling fluid weights and estimated pore pressures. This safe drilling margin may be shown on the plot required by §250.413(g);
- (d) Estimated depths to the top of significant marker formations;
- (e) Estimated depths to significant porous and permeable zones containing fresh water, oil, gas, or abnormally pressured formation fluids;
- (f) Estimated depths to major faults;(g) Estimated depths of permafrost, if
- applicable;
- (h) A list and description of all requests for using alternative procedures or departures from the requirements of this subpart in one place in the APD. You must explain how the alternative procedures afford an equal or greater degree of protection, safety, or performance, or why you need the departures; and

(i) Projected plans for well testing (refer to  $\S 250.460$  for safety requirements).

[68 FR 8423, Feb. 20, 2003]

### § 250.415 What must my casing and cementing programs include?

Your casing and cementing programs must include:

- (a) Hole sizes and casing sizes, including: weights; grades; collapse, and burst values; types of connection; and setting depths (measured and true vertical depth (TVD));
- (b) Casing design safety factors for tension, collapse, and burst with the assumptions made to arrive at these values;
- (c) Type and amount of cement (in cubic feet) planned for each casing string; and
- (d) In areas containing permafrost, setting depths for conductor and surface casing based on the anticipated depth of the permafrost. Your program must provide protection from thaw subsidence and freezeback effect, proper anchorage, and well control.

[68 FR 8423, Feb. 20, 2003]

### § 250.416 What must I include in the diverter and BOP descriptions?

You must include in the diverter and BOP descriptions:

- (a) A description of the diverter system and its operating procedures;
- (b) A schematic drawing of the diverter system (plan and elevation views) that shows:
- (1) The size of the annular BOP installed in the diverter housing;
  - (2) Spool outlet internal diameter(s);
- (3) Diverter-line lengths and diameters; burst strengths and radius of curvature at each turn; and
- (4) Valve type, size, working pressure rating, and location;
- (c) A description of the BOP system and system components, including pressure ratings of BOP equipment and proposed BOP test pressures;
- (d) A schematic drawing of the BOP system that shows the inside diameter of the BOP stack, number and type of preventers, location of choke and kill lines, and associated valves; and
- (e) Information that shows the blindshear rams installed in the BOP stack

#### Minerals Management Service, Interior

(both surface and subsea stacks) are capable of shearing the drill pipe in the hole under maximum anticipated surface pressures.

[68 FR 8423, Feb. 20, 2003]

#### § 250.417 What must I provide if I plan to use a mobile offshore drilling unit (MODU)?

If you plan to use a MODU, you must provide:

- (a) Fitness requirements. You must provide information and data to demonstrate the drilling unit's capability to perform at the proposed drilling location. This information must include the maximum environmental and operational conditions that the unit is designed to withstand, including the minimum air gap necessary for both hurricane and non-hurricane seasons. If sufficient environmental information and data are not available at the time you submit your APD, the District Supervisor may approve your APD but require you to collect and report this information during operations. Under this circumstance, the District Supervisor has the right to revoke the approval of the APD if information collected during operations show that the drilling unit is not capable of performing at the proposed location.
- (b) Foundation requirements. You must provide information to show that site-specific soil and oceanographic conditions are capable of supporting the proposed drilling unit. If you provided sufficient site-specific information in your EP, DPP, or DOCD, you may reference that information. The District Supervisor may require you to conduct additional surveys and soil borings before approving the APD if additional information is needed to make a determination that the conditions are capable of supporting the drilling unit.
- (c) Frontier areas. (1) If the design of the drilling unit you plan to use in a frontier area is unique or has not been proven for use in the proposed environment, the District Supervisor may require you to submit a third-party review of the unit's design. If required, you must obtain the third-party review according to §250.903. You may submit this information before submitting an APD.

- (2) If you plan to drill in a frontier area, you must have a contingency plan that addresses design and operating limitations of the drilling unit. Your plan must identify the actions necessary to maintain safety and prevent damage to the environment. Actions must include the suspension, curtailment, or modification of drilling or rig operations to remedy various operational or environmental situations (e.g. vessel motion, riser offset, anchor tensions, wind speed, wave height, currents, icing or ice-loading, settling, tilt or lateral movement, resupply capability).
- (d) U.S. Coast Guard (USCG) documentation. You must provide the current Certificate of Inspection or Letter of Compliance from the USCG. You must also provide current documentation of any operational limitations imposed by an appropriate classification society.
- (e) Floating drilling unit. If you use a floating drilling unit, you must indicate that you have a contingency plan for moving off location in an emergency situation.
- (f) *Inspection of unit*. The drilling unit must be available for inspection by the District Supervisor before commencing operations.
- (g) Once the District Supervisor has approved a MODU for use, you do not need to re-submit the information required by this section for another APD to use the same MODU unless changes in equipment affect its rated capacity to operate in the District.

[68 FR 8423, Feb. 20, 2003]

### § 250.418 What additional information must I submit with my APD?

You must include the following with the APD:

- (a) Rated capacities of the drilling rig and major drilling equipment, if not already on file with the appropriate District office;
- (b) A drilling fluids program that includes the minimum quantities of drilling fluids and drilling fluid materials, including weight materials, to be kept at the site:
- (c) A proposed directional plot if the well is to be directionally drilled;

- (d) A Hydrogen Sulfide Contingency Plan (see §250.490), if applicable, and not previously submitted;
- (e) A welding plan (see §\$250.109 to 250.113) if not previously submitted;
- (f) In areas subject to subfreezing conditions, evidence that the drilling equipment, BOP systems and components, diverter systems, and other associated equipment and materials are suitable for operating under such conditions;
- (g) A request for approval if you plan to wash out or displace some cement to facilitate casing removal upon well abandonment; and
- (h) Such other information as the District Supervisor may require.

[68 FR 8423, Feb. 20, 2003]

CASING AND CEMENTING REQUIREMENTS

### § 250.420 What well casing and cementing requirements must I meet?

You must case and cement all wells. Your casing and cementing programs must meet the requirements of this section and of §§ 250.421 through 250.428.

- (a) Casing and cementing program requirements. Your casing and cementing programs must:
- (1) Properly control formation pressures and fluids;
- (2) Prevent the direct or indirect release of fluids from any stratum through the wellbore into offshore waters:
- (3) Prevent communication between separate hydrocarbon-bearing strata;
- (4) Protect freshwater aquifers from contamination; and

- (5) Support unconsolidated sediments.
- (b) Casing requirements. (1) You must design casing (including liners) to withstand the anticipated stresses imposed by tensile, compressive, and buckling loads; burst and collapse pressures; thermal effects; and combinations thereof.
- (2) The casing design must include safety measures that ensure well control during drilling and safe operations during the life of the well.
- (c) Cementing requirements. You must design and conduct your cementing jobs so that cement composition, placement techniques, and waiting times ensure that the cement placed behind the bottom 500 feet of casing attains a minimum compressive strength of 500 psi before drilling out of the casing or before commencing completion operations.

[68 FR 8423, Feb. 20, 2003]

## § 250.421 What are the casing and cementing requirements by type of casing string?

The table in this section identifies specific design, setting, and cementing requirements for casing strings and liners. For the purposes of subpart D, the casing strings in order of normal installation are as follows: drive or structural, conductor, surface, intermediate, and production casings (including liners). The District Supervisor may approve or prescribe other casing and cementing requirements where appropriate.

correarmmacrom, ar	pridee.	
Casing type	Casing requirements	Cementing requirements
(a) Drive or Structural	Set by driving, jetting, or drilling to the minimum depth as approved or prescribed by the District Supervisor.	If you drilled a portion of this hole, you must use enough cement to fill the annular space back to the mudline.
(b) Conductor	Design casing and select setting depths based on relevant engineering and geologic factors. These factors include the presence or absence of hydrocarbons, potential hazards, and water depths.  Set casing immediately before drilling into formations known to contain oil or gas. If you encounter oil or gas or unexpected formation pressure before the planned casing point, you must set casing immediately	Use enough cement to fill the calculated annular space back to the mudline.  Verify annular fill by observing cement returns. If you cannot observe cement returns, use additional cement to ensure fill-back to the mudline.  For drilling on an artificial island or when using a glory hole, you must discuss the cement fill level with the District Supervisor.
(c) Surface	Design casing and select setting depths based on relevant engineering and geologic factors. These factors include the presence or absence of hydrocarbons, potential hazards, and water depths.	Use enough cement to fill the calculated annular space to at least 200 feet inside the conductor casing.  When geologic conditions such as near-surface fractures and faulting exist, you must use enough cement to fill the calculated annular space to the mudline.

#### Minerals Management Service, Interior

Casing type	Casing requirements	Cementing requirements
(d) Intermediate	Design casing and select setting depth based on anticipated or encountered geologic characteristics or wellbore conditions.	Use enough cement to cover and isolate all hydrocarbon-bearing zones and isolate abnormal pressure intervals from normal pressure intervals in the well.  As a minimum, you must cement the annular space 500 feet above the casing shoe and 500 feet above each zone to be isolated.
(e) Production	Design casing and select setting depth based on anticipated or encountered geologic characteristics or wellbore conditions.	Use enough cement to cover or isolate all hydrocarbon-bearing zones above the shoe.  As a minimum, you must cement the annular space at least 500 feet above the casing shoe and 500 feet above the uppermost hydrocarbon-bearing zone.
(f) Liners	If you use a liner as conductor or surface casing, you must set the top of the liner at least 200 feet above the previous casing/liner shoe. If you use a liner as an intermediate string below a surface string or production casing below an intermediate string, you must set the top of the liner at least 100 feet above the previous casing shoe	termediate casing must be cemented according to the cementing requirements for inter-

[68 FR 8423, Feb. 20, 2003]

### § 250.422 When may I resume drilling after cementing?

(a) After cementing surface, intermediate, or production casing (or liners), you may resume drilling after the cement has been held under pressure for 12 hours. For conductor casing, you may resume drilling after the cement has been held under pressure for 8 hours. One acceptable method of holding cement under pressure is to use float valves to hold the cement in place.

(b) If you plan to nipple down your diverter or BOP stack during the 8- or 12-hour waiting time, you must determine, before nippling down, when it will be safe to do so. You must base your determination on a knowledge of formation conditions, cement composition, effects of nippling down, presence of potential drilling hazards, well conditions during drilling, cementing, and post cementing, as well as past experience.

[68 FR 8423, Feb. 20, 2003]

### § 250.423 What are the requirements for pressure testing casing?

The table in this section describes the minimum test pressures for each string of casing. You may not resume drilling or other down-hole operations until you obtain a satisfactory pressure test. If the pressure declines more than 10 percent in a 30-minute test or if there is another indication of a leak, you must re-cement, repair the casing, or run additional casing to provide a proper seal. The District Supervisor may approve or require other casing test pressures.

Casing type	Minimum test pressure
(a) Drive or Structural	Not required 200 psi 70 percent of its minimum in- ternal yield

[68 FR 8423, Feb. 20, 2003]

### § 250.424 What are the requirements for prolonged drilling operations?

If wellbore operations continue for more than 30 days within a casing string run to the surface:

(a) You must stop drilling operations as soon as practicable, and evaluate the effects of the prolonged operations on continued drilling operations and the life of the well. At a minimum, you must:

(1) Caliper or pressure test the casing; and

(2) Report the results of your evaluation to the District Supervisor and obtain approval of those results before resuming operations.

(b) If casing integrity has deteriorated to a level below minimum safety factors, you must:

(1) Repair the casing or run another casing string; and

(2) Obtain approval from the District Supervisor before you begin repairs.

[68 FR 8423, Feb. 20, 2003]

### § 250.425 What are the requirements for pressure testing liners?

- (a) You must test each drilling liner (and liner-lap) to a pressure at least equal to the anticipated pressure to which the liner will be subjected during the formation pressure-integrity test below that liner shoe, or subsequent liner shoes if set. The District Supervisor may approve or require other liner test pressures.
- (b) You must test each production liner (and liner-lap) to a minimum of 500 psi above the formation fracture pressure at the casing shoe into which the liner is lapped.
- (c) You may not resume drilling or other down-hole operations until you obtain a satisfactory pressure test. If the pressure declines more than 10 percent in a 30-minute test or if there is another indication of a leak, you must re-cement, repair the liner, or run additional casing/liner to provide a proper seal

[68 FR 8423, Feb. 20, 2003]

## § 250.426 What are the recordkeeping requirements for casing and liner pressure tests?

You must record the time, date, and results of each pressure test in the driller's report maintained under standard industry practice. In addition, you must record each test on a pressure chart and have your onsite representative sign and date the test as being correct.

[68 FR 8423, Feb. 20, 2003]

### § 250.427 What are the requirements for pressure integrity tests?

You must conduct a pressure integrity test below the surface casing or liner and all intermediate casings or liners. The District Supervisor may require you to run a pressure-integrity test at the conductor casing shoe if warranted by local geologic conditions or the planned casing setting depth. You must conduct each pressure integrity test after drilling at least 10 feet but no more than 50 feet of new hole below the casing shoe. You must test to either the formation leak-off pressure or to an equivalent drilling fluid weight if identified in an approved APD.

- (a) You must use the pressure integrity test and related hole-behavior observations, such as pore-pressure test results, gas-cut drilling fluid, and well kicks to adjust the drilling fluid program and the setting depth of the next casing string. You must record all test results and hole-behavior observations made during the course of drilling related to formation integrity and pore pressure in the driller's report.
- (b) While drilling, you must maintain the safe drilling margin identified in the approved APD. When you cannot maintain this safe margin, you must suspend drilling operations and remedy the situation.

[68 FR 8423, Feb. 20, 2003]

### § 250.428 What must I do in certain cementing and casing situations?

The table in this section describes actions that lessees must take when certain situations occur during casing and cementing activities.

If you encounter the following situation:	Then you must
(a) Have unexpected formation pressures or conditions that warrant revising your casing design.	Submit a revised casing program to the District Supervisor for approval.
(b) Need to increase casing setting depths more than 100 feet true vertical depth (TVD) from the approved APD due to conditions encountered during drilling operations.	Submit those changes to the District Supervisor for approval.
(c) Have indication of inadequate cement job (such as lost returns, cement channeling, or failure of equipment).	(1) Pressure test the casing shoe; (2) Run a temperature survey; (3) Run a cement bond log; or (4) Use a combination of these techniques.
(d) Inadequate cement job	Re-cement or take other remedial actions as approved by the District Supervisor.
(e) Primary cement job that did not isolate abnormal pressure intervals.	Isolate those intervals from normal pressures by squeeze cementing before you complete; suspend operations; or abandon the well, whichever occurs first.

If you encounter the following situation:	Then you must
(f) Decide to produce a well that was not originally contemplated for production. (g) Want to drill a well without setting conductor casing.	Have at least two cemented casing strings (does not include liners) in the well. Note: All producing wells must have at least two cemented casing strings. Submit geologic data and information to the District Supervisor that demonstrates the absence of shallow hydrocarbons or hazards. This information
ductor casing.	must include logging and drilling fluid-monitoring from wells previously drilled within 500 feet of the proposed well path down to the next casing point.
(h) Need to use less than required cement for the surface casing during floating drilling op- erations to provide protection from burst and collapse pressures.	Submit information to the District Supervisor that demonstrates the use of less cement is necessary.
(i) Cement across a permafrost zone(j) Leave the annulus opposite a permafrost zone uncemented.	Use cement that sets before it freezes and has a low heat of hydration. Fill the annulus with a liquid that has a freezing point below the minimum per- mafrost temperature and minimizes opposite a corrosion.

[68 FR 8423, Feb. 20, 2003]

#### DIVERTER SYSTEM REQUIREMENTS

### § 250.430 When must I install a diverter system?

You must install a diverter system before you drill a conductor or surface hole. The diverter system consists of a diverter sealing element, diverter lines, and control systems. You must design, install, use, maintain, and test the diverter system to ensure proper diversion of gases, water, drilling fluid, and other materials away from facilities and personnel.

[68 FR 8423, Feb. 20, 2003]

### § 250.431 What are the diverter design and installation requirements?

You must design and install your diverter system to:

- (a) Use diverter spool outlets and diverter lines that have a nominal diameter of at least 10 inches for surface wellhead configurations and at least 12 inches for floating drilling operations;
- (b) Use dual diverter lines arranged to provide for downwind diversion capability;
- (c) Use at least two diverter control stations. One station must be on the drilling floor. The other station must be in a readily accessible location away from the drilling floor;

- (d) Use only remote-controlled valves in the diverter lines. All valves in the diverter system must be full-opening. You may not install manual or butterfly valves in any part of the diverter system;
- (e) Minimize the number of turns (only one 90-degree turn allowed for each line for bottom-founded drilling units) in the diverter lines, maximize the radius of curvature of turns, and target all right angles and sharp turns;
- (f) Anchor and support the entire diverter system to prevent whipping and vibration; and
- (g) Protect all diverter-control instruments and lines from possible damage by thrown or falling objects.

[68 FR 8423, Feb. 20, 2003]

## § 250.432 How do I obtain a departure to diverter design and installation requirements?

The table below describes possible departures from the diverter requirements and the conditions required for each departure. To obtain one of these departures, you must have discussed the departure in your APD and received approval from the District Supervisor.

If you want a departure to:	Then you must
(a) Use flexible hose for diverter lines instead of rigid pipe.	Use flexible hose that has integral end couplings.
(b) Use only one spool outlet for your diverter system.	(1) Have branch lines that meet the minimum internal diameter requirements; and (2) Provide downwind diversion capability.
(c) Use a spool with an outlet with an internal diameter of less than 10 inches on a surface wellhead.	Use a spool that has dual outlets with an internal diameter of at least 8 inches.

If you want a departure to:	Then you must
(d) Use a single diverter line for floating drilling operations on a dynamically positioned drillship.	Maintain an appropriate vessel heading to provide for downwind diversion.

[68 FR 8423, Feb. 20, 2003]

### \$250.433 What are the diverter actuation and testing requirements?

When you install the diverter system, you must actuate the diverter sealing element, diverter valves, and diverter-control systems and control stations. You must also flow-test the vent lines.

- (a) For drilling operations with a surface wellhead configuration, you must actuate the diverter system at least once every 24-hour period after the initial test. After you have nippled up on conductor casing, you must pressuretest the diverter-sealing element and diverter valves to a minimum of 200 psi. While the diverter is installed, you must conduct subsequent pressure tests within 7 days after the previous test.
- (b) For floating drilling operations with a subsea BOP stack, you must actuate the diverter system within 7 days after the previous actuation.
- (c) You must alternate actuations and tests between control stations.

[68 FR 8423, Feb. 20, 2003]

## § 250.434 What are the recordkeeping requirements for diverter actuations and tests?

You must record the time, date, and results of all diverter actuations and tests in the driller's report. In addition, you must:

- (a) Record the diverter pressure test on a pressure chart;
- (b) Require your onsite representative to sign and date the pressure test chart:
- (c) Identify the control station used during the test or actuation;
- (d) Identify problems or irregularities observed during the testing or actuations and record actions taken to remedy the problems or irregularities; and
- (e) Retain all pressure charts and reports pertaining to the diverter tests

and actuations at the facility for the duration of drilling the well.

[68 FR 8423, Feb. 20, 2003]

### BLOWOUT PREVENTER (BOP) SYSTEM REQUIREMENTS

## § 250.440 What are the general requirements for BOP systems and system components?

You must design, install, maintain, test, and use the BOP system and system components to ensure well control. The working-pressure rating of each BOP component must exceed maximum anticipated surface pressures. The BOP system includes the BOP stack and associated BOP systems and equipment.

[68 FR 8423, Feb. 20, 2003]

### § 250.441 What are the requirements for a surface BOP stack?

- (a) When you drill with a surface BOP stack, you must install the BOP system before drilling below surface casing. The surface BOP stack must include at least four remote-controlled, hydraulically operated BOPs, consisting of an annular BOP, two BOPs equipped with pipe rams, and one BOP equipped with blind or blind-shear
- (b) No later than February 21, 2006, your surface BOP stack must include at least four remote-controlled, hydraulically operated BOPs consisting of an annular BOP, two BOPs equipped with pipe rams, and one BOP equipped with blind-shear rams. The blind-shear rams must be capable of shearing the drill pipe that is in the hole.
- (c) You must install an accumulator system that provides 1.5 times the volume of fluid capacity necessary to close and hold closed all BOP components. The system must perform with a minimum pressure of 200 psi above the precharge pressure without assistance from a charging system. If you supply the accumulator regulators by rig air

and do not have a secondary source of pneumatic supply, you must equip the regulators with manual overrides or other devices to ensure capability of hydraulic operations if rig air is lost.

(d) In addition to the stack and accumulator system, you must install the associated BOP systems and equipment required by the regulations in this subpart.

[68 FR 8423, Feb. 20, 2003]

### § 250.442 What are the requirements for a subsea BOP stack?

- (a) When you drill with a subsea BOP stack, you must install the BOP system before drilling below surface casing. The District Supervisor may require you to install a subsea BOP system before drilling below the conductor casing if proposed casing setting depths or local geology indicate the need.
- (b) Your subsea BOP stack must include at least four remote-controlled, hydraulically operated BOPs consisting of an annular BOP, two BOPs equipped with pipe rams, and one BOP equipped with blind-shear rams.
- (c) You must install an accumulator closing system to provide fast closure of the BOP components and to operate all critical functions in case of a loss of the power fluid connection to the surface. The accumulator system must meet or exceed the provisions of Section 13.3, Accumulator Volumetric Capacity, in API RP 53, Recommended Practices for Blowout Prevention Equipment Systems for Drilling Wells (incorporated by reference as specified in §250.198). The District Supervisor may approve a suitable alternative method.
- (d) The BOP system must include an operable dual-pod control system to ensure proper and independent operation of the BOP system.
- (e) Before removing the marine riser, you must displace the riser with seawater. You must maintain sufficient hydrostatic pressure or take other suitable precautions to compensate for the reduction in pressure and to maintain a safe and controlled well condition

[68 FR 8423, Feb. 20, 2003]

## § 250.443 What associated systems and related equipment must all BOP systems include?

- All BOP systems must include the following associated systems and related equipment:
- (a) An automatic backup to the primary accumulator-charging system. The power source must be independent from the power source for the primary accumulator-charging system. The independent power source must possess sufficient capability to close and hold closed all BOP components.
- (b) At least two BOP control stations. One station must be on the drilling floor. You must locate the other station in a readily accessible location away from the drilling floor.
- (c) Side outlets on the BOP stack for separate kill and choke lines. If your stack does not have side outlets, you must install a drilling spool with side outlets.
- (d) A choke and a kill line on the BOP stack. You must equip each line with two full-opening valves, one of which must be remote-controlled. For a subsea BOP system, both valves in each line must be remote-controlled. In addition:
- (1) You must install the choke line above the bottom ram;
- (2) You may install the kill line below the bottom ram; and
- (3) For a surface BOP system, on the kill line you may install a check valve and a manual valve instead of the remote-controlled valve. To use this configuration, both manual valves must be readily accessible and you must install the check valve between the manual valves and the pump.
- (e) A fill-up line above the uppermost BOP.
- (f) Locking devices installed on the ram-type BOPs.
- (g) A wellhead assembly with a rated working pressure that exceeds the maximum anticipated surface pressure.

[68 FR 8423, Feb. 20, 2003]

### § 250.444 What are the choke manifold requirements?

(a) Your BOP system must include a choke manifold that is suitable for the

anticipated surface pressures, anticipated methods of well control, the surrounding environment, and the corrosiveness, volume, and abrasiveness of drilling fluids and well fluids that you may encounter.

(b) Choke manifold components must have a rated working pressure at least as great as the rated working pressure of the ram BOPs. If your choke manifold has buffer tanks downstream of choke assemblies, you must install isolation valves on any bleed lines.

(c) Valves, pipes, flexible steel hoses, and other fittings upstream of the choke manifold must have a rated working pressure at least as great as the rated working pressure of the ram BOPs.

[68 FR 8423, Feb. 20, 2003]

#### § 250.445 What are the requirements for kelly valves, inside BOPs, and drill-string safety valves?

You must use or provide the following BOP equipment during drilling operations:

(a) A kelly valve installed below the swivel (upper kelly valve);

(b) A kelly valve installed at the bottom of the kelly (lower kelly valve). You must be able to strip the lower kelly valve through the BOP stack;

(c) If you drill with a mud motor and use drill pipe instead of a kelly, you must install one kelly valve above, and one strippable kelly valve below, the joint of drill pipe used in place of a kelly;

(d) On a top-drive system equipped with a remote-controlled valve, you must install a strippable kelly-type valve below the remote-controlled valve:

(e) An inside BOP in the open position located on the rig floor. You must be able to install an inside BOP for each size connection in the drill string;

(f) A drill-string safety valve in the open position located on the rig floor. You must have a drill-string safety valve available for each size connection in the drill string;

(g) When running casing, you must have a safety valve in the open position available on the rig floor to fit the casing string being run in the hole;

(h) All required manual and remotecontrolled kelly valves, drill-string safety valves, and comparable-type valves (*i.e.* kelly-type valve in a top-drive system) must be essentially full-opening; and

(i) The drilling crew must have ready access to a wrench to fit each manual valve.

[68 FR 8423, Feb. 20, 2003]

#### § 250.446 What are the BOP maintenance and inspection requirements?

(a) You must maintain your BOP system to ensure that the equipment functions properly. BOP maintenance must meet or exceed the provisions of Sections 17.10 and 18.10, Inspections; Sections 17.11 and 18.11, Maintenance; and Sections 17.12 and 18.12, Quality Management, described in API RP 53, Recommended Practices for Blowout Prevention Equipment Systems for Drilling Wells (incorporated by reference as specified in §250.198).

(b) You must visually inspect your surface BOP system on a daily basis. You must visually inspect your subsea BOP system and marine riser at least once every 3 days if weather and sea conditions permit. You may use television cameras to inspect subsea equipment.

[68 FR 8423, Feb. 20, 2003]

### § 250.447 When must I pressure test the BOP system?

You must pressure test your BOP system (this includes the choke manifold, kelly valves, inside BOP, and drill-string safety valve):

(a) When installed:

(b) Before 14 days have elapsed since your last BOP pressure test. You must begin to test your BOP system before midnight on the 14th day following the conclusion of the previous test. However, the District Supervisor may require more frequent testing if conditions or BOP performance warrant; and

(c) Before drilling out each string of casing or a liner. The District Supervisor may allow you to omit this test if you didn't remove the BOP stack to run the casing string or liner and the required BOP test pressures for the next section of the hole are not greater than the test pressures for the previous BOP test. You must indicate in your

#### Minerals Management Service, Interior

APD which casing strings and liners meet these criteria.

[68 FR 8423, Feb. 20, 2003]

### § 250.448 What are the BOP pressure tests requirements?

When you pressure test the BOP system, you must conduct a low-pressure and a high-pressure test for each BOP component. You must conduct the low-pressure test before the high-pressure test. Each individual pressure test must hold pressure long enough to demonstrate that the tested component(s) holds the required pressure. Required test pressures are as follows:

- (a) Low-pressure test. All low-pressure tests must be between 200 and 300 psi. Any initial pressure above 300 psi must be bled back to a pressure between 200 and 300 psi before starting the test. If the initial pressure exceeds 500 psi, you must bleed back to zero and reinitiate the test.
- (b) High-pressure test for ram-type BOPs, the choke manifold, and other BOP components. The high-pressure test must equal the rated working pressure of the equipment or be 500 psi greater than your calculated maximum anticipated surface pressure (MASP) for the applicable section of hole. Before you may test BOP equipment to the MASP plus 500 psi, the District Supervisor must have approved those test pressures in your APD.
- (c) High pressure test for annular-type BOPs. The high pressure test must equal 70 percent of the rated working pressure of the equipment or to a pressure approved in your APD.
- (d) Duration of pressure test. Each test must hold the required pressure for 5 minutes. However, for surface BOP systems and surface equipment of a subsea BOP system, a 3-minute test duration is acceptable if you record your test pressures on the outermost half of a 4-hour chart, on a 1-hour chart, or on a digital recorder. If the equipment does not hold the required pressure during a test, you must correct the problem and retest the affected component(s).

[68 FR 8423, Feb. 20, 2003]

### § 250.449 What additional BOP testing requirements must I meet?

You must meet the following additional BOP testing requirements:

- (a) Use water to test a surface BOP system;
- (b) Stump test a subsea BOP system before installation. You must use water to conduct this test. You may use drilling fluids to conduct subsequent tests of a subsea BOP system;
- (c) Alternate tests between control stations and pods;
- (d) Pressure test the blind or blindshear ram BOP during stump tests and at all casing points;
- (e) The interval between any blind or blind-shear ram BOP pressure tests may not exceed 30 days:
- (f) Pressure test variable bore-pipe ram BOPs against the largest and smallest sizes of pipe in use, excluding drill collars and bottom-hole tools;
- (g) Pressure test affected BOP components following the disconnection or repair of any well-pressure containment seal in the wellhead or BOP stack assembly:
- (h) Function test annular and ram BOPs every 7 days between pressure tests; and
- (i) Actuate safety valves assembled with proper casing connections before running casing.

[68 FR 8423, Feb. 20, 2003]

### § 250.450 What are the recordkeeping requirements for BOP tests?

You must record the time, date, and results of all pressure tests, actuations, and inspections of the BOP system, system components, and marine riser in the driller's report. In addition, you must:

- (a) Record BOP test pressures on pressure charts;
- (b) Require your onsite representative to sign and date BOP test charts and reports as correct;
- (c) Document the sequential order of BOP and auxiliary equipment testing and the pressure and duration of each test. For subsea BOP systems, you must also record the closing times for annular and ram BOPs. You may reference a BOP test plan if it is available at the facility;
- (d) Identify the control station and pod used during the test;

(e) Identify any problems or irregularities observed during BOP system testing and record actions taken to remedy the problems or irregularities; and

(f) Retain all records, including pressure charts, driller's report, and referenced documents pertaining to BOP tests, actuations, and inspections at the facility for the duration of drilling.

[68 FR 8423, Feb. 20, 2003]

#### § 250.451 What must I do in certain situations involving BOP equipment or systems?

The table in this section describes actions that lessees must take when certain situations occur with BOP systems during drilling activities.

If you encounter the following situation:	Then you must
(a) BOP equipment does not hold the required pressure during a test.	Correct the problem and retest the affected equipment.
(b) Need to repair or replace a surface or subsea BOP system.	First place the well in a safe, controlled condition (e.g., before drilling out a casing shoe or after setting a cement plug, bridge plug, or a packer).
(c) Need to postpone a BOP test due to well-control problems such as lost cir- culation, formation fluid in- flux, or stuck drill pipe.	Record the reason for post- poning the test in the driller's report and conduct the required BOP test on the first trip out of the hole.
(d) BOP control station or pod that does not function properly.	Suspend further drilling operations until that station or pod is operable.
(e) Want to drill with a ta- pered drill-string.	Install two or more sets of conventional or variable-bore pipe rams in the BOP stack to provide for the following: two sets of rams must be capable of sealing around the larger-size drill string and one set of pipe rams must be capable of sealing around the smaller-size drill string.
(f) Install casing rams in a BOP stack.      (g) Want to use an annular	Test the ram bonnets before running casing.  Demonstrate that your well
(g) want to use an annuar BOP with a rated working pressure less than the an- ticipated surface pressure.	control procedures or the anticipated well conditions will not place demands above its rated working pressure and obtain ap- proval from the District Su- pervisor.
(h) Use a subsea BOP system in an ice-scour area.	Install the BOP stack in a glory hole. The glory hole must be deep enough to ensure that the top of the stack is below the deepest

DRILLING FLUID REQUIREMENTS

### § 250.455 What are the general requirements for a drilling fluid program?

You must design and implement your drilling fluid program to prevent the loss of well control. This program must address drilling fluid safe practices, testing and monitoring equipment, drilling fluid quantities, and drilling fluid-handling areas.

[68 FR 8423, Feb. 20, 2003]

### § 250.456 What safe practices must the drilling fluid program follow?

Your drilling fluid program must include the following safe practices:

- (a) Before starting out of the hole with drill pipe, you must properly condition the drilling fluid. You must circulate a volume of drilling fluid equal to the annular volume with the drill pipe just off-bottom. You may omit this practice if documentation in the driller's report shows:
- (1) No indication of formation fluid influx before starting to pull the drill pipe from the hole;
- (2) The weight of returning drilling fluid is within 0.2 pounds per gallon (1.5 pounds per cubic foot) of the drilling fluid entering the hole; and
- (3) Other drilling fluid properties are within the limits established by the program approved in the APD.
- (b) Record each time you circulate drilling fluid in the hole in the driller's report;
- (c) When coming out of the hole with drill pipe, you must fill the annulus with drilling fluid before the hydrostatic pressure decreases by 75 psi, or every five stands of drill pipe, whichever gives a lower decrease in hydrostatic pressure. You must calculate the number of stands of drill pipe and drill collars that you may pull before you must fill the hole. You must also calculate the equivalent drilling fluid volume needed to fill the hole. Both sets of numbers must be posted near the driller's station. You must use a mechanical, volumetric, or electronic device to measure the drilling fluid required to fill the hole;
- (d) You must run and pull drill pipe and downhole tools at controlled rates so you do not swab or surge the well;

[68 FR 8423, Feb. 20, 2003]

probable ice-scour depth.

#### Minerals Management Service, Interior

- (e) When there is an indication of swabbing or influx of formation fluids, you must take appropriate measures to control the well. You must circulate and condition the well, on or near-bottom, unless well or drilling-fluid conditions prevent running the drill pipe back to the bottom;
- (f) You must calculate and post near the driller's console the maximum pressures that you may safely contain under a shut-in BOP for each casing string. The pressures posted must consider the surface pressure at which the formation at the shoe would break down, the rated working pressure of the BOP stack, and 70 percent of casing burst (or casing test as approved by the District Supervisor). As a minimum, you must post the following two pressures:
- (1) The surface pressure at which the shoe would break down. This calculation must consider the current drilling fluid weight in the hole; and
- (2) The lesser of the BOP's rated working pressure or 70 percent of casing-burst pressure (or casing test otherwise approved by the District Supervisor);
- (g) You must install an operable drilling fluid-gas separator and degasser before you begin drilling operations. You must maintain this equipment throughout the drilling of the well:
- (h) Before pulling drill-stem test tools from the hole, you must circulate or reverse-circulate the test fluids in the hole. If circulating out test fluids is not feasible, you may bullhead test fluids out of the drill-stem test string and tools with an appropriate kill weight fluid;
- (i) When circulating, you must test the drilling fluid at least once each tour, or more frequently if conditions warrant. Your tests must conform to industry-accepted practices and include density, viscosity, and gel strength; hydrogenion concentration; filtration; and any other tests the District Supervisor requires for monitoring and maintaining drilling fluid quality, prevention of downhole equipment problems and for kick detection. You must record the results of these tests in the drilling fluid report; and

(j) In areas where permafrost and/or hydrate zones are present or may be present, you must control drilling fluid temperatures to drill safely through those zones.

[68 FR 8423, Feb. 20, 2003; 68 FR 14274, Mar. 24, 2003]

### § 250.457 What equipment is required to monitor drilling fluids?

Once you establish drilling fluid returns, you must install and maintain the following drilling fluid-system monitoring equipment throughout subsequent drilling operations. This equipment must have the following indicators on the rig floor:

- (a) Pit level indicator to determine drilling fluid-pit volume gains and losses. This indicator must include both a visual and an audible warning device;
- (b) Volume measuring device to accurately determine drilling fluid volumes required to fill the hole on trips;
- (c) Return indicator devices that indicate the relationship between drilling fluid-return flow rate and pump discharge rate. This indicator must include both a visual and an audible warning device; and
- (d) Gas-detecting equipment to monitor the drilling fluid returns. The indicator may be located in the drilling fluid-logging compartment or on the rig floor. If the indicators are only in the logging compartment, you must continually man the equipment and have a means of immediate communication with the rig floor. If the indicators are on the rig floor only, you must install an audible alarm.

[68 FR 8423, Feb. 20, 2003]

### § 250.458 What quantities of drilling fluids are required?

- (a) You must use, maintain, and replenish quantities of drilling fluid and drilling fluid materials at the drill site as necessary to ensure well control. You must determine those quantities based on known or anticipated drilling conditions, rig storage capacity, weather conditions, and estimated time for delivery.
- (b) You must record the daily inventories of drilling fluid and drilling fluid materials, including weight materials

and additives in the drilling fluid report.

(c) If you do not have sufficient quantities of drilling fluid and drilling fluid material to maintain well control, you must suspend drilling operations.

[68 FR 8423, Feb. 20, 2003]

## § 250.459 What are the safety requirements for drilling fluid-handling areas?

You must classify drilling fluid-handling areas according to API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities. Classified as Class I, Division 1 and Division 2 (incorporated by reference as specified in §250.198); or API RP 505, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities, Classified as Class 1, Zone 0, Zone 1, and Zone 2 (incorporated by reference as specified in §250.198). In areas where dangerous concentrations of combustible gas may accumulate, you must install and maintain a ventilation system and gas monitors. Drilling fluid-handling areas must have the following safety equipment:

(a) A ventilation system capable of replacing the air once every 5 minutes or 1.0 cubic feet of air-volume flow per minute, per square foot of area, whichever is greater. In addition:

(1) If natural means provide adequate ventilation, then a mechanical ventilation system is not necessary;

(2) If a mechanical system does not run continuously, then it must activate when gas detectors indicate the presence of 1 percent or more of combustible gas by volume; and

(3) If discharges from a mechanical ventilation system may be hazardous, then you must maintain the drilling fluid-handling area at a negative pressure. You must protect the negative pressure area by using at least one of the following: a pressure-sensitive alarm, open-door alarms on each access to the area, automatic door-closing devices, air locks, or other devices approved by the District Supervisor;

(b) Gas detectors and alarms except in open areas where adequate ventilation is provided by natural means. You must test and recalibrate gas detectors quarterly. No more than 90 days may elapse between tests;

- (c) Explosion-proof or pressurized electrical equipment to prevent the ignition of explosive gases. Where you use air for pressuring equipment, you must locate the air intake outside of and as far as practicable from hazardous areas; and
- (d) Alarms that activate when the mechanical ventilation system fails.

[68 FR 8423, Feb. 20, 2003]

#### OTHER DRILLING REQUIREMENTS

### \$250.460 What are the requirements for conducting a well test?

- (a) If you intend to conduct a well test, you must include your projected plans for the test with your APD (form MMS-123) or in an Application for Permit to Modify (APM) (form MMS-124). Your plans must include at least the following information:
- (1) Estimated flowing and shut-in tubing pressures;
- (2) Estimated flow rates and cumulative volumes;
- (3) Time duration of flow, buildup, and drawdown periods;
- (4) Description and rating of surface and subsurface test equipment;
- (5) Schematic drawing, showing the layout of test equipment;
- (6) Description of safety equipment, including gas detectors and fire-fighting equipment;
- (7) Proposed methods to handle or transport produced fluids; and
- (8) Description of the test procedures.
- (b) You must give the District Supervisor at least 24-hours notice before starting a well test.

[68 FR 8423, Feb. 20, 2003]

## § 250.461 What are the requirements for directional and inclination surveys?

For this subpart, MMS classifies a well as vertical if the calculated average of inclination readings does not exceed 3 degrees from the vertical.

(a) Survey requirements for a vertical well. (1) You must conduct inclination surveys on each vertical well and record the results. Survey intervals may not exceed 1,000 feet during the normal course of drilling;

- (2) You must also conduct a directional survey that provides both inclination and azimuth, and digitally record the results in electronic format:
- (i) Within 500 feet of setting surface or intermediate casing;
- (ii) Within 500 feet of setting any liner; and
  - (iii) When you reach total depth.
- (b) Survey requirements for directional well. You must conduct directional surveys on each directional well and digitally record the results. Surveys must give both inclination and azimuth at intervals not to exceed 500 feet during the normal course of drilling. Intervals during angle-changing portions of the hole may not exceed 100 feet.
- (c) Measurement while drilling. You may use measurement-while-drilling technology if it meets the requirements of this section.
- (d) Composite survey requirements. (1) Your composite directional survey must show the interval from the bottom of the conductor casing to total depth. In the absence of conductor casing, the survey must show the interval from the bottom of the drive or structural casing to total depth; and
- (2) You must correct all surveys to Universal-Transverse-Mercator-Gridnorth or Lambert-Gridnorth after making the magnetic-to-true-north correction. Surveys must show the magnetic and grid corrections used and include a listing of the directionally computed inclinations and azimuths.
- (e) If you drill within 500 feet of an adjacent lease, the Regional Supervisor may require you to furnish a copy of the well's directional survey to the affected leaseholder. This could occur when the adjoining leaseholder requests a copy of the survey for the protection of correlative rights.

[68 FR 8423, Feb. 20, 2003]

### § 250.462 What are the requirements for well-control drills?

You must conduct a weekly well-control drill with each drilling crew. Your drill must familiarize the crew with its roles and functions so that all crew members can perform their duties promptly and efficiently.

(a) Well-control drill plan. You must prepare a well control drill plan for each well. Your plan must outline the assignments for each crew member and establish times to complete each portion of the drill. You must post a copy of the well control drill plan on the rig floor or bulletin board.

(b) *Timing of drills.* You must conduct each drill during a period of activity that minimizes the risk to drilling operations. The timing of your drills must cover a range of different operations, including drilling with a diverter, on-bottom drilling, and tripping.

(c) Recordkeeping requirements. For each drill, you must record the following in the driller's report:

(1) The time to be ready to close the diverter or BOP system; and

(2) The total time to complete the entire drill.

(d) MMS ordered drill. An MMS authorized representative may require you to conduct a well control drill during an MMS inspection. The MMS representative will consult with your onsite representative before requiring the drill

[68 FR 8423, Feb. 20, 2003]

### § 250.463 Who establishes field drilling rules?

(a) The District Supervisor may establish field drilling rules different from the requirements of this subpart when geological and engineering information shows that specific operating requirements are appropriate. You must comply with field drilling rules and nonconflicting requirements of this subpart. The District Supervisor may amend or cancel field drilling rules at any time.

(b) You may request the District Supervisor to establish, amend, or cancel field drilling rules.

[68 FR 8423, Feb. 20, 2003]

APPLYING FOR A PERMIT TO MODIFY AND WELL RECORDS

## § 250.465 When must I submit an Application for Permit to Modify (APM) or an End of Operations Report to MMS?

(a) You must submit an APM (form MMS-124) or an End of Operations Report (form MMS-125) and other materials to the Regional Supervisor as

shown in the following table. You must also submit a public information copy of each form.

When you	Then you must	And
(1) Intend to revise your drilling plan, change major drilling equipment, or plugback.	Submit form MMS-124 or request oral approval.	Receive written or oral approval from the District Supervisor before you begin the intended operation. If you get an approval, you must submit form MMS-124 no later than the end of the 3rd business day following the oral approval. In all cases, or you must meet the additional requirements in paragraph (b) of this section.
(2) Determine a well's final sur- face location, water depth, and the rotary kelly bushing elevation.	Immediately Submit a form MMS-124.	Submit a plat certified by a registered land surveyor that meets the requirements of § 250.412.
(3) Move a drilling unit from a wellbore before completing a well.	Submit forms Submit MMS– 124 and MMS–125 within 30 days after the susepsion of wellbore operations.	Submit appropriate copies of the well recods.

- (b) If you intend to perform any of the actions specified in paragraph (a)(1) of this section, you must meet the following additional requirements:
- (1) Your form MMS-124 must contain a detailed statement of the proposed work that will materially change from the approved APD;
- (2) Your form MMS-124 must include the present status of the well, depth of all casing strings set to date, well depth, present production zones and productive capability, and all other information specified; and
- (3) Within 30 days after completing this work, you must submit form MMS-124 with detailed information about the work to the District Supervisor, unless you have already provided sufficient information in a Well Activity Report, form MMS-133 (§ 250.468(b)).

[68 FR 8423, Feb. 20, 2003]

#### § 250.466 What records must I keep?

You must keep complete, legible, and accurate records for each well. You must keep drilling records onsite while

drilling activities continue. After completion of drilling activities, you must keep all drilling and other well records for the time periods shown in §250.469. You may keep these records at a location of your choice. The records must contain complete information on all of the following:

- (a) Well operations;
- (b) Descriptions of formations penetrated:
- (c) Content and character of oil, gas, water, and other mineral deposits in each formation;
- (d) Kind, weight, size, grade, and setting depth of casing;
- (e) All well logs and surveys run in the wellbore;
- (f) Any significant malfunction or problem; and
- (g) All other information required by the District Supervisor in the interests of resource evaluation, waste prevention, conservation of natural resources, and the protection of correlative rights, safety, and environment.

[68 FR 8423, Feb. 20, 2003]

#### §250.467 How long must I keep records?

You must keep records for the time periods shown in the following table.

You must keep records relating to	Until
(a) Drilling	You permanently plug and abandon the well or until you for-

# § 250.468 What well records am I required to submit?

- (a) You must submit copies of logs or charts of electrical, radioactive, sonic, and other well-logging operations; directional and vertical-well surveys; velocity profiles and surveys; and analysis of cores to MMS. Each Region will provide specific instructions for submitting well logs and surveys.
- (b) For drilling operations in the GOM OCS Region, you must submit form MMS-133, Well Activity Report, to the District Supervisor on a weekly basis.
- (c) For drilling operations in the Pacific or Alaska OCS Regions, you must submit form MMS-133, Well Activity Report, to the District Supervisor on a daily basis.

[68 FR 8423, Feb. 20, 2003]

# § 250.469 What other well records could I be required to submit?

The Regional or District Supervisor may require you to submit copies of any or all of the following well records.

- (a) Well records as specified in §250.466;
- (b) Paleontological interpretations or reports identifying microscopic fossils by depth and/or washed samples of drill cuttings that you normally maintain for paleontological determinations. The Regional Supervisor may issue a Notice to Lessees that prescribes the manner, timeframe, and format for submitting this information;
- (c) Service company reports on cementing, perforating, acidizing, testing, or other similar services; or
- (d) Other reports and records of operations.

[68 FR 8423, Feb. 20, 2003]

# HYDROGEN SULFIDE

# § 250.490 Hydrogen sulfide.

- (a) What precautions must I take when operating in an H₂S area? You must:
- (1) Take all necessary and feasible precautions and measures to protect personnel from the toxic effects of  $H_2S$  and to mitigate damage to property and the environment caused by  $H_2S$ . You must follow the requirements of this section when conducting drilling,

well-completion/well-workover, and production operations in zones with  $H_2S$  present and when conducting operations in zones where the presence of  $H_2S$  is unknown. You do not need to follow these requirements when operating in zones where the absence of  $H_2S$  has been confirmed; and

- (2) Follow your approved contingency plan.
- (b) *Definitions*. Terms used in this section have the following meanings:

Facility means a vessel, a structure, or an artificial island used for drilling, well-completion, well-workover, and/or production operations.

*H*<sub>2</sub>*S* absent means:

- (1) Drilling, logging, coring, testing, or producing operations have confirmed the absence of  $H_2S$  in concentrations that could potentially result in atmospheric concentrations of 20 ppm or more of  $H_2S$ ; or
- (2) Drilling in the surrounding areas and correlation of geological and seismic data with equivalent stratigraphic units have confirmed an absence of  $H_2S$  throughout the area to be drilled.

 $H_2S$  present means that drilling, logging, coring, testing, or producing operations have confirmed the presence of  $H_2S$  in concentrations and volumes that could potentially result in atmospheric concentrations of 20 ppm or more of  $H_2S$ .

 $H_2S$  unknown means the designation of a zone or geologic formation where neither the presence nor absence of  $H_2S$  has been confirmed.

Well-control fluid means drilling mud and completion or workover fluid as appropriate to the particular operation being conducted.

- (c) Classifying an area for the presence of H<sub>2</sub>S. You must:
- (1) Request and obtain an approved classification for the area from the Regional Supervisor before you begin operations. Classifications are "H<sub>2</sub>S absent," H<sub>2</sub>S present," or "H<sub>2</sub>S unknown";
- (2) Submit your request with your application for permit to drill;
- (3) Support your request with available information such as geologic and

geophysical data and correlations, well logs, formation tests, cores and analysis of formation fluids; and

- (4) Submit a request for reclassification of a zone when additional data indicate a different classification is needed.
- (d) What do I do if conditions change? If you encounter  $H_2S$  that could potentially result in atmospheric concentrations of 20 ppm or more in areas not previously classified as having  $H_2S$  present, you must immediately notify MMS and begin to follow requirements for areas with  $H_2S$  present.
- (e) What are the requirements for conducting simultaneous operations? When conducting any combination of drilling, well-completion, well-workover, and production operations simultaneously, you must follow the requirements in the section applicable to each individual operation.
- (f) Requirements for submitting an H<sub>2</sub>S Contingency Plan. Before you begin operations, you must submit an H<sub>2</sub>S Contingency Plan to the District Supervisor for approval. Do not begin operations before the District Supervisor approves your plan. You must keep a copy of the approved plan in the field, and you must follow the plan at all times. Your plan must include:
- (1) Safety procedures and rules that you will follow concerning equipment, drills, and smoking;
- (2) Training you provide for employees, contractors, and visitors;
- (3) Job position and title of the person responsible for the overall safety of personnel;
- (4) Other key positions, how these positions fit into your organization, and what the functions, duties, and responsibilities of those job positions are;
- (5) Actions that you will take when the concentration of  $H_2S$  in the atmosphere reaches 20 ppm, who will be responsible for those actions, and a description of the audible and visual alarms to be activated;
- (6) Briefing areas where personnel will assemble during an  $H_2S$  alert. You must have at least two briefing areas on each facility and use the briefing area that is upwind of the  $H_2S$  source at any given time;
- (7) Criteria you will use to decide when to evacuate the facility and pro-

cedures you will use to safely evacuate all personnel from the facility by vessel, capsule, or lifeboat. If you use helicopters during  $H_2S$  alerts, describe the types of  $H_2S$  emergencies during which you consider the risk of helicopter activity to be acceptable and the precautions you will take during the flights;

(8) Procedures you will use to safely position all vessels attendant to the facility. Indicate where you will locate the vessels with respect to wind direction. Include the distance from the facility and what procedures you will use to safely relocate the vessels in an emergency:

emergency;

(9) How you will provide protectivebreathing equipment for all personnel, including contractors and visitors;

- (10) The agencies and facilities you will notify in case of a release of  $\rm H_2S$  (that constitutes an emergency), how you will notify them, and their telephone numbers. Include all facilities that might be exposed to atmospheric concentrations of 20 ppm or more of  $\rm H_2S$ :
- (11) The medical personnel and facilities you will use if needed, their addresses, and telephone numbers;
- (12)  $H_2S$  detector locations in production facilities producing gas containing 20 ppm or more of  $H_2S$ . Include an " $H_2S$  Detector Location Drawing" showing:
- (i) All vessels, flare outlets, wellheads, and other equipment handling production containing  $H_2S$ ;
- (ii) Approximate maximum concentration of  $H_2S$  in the gas stream; and
- (iii) Location of all H<sub>2</sub>S sensors included in your contingency plan;
- (13) Operational conditions when you expect to flare gas containing H<sub>2</sub>S including the estimated maximum gas flow rate, H<sub>2</sub>S concentration, and duration of flaring;
- (14) Your assessment of the risks to personnel during flaring and what precautionary measures you will take;
- (15) Primary and alternate methods to ignite the flare and procedures for sustaining ignition and monitoring the status of the flare (i.e., ignited or extinguished);
- (16) Procedures to shut off the gas to the flare in the event the flare is extinguished:

- (17) Portable or fixed sulphur dioxide (SO<sub>2</sub>)-detection system(s) you will use to determine SO<sub>2</sub> concentration and exposure hazard when H<sub>2</sub>S is burned;
- (18) Increased monitoring and warning procedures you will take when the  $SO_2$  concentration in the atmosphere reaches 2 ppm;
- (19) Personnel protection measures or evacuation procedures you will initiate when the  $SO_2$  concentration in the atmosphere reaches 5 ppm;

(20) Engineering controls to protect personnel from  $SO_2$ ; and

- (21) Any special equipment, procedures, or precautions you will use if you conduct any combination of drilling, well-completion, well-workover, and production operations simultaneously.
  - (g) Training program.
- (1) When and how often do employees need to be trained? All operators and contract personnel must complete an  $H_2S$  training program to meet the requirements of this section:
- (i) Before beginning work at the facility; and
- (ii) Each year, within 1 year after completion of the previous class.
- (2) What training documentation do I need? For each individual working on the platform, either:
- (i) You must have documentation of this training at the facility where the individual is employed; or
- (ii) The employee must carry a training completion card.
- (3) What training do I need to give to visitors and employees previously trained on another facility?
- (i) Trained employees or contractors transferred from another facility must attend a supplemental briefing on your H<sub>2</sub>S equipment and procedures before beginning duty at your facility;
- (ii) Visitors who will remain on your facility more than 24 hours must receive the training required for employees by paragraph (g)(4) of this section; and
- (iii) Visitors who will depart before spending 24 hours on the facility are exempt from the training required for employees, but they must, upon arrival, complete a briefing that includes:
- (A) Information on the location and use of an assigned respirator; practice

- in donning and adjusting the assigned respirator; information on the safe briefing areas, alarm system, and hazards of  $H_2S$  and  $SO_2$ ; and
- (B) Instructions on their responsibilities in the event of an  $H_2S$  release.
- (4) What training must I provide to all other employees? You must train all individuals on your facility on the:
- (i) Hazards of H<sub>2</sub>S and of SO<sub>2</sub> and the provisions for personnel safety contained in the H<sub>2</sub>S Contingency Plan;
- (ii) Proper use of safety equipment which the employee may be required to use:
- (iii) Location of protective breathing equipment,  $H_2S$  detectors and alarms, ventilation equipment, briefing areas, warning systems, evacuation procedures, and the direction of prevailing winds:
- (iv) Restrictions and corrective measures concerning beards, spectacles, and contact lenses in conformance with ANSI Z88.2, American National Standard for Respiratory Protection (incorporated by reference as specified in §250.198);
- (v) Basic first-aid procedures applicable to victims of  $H_2S$  exposure. During all drills and training sessions, you must address procedures for rescue and first aid for  $H_2S$  victims;
  - (vi) Location of:
  - (A) The first-aid kit on the facility;
  - (B) Resuscitators; and
- (C) Litter or other device on the facility.
  - (vii) Meaning of all warning signals.
- (5) Do I need to post safety information? You must prominently post safety information on the facility and on vessels serving the facility (i.e., basic first-aid, escape routes, instructions for use of life boats, etc.).
- (h) Drills. (1) When and how often do I need to conduct drills on H<sub>2</sub>S safety discussions on the facility? You must:
- (i) Conduct a drill for each person at the facility during normal duty hours at least once every 7-day period. The drills must consist of a dry-run performance of personnel activities related to assigned jobs.
- (ii) At a safety meeting or other meetings of all personnel, discuss drill performance, new  $H_2S$  considerations at the facility, and other updated  $H_2S$  information at least monthly.

- (2) What documentation do I need? You must keep records of attendance for:
- (i) Drilling, well-completion, and well-workover operations at the facility until operations are completed; and
- (ii) Production operations at the facility or at the nearest field office for 1 year.
- (i) Visual and audible warning systems—(1) How must I install wind direction equipment? You must install wind-direction equipment in a location visible at all times to individuals on or in the immediate vicinity of the facility.
- (2) When do I need to display operational danger signs, display flags, or activate visual or audible alarms?
- (i) You must display warning signs at all times on facilities with wells capable of producing  $H_2S$  and on facilities that process gas containing  $H_2S$  in concentrations of 20 ppm or more.
- (ii) In addition to the signs, you must activate audible alarms and display flags or activate flashing red lights when atmospheric concentration of  $H_2S$  reaches 20 ppm.
- (3) What are the requirements for signs? Each sign must be a high-visibility yellow color with black lettering as follows:

Letter height	Wording
12 inches	Danger. Poisonous Gas. Hydrogen Sulfide.
7 inches	Do not approach if red flag is flying.
(Use appropriate wording at right).	Do not approach if red lights are flashing.

- (4) May I use existing signs? You may use existing signs containing the words "Danger-Hydrogen Sulfide-H<sub>2</sub>S," provided the words "Poisonous Gas. Do Not Approach if Red Flag is Flying" or "Red Lights are Flashing" in lettering of a minimum of 7 inches in height are displayed on a sign immediately adjacent to the existing sign.
- (5) What are the requirements for flashing lights or flags? You must activate a sufficient number of lights or hoist a sufficient number of flags to be visible to vessels and aircraft. Each light must be of sufficient intensity to be seen by approaching vessels or aircraft any time it is activated (day or night). Each flag must be red, rectangular, a minimum width of 3 feet, and a minimum height of 2 feet.

- (6) What is an audible warning system? An audible warning system is a public address system or siren, horn, or other similar warning device with a unique sound used only for H<sub>2</sub>S.
- (7) Are there any other requirements for visual or audible warning devices? Yes, you must:
- (i) Illuminate all signs and flags at night and under conditions of poor visibility: and
- (ii) Use warning devices that are suitable for the electrical classification of the area.
- (8) What actions must I take when the alarms are activated? When the warning devices are activated, the designated responsible persons must inform personnel of the level of danger and issue instructions on the initiation of appropriate protective measures.
- (j)  $H_2S$ -detection and  $H_2S$  monitoring equipment—(1) What are the requirements for an  $H_2S$  detection system? An  $H_2S$  detection system must:
- (i) Be capable of sensing a minimum of 10 ppm of  $H_2S$  in the atmosphere; and
- (ii) Activate audible and visual alarms when the concentration of  $H_2S$  in the atmosphere reaches 20 ppm.
- (2) Where must I have sensors for drilling, well-completion, and well-workover operations? You must locate sensors at the:
  - (i) Bell nipple;
- (ii) Mud-return line receiver tank (possum belly);
  - (iii) Pipe-trip tank;
  - (iv) Shale shaker;
  - (v) Well-control fluid pit area;
  - (vi) Driller's station;
- (vii) Living quarters; and
- (viii) All other areas where  $H_2S$  may accumulate.
- (3) Do I need mud sensors? The District Supervisor may require mud sensors in the possum belly in cases where the ambient air sensors in the mud-return system do not consistently detect the presence of  $H_2S$ .
- (4) How often must I observe the sensors? During drilling, well-completion and well-workover operations, you must continuously observe the H<sub>2</sub>S levels indicated by the monitors in the work areas during the following operations:

- (i) When you pull a wet string of drill pipe or workover string;
- (ii) When circulating bottoms-up after a drilling break;
  - (iii) During cementing operations;
  - (iv) During logging operations; and
- (v) When circulating to condition mud or other well-control fluid.
- (5) Where must I have sensors for production operations? On a platform where gas containing  $H_2S$  of 20 ppm or greater is produced, processed, or otherwise handled:
- (i) You must have a sensor in rooms, buildings, deck areas, or low-laying deck areas not otherwise covered by paragraph (j)(2) of this section, where atmospheric concentrations of  $H_2S$  could reach 20 ppm or more. You must have at least one sensor per 400 square feet of deck area or fractional part of 400 square feet;
- (ii) You must have a sensor in buildings where personnel have their living quarters;
- (iii) You must have a sensor within 10 feet of each vessel, compressor, well-head, manifold, or pump, which could release enough H<sub>2</sub>S to result in atmospheric concentrations of 20 ppm at a distance of 10 feet from the component;
- (iv) You may use one sensor to detect  $H_2S$  around multiple pieces of equipment, provided the sensor is located no more than 10 feet from each piece, except that you need to use at least two sensors to monitor compressors exceeding 50 horsepower;
- (v) You do not need to have sensors near wells that are shut in at the master valve and sealed closed;
- (vi) When you determine where to place sensors, you must consider:
- (A) The location of system fittings, flanges, valves, and other devices subject to leaks to the atmosphere; and
- (B) Design factors, such as the type of decking and the location of fire walls; and
- (vii) The District Supervisor may require additional sensors or other monitoring capabilities, if warranted by site specific conditions.
- (6) How must I functionally test the H<sub>2</sub>S Detectors?
- (i) Personnel trained to calibrate the particular  $H_2S$  detector equipment being used must test detectors by ex-

- posing them to a known concentration in the range of 10 to 30 ppm of  $H_2S$ .
- (ii) If the results of any functional test are not within 2 ppm or 10 percent, whichever is greater, of the applied concentration, recalibrate the instrument
  - (7) How often must I test my detectors?
- (i) When conducting drilling, drill stem testing, well-completion, or well-workover operations in areas classified as  $H_2S$  present or  $H_2S$  unknown, test all detectors at least once every 24 hours. When drilling, begin functional testing before the bit is 1,500 feet (vertically) above the potential  $H_2S$  zone.
- (ii) When conducting production operations, test all detectors at least every 14 days between tests.
- (iii) If equipment requires calibration as a result of two consecutive functional tests, the District Supervisor may require that  $H_2S$ -detection and  $H_2S$ -monitoring equipment be functionally tested and calibrated more frequently.
  - (8) What documentation must I keep?
- (i) You must maintain records of testing and calibrations (in the drilling or production operations report, as applicable) at the facility to show the present status and history of each device, including dates and details concerning:
  - (A) Installation;
  - (B) Removal;
  - (C) Inspection;
  - (D) Repairs:
  - (E) Adjustments; and
  - (F) Reinstallation.
- (ii) Records must be available for inspection by MMS personnel.
- (9) What are the requirements for nearby vessels? If vessels are stationed overnight alongside facilities in areas of  $H_2S$  present or  $H_2S$  unknown, you must equip vessels with an  $H_2S$ -detection system that activates audible and visual alarms when the concentration of  $H_2S$  in the atmosphere reaches 20 ppm. This requirement does not apply to vessels positioned upwind and at a safe distance from the facility in accordance with the positioning procedure described in the approved  $H_2S$  Contingency Plan.
- (10) What are the requirements for nearby facilities? The District Supervisor

may require you to equip nearby facilities with portable or fixed  $\rm H_2S$  detector(s) and to test and calibrate those detectors. To invoke this requirement, the District Supervisor will consider dispersion modeling results from a possible release to determine if 20 ppm  $\rm H_2S$  concentration levels could be exceeded at nearby facilities.

- (11) What must I do to protect against  $SO_2$  if I burn gas containing  $H_2S$ ? You must:
- (i) Monitor the  $SO_2$  concentration in the air with portable or strategically placed fixed devices capable of detecting a minimum of 2 ppm of  $SO_2$ ;
- (ii) Take readings at least hourly and at any time personnel detect SO<sub>2</sub> odor or nasal irritation;
- (iii) Implement the personnel protective measures specified in the  $H_2S$  Contingency Plan if the  $SO_2$  concentration in the work area reaches 2 ppm; and
- (iv) Calibrate devices every 3 months if you use fixed or portable electronic sensing devices to detect SO<sub>2</sub>.
- (12) May I use alternative measures? You may follow alternative measures instead of those in paragraph (j)(11) of this section if you propose and the Regional Supervisor approves the alternative measures.
- (13) What are the requirements for protective-breathing equipment? In an area classified as H<sub>2</sub>S present or H<sub>2</sub>S unknown, you must:
- (i) Provide all personnel, including contractors and visitors on a facility, with immediate access to self-contained pressure-demand-type respirators with hoseline capability and breathing time of at least 15 minutes.
- (ii) Design, select, use, and maintain respirators in conformance with ANSI Z88.2 (incorporated by reference as specified in §250.198).
- (iii) Make available at least two voice-transmission devices, which can be used while wearing a respirator, for use by designated personnel.
- (iv) Make spectacle kits available as needed.
- (v) Store protective-breathing equipment in a location that is quickly and easily accessible to all personnel.
- (vi) Label all breathing-air bottles as containing breathing-quality air for human use.

- (vii) Ensure that vessels attendant to facilities carry appropriate protective-breathing equipment for each crew member. The District Supervisor may require additional protective-breathing equipment on certain vessels attendant to the facility.
- (viii) During  $H_2S$  alerts, limit helicopter flights to and from facilities to the conditions specified in the  $H_2S$  Contingency Plan. During authorized flights, the flight crew and passengers must use pressure-demand-type respirators. You must train all members of flight crews in the use of the particular type(s) of respirator equipment made available.
- (ix) As appropriate to the particular operation(s). (production, drilling, well-completion or well-workover operations, or any combination of them), provide a system of breathing-air manifolds, hoses, and masks at the facility and the briefing areas. You must provide a cascade air-bottle system for the breathing-air manifolds to refill individual protective-breathing apparatus bottles. The cascade air-bottle system may be recharged by a highpressure compressor suitable for providing breathing-quality air, provided the compressor suction is located in an uncontaminated atmosphere.
- (k) Personnel safety equipment—(1) What additional personnel-safety equipment do I need? You must ensure that your facility has:
- (i) Portable  $H_2S$  detectors capable of detecting a 10 ppm concentration of  $H_2S$  in the air available for use by all personnel;
- (ii) Retrieval ropes with safety harnesses to retrieve incapacitated personnel from contaminated areas;
- (iii) Chalkboards and/or note pads for communication purposes located on the rig floor, shale-shaker area, the cement-pump rooms, well-bay areas, production processing equipment area, gas compressor area, and pipeline-pump area;
- (iv) Bull horns and flashing lights; and
- (v) At least three resuscitators on manned facilities, and a number equal to the personnel on board, not to exceed three, on normally unmanned facilities, complete with face masks, oxygen bottles, and spare oxygen bottles.

- (2) What are the requirements for ventilation equipment? You must:
- (i) Use only explosion-proof ventilation devices;
- (ii) Install ventilation devices in areas where  $H_2S$  or  $SO_2$  may accumulate; and
- (iii) Provide movable ventilation devices in work areas. The movable ventilation devices must be multidirectional and capable of dispersing  $H_2S$  or  $SO_2$  vapors away from working personnel.
- (3) What other personnel safety equipment do I need? You must have the following equipment readily available on each facility:
- (i) A first-aid kit of appropriate size and content for the number of personnel on the facility; and
- (ii) At least one litter or an equivalent device.
- (l) Do I need to notify MMS in the event of an  $H_2S$  release? You must notify MMS without delay in the event of a gas release which results in a 15-minute time weighted average atmospheric concentration of  $H_2S$  of 20 ppm or more anywhere on the facility.
- (m) Do I need to use special drilling, completion and workover fluids or procedures? When working in an area classified as H<sub>2</sub>S present or H<sub>2</sub>S unknown:
- (1) You may use either water- or oilbase muds in accordance with §250.300(b)(1).
- (2) If you use water-base well-control fluids, and if ambient air sensors detect  $H_2S$ , you must immediately conduct either the Garrett-Gas-Train test or a comparable test for soluble sulfides to confirm the presence of  $H_2S$ .
- (3) If the concentration detected by air sensors in over 20 ppm, personnel conducting the tests must don protective-breathing equipment conforming to paragraph (j)(13) of this section.
- (4) You must maintain on the facility sufficient quantities of additives for the control of  $H_2S$ , well-control fluid pH, and corrosion equipment.
- (i) Scavengers. You must have scavengers for control of  $H_2S$  available on the facility. When  $H_2S$  is detected, you must add scavengers as needed. You must suspend drilling until the scavenger is circulated throughout the system.

- (ii) Control pH. You must add additives for the control of pH to waterbase well-control fluids in sufficient quantities to maintain pH of at least 10.0.
- (iii) *Corrosion inhibitors.* You must add additives to the well-control fluid system as needed for the control of corrosion.
- (5) You must degas well-control fluids containing  $H_2S$  at the optimum location for the particular facility. You must collect the gases removed and burn them in a closed flare system conforming to paragraph (q)(6) of this section.
- (n) What must I do in the event of a kick? In the event of a kick, you must use one of the following alternatives to dispose of the well-influx fluids giving consideration to personnel safety, possible environmental damage, and possible facility well-equipment damage:
- (1) Contain the well-fluid influx by shutting in the well and pumping the fluids back into the formation.
- (2) Control the kick by using appropriate well-control techniques to prevent formation fracturing in an open hole within the pressure limits of the well equipment (drill pipe, work string, casing, wellhead, BOP system, and related equipment). The disposal of H<sub>2</sub>S and other gases must be through pressurized or atmospheric mud-separator equipment depending on volume, pressure and concentration of H2S. The equipment must be designed to recover well-control fluids and burn the gases separated from the well-control fluid. The well-control fluid must be treated to neutralize H<sub>2</sub>S and restore and maintain the proper quality.
- (o) Well testing in a zone known to contain  $H_2S$ . When testing a well in a zone with  $H_2S$  present, you must do all of the following:
- (1) Before starting a well test, conduct safety meetings for all personnel who will be on the facility during the test. At the meetings, emphasize the use of protective-breathing equipment, first-aid procedures, and the Contingency Plan. Only competent personnel who are trained and are knowledgeable of the hazardous effects of H<sub>2</sub>S must be engaged in these tests.
- (2) Perform well testing with the minimum number of personnel in the

immediate vicinity of the rig floor and with the appropriate test equipment to safely and adequately perform the test. During the test, you must continuously monitor  $H_2S$  levels.

- (3) Not burn produced gases except through a flare which meets the requirements of paragraph (q)(6) of this section. Before flaring gas containing  $H_2S$ , you must activate  $SO_2$  monitoring equipment in accordance with paragraph (j)(11) of this section. If you detect  $SO_2$  in excess of 2 ppm, you must implement the personnel protective measures in your  $H_2S$  Contingency Plan, required by paragraph (f)(13)(iv) of this section. You must also follow the requirements of §250.1105. You must pipe gases from stored test fluids into the flare outlet and burn them.
- (4) Use downhole test tools and wellhead equipment suitable for  $H_2S$  service.
- (5) Use tubulars suitable for  $H_2S$  service. You must not use drill pipe for well testing without the prior approval of the District Supervisor. Water cushions must be thoroughly inhibited in order to prevent  $H_2S$  attack on metals. You must flush the test string fluid treated for this purpose after completion of the test.
- (6) Use surface test units and related equipment that is designed for  $H_2S$  service.
- (p) Metallurgical properties of equipment. When operating in a zone with H<sub>2</sub>S present, you must use equipment that is constructed of materials with metallurgical properties that resist or prevent sulfide stress cracking (also known as hydrogen embrittlement, stress corrosion cracking, or H<sub>2</sub>S embrittlement), chloride-stress cracking, hydrogen-induced cracking, and other failure modes. You must do all of the following:
- (1) Use tubulars and other equipment, casing, tubing, drill pipe, couplings, flanges, and related equipment that is designed for  $H_2S$  service.
- (2) Use BOP system components, wellhead, pressure-control equipment, and related equipment exposed to  $H_2S$ -bearing fluids in conformance with NACE Standard MR0175-99 (incorporated by reference as specified in § 250.198).

- (3) Use temporary downhole well-security devices such as retrievable packers and bridge plugs that are designed for H<sub>2</sub>S service.
- (4) When producing in zones bearing H<sub>2</sub>S, use equipment constructed of materials capable of resisting or preventing sulfide stress cracking.
- (5) Keep the use of welding to a minimum during the installation or modification of a production facility. Welding must be done in a manner that ensures resistance to sulfide stress cracking.
- (q) General requirements when operating in an  $H_2S$  zone—(1) Coring operations. When you conduct coring operations in  $H_2S$ -bearing zones, all personnel in the working area must wear protective-breathing equipment at least 10 stands in advance of retrieving the core barrel. Cores to be transported must be sealed and marked for the presence of  $H_2S$ .
- (2) Logging operations. You must treat and condition well-control fluid in use for logging operations to minimize the effects of  $H_2S$  on the logging equipment.
- (3) Stripping operations. Personnel must monitor displaced well-control fluid returns and wear protective-breathing equipment in the working area when the atmospheric concentration of  $H_2S$  reaches 20 ppm or if the well is under pressure.
- (4) Gas-cut well-control fluid or well kick from  $H_2S$ -bearing zone. If you decide to circulate out a kick, personnel in the working area during bottoms-up and extended-kill operations must wear protective-breathing equipment.
- (5) Drill- and workover-string design and precautions. Drill- and workoverstrings must be designed consistent with the anticipated depth, conditions of the hole, and reservoir environment to be encountered. You must minimize exposure of the drill- or workoverstring to high stresses as much as practical and consistent with well conditions. Proper handling techniques must be taken to minimize notching and stress concentrations. Precautions must be taken to minimize stresses caused by doglegs, improper stiffness ratios, improper torque, whip, abrasive wear on tool joints, and joint imbalance.

- (6) Flare system. The flare outlet must be of a diameter that allows easy nonrestricted flow of gas. You must locate flare line outlets on the downside of the facility and as far from the facility as is feasible, taking into account the prevailing wind directions, the wake effects caused by the facility and adjacent structure(s), and the height of all such facilities and structures. You must equip the flare outlet with an automatic ignition system including a pilot-light gas source or an equivalent system. You must have alternate methods for igniting the flare. You must pipe to the flare system used for H<sub>2</sub>S all vents from production process equipment, tanks, relief valves, burst plates, and similar devices.
- (7) Corrosion mitigation. You must use effective means of monitoring and controlling corrosion caused by acid gases (H<sub>2</sub>S and CO<sub>2</sub>) in both the downhole and surface portions of a production system. You must take specific corrosion monitoring and mitigating measures in areas of unusually severe corrosion where accumulation of water and/or higher concentration of H<sub>2</sub>S exists.
- (8) Wireline lubricators. Lubricators which may be exposed to fluids containing  $H_2S$  must be of  $H_2S$ -resistant materials.
- (9) Fuel and/or instrument gas. You must not use gas containing  $H_2S$  for instrument gas. You must not use gas containing  $H_2S$  for fuel gas without the prior approval of the District Supervisor.
- (10) Sensing lines and devices. Metals used for sensing line and safety-control devices which are necessarily exposed to  $H_2S$ -bearing fluids must be constructed of  $H_2S$ -corrosion resistant materials or coated so as to resist  $H_2S$  corrosion.
- (11) Elastomer seals. You must use  $H_2S$ -resistant materials for all seals which may be exposed to fluids containing  $H_2S$ .
- (12) Water disposal. If you dispose of produced water by means other than subsurface injection, you must submit to the District Supervisor an analysis of the anticipated H<sub>2</sub>S content of the water at the final treatment vessel and at the discharge point. The District Supervisor may require that the water be treated for removal of H<sub>2</sub>S. The Dis-

- trict Supervisor may require the submittal of an updated analysis if the water disposal rate or the potential  $H_2S$  content increases.
- (13) Deck drains. You must equip open deck drains with traps or similar devices to prevent the escape of  $H_2S$  gas into the atmosphere.
- (14) Sealed voids. You must take precautions to eliminate sealed spaces in piping designs (e.g., slip-on flanges, reinforcing pads) which can be invaded by atomic hydrogen when H<sub>2</sub>S is present.

[62 FR 3795, Jan. 27, 1997. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 65 FR 15864, Mar. 24, 2000. Redesignated and amended at 68 FR 8423, 8434, Feb. 20, 2003]

# Subpart E—Oil and Gas Well-Completion Operations

#### § 250.500 General requirements.

Well-completion operations shall be conducted in a manner to protect against harm or damage to life (including fish and other aquatic life), property, natural resources of the OCS including any mineral deposits (in areas leased and not leased), the national security or defense, or the marine, coastal, or human environment.

# § 250.501 Definition.

When used in this subpart, the following term shall have the meaning given below:

Well-completion operations means the work conducted to establish the production of a well after the production-casing string has been set, cemented, and pressure-tested.

### § 250.502 Equipment movement.

The movement of well-completion rigs and related equipment on and off a platform or from well to well on the same platform, including rigging up and rigging down, shall be conducted in a safe manner. All wells in the same well-bay which are capable of producing hydrocarbons shall be shut in below the surface with a pump-through-type tubing plug and at the surface with a closed master valve prior to moving well-completion rigs

and related equipment, unless otherwise approved by the District Supervisor. A closed surface-controlled subsurface safety valve of the pumpthrough type may be used in lieu of the pumpthrough-type tubing plug, provided that the surface control has been locked out of operation. The well from which the rig or related equipment is to be moved shall also be equipped with a back-pressure valve prior to removing the blowout preventer (BOP) system and installing the tree.

[53 FR 10690, Apr. 1, 1988, as amended at 55 FR 47752, Nov. 15, 1990. Redesignated at 63 FR 29479, May 29, 1998]

### § 250.503 Emergency shutdown system.

When well-completion operations are conducted on a platform where there are other hydrocarbon-producing wells or other hydrocarbon flow, an emergency shutdown system (ESD) manually controlled station shall be installed near the driller's console or well-servicing unit operator's work station.

# §250.504 Hydrogen sulfide.

When a well-completion operation is conducted in zones known to contain hydrogen sulfide (H<sub>2</sub>S) or in zones where the presence of H<sub>2</sub>S is unknown (as defined in §250.490 of this part), the lessee shall take appropriate precautions to protect life and property on the platform or completion unit, including, but not limited to operations such as blowing the well down, dismantling wellhead equipment and flow lines, circulating the well, swabbing, and pulling tubing, pumps, and packers. The lessee shall comply with the requirements in §250.490 of this part as well as the appropriate requirements of this subpart.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 68 FR 8434, Feb. 20, 2003]

# § 250.505 Subsea completions.

No subsea well completion shall be commenced until the lessee obtains written approval from the District Supervisor in accordance with §250.513 of this part. That approval shall be based upon a case-by-case determination that the proposed equipment and procedures

will adequately control the well and permit safe production operations.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

#### §250.506 Crew instructions.

Prior to engaging in well-completion operations, crew members shall be instructed in the safety requirements of the operations to be performed, possible hazards to be encountered, and general safety considerations to protect personnel, equipment, and the environment. Date and time of safety meetings shall be recorded and available at the facility for review by MMS representatives.

#### §§ 250.507-250.508 [Reserved]

# § 250.509 Well-completion structures on fixed platforms.

Derricks, masts, substructures, and related equipment shall be selected, designed, installed, used, and maintained so as to be adequate for the potential loads and conditions of loading that may be encountered during the proposed operations. Prior to moving a well-completion rig or equipment onto a platform, the lessee shall determine the structural capability of the platform to safely support the equipment and proposed operations, taking into consideration the corrosion protection, age of platform, and previous stresses to the platform.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50616, Dec. 8, 1989. Redesignated at 63 FR 29479, May 29, 1998]

#### §250.510 Diesel engine air intakes.

No later than May 31, 1989, diesel engine air intakes shall be equipped with a device to shut down the diesel engine in the event of runaway. Diesel engines which are continuously attended shall be equipped with either remote operated manual or automatic-shutdown devices. Diesel engines which are not continuously attended shall be equipped with automatic-shutdown devices.

# $\S 250.511$ Traveling-block safety device.

After May 31, 1989, all units being used for well-completion operations which have both a traveling block and

a crown block shall be equipped with a safety device which is designed to prevent the traveling block from striking the crown block. The device shall be checked for proper operation weekly and after each drill-line slipping operation. The results of the operational check shall be entered in the operations log.

#### § 250.512 Field well-completion rules.

When geological and engineering information available in a field enables the District Supervisor to determine specific operating requirements, field well-completion rules may be established on the District Supervisor's initiative or in response to a request from a lessee. Such rules may modify the specific requirements of this subpart. After field well-completion rules have been established, well-completion operations in the field shall be conducted in accordance with such rules and other requirements of this subpart. Field well-completion rules may be amended or canceled for cause at any time upon the initiative of the District Supervisor or upon the request of a lessee.

# § 250.513 Approval and reporting of well-completion operations.

- (a) No well-completion operation shall begin until the lessee receives written approval from the District Supervisor. If completion is planned and the data are available at the time the Application for Permit to Drill, Form MMS-123 (see §250.410 through §250.418 of this part), is submitted, approval for a well completion may be requested on that form. If the completion has not been approved or if the completion objective or plans have significantly changed, approval for such operations shall be requested on Form MMS-124, Sundry Notices and Reports on Wells.
- (b) The following information shall be submitted with Form MMS-124 (or with Form MMS-123):
- (1) A brief description of the well-completion procedures to be followed, a statement of the expected surface pressure, and type and weight of completion fluids;
- (2) A schematic drawing of the well showing the proposed producing zone(s) and the subsurface well-completion equipment to be used;

- (3) For multiple completions, a partial electric log showing the zones proposed for completion, if logs have not been previously submitted; and
- (4) When the well-completion is in a zone known to contain  $H_2S$  or a zone where the presence of  $H_2S$  is unknown, information pursuant to §250.490 of this part.
- (c) Within 30 days after completion, Form MMS-125, Well Summary Report, including a schematic of the tubing and subsurface equipment, shall be submitted to the District Supervisor.
- (d) Public information copies of Form MMS-125 shall be submitted in accordance with § 250.190.

[53 FR 10690, Apr. 1, 1988, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 64 FR 72794, Dec. 28, 1999; 68 FR 8434, Feb. 20, 2003]

# § 250.514 Well-control fluids, equipment, and operations.

- (a) Well-control fluids, equipment, and operations shall be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions. The well shall be continuously monitored during well-completion operations and shall not be left unattended at any time unless the well is shut in and secured.
- (b) The following well-control-fluid equipment shall be installed, maintained, and utilized:
- (1) A fill-up line above the uppermost BOP:
- (2) A well-control, fluid-volume measuring device for determining fluid volumes when filling the hole on trips; and
- (3) A recording mud-pit-level indicator to determine mud-pit-volume gains and losses. This indicator shall include both a visual and an audible warning device.
- (c) When coming out of the hole with drill pipe, the annulus shall be filled with well-control fluid before the change in such fluid level decreases the hydrostatic pressure 75 pounds per square inch (psi) or every five stands of drill pipe, whichever gives a lower decrease in hydrostatic pressure. The number of stands of drill pipe and drill

collars that may be pulled prior to filling the hole and the equivalent well-control fluid volume shall be calculated and posted near the operator's station. A mechanical, volumetric, or electronic device for measuring the amount of well-control fluid required to fill the hole shall be utilized.

# § 250.515 Blowout prevention equipment.

(a) The BOP system and system components and related well-control equipment shall be designed, used, maintained, and tested in a manner necessary to assure well control in foreseeable conditions and circumstances, including subfreezing conditions. The

working pressure rating of the BOP system and BOP system components shall exceed the expected surface pressure to which they may be subjected. If the expected surface pressure exceeds the rated working pressure of the annular preventer, the lessee shall submit with Form MMS-124 or Form MMS-123, as appropriate, a well-control procedure that indicates how the annular preventer will be utilized, and the pressure limitations that will be applied during each mode of pressure control.

(b) The minimum BOP system for well-completion operations must meet the appropriate standards from the following table:

When	The minimum BOP stack must include
(1) The expected pressure is less than 5,000 psi.	Three BOPs consisting of an annular, one set of pipe rams, and one set of blind or blind- shear rams.
(2) The expected pressure is 5,000 psi or greater or you use multiple tubing strings.	Four BOPs consisting of an annular, two sets of pipe rams, and one set of blind or blind-shear rams.
(3) You handle multiple tubing strings simultaneously.	Four BOPs consisting of an annular, one set of pipe rams, one set of dual pipe rams, and one set of blind or blind-shear rams.
(4) You use a tapered drill string	At least one set of pipe rams that are capable of sealing around each size of drill string. If the expected pressure is greater than 5,000 psi, then you must have at least two sets of pipe rams that are capable of sealing around the larger size drill string. You may substitute one set of variable bore rams for two sets of pipe rams.
(5) It is after February 21, 2006	At least one set of blind-shear rams. The blind-shear rams must be capable of shearing the drill pipe or tubing in the hole.

- (c) The BOP systems for well completions shall be equipped with the following:
- (1) A hydraulic-actuating system that provides sufficient accumulator capacity to supply 1.5 times the volume necessary to close all BOP equipment units with a minimum pressure of 200 psi above the precharge pressure without assistance from a charging system. No later than December 1, 1988, accumulator regulators supplied by rig air and without a secondary source of pneumatic supply, shall be equipped with manual overrides, or alternately, other devices provided to ensure capability of hydraulic operations if rig air is lost.
- (2) A secondary power source, independent from the primary power source, with sufficient capacity to close all BOP system components and hold them closed.
- (3) Locking devices for the pipe-ram preventers.

- (4) At least one remote BOP-control station and one BOP-control station on the rig floor.
- (5) A choke line and a kill line each equipped with two full opening valves and a choke manifold. At least one of the valves on the choke line shall be remotely controlled. At least one of the valves on the kill line shall be remotely controlled, except that a check valve on the kill line in lieu of the remotely controlled valve may be installed provided that two readily accessible manual valves are in place and the check valve is placed between the manual valves and the pump. This equipment shall have a pressure rating at least equivalent to the ram preventers.
- (d) An inside BOP or a spring-loaded, back-pressure safety valve and an essentially full-opening, work-string safety valve in the open position shall be maintained on the rig floor at all times during well-completion operations. A wrench to fit the work-string

safety valve shall be readily available. Proper connections shall be readily available for inserting valves in the work string.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50616, Dec. 8, 1989; 58 FR 49928, Sept. 24, 1993. Redesignated at 62 29479, May 29, 1998, as amended at 68 FR 8434, Feb. 20, 2003]

# § 250.516 Blowout preventer system tests, inspections, and maintenance.

- (a) BOP pressure testing timeframes. You must pressure test your BOP system:
  - (1) When installed; and
- (2) Before 14 days have elapsed since your last BOP pressure test. You must begin to test your BOP system before 12 a.m. (midnight) on the 14th day following the conclusion of the previous test. However, the District Supervisor may require testing every 7 days if conditions or BOP performance warrant.
- (b) BOP test pressures. When you test the BOP system, you must conduct a low pressure and a high pressure test for each BOP component. Each individual pressure test must hold pressure long enough to demonstrate that the tested component(s) holds the required pressure. The District Supervisor may approve or require other test pressures or practices. Required test pressures are as follows:
- (1) All low pressure tests must be between 200 and 300 psi. Any initial pressure above 300 psi must be bled back to a pressure between 200 and 300 psi before starting the test. If the initial pressure exceeds 500 psi, you must bleed back to zero and reinitiate the test. You must conduct the low pressure test before the high pressure test.
- (2) For ram-type BOP's, choke manifold, and other BOP equipment, the high pressure test must equal the rated working pressure of the equipment.
- (3) For annular-type BOP's, the high pressure test must equal 70 percent of the rated working pressure of the equipment.
- (c) *Duration of pressure test.* Each test must hold the required pressure for 5 minutes.
- (1) For surface BOP systems and surface equipment of a subsea BOP system, a 3-minute test duration is acceptable if you record your test pressures on the outermost half of a 4-hour

chart, on a 1-hour chart, or on a digital recorder.

- (2) If the equipment does not hold the required pressure during a test, you must remedy the problem and retest the affected component(s).
- (d) Additional BOP testing requirements. You must:
- (1) Use water to test the surface BOP system;
- (2) Stump test a subsurface BOP system before installation. You must use water to stump test a subsea BOP system. You may use drilling or completion fluids to conduct subsequent tests of a subsea BOP system;
- (3) Alternate tests between control stations and pods. If a control station or pod is not functional, you must suspend further completion operations until that station or pod is operable;
- (4) Pressure test the blind or blindshear ram at least every 30 days;
- (5) Function test annulars and rams every 7 days;
- (6) Pressure-test variable bore-pipe rams against all sizes of pipe in use, excluding drill collars and bottom-hole tools; and
- (7) Test affected BOP components following the disconnection or repair of any well-pressure containment seal in the wellhead or BOP stack assembly;
- (e) Postponing BOP tests. You may postpone a BOP test if you have well-control problems. You must conduct the required BOP test as soon as possible (i.e., first trip out of the hole) after the problem has been remedied. You must record the reason for postponing any test in the driller's report.
- (f) Weekly crew drills. You must conduct a weekly drill to familiarize all personnel engaged in well-completion operations with appropriate safety measures.
- (g) BOP inspections. You must visually inspect your BOP system and marine riser at least once each day if weather and sea conditions permit. You may use television cameras to inspect this equipment. The District Supervisor may approve alternate methods and frequencies to inspect a marine riser.
- (h) BOP maintenance. You must maintain your BOP system to ensure that the equipment functions properly.

- (i) BOP test records. You must record the time, date, and results of all pressure tests, actuations, crew drills, and inspections of the BOP system, system components, and marine riser in the driller's report. In addition, you must:
- (1) Record BOP test pressures on pressure charts;
- (2) Have your onsite representative certify (sign and date) BOP test charts and reports as correct:
- (3) Document the sequential order of BOP and auxiliary equipment testing and the pressure and duration of each test. You may reference a BOP test plan if it is available at the facility;
- (4) Identify the control station or pod used during the test;
- (5) Identify any problems or irregularities observed during BOP system and equipment testing and record actions taken to remedy the problems or irregularities;
- (6) Retain all records including pressure charts, driller's report, and referenced documents pertaining to BOP tests, actuations, and inspections at the facility for the duration of the completion activity; and
- (7) After completion of the well, you must retain all the records listed in paragraph (i)(6) of this section for a period of 2 years at the facility, at the lessee's field office nearest the OCS facility, or at another location conveniently available to the District Supervisor.
- (j) Alternate methods. The District Supervisor may require, or approve, more frequent testing, as well as different test pressures and inspection methods, or other practices.

[63 FR 29607, June 1, 1998]

# § 250.517 Tubing and wellhead equipment.

- (a) No tubing string shall be placed in service or continue to be used unless such tubing string has the necessary strength and pressure integrity and is otherwise suitable for its intended use.
- (b) In the event of prolonged operations such as milling, fishing, jarring, or washing over that could damage the casing, the casing shall be pressuretested, calipered, or otherwise evaluated every 30 days and the results submitted to the District Supervisor.

- (c) When the tree is installed, the wellhead shall be equipped so that all annuli can be monitored for sustained pressure. If sustained casing pressure is observed on a well, the lessee shall immediately notify the District Supervisor.
- (d) Wellhead, tree, and related equipment shall have a pressure rating greater than the shut-in tubing pressure and shall be designed, installed, used, maintained, and tested so as to achieve and maintain pressure control. New wells completed as flowing or gaslift wells shall be equipped with a minimum of one master valve and one surface safety valve, installed above the master valve, in the vertical run of the
- (e) Subsurface safety equipment shall be installed, maintained, and tested in compliance with §250.801 of this part.

[53 FR 10690, Apr. 1, 1988, as amended at 55 FR 47753 Nov. 15, 1990. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

# Subpart F—Oil and Gas Well-Workover Operations

# § 250.600 General requirements.

Well-workover operations shall be conducted in a manner to protect against harm or damage to life (including fish and other aquatic life), property, natural resources of the Outer Continental Shelf (OCS) including any mineral deposits (in areas leased and not leased), the national security or defense, or the marine, coastal, or human environment.

# $\S 250.601$ Definitions.

When used in this subpart, the following terms shall have the meanings given below:

Routine operations mean any of the following operations conducted on a well with the tree installed:

(a) Cutting paraffin;

- (b) Removing and setting pumpthrough-type tubing plugs, gas-lift valves, and subsurface safety valves which can be removed by wireline operations;
  - (c) Bailing sand;
  - (d) Pressure surveys;
  - (e) Swabbing;
  - (f) Scale or corrosion treatment;
  - (g) Caliper and gauge surveys;

# Minerals Management Service, Interior

- (h) Corrosion inhibitor treatment;
- (i) Removing or replacing subsurface pumps;
- (j) Through-tubing logging (diagnostics);
  - (k) Wireline fishing; and
- (l) Setting and retrieving other subsurface flow-control devices.

Workover operations mean the work conducted on wells after the initial completion for the purpose of maintaining or restoring the productivity of a well.

#### § 250.602 Equipment movement.

The movement of well-workover rigs and related equipment on and off a platform or from well to well on the same platform, including rigging up and rigging down, shall be conducted in a safe manner. All wells in the same well-bay which are capable of producing hydrocarbons shall be shut in below the surface with a pumpthrough-type tubing plug and at the surface with a closed master valve prior to moving well-workover rigs and related equipment unless otherwise approved by the District Supervisor. A closed surface-controlled subsurface safety valve of the pump-through-type may be used in lieu of the pumpthrough-type tubing plug provided that the surface control has been locked out of operation. The well to which a wellworkover rig or related equipment is to be moved shall also be equipped with a back-pressure valve prior to removing the tree and installing and testing the blowout-preventer (BOP) system. The well from which a well-workover rig or related equipment is to be moved shall also be equipped with a back pressure valve prior to removing the BOP system and installing the tree. Coiled tubing units, snubbing units, or wireline units may be moved onto a platform without shutting in wells.

### § 250.603 Emergency shutdown system.

When well-workover operations are conducted on a well with the tree removed, an emergency shutdown system (ESD) manually controlled station shall be installed near the driller's console or well-servicing unit operator's work station, except when there is no other hydrocarbon-producing well or

other hydrocarbon flow on the platform.

# § 250.604 Hydrogen sulfide.

When a well-workover operation is conducted in zones known to contain hydrogen sulfide (H<sub>2</sub>S) or in zones where the presence of H<sub>2</sub>S is unknown (as defined in §250.490 of this part), the lessee shall take appropriate precautions to protect life and property on the platform or rig, including but not limited to operations such as blowing the well down, dismantling wellhead equipment and flow lines, circulating the well, swabbing, and pulling tubing, pumps and packers. The lessee shall comply with the requirements in §250.490 of this part as well as the appropriate requirements of this subpart.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 64 FR 9065, Feb. 24, 1999; 68 FR 8435, Feb. 20, 2003]

# § 250.605 Subsea workovers.

No subsea well-workover operation including routine operations shall be commenced until the lessee obtains written approval from the District Supervisor in accordance with §250.613 of this part. That approval shall be based upon a case-by-case determination that the proposed equipment and procedures will maintain adequate control of the well and permit continued safe production operations.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

# §250.606 Crew instructions.

Prior to engaging in well-workover operations, crew members shall be instructed in the safety requirements of the operations to be performed, possible hazards to be encountered, and general safety considerations to protect personnel, equipment, and the environment. Date and time of safety meetings shall be recorded and available at the facility for review by a Minerals Management Service representative.

#### §§ 250.607-250.608

### §§ 250.607-250.608 [Reserved]

# § 250.609 Well-workover structures on fixed platforms.

Derricks, masts, substructures, and related equipment shall be selected, designed, installed, used, and maintained so as to be adequate for the potential loads and conditions of loading that may be encountered during the operations proposed. Prior to moving a well-workover rig or well-servicing equipment onto a platform, the lessee shall determine the structural capability of the platform to safely support the equipment and proposed operations, taking into consideration the corrosion protection, age of the platform, and previous stresses to the platform.

#### § 250.610 Diesel engine air intakes.

No later than May 31, 1989, diesel engine air intakes shall be equipped with a device to shut down the diesel engine in the event of runaway. Diesel engines which are continuously attended shall be equipped with either remote operated manual or automatic shutdown devices. Diesel engines which are not continuously attended shall be equipped with automatic shutdown devices.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50616, Dec. 8, 1989. Redesignated at 63 FR 29479, May 29, 1998]

# § 250.611 Traveling-block safety device.

After May 31, 1989, all units being used for well-workover operations which have both a traveling block and a crown block shall be equipped with a safety device which is designed to prevent the traveling block from striking the crown block. The device shall be checked for proper operation weekly and after each drill-line slipping operation. The results of the operational check shall be entered in the operations log.

#### §250.612 Field well-workover rules.

When geological and engineering information available in a field enables the District Supervisor to determine specific operating requirements, field well-workover rules may be established on the District Supervisor's initiative

or in response to a request from a lessee. Such rules may modify the specific requirements of this subpart. After field well-workover rules have been established, well-workover operations in the field shall be conducted in accordance with such rules and other requirements of this subpart. Field well-workover rules may be amended or canceled for cause at any time upon the initiative of the District Supervisor or upon the request of a lessee.

# § 250.613 Approval and reporting for well-workover operations.

- (a) No well-workover operation except routine ones, as defined in §250.601 of this part, shall begin until the lessee receives written approval from the District Supervisor. Approval for such operations shall be requested on Form MMS-124, Sundry Notices and Reports on Wells.
- (b) The following information shall be submitted with Form MMS-124:
- (1) A brief description of the well-workover procedures to be followed, a statement of the expected surface pressure, and type and weight of workover fluids;
- (2) When changes in existing subsurface equipment are proposed, a schematic drawing of the well showing the zone proposed for workover and the workover equipment to be used; and
- (3) Where the well-workover is in a zone known to contain  $H_2S$  or a zone where the presence of  $H_2S$  is unknown, information pursuant to §250.490 of this part.
- (c) The following additional information shall be submitted with Form MMS-124 if completing to a new zone is proposed:
- (1) Reason for abandonment of present producing zone including supportive well test data, and
- (2) A statement of anticipated or known pressure data for the new zone.
- (d) Within 30 days after completing the well-workover operation, except routine operations, Form MMS-124, Sundry Notices and Reports on Wells, shall be submitted to the District Supervisor, showing the work as performed. In the case of a well-workover operation resulting in the initial recompletion of a well into a new zone, a Form MMS-125, Well Summary Report,

shall be submitted to the District Supervisor and shall include a new schematic of the tubing subsurface equipment if any subsurface equipment has been changed.

[53 FR 10690, Apr. 1, 1988, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 65 FR 35824, June 6, 2000; 68 FR 8435, Feb. 20, 2003]

# § 250.614 Well-control fluids, equipment, and operations.

The following requirements apply during all well-workover operations with the tree removed:

- (a) Well-control fluids, equipment, and operations shall be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions. The well shall be continuously monitored during well-workover operations and shall not be left unattended at anytime unless the well is shut in and secured.
- (b) When coming out of the hole with drill pipe or a workover string, the annulus shall be filled with well-control fluid before the change in such fluid level decreases the hydrostatic pressure 75 pounds per square inch (psi) or every five stands of drill pipe or workover string, whichever gives a lower decrease in hydrostatic pressure. The number of stands of drill pipe or workover string and drill collars that may be pulled prior to filling the hole and the equivalent well-control fluid volume shall be calculated and posted near the operator's station. A mechanical, volumetric, or electronic device for measuring the amount of well-con-

trol fluid required to fill the hold shall be utilized.

- (c) The following well-control-fluid equipment shall be installed, maintained, and utilized:
- (1) A fill-up line above the uppermost BOP:
- (2) A well-control, fluid-volume measuring device for determining fluid volumes when filling the hole on trips; and
- (3) A recording mud-pit-level indicator to determine mud-pit-volume gains and losses. This indicator shall include both a visual and an audible warning device.

# § 250.615 Blowout prevention equipment.

- (a) The BOP system, system components and related well-control equipment shall be designed, used, maintained, and tested in a manner necessary to assure well control in foreseeable conditions and circumstances, including subfreezing conditions. The working pressure rating of the BOP system and system components shall exceed the expected surface pressure to which they may be subjected. If the expected surface pressure exceeds the rated working pressure of the annular preventer, the lessee shall submit with Form MMS-124, requesting approval of the well-workover operation, a wellcontrol procedure that indicates how the annular preventer will be utilized, and the pressure limitations that will be applied during each mode of pressure control.
- (b) The minimum BOP system for well-workover operations with the tree removed must meet the appropriate standards from the following table:

When	The minimum BOP stack must include
(1) The expected pressure is less than 5,000 psi.	Three BOPs consisting of an annular, one set of pipe rams, and one set of blind or blind-shear rams.
(2) The expected pressure is 5,000 psi or greater or you use multiple tubing strings.	Four BOPs consisting of an annular, two sets of pipe rams, and one set of blind or blind- shear rams.
(3) You handle multiple tubing strings simultaneously.	Four BOPs consisting of an annular, one set of pipe rams, one set of dual pipe rams, and one set of blind or blind-shear rams.
(4) You use a tapered drill string	At least one set of pipe rams that are capable of sealing around each size of drill string. If the expected pressure is greater than 5,000 psi, then you must have at least two sets of pipe rams that are capable of sealing around the larger size drill string. You may substitute one set of variable bore rams for two sets of pipe rams.
(5) It is after February 21, 2006	At least one set of blind-shear rams. The blind-shear rams must be capable of shearing the drill pipe or tubing in the hole.

- (c) The BOP systems for well-workover operations with the tree removed shall be equipped with the following:
- (1) hydraulic-actuating system that provides sufficient accumulator capacity to supply 1.5 times the volume necessary to close all BOP equipment units with a minimum pressure of 200 psi above the precharge pressure without assistance from a charging system. No later than December 1, 1988, accumulator regulators supplied by rig air and without a secondary source of pneumatic supply, shall be equipped with manual overrides, or alternately, other devices provided to ensure capability of hydraulic operations if rig air is lost:
- (2) A secondary power source, independent from the primary power source, with sufficient capacity to close all BOP system components and hold them closed:
- (3) Locking devices for the pipe-ram preventers;
- (4) At least one remote BOP-control station and one BOP-control station on the rig floor; and
- (5) A choke line and a kill line each equipped with two full opening valves and a choke manifold. At least one of the valves on the choke-line shall be remotely controlled. At least one of the valves on the kill line shall be remotely controlled, except that a check valve on the kill line in lieu of the remotely controlled valve may be installed provided two readily accessible manual valves are in place and the check valve is placed between the manual valves and the pump. This equipment shall have a pressure rating at least equivalent to the ram preventers.
- (d) The minimum BOP-system components for well-workover operations with the tree in place and performed through the wellhead inside of conventional tubing using small-diameter jointed pipe (usually <sup>3</sup>/<sub>4</sub> inch to 1<sup>1</sup>/<sub>4</sub> inch) as a work string, i.e., small-tubing operations, shall include the following:
  - (1) Two sets of pipe rams, and
  - (2) One set of blind rams.
- (e) The minimum BOP-system components for well-workover operations with the tree in place and performed by manipulating spooled, nonjointed pipe

through the wellhead, i.e., coiled-tubing operations, shall include the following:

- (1) One set of pipe rams hydraulically operated,
- (2) One two-way slip assembly hydraulically operated,
- (3) One pipe-cutter assembly hydraulically operated,
- (4) One set of blind rams hydraulically operated,
  - (5) One pipe-stripper assembly, and
  - (6) One spool with side outlets.
- (f) The minimum BOP-system components for well-workover operations with the tree in place and performed by moving tubing or drill pipe in or out of a well under pressure utilizing equipment specifically designed for that purpose, i.e., snubbing operations, shall include the following:
- (1) One set of pipe rams hydraulically operated, and
- (2) Two sets of stripper-type pipe rams hydraulically operated with spacer spool.
- (g) An inside BOP or a spring-loaded, back-pressure safety valve and an essentially full-opening, work-string safety valve in the open position shall be maintained on the rig floor at all times during well-workover operations when the tree is removed or during well-workover operations with the tree installed and using small tubing as the work string. A wrench to fit the workstring safety valve shall be readily available. Proper connections shall be readily available for inserting valves in the work string. The full-opening safety valve is not required for coiled tubing or snubbing operations.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50616, Dec. 8, 1989; 58 FR 49928, Sept. 24, 1993. Redesignated at 63 FR 29479, May 29, 1998, as amended at 68 FR 8435, Feb. 20, 2003]

# § 250.616 Blowout preventer system testing, records, and drills.

(a) Prior to conducting high-pressure tests, all BOP system components shall be successfully tested to a low pressure of 200 to 300 psi. Ram-type BOP's, related control equipment, including the choke and kill manifolds, and safety valves shall be successfully tested to the rated working pressure of the BOP equipment or as otherwise approved by the District Supervisor. Variable bore

rams shall be pressure-tested against all sizes of drill pipe in the well excluding drill collars. Surface BOP systems shall be pressure tested with water. The annular-type BOP shall be successfullly tested at 70 percent of its rated working pressure or as otherwise approved by the District Supervisor. Each valve in the choke and kill manifolds shall be successfully, sequentially pressure tested to the ram-type BOP test pressure.

- (b) The BOP systems shall be tested at the following times:
  - (1) When installed;
- (2) At least every 7 days, alternating between control stations and at staggered intervals to allow each crew to operate the equipment. If either control system is not functional, further operations shall be suspended until the nonfunctional, system is operable. The test every 7 days is not required for blind or blind-shear rams. The blind or blind-shear rams shall be tested at least once every 30 days during operation. A longer period between blowout preventer tests is allowed when there is a stuck pipe or pressure-control operation and remedial efforts are being performed. The tests shall be conducted as soon as possible and before normal operations resume. The reason for postponing testing shall be entered into the operations log.
- (3) Following repairs that require disconnecting a pressure seal in the assembly, the affected seal will be pressure tested.
- (c) All personnel engaged in well-workover operations shall participate in a weekly BOP drill to familiarize crew members with appropriate safety measures.
- (d) The lessee shall record pressure conditions during BOP tests on pressure charts, unless otherwise approved by the District Supervisor. The test interval for each BOP component tested shall be sufficient to demonstrate that the component is effectively holding pressure. The charts shall be certified as correct by the operator's representative at the facility.
- (e) The time, date, and results of all pressure tests, actuations, inspections, and crew drills of the BOP system, system components, and marine risers shall be recorded in the operations log.

The BOP tests shall be documented in accordance with the following:

- (1) The documentation shall indicate the sequential order of BOP and auxiliary equipment testing and the pressure and duration of each test. As an alternate, the documentation in the operations log may reference a BOP test plan that contains the required information and is retained on file at the facility.
- (2) The control station used during the test shall be identified in the operations log. For a subsea system, the pod used during the test shall be identified in the operations log.
- (3) Any problems or irregularities observed during BOP and auxiliary equipment testing and any actions taken to remedy such problems or irregularities shall be noted in the operations log.
- (4) Documentation required to be entered in the operation log may instead be referenced in the operations log. All records including pressure charts, operations log, and referenced documents pertaining to BOP tests, actuations, and inspections, shall be available for MMS review at the facility for the duration of well-workover activity. Following completion of the workover actity, all such records shall be retained for a period of 2 years at the facility, at the lessee's filed office nearest the OCS facility, or at another location conveniently available to the District Supervisor.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 56 FR 1915, Jan. 18, 1991. Redesignated at 63 FR 29479, May 29, 1998]

# § 250.617 Tubing and wellhead equipment.

The lessee shall comply with the following requirements during wellworkover operations with the tree removed:

- (a) No tubing string shall be placed in service or continue to be used unless such tubing string has the necessary strength and pressure integrity and is otherwise suitable for its intended use.
- (b) In the event of prolonged operations such as milling, fishing, jarring, or washing over that could damage the casing, the casing shall be pressure

tested, calipered, or otherwise evaluated every 30 days and the results submitted to the District Supervisor.

- (c) When reinstalling the tree, the wellhead shall be equiped so that all annuli can be monitored for sustained pressure. If sustained casing pressure is observed on a well, the lessee shall immediately notify the District Supervisor.
- (d) Wellhead, tree, and related equipment shall have a pressure rating greater than the shut-in tubing pressure and shall be designed, installed, used, maintained, and tested so as to achieve and maintain pressure control. The tree shall be equipped with a minimum of one master valve and one surface safety valve in the vertical run of the tree when it is reinstalled.
- (e) Subsurface safety equipment shall be installed, maintained, and tested in compliance with §250.801 of this part.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 55 FR 47753, Nov. 15, 1990. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

# §250.618 Wireline operations.

The lessee shall comply with the following requirements during routine, as defined in §250.601 of this part, and nonroutine wireline workover operations:

- (a) Wireline operations shall be conducted so as to minimize leakage of well fluids. Any leakage that does occur shall be contained to prevent pollution.
- (b) All wireline perforating operations and all other wireline operations where communication exists between the completed hydrocarbon-bearing zone(s) and the wellbore shall use a lubricator assembly containing at least one wireline valve.
- (c) When the lubricator is initially installed on the well, it shall be successfully pressure tested to the expected shut-in surface pressure.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

# Subpart G [Reserved]

# Subpart H—Oil and Gas Production Safety Systems

#### §250.800 General requirements.

Production safety equipment shall be designed, installed, used, maintained, and tested in a manner to assure the safety and protection of the human, marine, and coastal environments. Production safety systems operated in subfreezing climates shall utilize equipment and procedures selected with consideration of floating ice, icing, and other extreme environmental conditions that may occur in the area. Production shall not commence until the production safety system has been approved and a preproduction inspection has been requested by the lessee.

#### § 250.801 Subsurface safety devices.

- (a) General. All tubing installations open to hydrocarbon-bearing zones shall be equipped with subsurface safety devices that will shut off the flow from the well in the event of an emergency unless, after application and justification, the well is determined by the District Supervisor to be incapable of natural flowing. These devices may consist of a surface-controlled subsurface safety valve (SSSV), a subsurface-controlled SSSV, an injection valve, a tubing plug, or a tubing/annular subsurface safety device, and any associated safety valve lock or landing nimple
- (b) Specifications for SSSV's. Surface-controlled and subsurface-controlled SSSV's and safety valve locks and landing nipples installed in the OCS shall conform to the requirements in §250.806 of this part.
- (c) Surface-controlled SSSV's. All tubing installations open to a hydrocarbon-bearing zone which is capable of natural flow shall be equipped with a surface-controlled SSSV, except as specified in paragraphs (d), (f), and (g) of this section. The surface controls may be located on the site or a remote location. Wells not previously equipped with a surface-controlled SSSV and wells in which a surface-controlled SSSV has been replaced with a subsurface-controlled SSSV in accordance with paragraph (d)(2) of this section

shall be equipped with a surface-controlled SSSV when the tubing is first removed and reinstalled.

- (d) Subsurface-controlled SSSV's. Wells may be equipped with subsurface-controlled SSSV's in lieu of a surface-controlled SSSV provided the lessee demonstrates to the District Supervisor's satisfaction that one of the following criteria are met:
- (1) Wells not previously equipped with surface-controlled SSSV's shall be so equipped when the tubing is first removed and reinstalled,
- (2) The subsurface-controlled SSSV is installed in wells completed from a single-well or multiwell satellite caisson or seafloor completions, or
- (3) The subsurface-controlled SSSV is installed in wells with a surface-controlled SSSV that has become inoperable and cannot be repaired without removal and reinstallation of the tubing.
- (e) Design, installation, and operation of SSSV's. The SSSV's shall be designed, installed, operated, and maintained to ensure reliable operation.
- (1) The device shall be installed at a depth of 100 feet or more below the seafloor within 2 days after production is established. When warranted by conditions such as permafrost, unstable bottom conditions, hydrate formation, or paraffins, an alternate setting depth of the subsurface safety device may be approved by the District Supervisor.
- (2) Until a subsurface safety device is installed, the well shall be attended in the immediate vicinity so that emergency actions may be taken while the well is open to flow. During testing and inspection procedures, the well shall not be left unattended while open to production unless a properly operating subsurface-safety device has been installed in the well.
- (3) The well shall not be open to flow while the subsurface safety device is removed, except when flowing of the well is necessary for a particular operation such as cutting paraffin, bailing sand, or similar operations.
- (4) All SSSV's shall be inspected, installed, maintained, and tested in accordance with American Petroleum Institute Recommended Practice 14B, Recommended Practice for Design, Installation, and Operation of Subsurface Safety Valve Systems.

- (f) Subsurface safety devices in shut-in wells. New completions (perforated but not placed on production) and completions shut in for a period of 6 months shall be equipped with either (1) a pump-through-type tubing plug; (2) a surface-controlled SSSV, provided the surface control has been rendered inoperative; or (3) an injection valve capable of preventing backflow. The setting depth of the subsurface safety device shall be approved by the District Supervisor on a case-by-case basis, when warranted by conditions such as permafrost, unstable bottom conditions, hydrate formations, and paraffins.
- (g) Subsurface safety devices in injection wells. A surface-controlled SSSV or an injection valve capable of preventing backflow shall be installed in all injection wells. This requirement is not applicable if the District Supervisor concurs that the well is incapable of flowing. The lessee shall verify the no-flow condition of the well annually.
- (h) Temporary removal for routine operations. (1) Each wireline- or pumpdown-retrievable subsurface safety device may be removed, without further authorization or notice, for a routine operation which does not require the approval of a Form MMS-124, Sundry Notices and Reports on Wells, in § 250.601 of this part for a period not to exceed 15 days.
- (2) The well shall be identified by a sign on the wellhead stating that the subsurface safety device has been removed. The removal of the subsurface safety device shall be noted in the records as required in §250.804(b) of this part. If the master valve is open, a trained person shall be in the immediate vicinity of the well to attend the well so that emergency actions may be taken, if necessary.
- (3) A platform well shall be monitored, but a person need not remain in the well-bay area continuously if the master valve is closed. If the well is on a satellite structure, it must be attended or a pump-through plug installed in the tubing at least 100 feet below the mud line and the master valve closed, unless otherwise approved by the District Supervisor.
- (4) The well shall not be allowed to flow while the subsurface safety device is removed, except when flowing the

well is necessary for that particular operation. The provisions of this paragraph are not applicable to the testing and inspection procedures in §250.804 of this part.

- (i) Additional safety equipment. All tubing installations in which wireline- or pumpdown-retrievable subsurface safety device is installed after the effective date of this subpart shall be equipped with a landing nipple with flow couplings or other protective equipment above and below to provide for the setting of the SSSV. The control system for all surface-controlled SSSV's shall be an integral part of the platform Emergency Shutdown System (ESD). In addition to the activation of the ESD by manual action on the platform, the system may be activated by a signal from a remote location. Surface-controlled SSSV's shall close in response to shut-in signals from the ESD and in response to the fire loop or other fire detection devices.
- (j) Emergency action. In the event of an emergency, such as an impending storm, any well not equipped with a subsurface safety device and which is capable of natural flow shall have the device properly installed as soon as possible with due consideration being given to personnel safety.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998]

#### § 250.802 Design, installation, and operation of surface production-safety systems.

- (a) General. All production facilities, including separators, treaters, compressors, headers, and flowlines shall be designed, installed, and maintained in a manner which provides for efficiency, safety of operation, and protection of the environment.
- (b) Platforms. You must protect all platform production facilities with a basic and ancillary surface safety system designed, analyzed, installed, tested, and maintained in operating condition in accordance with API RP 14C (incorporated by reference as specified in §250.198). If you use processing components other than those for which Safety Analysis Checklists are included in API RP 14C you must utilize

the analysis technique and documentation specified therein to determine the effects and requirements of these components on the safety system. Safety device requirements for pipelines are under § 250.1004.

- (c) Specification for surface safety valves (SSV) and underwater safety valves (USV). All wellhead SSV's, USV's, and their actuators which are installed in the OCS shall conform to the requirements in §250.806 of this part.
- (d) Use of SSV's and USV's. All SSV's and USV's shall be inspected, installed, maintained, and tested in accordance with API RP 14H, Recommended Practice for Use of Surface Safety Valves and Underwater Safety Valves Offshore. If any SSV or USV does not operate properly or if any fluid flow is observed during the leakage test, the valve shall be repaired or replaced.
- (e) Approval of safety-systems design and installation features. Prior to installation, the lessee shall submit, in duplicate for approval to the District Supervisor a production safety system application containing information relative to design and installation features. Information concerning approved design and installation features shall be maintained by the lessee at the lessee's offshore field office nearest the OCS facility or other location conveniently available to the District Supervisor. All approvals are subject to field verifications. The application shall include the following:
- (1) A schematic flow diagram showing tubing pressure, size, capacity, design working pressure of separators, flare scrubbers, treaters, storage tanks, compressors, pipeline pumps, metering devices, and other hydrocarbon-handling vessels.
- (2) A schematic piping flow diagram (API RP 14C, Figure E, incorporated by reference as specified in §250.198) and the related Safety analysis Function Evaluation chart (API RP 14C, subsection 4.3c, incorporated by reference as specified in §250.198).
- (3) A schematic piping diagram showing the size and maximum allowable working pressures as determined in accordance with API RP 14E, Design and Installation of Offshore Production Platform Piping Systems.

(4) Electrical system information including the following:

- (i) A plan for each platform deck outlining all hazardous areas classified according to API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Division 1 and Division 2, or API RP 505. Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Zone 0, Zone 1, and Zone 2, and outlining areas in which potential ignition sources, other than electrical, are to be installed. The area outlined will include the following information:
- (A) All major production equipment, wells, and other significant hydrocarbon sources and a description of the type of decking, ceiling, walls (e.g., grating or solid) and firewalls; and
- (B) Location of generators, control rooms, panel boards, major cabling/ conduit routes, and identification of the primary wiring method (e.g., type cable, conduit, or wire).

(ii) Elementary electrical schematic of any platform safety shut-down system with a functional legend.

- (5) Certification that the design for the mechanical and electrical systems to be installed were approved by registered professional engineers. After these systems are installed, the lessee shall submit a statement to the District Supervisor certifying that new installations conform to the approved designs of this subpart.
- (6) The design and schematics of the installation and maintenance of all fire- and gas-detection systems shall include the following:
- (i) Type, location, and number of detection sensors;
- (ii) Type and kind of alarms, including emergency equipment to be activated:
  - (iii) Method used for detection;
- (iv) Method and frequency of calibration: and
- (v) A functional block diagram of the detection system, including the electric power supply.

[53 FR 10690, Apr. 1, 1988, as amended at 61 FR 60024, Nov. 26, 1996. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 65 FR 219, Jan. 4, 2000; 67 FR 51759, Aug. 9, 2002]

#### § 250.803 Additional production system requirements.

(a) General. Lessees must comply with the following production safety system requirements (some of which are in addition to those contained in API RP 14C, incorporated by reference as specified in §250.198).

- (b) Design, installation, and operation of additional production systems. (1) Pressure and fired vessels. Pressure and fired vessels shall be designed, fabricated, code stamped, and maintained in accordance with applicable provisions of sections I, IV, and VIII of the ASME Boiler and Pressure Vessel Code. All existing uncoded vessels in use must be justified and approval for continued use obtained from the District Supervisor no later than August 29, 1988.
- (i) Pressure relief valves shall be designed, installed, and maintained in accordance with applicable provisions of sections I. IV. and VIII of the ASME Boiler and Pressure Vessel Code. The relief valves shall conform to the valve-sizing and pressure-relieving requirements specified in these documents; however, the relief valves, except completely redundant relief valves, shall be set no higher than the maximum-allowable working pressure of the vessel. All relief valves and vents shall be piped in such a way as to prevent fluid from striking personnel or ignition sources.
- (ii) Steam generators operating at less than 15 pounds per square inch gauge (psig) shall be equipped with a level safety low (LSL) sensor which will shut off the fuel supply when the water level drops below the minimum safe level. Steam generators operating at greater than 15 psig require, in addition to an LSL, a water-feeding device which will automatically control the water level.
- (iii) The lessee shall use pressure recorders to establish the new operating pressure ranges of pressure vessels at any time when there is a change in operating pressures that requires new settings for the high-pressure shut-in sensor and/or the low-pressure shut-in sensor as provided herein. The pressure-recorder charts used to determine current operating pressure ranges shall be maintained at the lessee's field office nearest the OCS facility or at

other locations conveniently available to the District Supervisor. The highpressure shut-in sensor shall be set no higher than 15 percent or 5 psi, whichever is greater, above the highest operating pressure of the vessel. This setting shall also be set sufficiently below (5 percent or 5 psi, whichever is greater) the relief valve's set pressure to assure that the pressure source is shut in before the relief valve activates. The low-pressure shut-in sensor shall activate no lower than 15 percent or 5 psi, whichever is greater, below the lowest pressure in the operating range. The activation of low-pressure sensors on pressure vessels which operate at less than 5 psi shall be approved by the District Supervisor on a case-by-case basis.

- (2) Flowlines. (i) You must equip flowlines from wells with high- and low-pressure shut-in sensors located in accordance with section A.1 and Figure A1 of API RP 14C (incorporated by reference as specified in §250.198). The lessee shall use pressure recorders to establish the new operating pressure ranges of flowlines at any time when there is a significant change in operating pressures. The most recent pressure-recorder charts used to determine operating pressure ranges shall be maintained at the lessee's field office nearest the OCS facility or at other locations conveniently available to the District Supervisor. The high-pressure shut-in sensor(s) shall be set no higher than 15 percent or 5 psi, whichever is greater, above the highest operating pressure of the line. But in all cases, it shall be set sufficiently below the maximum shut-in wellhead pressure or the gas-lift supply pressure to assure actuation of the SSV. The low-pressure shut-in sensor(s) shall be set no lower than 15 percent or 5 psi, whichever is greater, below the lowest operating pressure of the line in which it is installed.
- (ii) If a well flows directly to the pipeline before separation, the flowline and valves from the well located upstream of and including the header inlet valve(s) shall have a working pressure equal to or greater than the maximum shut-in pressure of the well unless the flowline is protected by one of the following:

- (A) A relief valve which vents into the platform flare scrubber or some other location approved by the District Supervisor. The platform flare scrubber shall be designed to handle, without liquid-hydrocarbon carryover to the flare, the maximum-anticipated flow of liquid hydrocarbons which may be relieved to the vessel.
- (B) Two SSV's with independent high-pressure sensors installed with adequate volume upstream of any block valve to allow sufficient time for the valve(s) to close before exceeding the maximum allowable working pressure.
- (3) Safety sensors. All shutdown devices, valves, and pressure sensors shall function in a manual reset mode. Sensors with integral automatic reset shall be equipped with an appropriate device to override the automatic reset mode. All pressure sensors shall be equipped to permit testing with an external pressure source.
- (4) ESD. The ESD must conform to the requirements of Appendix C, section C1, of API RP 14C (incorporated by reference as specified in §250.198), and the following:
- (i) The manually operated ESD valve(s) shall be quick-opening and nonrestricted to enable the rapid actuation of the shutdown system. Only ESD stations at the boat landing may utilize a loop of breakable synthetic tubing in lieu of a valve.
- (ii) Closure of the SSV shall not exceed 45 seconds after automatic detection of an abnormal condition or actuation of an ESD. The surface-controlled SSSV shall close in not more than 2 minutes after the shut-in signal has closed the SSV. Design-delayed closure time greater than 2 minutes shall be justified by the lessee based on the individual well's mechanical/production characteristics and be approved by the District Supervisor.
- (iii) A schematic of the ESD which indicates the control functions of all safety devices for the platforms shall be maintained by the lessee on the platform or at the lessee's field office nearest the OCS facility or other location conveniently available to the District Supervisor.
- (5) Engines—(i) Engine exhaust. You must equip engine exhausts to comply

with the insulation and personnel protection requirements of API RP 14C, section 4.2c(4) (incorporated by reference as specified in §250.198). Exhaust piping from diesel engines must be equipped with spark arresters.

- (ii) Diesel engine air intake. No later than May 31, 1989, diesel engine air intakes shall be equipped with a device to shutdown the diesel engine in the event of runaway. Diesel engines which are continuously attended shall be equipped with either remote operated manual or automatic shutdown devices. Diesel engines which are not continuously attended shall be equipped with automatic shutdown devices.
- (6) Glycol dehydration units. A pressure relief system or an adequate vent shall be installed on the glycol regenerator (reboiler) which will prevent overpressurization. The discharge of the relief valve shall be vented in a nonhazardous manner.
- (7) Gas compressors. You must equip compressor installations with the following protective equipment as required in API RP 14C, Sections A4 and A8 (incorporated by reference as specified in §250.198).
- (i) A Pressure Safety High (PSH), a Pressure Safety Low (PSL), a Pressure Safety Valve (PSV), and a Level Safety High (LSH), and an LSL to protect each interstage and suction scrubber.
- (ii) A Temperature Safety High (TSH) on each compressor discharge cylinder.
- (iii) The PSH and PSL shut-in sensors and LSH shut-in controls protecting compressor suction and interstage scrubbers shall be ignated to actuate automatic shutdown valves (SDV) located in each compressor suction and fuel gas line so that the compressor unit and the associated vessels can be isolated from all input sources. All automatic SDV's installed in compressor suction and fuel gas piping shall also be actuated by the shutdown of the prime mover. Unless otherwise approved by the District Supervisor, gas-well gas affected by the closure of the automatic SDV on a compressor suction shall be diverted to the pipeline or shut in at the wellhead.
- (iv) A blowdown valve is required on the discharge line of all compressor in-

stallations of 1,000 horsepower (746 kilowatts) or greater.

- (8) Firefighting systems. Firefighting systems for both open and totally enclosed platforms installed for extreme weather conditions or other reasons shall conform to subsection 5.2, Firewater systems, of API RP 14G, Fire Prevention and Control Open Type Offshore Production Platforms, and shall require approval of the District Supervisor. The following additional requirements shall apply for both open- and closed-production platforms:
- (i) A firewater system consisting of rigid pipe with firehose stations or fixed firewater monitors shall be installed. The firewater system shall be installed to provide needed protection in all areas where production-handling equipment is located. A fixed waterspray system shall be installed in enclosed well-bay areas where hydrocarbon vapors may accumulate.
- (ii) Fuel or power for firewater pump drivers shall be available for at least 30 minutes of run time during a platform shut-in. If necessary, an alternate fuel or power supply shall be installed to provide for this pump-operating time unless an alternate firefighting system has been approved by the District Supervisor.
- (iii) A firefighting system using chemicals may be used in lieu of a water system if the District Supervisor determines that the use of a chemical system provides equivalent fire-protection control.
- (iv) A diagram of the firefighting system showing the location of all firefighting equipment shall be posted in a prominent place on the facility or structure.
- (v) For operations in subfreezing climates, the lessee shall furnish evidence to the District Supervisor that the fire-fighting system is suitable for the conditions.
- (9) Fire- and gas-detection system. (i) Fire (flame, heat, or smoke) sensors shall be installed in all enclosed classified areas. Gas sensors shall be installed in all inadequately ventilated, enclosed classified areas. Adequate ventilation is defined as ventilation which is sufficient to prevent accumulation of significant quantities of vapor-air mixture in concentrations

over 25 percent of the lower explosive limit (LEL). One approved method of providing adequate ventilation is a change of air volume each 5 minutes or 1 cubic foot of air-volume flow per minute per square foot of solid floor area, whichever is greater. Enclosed areas (e.g., buildings, living quarters, or doghouses) are defined as those areas confined on more than four of their six possible sides by walls, floors, or ceilings more restrictive to air flow than grating or fixed open louvers and of sufficient size to all entry of personnel. A classified area is any area classified Class I, Group D, Division 1 or 2, following the guidelines of API RP 500, or any area classified Class I, Zone 0, Zone 1, or Zone 2, following the guidelines of API RP 505.

- (ii) All detection systems shall be capable of continuous monitoring. Firedetection systems and portions of combustible gas-detection systems related to the higher gas concentration levels shall be of the manual-reset type. Combustible gas-detection systems related to the lower gas-concentration level may be of the automatic-reset type.
- (iii) A fuel-gas odorant or an automatic gas-detection and alarm system is required in enclosed, continuously manned areas of the facility which are provided with fuel gas. Living quarters and doghouses not containing a gas source and not located in a classified area do not require a gas detection system.
- (iv) The District Supervisor may require the installation and maintenance of a gas detector or alarm in any potentially hazardous area.
- (v) Fire- and gas-detection systems must be an approved type, designed and installed according to API RP 14C, API RP 14G, and either API RP 14F or API RP 14FZ (the preceding four documents incorporated by reference as specified in §250.198).
- (10) *Electrical equipment.* Electrical equipment and systems shall be designed, installed, and maintained in accordance with the requirements in §250.114 of this part.
- (11) *Erosion.* A program of erosion control shall be in effect for wells or fields having a history of sand production. The erosion-control program may include sand probes, X-ray, ultrasonic,

or other satisfactory monitoring methods. Records by lease, indicating the wells which have erosion-control programs in effect and the results of the programs, shall be maintained by the lessee for a period of 2 years and shall be made available to MMS upon request.

- (c) General platform operations. (1) Surface or subsurface safety devices shall not be bypassed or blocked out of service unless they are temporarily out of service for startup, maintenance, or testing procedures. Only the minimum number of safety devices shall be taken out of service. Personnel shall monitor the bypassed or blocked-out functions until the safety devices are placed back in service. Any surface or subsurface safety device which is temporarily out of service shall be flagged.
- (2) When wells are disconnected from producing facilities and blind flanged, equipped with a tubing plug, or the master valves have been locked closed, you are not required to comply with the provisions of API RP 14C (incorporated by reference as specified in §250.198) or this regulation concerning the following:
- (i) Automatic fail-close SSV's on wellhead assemblies, and
- (ii) The PSH and PSL shut-in sensors in flowlines from wells.
- (3) When pressure or atmospheric vessels are isolated from production facilities (e.g., inlet valve locked closed or inlet blind-flanged) and are to remain isolated for an extended period of time, safety device compliance with API RP 14C or this subpart is not required.
- (4) All open-ended lines connected to producing facilities and wells shall be plugged or blind-flanged, except those lines designed to be open-ended such as flare or vent lines.
- (d) Welding and burning practices and procedures. All welding, burning, and hot-tapping activities shall be conducted according to the specific requirements in §§ 250.109 through 250.113 of this part.

[53 FR 10690, Apr. 1, 1988; 53 FR 12227, Apr. 13, 1988, as amended at 55 FR 47753, Nov. 15, 1990; 61 FR 60025, Nov. 26, 1996. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 65 FR 219, Jan. 4, 2000; 67 FR 51759, Aug. 9, 2002; 68 FR 43298, July 22, 2003; 68 FR 65172, Nov. 19, 2003]

# § 250.804 Production safety-system testing and records.

- (a) Inspection and testing. The safety-system devices shall be successfully inspected and tested by the lessee at the interval specified below or more frequently if operating conditions warrant. Testing must be in accordance with API RP 14C, Appendix D (incorporated by reference as specified in §250.198), and the following:
- (1) Testing requirements for subsurface safety devices are as follows:
- Each surface-controlled subsurface safety device installed in a well, including such devices in shut-in and injection wells, shall be tested in place for proper operation when installed or reinstalled and thereafter at intervals not exceeding 6 months. If the device does not operate properly, or if a liquid leakage rate in excess of 200 cubic centimeters per minute or a gas leakage rate in excess of 5 cubic feet per minute is observed, the device shall be removed, repaired and reinstalled, or replaced. Testing shall be in accordance with API RP 14B to ensure proper operation.
- (ii) Each subsurface-controlled SSSV installed in a well shall be removed, inspected, and repaired or adjusted, as necessary, and reinstalled or replaced at intervals not exceeding 6 months for those valves not installed in a landing nipple and 12 months for those valves installed in a landing nipple.
- (iii) Each tubing plug installed in a well shall be inspected for leakage by opening the well to possible flow at intervals not exceeding 6 months. If a liquid leakage rate in excess of 200 cubic centimeters per minute or a gas leakage rate in excess of 5 cubic feet per minute is observed, the device shall be removed, repaired and reinstalled, or replaced. An additional tubing plug may be installed in lieu of removal.
- (iv) Injection valves shall be tested in the manner as outlined for testing tubing plugs in paragraph (a)(1)(iii) of this section. Leakage rates outlined in paragraph (a)(1)(iii) of this section shall apply.
- (2) All PSV's shall be tested for operation at least once every 12 months. These valves shall be either bench-tested or equipped to permit testing with an external pressure source. Weighted

- disk vent valves used as PSV's on atmospheric tanks may be disassembled and inspected in lieu of function testing.
- (3) The following safety devices (excluding electronic pressure transmitters and level sensors) must be tested at least once each calendar month, but at no time will more than 6 weeks elapse between tests:
  - (i) All PSH and PSL,
  - (ii) All LSH and LSL controls,
- (iii) All automatic inlet SDV's which are actuated by a sensor on a vessel or compressor, and
- (iv) All SDV's in liquid discharge lines and actuated by vessel low-level sensors.
- (4) The following electronic pressure transmitters and level sensors must be tested at least once every 3 months, but at no time may more than 120 days elapse between tests:
  - (i) All PSH and PSL, and
  - (ii) All LSH and LSL controls.
- (5) All SSV's and USV's shall be tested for operation and for leakage at least once each calendar month, but at no time shall more than 6 weeks elapse between tests. The SSV's and USV's must be tested in accordance with the test procedures specified in API RP 14H (incorporated by reference as specified in §250.198). If the SSV or USV does not operate properly or if any fluid flow is observed during the leakage test, the valve shall be repaired or replaced.
- (6) All flowline Flow Safety Valves (FSV) shall be checked for leakage at least once each calendar month, but at no time shall more than 6 weeks elapse between tests. The FSV's must be tested for leakage in accordance with the test procedures specified in API RP 14C, Appendix D, section D4, table D2, subsection D (incorporated by reference as specified in §250.198). If the leakage measured exceeds a liquid flow of 200 cubic centimeters per minute or a gas flow of 5 cubic feet per minute, the FSV's shall be repaired or replaced.
- (7) The TSH shutdown controls installed on compressor installations which can be nondestructively tested shall be tested every 6 months and repaired or replaced as necessary.
- (8) All pumps for firewater systems shall be inspected and operated weekly.

- (9) All fire- (flame, heat, or smoke) detection systems shall be tested for operation and recalibrated every 3 months provided that testing can be performed in a nondestructive manner. Open flame or devices operating at temperatures which could ignite a methane-air mixture shall not be used. All combustible gas-detection systems shall be calibrated every 3 months.
- (10) All TSH devices shall be tested at least once every 12 months, excluding those addressed in paragraph (a)(7) of this section and those which would be destroyed by testing. Burner safety low and flow safety low devices shall also be tested at least once every 12 months.
- (11) The ESD shall be tested for operation at least once each calendar month, but at no time shall more than 6 weeks elapse between tests. The test shall be conducted by alternating ESD stations monthly to close at least one wellhead SSV and verify a surface-controlled SSSV closure for that well as indicated by control circuitry actuation.
- (12) Prior to the commencement of production, the lessee shall notify the District Supervisor when the lessee is ready to conduct a preproduction test and inspection of the integrated safety system. The lessee shall also notify the District Supervisor upon commencement of production in order that a complete inspection may be conducted.
- (b) Records. The lessee shall maintain records for a period of 2 years for each subsurface and surface safety device installed. These records shall be maintained by the lessee at the lessee's field office nearest the OCS facility or other locations conveniently available to the District Supervisor. These records shall be available for review by a representative of MMS. The records shall show the present status and history of each device, including dates and details of installation, removal, inspection, testing, repairing, adjustments, and reinstallation.
- [53 FR 10690, Apr. 1, 1988, as amended at 55 FR 47753, Nov. 15, 1990; 62 FR 5331, Feb. 5, 1997. Redesignated at 63 FR 29479, May 29, 1998, as amended at 65 FR 35824, June 6, 2000; 67 FR 51760, Aug. 9, 2002; 68 FR 47, Jan. 2, 2003]

#### §250.805 Safety device training.

Personnel installing, inspecting, testing, and maintaining these safety devices and personnel operating the production platforms shall be qualified in accordance with subpart O.

# § 250.806 Safety and pollution prevention equipment quality assurance requirements.

- (a) General requirements. (1) Except as provided in paragraph (b)(1) of this section, you may install only certified safety and pollution prevention equipment (SPPE) in wells located on the OCS. SPPE includes the following:
- (i) Surface safety valves (SSV) and actuators;
- (ii) Underwater safety valves (USV) and actuators; and
- (iii) Subsurface safety valves (SSSV) and associated safety valve locks and landing nipples.
- (2) Certified SPPE is equipment the manufacturer certifies as manufactured under a quality assurance program MMS recognizes. MMS considers all other SPPE as noncertified. MMS recognizes two quality assurance programs:
- (i) ANSI/ASME SPPE-1, Quality Assurance and Certification of Safety and Pollution-Prevention Equipment Used in Offshore Oil and Gas Operations; and
- (ii) API Spec Q1, Specification for Quality Programs.
- (3) All SSV's and USV's must meet the technical specifications of API Spec 6A and 6AV1. All SSSVs must meet the technical specifications of API Specification 14A.
- (4) For information on all standards mentioned in this section, see §250.198.
- (b) Use of noncertified SPPE. (1) Before April 1, 1998, you may continue to use and install noncertified SPPE if it was in your inventory as of April 1, 1988, and was included in a list of noncertified SPPE submitted to MMS prior to August 29, 1988.
- (2) On or after April 1, 1998:
- (i) You may not install additional noncertified SPPE: and
- (ii) When noncertified SPPE that is already in service requires offsite repair, remanufacturing, or hot work such as welding, you must replace it with certified SPPE.

(c) Recognizing other quality assurance programs. The MMS will consider recognizing other quality assurance programs covering the manufacture of SPPE. If you want MMS to evaluate other quality assurance programs, submit relevant information about the program and reasons for recognition by MMS to the Chief, Engineering and Operations Division; Minerals Management Service; Mail Stop 4700; 381 Elden Street; Herndon, Virginia 20170-4817.

[62 FR 42671, Aug. 8, 1997. Redesignated at 63 FR 29479, May 29, 1998, as amended at 63 FR 37068, July 9, 1998; 65 FR 76935, Dec. 8, 2000]

#### § 250.807 Hydrogen sulfide.

Production operations in known to contain hydrogen sulfide  $(H_2S)$  or in zones where the presence of H<sub>2</sub>S is unknown, as defined in §250.490 of this part, shall be conducted in accordance with that section and other relevant requirements of subpart H, Production Safety Systems.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 68 FR 8435, Feb. 20, 2003]

# Subpart I—Platforms and Structures

# § 250.900 General requirements.

(a) The lessee shall design, fabricate, install, use, inspect, and maintain all platforms and structures (platforms) on the Outer Continental Shelf (OCS) to assure their structural integrity for the safe conduct of drilling, workover, and production operations, considering the specific environmental conditions at the platform location.

(b) All new fixed or bottom-founded platforms (i.e., platforms or other structures, e.g., single-well caissons, artificial islands), shall be designed, fabricated, installed, inspected, and maintained in accordance with all the requirements of this section and §§ 250.901 and 250.904 through 250.914 of this subpart. Applications submitted pursuant to \$250.901 shall require the approval by the Regional Supervisor prior to platform installation.

(c) All new platforms which meet any of the conditions listed below shall be subject to the Platform Verification Program and shall be designed, fabricated, and installed in accordance with the requirements of §§ 250.901 through 250.914 of this part.

(1) Platforms installed in water depths exceeding 400 feet,

- (2) Platforms having natural periods in excess of 3 seconds.
- (3) Platforms installed in areas of unstable bottom conditions,
- (4) Platforms having configurations and designs which have not previously been used or proven for use in the area,
- (5) Platforms installed in seismically active areas.
- (d) Major modification to any platform shall be subject to the requirements of this subpart and shall require the approval of the Regional Supervisor. Major modification means any structural changes which materially alter the approved plan or causes a major deviation from approved operations.
- (e)(1) Major repairs of damage to any platform shall require the prior approval of the Regional Supervisor. Major repairs of damage means corrective operations involving structural members affecting the structural integrity of a portion or all of the platform.
- (2) Under emergency conditions, repairs to primary structural elements may be made to restore an existing permitted condition without prior approval. The Regional Supervisor shall be notified within 24 hours of the damage that occurred and repairs that were made. The Regional Supervisor's approval for repairs shall be obtained.
- (f) The requirements for an application for approval for the reuse or conversion of the use of an existing fixed or mobile platforms shall be determined on a case-by-case basis. An application shall be submitted to the Regional Supervisor for approval and shall include location, intended use, and demonstrate the adequacy of the design and structural condition of the platform.
- (g) In addition to the requirements of this subpart, platform design, fabrication, and installation shall conform to API RP 2A-WSD "Recommended Practice For Planning, Designing, And Constructing Fixed Offshore Platforms-Working Stress Design," (incorporated

by reference, see §250.198), or American Concrete Institute (ACI) 357R, "Guide for the Design and Construction of Fixed Offshore Concrete Structures," (incorporated by reference, see §250.198), as appropriate. Alternative codes or rules may be utilized with approval of the Regional Supervisor. The requirements contained in these documents (API RP 2A-WSD and ACI 327R) are incorporated by reference in this part, see §250.198.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, May 29, 1998; 64 FR 9065, Feb. 24, 1999; 68 FR 19355, Apr. 21, 2003]

### §250.901 Application for approval.

- (a) All applications under the provisions of this subpart shall be submitted to the Regional Supervisor for approval. All significant changes or modifications to approved applications shall be submitted to the Regional Supervisor for approval.
- (b) Applications for all new platforms or major modifications shall be submitted in triplicate and shall contain the following information:
- (1) General platform information including the following:
- (i) The platform designation, lease number, area name, and block number;
- (ii) Longitude and latitude coordinates, Universal Transverse Mercator grid-system coordinates, state plane coordinates in the Lambert or Transverse Mercator Projection system, and a plat drawn to a scale of 1 inch = 2,000 feet showing surface location of the platform and distance from the nearest block lines;
- (iii) Drawings, plats, front and side elevations of the entire platform, and plan views that clearly illustrate essential parts, i.e., number and location of well slots, design loadings of each deck, water depth, nominal size and thickness of all primary load-bearing jacket and deck structural members, and nominal size, makeup, thickness, and design penetration of piling;
- (iv) Corrosion protection or durability details which consist of the corrosion-protection method; expected life; and durability criteria for the submerged, splash, and atmospheric zones; and

- (v) In the Alaska OCS Region, the following additional information shall be submitted:
- (A) Slope protection and berm elevation for manmade islands,
- (B) Wall thickness with size and placement of major steel reinforcement for concrete-gravity structures,
- (C) Shell thickness with size and location of major reinforcement members for steel-gravity structures, and
- (D) A plan for periodic inspections of the installed platforms in accordance with §250.912 of this part.
- (2) A summary of environmental data, as addressed in §250.904 of this part, which has a bearing on the platform's design, installation, and operation, e.g., wave heights and periods, current, vertical distribution of wind and gust velocities, water depth, storm and astronomical tide data, marine growth, snow and ice effects, and air and sea temperatures;
- (3) Foundation information including the following:
- (i) A geotechnical investigation report containing a brief summary of the major strata encountered at the location by bore holes presented in tabular form, a detailed subsurface profile illustrating results of field and laboratory testing, a listing of field and laboratory investigations and tests with a basic summary of resultant determinations, the identification of properties and conditions of the seabed and the subsoil, and the identification of any manmade hazards or obstructions;
- (ii) A description of the effect of the environmental and functional loads on the foundation;
- (iii) A determination, with supporting information, of the susceptibility of the area to soil movement and, if susceptible, an analysis of slope and soil stability;
- (iv) A summary of the foundation design criteria as specified in §250.909 of this part; and
- (v) A summary of the seafloor survey results specified in §250.909(b)(2) of this part.
- (4) Structural information including the following:
- (i) The design life of the platform and the basis for such determination.
- (ii) A summary description of the design load conditions and design load

combinations, taking into consideration the worst environmental and operational conditions anticipated over the service life of the platform.

(iii) A listing and  $\hat{d}escription$  of the appropriate material specifications.

(iv) A description of the design methodologies, e.g., elastic, inelastic, and ultimate strength, used in design of the platform.

(v) A summary of pertinent derived factors of safety against failure for major structural members, e.g., unity check ratios exceeding 0.85 for steeljacket platform members, indicated on "line" sketches of jacket sections.

(vi)(A) In the Ălaska, Atlantic, and Pacific OCS Regions, a summary of the fatigue analysis as specified in §§ 250.905 through 250.909 of this part. The specific requirements for a fatigue analysis shall be determined by the Regional Supervisor on a case-by-case basis to determine the adequacy of the design and to assure the structural integrity of the platform.

(B) In the Gulf of Mexico OCS Region, a summary of the fatigue analysis as specified in §§250.905 through 250.909 of this part. A fatigue analysis shall be performed for each steel template, pile-supported platform with natural periods greater than 3 seconds, and for each platform to be fabricated of high-strength steel (i.e., over 50 thousand pounds per square inch minimum yield) where components of highstrength steel are subjected to cyclic loading. The specific requirements for a fatigue analysis for other platforms shall be determined by the Regional Supervisor on a case-by-case basis to determine adequacy of the design and to assure the structural integrity of the platform.

(c) The information shall be submitted with or subsequent to the submittal of an Exploration Plan or Development and Production Plan. Additional detailed data and information may be required by the Regional Supervisor when needed to determine the adequacy of the design.

(d) The lessee shall have detailed structural plans as called for in paragraph (b)(1)(iii) of this section and specifications for new platforms or other structures and major modifications certified by a registered professional structural engineer or civil engineer specializing in structural design. The lessee shall also sign, date, and submit the following certification: Lessee certifies that the design of the structure/modification has been certified by a registered professional structural or a civil engineer specializing in structural design, and the structure/modification will be fabricated, installed, and maintained as described in the application and any approved modification thereto. Certified design and as built plans and specifications will be on file at

(e) The lessee shall notify the Regional Supervisor at least 1 week prior to transporting the platform to the installation site.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29485, 29486, May 29, 1998; 64 FR 9065, Feb. 24, 1999]

#### §250.902 Platform Verification Program requirements.

(a) Requirements. These requirements apply to the design, fabrication, and installation of new, fixed, bottom-founded, pile-supported, or concrete-gravity platforms. The applicability of these requirements to other types of platforms shall be determined by the MMS on a case-by-case basis. For all new platforms or major modifications which meet any of the conditions contained in §250.900(c) of this part, the lessee shall submit the design, fabrication, and installation verification plans to the Regional Supervisor for approval in accordance with paragraph (b) of this section. The design plan shall be submitted with or subsequent to the submittal of an Exploration Plan or Development and Production Plan. The fabrication and installation plans shall be submitted and approval obtained before such operations are initiated.

(b) Verification plan requirements. (1) General plan requirements. Each verification plan shall be submitted in triplicate and include the following:

(i) A nomination of a Certified Verification Agent (CVA) who shall conduct specified reviews in accordance with §250.903 of this part,

(ii) The CVA qualification statement consisting of the following:

(A) Previous experience in thirdparty verification or experience in the

design, fabrication, and/or installation of offshore oil and gas platforms, manmade islands, or other marine structures;

(B) Technical capabilities of the individual or the primary staff to be associated with the CVA functions for the specific project;

(C) Size and type of organization or corporation;

(Ď) In-house availability of, or access to, appropriate technology, i.e., computer programs and hardware and testing materials and equipment;

(E) Ability to perform the CVA functions for the specific project considering current commitments; and

- (F) Previous experience with MMS requirements and procedures.
- (iii) The level of work to be performed by the CVA, and
- (iv) A list of documents to be furnished to the CVA.
- (2) Design verification plan requirements. The design plan shall also include the following:
- (i) All design documentation specified in §250.901(b) of this part, and

(ii) Abstracts of the computer programs used in the design process.

- (3) Fabrication verification plan requirements. The fabrication plan shall also include fabrication drawings and material specifications for artificial island structures, major members of concrete- and steel-gravity structures, all the primary load-bearing members included in the space-frame analysis for jacket structures, and a summary description of the following:
  - (i) Structural tolerances,
  - (ii) Welding procedures,
- (iii) Material (concrete, gravel, or silt) placement methods,
  - (iv) Fabrication standards,
- (v) Material quality-control procedures,
- (vi) Methods and extent of nondestructive examinations (NDE) for welds and materials, and
  - (vii) Quality assurance procedures.
- (4) Installation verification plan requirements. Additionally, the installation plan shall include a summary description of the planned marine operations, contingencies considered, alternate courses of action, and the inspections to be performed including a graphical identification of areas to be

inspected and the acceptance/rejection criteria.

- (c) Requirements for resubmittal. All such plans or the appropriate part affected shall be resubmitted for approval if the CVA is changed, if the CVA's or assigned personnel's qualifications change, or if the level of work to be performed changes. The summary of technical details need not be resubmitted, unless changes are made in the technical details.
- (d) Combining of plans. For manmade islands or platforms fabricated and installed in place, the fabrication and installation verification plans shall be combined.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

# § 250.903 Certified Verification Agent duties and nomination.

- (a) *CVA duties.* The CVA nominated by the lessee and approved by the Regional Supervisor shall conduct the appropriate reviews in accordance with the following:
- (1) Design phase. (i) The CVA shall conduct the design verification to ensure that the proposed platform or major modification has been designed to withstand the maximum environmental and functional load conditions anticipated during the intended service life at the proposed location.

(ii) The design verification shall be conducted by, or be under the direct supervision of, a registered professional civil or structural engineer.

(iii) The CVA shall consider the applicable provisions of §§ 250.904 through 250.911 of this part and use good engineering practice in conducting an independent assessment of the adequacy of all proposed planning criteria, environmental data, load determinations, stress analyses, material designations, soil and foundation conditions, safety factors, and other pertinent parameters of the proposed design.

(iv) Interim reports shall be submitted by the CVA, as appropriate, to the Regional Supervisor and the lessee.

(v) Upon completion of the design verification, a final report shall be prepared which summarizes the material reviewed by the CVA and the findings and includes a recommendation that the Regional Supervisor either accept,

request modification(s), or reject the proposed design. In addition, the report shall include the particulars of how, by whom, and when the independent review was conducted and any special comments considered necessary. The final report shall be submitted to the lessee and, in triplicate, to the Regional Supervisor within 6 weeks of the receipt of the design data or from the date the approval to act as a CVA was issued, whichever is later.

- (2) Fabrication verification. The CVA shall monitor the fabrication of the platform or major modification to ensure that it has been built in accordance with the approved design plans and specifications and the fabrication plan, including the following:
- (i) Periodic onsite inspections shall be made while fabrication is in progress. The following of the fabrication items, as appropriate, shall be verified:
- (A) Quality control by lessee and builder,
  - (B) Fabrication site facilities,
- (C) Material quality and identification methods,  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{1}{2$
- (D) Fabrication procedures specified in the approved plan and adherence to such procedures,
- (E) Welder and welding procedure qualification and identification,
- (F) Structural tolerances specified and adherence to those tolerances,
- (G) The NDE requirements and evaluation results of the specified examinations,
- (H) Destructive testing requirements and results.
  - (I) Repair procedures,
- (J) Installation of corrosion-protection systems and splash-zone protection,
- (K) Erection procedures to ensure that overstressing of structural members does not occur,
  - (L) Alignment procedures,
- (M) Dimensional check of the overall structure, and
- (N) Status of quality-control records at various stages of fabrication.
- (ii) The CVA shall consider the applicable provisions of §§250.904 through 250.911 of this part and use good engineering practice in conducting an independent assessment of the adequacy of

the fabrication of the platform or major modification.

- (iii) Interim reports shall be submitted by the CVA, as appropriate, to the Regional Supervisor and the lessee.
- (iv) If the CVA finds that fabrication procedures are changed or design specifications are modified, the lessee shall be informed. If the lessee prefers to accept the modifications as informed by the CVA, the Regional Supervisor shall also be informed.
- (v) A final report shall be prepared by the CVA covering the adequacy of the entire fabrication phase giving details of how, by whom, and when the independent monitoring activities were conducted and providing any special comments considered necessary. The final report is not required to cover aspects of the fabrication already included in interim reports. The final report shall describe the CVA's activities during the verification process, summarize the findings, contain a confirmation or denial of compliance with the design specifications and the approved fabrication plan, and a recommendation to accept or reject the fabrication. The report shall be submitted to the lessee and, in triplicate, to the Regional Supervisor immediately after completion of the fabrication of the platform.
- (3) Installation phase. The CVA shall witness the loadout of the jacket, deck(s), and piles from the fabrication site(s); review the towing records; conduct an onsite survey after transportation to the approved location; witness the actual installation of the platform or major modification; determine that the platform has been installed at the approved location in accordance with the approved design and the installation plan; and shall comply with the following:
- (i) The CVA shall consider the applicable provisions of §§ 250.904 through 250.911 of this part and use good engineering practice in conducting an independent assessment of the adequacy of the installation activities. The following parts of the overall installation process, as appropriate, shall be verified:
- (A) Loadout and initial flotation operations, if any;

- (B) Towing operations to the specified location;
- (C) Launching and uprighting operations:
  - (D) Submergence operations;
  - (E) Pile installation; and
- (F) Final deck and/or component installation.
- (ii) The CVA shall observe the installation activities, spot-check equipment, procedures, and recordkeeping, as necessary, to determine compliance with §§ 250.904 through 250.911 of this part and the approved plans, and immediately report to the Regional Supervisor and the lessee any discrepancies or damage to structural members. Approval for modified installation procedures or for major deviation from approved installation procedures shall be obtained from the Regional Supervisor.
- (iii) Interim reports shall be submitted by the CVA, as appropriate, to the Regional Supervisor and the lessee.
- (iv) A final report shall be prepared by the CVA covering the adequacy of the entire installation phase giving details of how, by whom, and when the independent monitoring activities were conducted and providing any special comments considered necessary. The final report shall describe the CVA's activities during the verification process, summarize the findings, contain a confirmation or denial of compliance with the approved installation plan, and a recommendation to accept or reject the installation. The report shall be submitted to the lessee and, in triplicate, to the Regional Supervisor within 2 weeks of completion of the installation of the platform.
- (4) All data provided to the CVA shall be handled in the strictest confidence and not be released by the CVA without the consent of the lessee.
- (5) Individuals or organizations acting as CVA's for a particular platform shall not function in any capacity other than that of a CVA for that specific project, whenever the additional activities would create a conflict, or appearance of a conflict of interest.
- (b) CVA nomination. (1) Nomination. Individuals or organizations shall be nominated by the lessee planning to use their services. The lessee shall specify whether the nomination is for the design, fabrication, or installation

phase of verification; for two phases; or for all three phases.

(2) *Qualifications*. Qualification submissions shall contain sufficient information to determine compliance with §250.902(b)(1)(ii) of this part.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

#### § 250.904 Environmental conditions.

- (a) *General.* The performance standards of this section pertain to all platforms covered by these requirements regardless of the fabrication material.
- (1) Environmental considerations. All environmental phenomena appropriate to the areas of fabrication, transportation, and installation of an offshore platform shall be considered and their influence on the platform accounted for. Such phenomena shall include wind, waves, current, temperature, tide, marine growth, chemical components of air and water, snow and ice, earthquakes, tsunami, seiche, and other appropriate phenomena.
- (2) Environmental data. Statistical data and defensible statistical and mathematical models shall be employed to describe the range of pertinent expected variations of environmental phenomena. Defensible data supplied by meteorologists, oceanographers, or other appropriate specialists are acceptable as the basis for design. Where possible, environmental phenomena shall be described by the characteristic parameters most relevant in the evaluation of effects on the platform.
- (b) Statistical methods. (1) When statistical methods are employed in the determination of parameters characterizing environmental phenomena, the statistical methods and distributions employed shall be appropriate to their application as evidenced by relevant statistical tests, confidence limits, and other measures of statistical significance
- (2) Short-term and long-term variations of environmental phenomena such as wind, waves, and current shall be described by statistical distributions relevant to the parameter considered. Defensible statistical modeling techniques shall be used in the prediction of extreme values.

- (3) When hindcasting techniques are employed to approximate environmental parameters, the validity of the model used shall be defensible.
- (c) Design considerations. (1) General. A thorough assessment of the environment in the vicinity of the installation site shall be made to determine the conditions expected to occur at the site over the life of the platform.
- (2) Design environmental condition. (i) "Design environmental condition" means the environmental factors producing the most unfavorable effects on the platform. Parameters describing the design environmental condition are given in paragraphs (c)(2)(ii) (A), (B), and (C) of this section.
- (ii) The design environmental condition shall reflect the various environmental events that individually or collectively represent the most severe conditions the platform is anticipated to experience. Such conditions shall be formulated with a set of parameters that describe the relevant environmental events, including the following:
- (A) The maximum wave corresponding to a selected recurrence period together with the associated wind, current, and appropriate ice and snow effects:
- (B) The minimum air and sea temperatures appropriate to the event being treated; and
- (C) The maximum water level due to tide and storm surge.
- (iii) Consideration shall be given to other combinations of the parameters specified in paragraph (c)(2)(ii)(A) of this section involving either maximum wind, maximum current, or maximum ice load which may cause a greater response of the platform.
- (iv) In general, the recurrence period chosen for the events specified in paragraphs (c)(2)(ii) (A) and (C) of this section shall primarily be based on the design service life of the platform. For platforms designed for a service life of 20 years, the recurrence period chosen for the determination of these events shall not be less than 100 years. For other service lives, the design event recurrence interval shall generally be adjusted to provide for a risk of occurrence which does not exceed the risk of occurrence for the 20-year/100-year combination.

- (v) For installation sites located in seismically active areas, see paragraph (d)(8) of this section.
- (3) Operating environmental conditions. Operating environmental conditions means the set of characteristic parameters of environmental conditions associated with a normal function or operation to be conducted on the platform. For each such intended normal function or operation, the lessee shall determine a set of characteristic parameters of environmental conditions.
- (d) Specific environmental conditions. (1) Waves information including the following:
- (i) Wave conditions considered for design shall be described by defensible statistical and/or deterministic methods.
- (ii) Parameters characterizing design environmental waves shall be based on wave statistics or the results of defensible analytic prediction methods such as hindcasting techniques.
- (iii) When using probabilistic analyses, the probability of occurrence of various wave-height groups classified by directionality and for a wide range of possible periods (i.e., tables of exceedance) shall be determined. Where required by the method selected to predict extreme values, the average duration of various wave-height groups (i.e., persistence data) shall be determined. All extrapolations and longterm wave data analyses shall use defensible techniques, and available data on extreme values measured in the vicinity of the site shall be included in the long-term prediction.
- (iv) When using deterministic methods, waves shall be described by the parameters, height, period, and other relevant shape characteristics. The design-wave formulation used shall be valid for the problem considered.
- (v) Breaking-wave criteria appropriate to the installation site shall be determined using defensible formulations.
- (vi) If spectral wave data are established for the dynamic analysis of structural response to waves, such data shall be derived in accordance with defensible methods. If spectral data are not available in adequate quantities for the intended application, defensible

mathematical formulations that best fit the available data shall be used.

- (2) Wind information including the following:
- (i) Wind velocities shall be classified on the basis of their duration. Wind velocities having a duration of less than 1 minute are referred to as gust winds. Wind velocities having a duration equal to or greater than 1 minute are referred to as sustained winds. The reference elevation is 33 feet above stillwater level.
- (ii) Wind conditions considered for design shall be described by defensible statistical or deterministic methods.
- (iii) Wind profiles shall be determined on the basis of defensible statistical or mathematical models. Corrections of wind velocity data to averaging periods other than those employed in the collections of data shall be based on defensible methods.
- (iv) Distribution of the direction and speed of wind approach to the platform shall be determined, or alternatively, winds shall be considered to approach from any direction.
- (3) Current information including the following:
- (i) Current velocities to be used in design shall be determined on the basis of the best statistics available. Tidal current, wind-generated current, density current, circulation current, and riveroutflow current shall be combined on the basis of their probability of simultaneous occurrence in arriving at current velocities to be used in design.
- (ii) Current velocity profiles shall be determined on the basis of site-specific studies or defensible empirical relationships. Unusual profiles due to bottom currents and stratified effects in regions near the mouth of large rivers shall be accounted for.
- (iii) Directional data on currents which exist in the absence of waves shall be described for each month or by season. Unless a detailed study of current directions is made, currents shall be assumed to run in any direction.
- (4) Tide information including the following:
- (i) The design storm-tide elevation shall be identified for the installation site. For design purposes, the design environmental wave height shall be su-

- perimposed on the storm-tide elevation.
- (ii) Variations in the elevation of the daily lunar tide shall be used in determining the elevations of boat landings, barge fenders, and the corrosion-prevention treatment of platforms in the splash zone (see §250.906(c)(5) of this part).
- (iii) The assumed maximum or storm tide shall include astronomical tide, wind tide, and pressure-induced storm surge. Minimum-tide estimates shall be based on either the astronomical or lunar tide only. The water depth shall be referenced to a datum (e.g., mean low/water or mean low low/water) consistent with all other references to elevations and depths.
- (iv) If data directly applicable to the installation site are not available, the best estimate based on data for nearby locations shall be used.
- (5) Temperature information including the following:
- (i) Extreme values of low temperatures shall be expressed in terms of the most probable, lowest values with their corresponding recurrence periods;
- (ii) Air, sea surface, and seabed temperatures shall be accounted for in describing the environment and in justifying the temperatures used in design.
- (6) Snow and ice information including the following:
- (i) If the platform is to be located in an area where sea ice may develop or drift, ice conditions shall be accounted for. Data shall be derived from actual field investigations, laboratory analyses, or other appropriate analogous sources:
- (ii)(A) Relevant statistical and physical data on the sea-ice and snow conditions shall be described with particular attention to the following:
- (1) Concentration and distribution of ice and snow,
- (2) Morphology of sea ice (e.g., ice floes, ice ridges, or rafted ice),
- (3) Mechanical properties of ice (mode of failure),
- (4) Drift speed and direction,
- (5) Thickness of ice and keel depth of pressure ridges, and
- (6) Probability of encountering icebergs, ice floes, ice-floe fragments, and hummocks.

- (B) The weight of the maximum snow and ice anticipated to accumulate on the platform shall be determined.
- (7) Marine growth information including the following:
- (i) When assessing the potential for marine growth, account shall be taken of relevant observations and experience in the area. In the absence of such information, defensible analytical techniques shall be employed to assess the potential for marine growth. These techniques shall take into account salinity, oxygen content, hydrogen-ion concentration value, current, temperature, water turbidity, and other appropriate factors.
- (ii) Consideration shall be given to the selection of surface coatings which resist breakdown by micro-organisms which reduce the onset of corrosion.
- (iii) Particular attention shall be paid to the effects that marine growth has on surface roughness characteristics of submerged structural members.
- (8) Earthquake information including the following:
- (i) The effects of earthquakes on platforms located in areas known to be seismically active shall be addressed.
- (ii) Except for the provision of \$250.905(d)(5)(ii) of this part, the seismicity of the site shall be determined. Preferably, this shall be based on site-specific data. However, regional data shall be deemed acceptable for use when site-specific data are not available and the regional data are interpreted in a manner to produce the most adverse effect on a platform at the specific site. The following data shall be obtained:
- (A) Recurrence interval of seismic events appropriate to the design life of the structure,
  - (B) Proximity to active faults,
  - (C) Type of faulting,
- (D) Attenuation of ground motion between the faults and the site,
  - (E) Subsurface soil conditions, and
- (F) Records from past seismic events at the site or from analogous sites.
- (iii) The use of available data to describe the seismic characteristics of the site is permitted where it can be shown that such data are consistent with the requirements of paragraph (d)(8)(ii) of this section.

- (iv) The seismic data shall be used to establish a quantitative design earthquake criterion describing the design earthquake-induced ground motion. In addition to ground motion and as applicable to the installation site, the following earthquake-related phenomena shall be taken into account:
  - (A) Liquefaction of subsurface soils,
  - (B) Submarine slides,
  - (C) Tsunamis, and
  - (D) Fluid motions in tanks.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

#### § 250.905 Loads.

- (a) Introduction. This section covers the identification, definition, and determination of the loads to which a fixed offshore platform may be exposed during and after its transportation and installation. The requirements contained in paragraphs (b) through (d) of this section apply to both steel-piled platforms and concrete-gravity platforms. Additional requirements covering steel-piled platforms are contained in paragraph (e) of this section. Additional requirements covering concrete-gravity platforms are contained in paragraph (f) of this section.
- (b) *General.* (1) All types of loads specified in paragraphs (c)(1) through (c)(5) of this section shall be accounted for in the design and operation of the platform.
- (2) Where applicable, the effects of increased dimensions and weight due to marine growth and snow and ice accumulation shall be addressed in the design.
- (c) Load definition. (1) Dead loads. Dead loads associated with the platform are loads that do not change during the mode of operation under consideration. Dead loads include the following:
- (i) Weight in the air of the platform (refer to paragraphs (e)(1) and (f)(1) of this section for itemizations of weight for pilefounded platforms and gravity platforms, respectively).
- (ii) Weight of permanent ballast and the weight of permanent machinery including liquids at operating levels.
- (iii) External hydrostatic pressure and buoyancy in calm sea conditions

calculated on the basis of the design waterline.

- (iv) Static earth pressure.
- (2) Live loads. Live loads associated with the normal operation and use of the platform are loads that could change during the mode of operation considered. Live loads acting after fabrication or installation include the following:
- (i) Weight of drilling and production equipment that can be removed such as derrick, draw works, mud pumps, mud tanks, separators, and tanks.
- (ii) Weight of crew and consumable supplies such as mud, chemicals, water, fuel, pipe, cable, stores, drill stem, and casing.
- (iii) Weight of liquids in storage tanks.
- (iv) Forces exerted on the platform due to drilling, e.g., the maximum derrick reaction when placing or pulling casing.
- (v) The forces exerted on the platform during the operation of cranes and vehicles.
- (vi) The forces exerted on the platform by vessels moored to the platform.
- (vii) The forces exerted on the platform by helicopters during takeoff and landing or while parked on the platform. When applicable, the dynamic effects on the platform of the forces specified in paragraphs (c)(2) (iv) through (vii) of this section shall be taken into account. Live loads occurring during transportation and installation shall be determined for each specific operation involved, and the dynamic effects of such loads shall be addressed (see § 250.910 of this part).
- (3) Deformation loads. Deformation loads are loads due to deformations imposed on the platform. For an itemization of deformation loads applicable to steel-piled platforms and concretegravity platforms, see paragraphs (e)(2) and (f)(2) of this section, respectively.
- (4) Accidental loads. Consideration shall be given to accidental loadings; and where such loadings are determined to be a factor, they shall be quantified and incorporated into the design. Accidental loads are loads that could occur as the result of an accident

or exceptional conditions, such as the following:

- (i) Extreme impact loads caused by supply boats, barges, and other craft anticipated to work in the vicinity of the platform;
- (ii) Impact loads caused by dropped objects, such as drill collars, casing, blowout-preventer stacks;
- (iii) Loss of internal pressure required to resist hydrostatic loading and to maintain buoyancy during the installation of the platform;
  - (iv) Explosion;
  - (v) Effects of fire; and
  - (vi) Iceberg collision.
- (5) Environmental load information including the following:
- (i) Environmental loads are loads due to wind, waves, current, ice, snow, earthquake, and other environmental phenomena.
- (ii) The characteristic parameters defining an environmental load shall be appropriate to the installation site as determined by the studies required by \$250.904 of this part. Operating environmental loads are loads derived from the parameters characterizing operating environmental conditions (see \$250.904(c)(3) of this part). Design environmental loads are loads derived from the parameters characterizing the design environmental condition (see \$250.904(c)(2) of this part).
- (iii) Environmental loads shall be applied to the platform from directions producing the most unfavorable effects on the platform unless site-specific studies allow for a less stringent requirement.
- (iv) The combination and severity of design environmental loads shall be consistent with the likelihood of their simultaneous occurrence. The simultaneous occurrence of environmental loads shall be modeled by appropriate superposition methods.
- (v) Earthquake loads and loads resulting from accidental or rare environmental phenomena need not be combined with other environmental loads unless site-specific conditions indicate that such combination is appropriate.
- (d) Determination of environmental loads. (1) Wave load information including the following:

- (i) Wave-induced loads shall be calculated using defensible methods or shall be obtained from adequate model or field test data;
- (ii) A sufficient range of waves and wavecrest positions relative to the platform shall be investigated to ensure an accurate determination of the maximum wave load on the platform;
- (iii) Wave impact loads on structural members below the design wave crest elevation shall be accounted for by defensible theoretical methods or relevant model test of full-scale data;
- (iv) Where applicable, the possibility of dynamic excitation of the platform due to flow-induced cyclic loading shall be addressed;
- (v) For additional requirements pertaining to steel-piled platforms and concrete gravity-platforms, see paragraphs (e)(3) and (f)(3) of this section, respectively; and
- (vi) Where applicable, additional hydrostatic loading effects shall be addressed
- (2) Wind load information including the following:
- (i) Wind loads, local wind pressures, and wind profiles shall be determined on the basis of defensible analytical methods or wind tunnel tests on a representative model of the platform,
- (ii) In determining design environmental loads on the overall platform, wind loads calculated on the basis of the design-sustained wind velocity shall be combined with other design environmental loads,
- (iii) The design gust wind load shall be used in the design of local structure unless the effects of the load combination described in paragraph (d)(2)(ii) of this section are more severe,
- (iv) Where appropriate, the dynamic effects due to the cyclic nature of gust wind and cyclic loads due to vortex shedding shall be taken into account. Both the drag and lift components of loads due to vortex shedding shall be taken into account.
- (v) Where appropriate, flutter and load amplification due to vortex shedding shall be addressed.
- (3) Current load information including the following:
- (i) Current-induced loads on immersed members of the platform shall be accounted for by defensible methods

- or the results of model test or site-specific data,
- (ii) The lift and drag coefficients used in the determination of current loads shall be appropriate to the current velocity and structural configuration,
- (iii) Current velocity profiles used in design shall be appropriate to the installation site,
- (iv) For determination of loads induced by the simultaneous occurrence of wave and current fields, the total velocity field shall be computed by defensible methods before computing the total force, and
- (v) Where appropriate, flutter and load amplification due to vortex shedding shall be addressed.
- (4) Ice and snow load information including the following:
- (i) For platforms located in areas associated with ice movement, contact loads caused by floating ice shall be determined according to defensible theoretical methods, model test data, or full-scale measurements;
- (ii) In locations where platforms are subject to ice and snow accumulation, the additional weight of snow and ice on the platform shall be addressed;
- (iii) The effects of ice accumulation and ice jam, including the effects of changes in configuration due to adhesion, shall be accounted for in the determination of the total environmental load; and
- (iv) The incident pressure due to pack ice, pressure ridges, and where appropriate, ice island fragments impinging on the platform shall be addressed.
- (5) Earthquake load information including the following:
- (i) For platforms located in seismically active areas, design earthquake-induced ground motions shall be determined on the basis of seismic data applicable to the installation site. Design earthquake ground motions shall be described by either applicable ground motion records or response spectra consistent with the recurrence period appropriate to the design life of the platform.
- (ii) Available and defensible standardized spectra applicable to the region of the installation site are acceptable if such spectra reflect those site-specific conditions affecting frequency content and energy distribution. These

conditions include the type of active faults in the region, the proximity of the site to the potential source faults, the attenuation or amplification of ground motion between the faults and the site, and the soil conditions at the site.

- (iii) Ground-motion descriptions shall consist of three components corresponding to two orthogonal horizontal directions and the vertical direction. All three components shall be applied to the platform simultaneously.
- (iv)(Å) When the response spectrum method is used for structural analysis, input values of ground motion (spectral acceleration representation) shall not be less severe than the following:
- (1) One hundred percent in a principal horizontal direction,
- (2) Sixty-seven percent in the orthogonal horizontal direction, and
- (3) Fifty percent in the vertical direction.
- (B) The horizontal components shall also be applied in the alternative orthogonal horizontal directions.
- (v) If the time history method is used for structural analysis, at least three sets of ground-motion time histories shall be employed. The manner in which the time histories are used shall account for the potential sensitivity of the platform's response to variations in the phasing of the ground-motion records.
- (vi) When applicable, effects of soil liquefaction and/or loads resulting from submarine slides or creep, tsunamis, and earthquake motions shall be addressed.
- (e) Loads on steel pile-supported platforms. The following requirements apply to loads on steel pile-supported platforms and shall be applied together with the requirements in paragraphs (b), (c), and (d) of this section:
- (1) The dead load of the platform shall include, as appropriate, the weight in air of the jacket, piling, grout, superstructure modules, stiffeners, decking, piping, heliport, and any other fixed structural part less buoyancy, with due allowance for flooding.
- (2) Where appropriate, the deformation loads to be accounted for are those resulting from temperature variations

leading to thermal stresses in the platform, and those resulting from soil displacements (e.g., differential settlements or lateral displacements).

(3) Wave load information including the following:

- (i) For platforms composed of members having diameters that are negligible in relation to the wave lengths considered, semiempirical formulations accounting for wave-induced drag and inertia forces based on the water particle velocities and accelerations on an undisturbed, incident flow field are acceptable;
- (ii) When a method as described in paragraph (e)(3)(i) of this section is used, the wave field shall be described by a defensible wave theory appropriate to the wave heights, wave periods, and water depth at the installation site:
- (iii) The coefficients of drag and inertia used in calculating wave loads shall be determined on the basis of model test results, published data, or full-scale measurements appropriate to the structural configuration, surface roughness, and wave field; and
- (iv) For platforms composed of members whose diameters are not negligible in relation to the wave lengths considered and for structural configurations that will substantially alter the undisturbed, incident flow field, diffraction forces and the hydrodynamic interaction of structural members shall be taken into account.
- (f) Loads on concrete-gravity platforms. The following requirements apply to loads on concrete-gravity platforms and shall be applied together with the requirements described in paragraphs (b), (c), and (d) of this section.
- (1) The dead load of the platform shall include, as appropriate, the weight in air of the foundation, skirts, columns, superstructure modules, decking, piping, heliport, and any other fixed structural part less buoyancy with due allowance for flooding. Weight calculations based on nominal dimensions and mean values of density are acceptable.
- (2) The deformation loads to be accounted for are those due to prestress, shrinkage and expansion, creep, temperature variations, and differential settlements.

- (3) Wave load information including the following:
- (i) For platforms composed of large gravity bases and one or more columns whose diameters are not negligible in relation to the wave lengths considered, defensible wave-load theories which account for the drag, inertia, and diffraction forces on the platform shall be employed;
- (ii) For complex structural configurations, the hydrodynamic interaction of large, immersed structural members shall be addressed;
- (iii) When diffraction forces and hydrodynamic interaction are negligible, only semiempirical formulations comparable to those mentioned in paragraphs (e)(3) (i) and (iii) of this section accounting for drag and inertia forces are acceptable; and
- (iv) The undisturbed, incident flow field shall be addressed by a defensible wave theory appropriate to the wave heights, wave periods, and water depth at the installation site.
- [53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

### § 250.906 General design requirements.

- (a) *General.* This section specifies the general concepts and methods of analysis to be incorporated in the design of a platform.
- (b) Analytical approaches. (1) Structural response information including the following:
- (i) Methods of analysis employed in association with the specifications of these requirements shall treat geometric and material nonlinearities in a defensible manner. When nonlinear methods of analysis are used to assess collapse mechanisms, it shall be demonstrated that the platform has sufficient ductility to develop the required resistance or structural displacements.
- (ii) Where theoretically based analytical procedures covering the platform or parts thereof are unavailable or not well defined, model studies shall be utilized. The acceptability of model studies depends on the procedures employed, including enumeration of the possible sources of errors, the limits of applicability of the model test results, and the methods of extrapolation to full-scale data.

- (2) Loading format information including the following:
- (i) Either a deterministic or spectral format shall be employed to describe various load components. When a static approach is used, it shall be demonstrated, where appropriate, that the general effects of dynamic amplification were addressed. The influence of waves other than the highest waves shall be investigated for their potential to produce maximum peak stresses resulting from possible resonance with the platform.
- (ii) When considering the design earthquake as discussed in §250.905 of this part, a dynamic analysis shall be performed. A dynamic analysis shall also be performed to assess the effects of environmental or other types of loads if significant dynamic amplification is expected.
- (iii) For fatigue analysis, the longterm distribution of the stress range, with proper consideration of dynamic effects, shall be obtained for relevant loadings anticipated during the design life of the platform (see §§250.907(c)(6) and 250.908(c)(6) of this part).
- (3) Combinations of loading components information including the following:
- (i) Loads imposed during and after installation shall be taken into account. Of the various loads described in §250.905, of this part, those loads to be considered for design shall be combined in a manner consistent with their probability of simultaneous occurrence. However, earthquake loadings shall be applied without consideration of other environmental effects unless conditions at the site necessitate their inclusion. The direction of applied environmental loads shall be that producing the highest possible influences on the platform, considering the platform's orientation and location with respect to bottom topography, direction of fetch, and nearby land masses.
- (ii) While it is required to obtain and use those loading components which produce realistic maximum effects on the platform, loading combinations corresponding to conditions after installation shall reflect both operating and design environmental loadings. Sections 250.907, 250.908, and 250.909 of

this part give the minimum load combinations to be considered.

- (iii) The operating environmental conditions and the maximum tolerable environmental loads during installation shall be specified.
- (c) Overall design considerations. (1) Design life. The design service life of the platform shall be specified as prescribed in §250.904(c)(2)(iv) of this part.
- (2) Air gap. An air gap of 5 feet shall be provided between the maximum crest elevation of the design wave (including tidal effects) and the lowest portion of the platform upon which wave forces have not been included in the design. After accounting for the initial and long-term settlements resulting from consolidation and subsidence, the elevation of the crest of the design wave shall be based on the elevation of the mean low-water line, as tronomical and storm tides, wave runup, the tilting of the platform, and where necessary, tsunamis.
- (3) Long-term and secondary effects. The following effects shall be addressed, as appropriate, for the planned platform:
- (i) Local vibration due to machinery, equipment, and vortex shedding;
- (ii) Stress concentrations at critical joints:
- (iii) Secondary stresses induced by large deflections (P- $\Delta$  effects);
  - (iv) Cumulative fatigue;
  - (v) Corrosion:
  - (vi) Marine growth; and
  - (vii) Ice abrasion.
- (4) General arrangement. The platform and equipment shall be arranged to minimize the potential of structural damage and personal injury resulting from accidents. In this regard, the consequences of the arrangement or placement of the following components and their effects shall be addressed:
- (i) Equipment and machinery—noise and vibration,
- (ii) High-pressure piping—leakage in closed spaces,
- (iii) Lifting devices—dropped loads, and
- (iv) Vessel mooring devices—line breakage and tripping quick-release mechanisms.
- (5) Corrosion-protection zones. Measures taken to mitigate the effects of corrosion as required by §§ 250.907(d)

and 250.908(c)(5) of this part shall be specified and described in terms of the following definitions for corrosion-protection zones:

- (i) Submerged zone—that part of the platform below the splash zone,
- (ii) Splash zone—that part of the platform between the highest and lowest water levels reached by sea states exceeded for 1 percent of the time annually when superimposed on the highest and lowest levels of tide with due allowance for high and low installation of the platform,
- (iii) Atmospheric zone—that part of the platform above the splash zone,
- (iv) Ice zone—that part of the platform which can reasonably be expected to come into contact with floating or submerged ice annually.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998]

### $\S 250.907$ Steel platforms.

- (a) Materials—(1) General. (i) This section covers specifications for materials used for the construction of steel pile-supported platforms. Steels shall be suitable for their intended service as demonstrated by testing under relevant service conditions or previous satisfactory performance under service conditions similar to those intended. Steels shall be of good commercial quality, defined by specification, and free of injurious defects.
- (ii) Steels shall exhibit satisfactory formability and weldability characteristics and fracture toughness satisfactory for the intended applications. Materials for structural members which are fracture critical or for members which sustain significant tensile stress and whose fracture would pose a threat to the survival of the platform shall have sufficient toughness to guard against brittle fracture. Materials selected for members which are subjected to significant tensile stress shall have toughness suitable to their intended application.

(iii) In cases where principal loads from either service or weld residual stresses are imposed normal to the plate, appropriate precautions shall be taken to avoid lamellar tearing parallel to the plate surface.

- (2) Material selection information including the following:
- (i) Steels for structural members shall be selected according to criteria that take into account the required yield strength, fracture toughness, service temperature (see paragraph (a)(3) of this section), and intended application;
- (ii) Bolts and nuts shall have mechanical and corrosion properties comparable to the structural elements being joined. Materials for bolts and nuts shall be defined by and tested in accordance with material standards compatible with those for the joined structural members:
- (iii) When new alloys are used, the adequacy of fracture toughness shall be supported by appropriate fracture tests; and
- (iv) When materials other than steel are used for structural purposes, the mechanical and durability properties necessary for their intended function shall be designated, including toughness and fatigue characteristics, where necessary.
- (3) Service temperature. Service temperature means the temperature that the material is expected to achieve in the operational environment.
- (i) For material at or below the waterline, the minimum service temperature shall be the lowest average daily water temperature applicable to the particular depth. For material above the waterline, the minimum service temperature shall be the lowest 1-day average daily atmospheric temperature over a 10-year period, unless the material is warmed by auxiliary heating.
- (ii) In all cases where material temperature is reduced by localized cryogenic storage or other cooling means, such factors shall be accounted for in establishing minimum service temperature.
- (4) Classification of applications. When considering the welding requirements given in subsequent sections, materials shall be considered as "Weld Class A" if the members are critical or special structural elements, "Weld Class B" if the members are primary load-carrying members of the platform, or "Weld Class C" if the members are secondary structural elements.

- (5) Material designation. All material employed in platform construction shall be described and designated by a material specification.
- (b) Fabrication and welding—(1) General. (i) Welding shall be performed in accordance with the applicable provisions of the American Welding Society (AWS) publication, AWS D1.1, Structural Welding Code—Steel, or other appropriate welding codes.
- (ii) Fabrication other than welding shall be performed in accordance with American Institute of Steel Construction (AISC) publication, Specification for Structural Steel Buildings, Allowable Stress Design and Plastic Design, or other appropriate codes. The code to be followed during fabrication and construction shall be specified on design documents.
- (2) Welding. (i) Welding procedures and filler metals shall be selected to produce sound welds, and the filler metal shall have strength and toughness compatible with the base metal. Workmanship shall be in compliance with paragraph (b)(1)(i) of this section.
- (ii) Forming processes shall not degrade the base metals below their minimum required properties. A heat treatment shall be employed to provide the required properties, where necessary
- (iii) Misalignment between parallel (abutting) members shall be minimized. Weld size for fillet welds shall be sufficient to compensate for the gap between faying surfaces of the members. Lapped joints shall possess sufficient overlaps. Both edges of an overlap joint shall have continuous fillet welds.
- (iv) When arc-air gouging is employed, the carbon buildup and burning of the weld or base metals shall be minimized.
- (v) Peening shall not be used for single-pass welds or for the root or cover passes of multipass welds. Peening shall be used only after cleaning of weld passes. Fairing by heating, flame shrinking, or other methods, when applied to Weld Class A or B structural elements, shall be performed without damaging the base metals. Such corrective measures shall be kept to a minimum when treating high-strength steels.

- (3) *Quality assurance.* A documented inspection plan shall be prepared and followed and shall cover the following items:
- (i) A suitable system for material identification and quality control during all stages of construction,
- (ii) Requirements for welding procedures and welder qualifications,
- (iii) The extent of weld inspection (including nondestructive examination methods) and the criteria for weld acceptance or rejection, and
- (iv) Necessary dimensional tolerances.
- (4) Weld nondestructive examination. (i) All welds shall be subjected to visual examination. Nondestructive examination shall be conducted to the extent indicated in paragraph (b)(4)(ii) of this section after all forming and postweld heat treatments have been completed. Weld examination procedures shall be adequate to detect delayed weld cracking in cases involving high-strength steels or high-hydrogen welding processes.
- (ii) As called for in paragraph (b)(3)(iii) of this section, a plan for non-destructive examination of the welds shall be prepared and followed. The extent of inspection of Weld Classes A and B structural elements shall be consistent with the applications involved. Important welds of Weld Classes A and B structural elements are those inaccessible or very difficult to inspect in service. Important welds shall be subjected to an increased level of non-destructive examination during fabrication.
- (iii) If the proportion of unacceptable welds becomes excessive, the frequency of nondestructive examination shall be increased.
- (c) Design and analysis—(1) General. (i) Steel platforms shall be adequately designed and analyzed to withstand the loads to which they are likely to be exposed during their design life. The effects on the platform shall be determined for a minimum set of loading conditions by using a defensible method to ensure that the resulting responses do not exceed the safety criteria appropriate to the methods employed.
- (ii) The use of design methods, other than those specifically covered in this

- section, and their associated safety criteria are allowed if it can be demonstrated that such alternative methods will result in a structural safety level equivalent to that provided by the direct application of these requirements.
- (iii) Sections 250.905 and 250.906 of this part shall be consulted regarding definitions and requirements pertinent to the determination of loads and general design requirements.
- (2) Loading conditions. (i) Appropriate loading conditions that produce the most adverse effects on the platform during and after fabrication and installation shall be considered;
- (ii) Loadings corresponding to conditions after installation shall include at least those relating to both the operating and design environmental conditions, combined with other pertinent loads in the following manner:
- (A) Operating environmental conditions combined with dead and live loads appropriate to the function and operation of the platform;
- (B) Design environmental conditions combined with dead and live loads appropriate to the function and operation of the platform;
- (C) Design environmental conditions combined with dead loads and minimum live loads appropriate to the function and operation of the platform; and
- (iii) For platforms located in seismically active areas, loads induced by earthquake ground motions shall be combined with dead and live loads appropriate to the operation and function of the platform.
- (3) Methods of design and analysis. (i) The nature of loads and loading combinations as well as the local environmental conditions shall be considered in the selection of design methods. Methods of analysis and their associated assumptions shall be compatible with the overall design principles.
- (ii) Linear, elastic methods (working stress methods) of design and analysis are acceptable if proper measures are taken to prevent general and local buckling failure. Regarding structural instability as a possible mode of failure, the effects of initial stresses and geometric imperfection shall be taken into account.

(iii) Dynamic effects shall be accounted for if the wave energy in the frequency range of the structural resonance frequencies is of sufficient magnitude to produce significant stresses in the platform. The determination of dynamic effects shall be accomplished either by computing the dynamic amplification effects in conjunction with a deterministic analysis or by a random dynamic analysis based on a spectral formulation. In the latter case, the analysis shall be accompanied by a statistical description and evaluation of the relevant input parameters.

(iv) The interaction of the soil with the platform's piles shall be included in the analytical model used to obtain the structural response (see §250.909(d)(1)(ii) of this part).

(v) For static loads, plastic methods of design and analysis shall be employed only when the properties of the steel and the connections exclude the possibility of brittle fracture and allow for formation of plastic hinges with sufficient plastic rotation capacity and adequate fatigue resistance.

(vi) Whenever plastic analysis is used, it shall be demonstrated that the collapse mode (mechanism) responding to the smallest loading intensities has been used for the determination of the ultimate strength of the platform. The effect of buckling and other destabilizing nonlinear effects shall be taken into account in the plastic analysis of platforms with compressive forces. Whenever nonmonotonic or repeating loads are present, it shall be demonstrated that the structure will not fail by incremental collapse or fatigue.

(vii) Under dynamic loads when plastic strains may occur, the considerations specified in paragraph (c)(3)(v) of this section shall be satisfied and any buckling and destabilizing nonlinear effects shall be taken into account.

(4) Allowable stresses and load factors.
(i) When the design is based on a working-stress method (see paragraphs (c)(1)(ii) and (c)(3)(ii) of this section), the safety criteria shall be expressed in terms of appropriate basic allowable stresses in accordance with requirements specified in paragraphs (c)(4) (ii) through (vi) of this section.

(ii) For structural members and loadings covered by AISC publication, Specification for Structural Steel Buildings, Allowable Stress Design and Plastic Design, with the exception of earthquake loadings (see paragraph (c)(4)(v) of this section) and tubular structural members under the combined loading of axial compression and bending, the basic allowable stresses of the members shall be obtained using the AISC specification. For tubular members subjected to the aforementioned interaction, stress limits shall be set in accordance with a defensible formulation.

(iii) Where stresses in members listed in paragraph (c)(4)(ii) of this section are shown to result from forces imposed by the design environmental conditions acting alone or in combination with dead and live loads (see paragraph (c)(2)(ii) of this section), the basic allowable stresses cited in paragraph (c)(4)(ii) of this section, modified by a factor of four-thirds, are permitted for the design environmental load contribution if the resulting structural member sizes are not less than those required for dead and live loads plus operating environmental conditions without the one-third increase in allowable stresses.

(iv) For any two- or three-dimensional stress fields within the scope of the working-stress formulation, the equivalent stress (e.g., the von Mises stress intensity) shall be limited by an appropriate allowable stress less than the yield stress, with the exception of stresses of a highly localized nature. In the latter case, local yielding of the structure is acceptable if it can be demonstrated that such yielding does not lead to progressive collapse of the overall platform and that the general structural stability can be maintained.

(v) When considering loading combinations on individual members or on the overall platform, which include loads defined as accidental (see §250.905(c)(4) of this part), or in pursuing structural analysis for earthquake loads (see paragraph (c)(2)(iii) of this section), the allowable stress set at a level of the minimum yield or buckling strength of the material shall be considered appropriate.

(vi) Whenever elastic instability, overall or local, may occur before the compressive stresses reach the minimum specified yield strength of the material, appropriate allowable buck-

ling stresses shall govern.

(vii) Whenever the ultimate strength of the platform is used as the basis for the design of its members, the safety factors or the factored loads shall be formulated in accordance with the requirements of AISC publication, Specification for Structural Steel Buildings, Allowable Stress Design and Plastic Design, or an equivalent code. The capability of the primary structural members to develop their predicted ultimate load capacity shall be demonstrated.

(viii) For details of high-stress concentration, consideration shall be given to safety against brittle fracture and to material quailty-control procedures.

- (5) Structural response to earthquake loads. (i) Platforms located in seismically active areas shall be designed to possess adequate strength and stiffness to withstand the effects of an earthquake which has a reasonable likelihood of not being exceeded during the lifetime of the structure (see paragraph (c)(2)(iii) of this section) and remain stable during rare motions of greater severity;
- (ii) The adequacy of structural strength shall be demonstrated by analysis to verify that no significant structural damage occurs; and
- (iii) Platforms shall also possess adequate ductility to withstand a rare intense earthquake.
- (6) Fatigue assessment. (i) Structural members and joints for which fatigue is a probable mode of failure and for which past experiences are insufficient to ensure safety from possible cumulative fatigue damage shall be analyzed. Emphasis shall be given to joints and members in the splash zone, those that are difficult to inspect and repair after the platform is in service, and those susceptible to corrosion-accelerated fatigue, and
- (ii) For structural members and joints which require a detailed analysis of cumulative fatigue damage, the results of the analysis shall indicate a minimum calculated life of twice the

design life (see §250.906(c)(1) of this part) of the platform if there is sufficient structural redundancy to prevent catastrophic failure of the platform as a result of fatigue failure of the member or joint under consideration. If such redundancy does not exist or if the desirable degree of redundancy is significantly reduced as a result of fatigue damages, the results of a fatigue analysis shall indicate a minimum calculated life of three times the design life of the platform.

- (d) Corrosion protection. All materials shall be protected from the effects of corrosion by a corrosion-protection system. The design of such systems shall take into account the possible existence of stress corrosion, corrosion fatigue, and galvanic corrosion. If the intended sea environment contains unusual contaminants, any special corrosive effects of such contaminants shall also be considered. Protection systems shall be designed in accordance with the National Association of Corrosion Engineers (NACE) publication, NACE RP-01-76, Standard Recommended Practice, Corrosion Control of Steel, Fixed Offshore Platforms Associated With Petroleum Production, or other comparable standards.
- (e) Connection of piles to structure. The attachment of the jacket structure to the piles shall be accomplished by positive, controlled means. Such attachments shall be capable of withstanding the static and long-term cyclic loadings to which they will be subjected.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988, as amended at 61 FR 60025, Nov. 26, 1996. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

### §250.908 Concrete-gravity platforms.

- (a) *General.* (1) This section covers the materials, analysis, design, and construction of reinforced and/or prestressed concrete-gravity platforms.
- (2) Materials, structural systems, methods of design, and methods of construction that do not conform to the requirements of this section shall not be used unless it is shown that they will result in a safety level at least equivalent to that provided by the direct application of the requirements of this section.

- (b) Materials—(1) General. All materials shall be selected with due attention to their strength and durability in the marine environment. All material tests shall be performed in accordance with the latest, applicable standards of the American Society for Testing and Materials (ASTM).
- (2) Cement. (i) Cement must be equivalent to Type I, II, or III portland cement as specified by ASTM Standard C 150-99, Standard Specification for Portland Cement, or portland-pozzolan cement as specified by ASTM Standard C 595-98, Standard Specification for Blended Hydraulic Cements. However, the suitability of Type III cement to serve its intended function must be demonstrated.
- (ii) The tricalcium aluminate content of the cement shall be such as to enhance the corrosion protection of reinforcing steel without impairing the durability of concrete.
- (iii) If oil storage is planned and the oil is expected to contain soluble sulfates in amounts that may impair the durability of concrete, the tricalcium content shall be reduced or a suitable coating employed to protect the concrete.
- (3) Water. (i) Water used in mixing concrete shall be clean and free from injurious amounts of oils, acids, alkalis, salts, organic materials, or other substances that may be deleterious to concrete or steel.
- (ii) If nonpotable water is used, the proportions of materials in the concrete shall be based on test concrete mixes using water from the same source. The strength of mortar test cubes made with nonpotable water shall not be significantly below the strength of similar cubes made with potable water.
- (iii) Water for reinforced or prestressed concrete or grout shall not contain chlorides and sulfates in amounts detrimental to the durability of the platform.
- (4) Aggregates. (i) Aggregates must conform to the requirements of ASTM Standard C 33–99a, Standard Specification for Concrete Aggregates. Lightweight aggregates conforming to ASTM Standard C 330–99, Standard Specification for Lightweight Aggregates for Structural Concrete, will only

- be permitted if they do not pose durability problems and where they are used according to the applicable provisions of the ACI publication, ACI Standard 318, Building Code Requirements for Reinforced Concrete, plus Commentary.
- (ii) Marine aggregates shall be washed with fresh water before use to remove the surface and soluble chlorides and sulfates so that the total chloride and sulfate content of the concrete mix water does not exceed the limits of paragraph (b)(3)(iii) of this section.
- (iii) The maximum size of the aggregate shall be such that the concrete can be placed without voids.
- (5) Admixtures. The admixture shall be shown capable of maintaining essentially the same composition and performance throughout the work as the product used in establishing concrete proportions. Admixtures containing chloride ions shall not be used in prestressed concrete or in concrete containing aluminum embedments.
- (6) Reinforcing and prestressing systems. (i) Reinforcing and prestressing systems shall conform to the requirements of ACI 318; and
- (ii) Structural steel used in composite structures shall conform to the requirements of § 250.907 of this part.
- (7) Concrete. The concrete shall be designed to ensure sufficient strength and durability. The quality control of concrete shall conform to ACI 318. The mixing, placing, and curing of concrete shall conform to the requirements of paragraph (e) of this section. The water-cement ratio shall be strictly controlled and in no case shall it exceed 0.45.
- (8) Grout for bonded tendons. (i) Grout for bonded tendons shall conform to ACI 318; and
- (ii) The maximum allowable contents of chlorides and sulfates determined in accordance with paragraph (b)(3)(iii) of this section shall also apply to grout mixes.
- (9) Post-tensioning ducts. Post-dentioning ducts shall conform to the requirements of ACI 318. Ducts and duct splices shall be watertight and grout-tight and shall be of suitable thickness to prevent crushing, deformation, and blockage.

- (10) Post-tensioning anchorages and couplers. Post-tensioning anchorages and couplers shall conform to the requirements of ACI 318.
- (c) Design requirements—(1) General. (i) The strength of the platform shall be adequate to resist failure of the platform or its components. Among the modes of possible failure that shall be considered are the following:
  - (A) Loss of overall equilibrium,
  - (B) Failure of critical sections, and
  - (C) Instability (buckling).
- (ii) Additionally, the following items shall be considered in relation to their potential influences on the platform:
  - (A) Cracking or spalling,
  - (B) Deformations,
- (C) Corrosion of reinforcement or deterioration of concrete, and
  - (D) Vibrations.
- (2) Required strength. The required strength shall conform to requirements of ACI 357R.
- (3) Design strength. The design strength shall conform to requirements of ACI 318 and ACI 357R.
- (4) Other design requirements. (i) In considering those items listed in paragraph (c)(1)(ii) of this section, the ability of the platform to withstand unfactored loads in the following combination shall be demonstrated:

 $D+T+L+E_0$ 

where L represents the most unfavorable live load; D, the dead load; T, the deformation load; and  $E_{\rm o}$ , the operating environmental load, and

- (ii) Crack control design shall be achieved by limiting the crack width in concrete subjected to tension or by limiting the tensile stress in reinforcing steel and prestressing tendons.
- (5) *Durability.* (i) Materials, design, construction procedures, and quality control shall be such as to produce satisfactory durability of platforms in a marine environment, and
- (ii) The following items shall be considered in the four zones of exposure (see  $\S 250.906(c)(5)$  of this part):
- (A) Submerged zone—chemical deterioration of the concrete, corrosion of the reinforcement and hardware, and abrasion of the concrete;
- (B) Splash zone—freeze-thaw durability, corrosion of the reinforcement

and hardware, the chemical deterioration of the concrete, and fire hazards;

- (C) Atmospheric zone—freeze-thaw durability, corrosion of reinforcement and hardware, and fire hazards; and
- (D) Ice zone—mechanical deterioration resulting from the abrasive action of moving ice.
- (6) Fatigue. Platforms for which fatigue is a probable mode of failure shall be designed to limit the effects of cumulative material fatigue. The effects of fatigue induced by normal stress and those resulting from shear and bond stress shall be considered. Particular attention shall be given to submerged areas subjected to the lowcycle, high-stress components of the anticipated loading history. If an analysis of the fatigue life is performed in lieu of employing other methods to obviate the possibility of fatigue damage, the calculated fatigue life of the platform shall be at least twice the design life (see  $\S250.906(c)(1)$  of this part).
- (d) Analysis and design—(1) General. (i) The analysis of platforms shall be pursued under the assumptions of linearly elastic materials and linearly elastic structural behavior, except as listed in paragraphs (d)(1) (ii) and (iii) of this section.
- (ii) The inelastic behavior of concrete, based on the true variation of the modulus of elasticity with stress, shall be taken into account whenever its effect reduces the strength of the platform.
- (iii) The geometric nonlinearities and the effect of initial deviation of the platform from the design geometry shall be taken into account whenever their effects reduce the strength of the platform.
- (iv) Where appropriate, dynamic effects shall be taken into account. The dynamic response shall be determined by a defensible method that includes the effects of the foundation—platform interaction and the effective mass of the surrounding water.
- (v) The material properties used in the analysis shall be based on actual laboratory tests or shall follow the appropriate sections of ACI 318.
- (2) Analysis of frames. The analysis of frames shall be performed by a defensible method of structural mechanics. The buckling strength of the frame

shall be assessed, and the safety against buckling failure shall be ensured to a degree consistent with the requirements in paragraphs (c)(2) and (c)(3) of this section.

- (3) Analysis of plates, shells, and folded plates. The buckling strength of these plates shall be determined and a sufficient safety margin against instability shall be ensured.
- (4) Determination of deflections. Deflections shall be determined by a defensible method. In addition to the immediate (instantaneous) deflections, the long-term deflections due to creep shall be accounted for.
- (5) Analysis and design for bending and axial loads. The provisions of ACI 318 shall apply to the analysis and design of members subject to flexure or axial loads or to combined flexure and axial loads.
- (6) Analysis and design for shear and torsion. The provisions of ACI 318 shall apply to the analysis and design of members subject to shear or torsion or to combined shear and torsion.
- (7) Analysis and design of prestressed concrete. The analysis and design of prestressed concrete members and structures shall comply with ACI 318. In addition, the safety requirements of paragraph (c) of this section shall be satisfied.
- (8) Details of reinforcement and prestressing systems. Details of reinforcement and prestressing systems shall conform to the requirements of ACI 318 with special attention given to the fatigue resistance and ultimate behavior of offshore structures.
- (9) Minimum reinforcement. The minimum amount of reinforcement shall conform to the requirements of ACI 318. Additionally, sufficient reinforcement shall be provided to control crack growth, especially at surfaces exposed to severe hydraulic pressures.
- (10) Concrete cover of reinforcement and prestressing tendons. The concrete cover of reinforcement and prestressing tendons shall be sufficient to provide for corrosion protection of the steel.
- (11) Seismic analysis. A dynamic analysis shall be performed to determine the response of the platform to designearthquake loading. The platform shall be designed to withstand this loading without damage. In addition, a duc-

- tility check shall also be performed to ensure that the platform has sufficient ductility to experience deflections more severe than those resulting from the design-earthquake loading without the collapse of the platform or its foundation or any primary structural component.
- (12) Seismic design. The design of structural members and details of platforms subjected to seismic loading shall ensure maximum ductility at critically loaded sections.
- (e) Construction—(1) General. (i) Construction methods and workmanship shall conform to the provisions of ACI 318 and to the following requirements.
- (ii) At each stage of construction, i.e., fabrication, initial flotation, towing, and installation in situ, the forces acting on the platform shall be kept within the safety limits listed in paragraph (c) of this section. Appropriate static and/or dynamic analysis shall be performed for the operating loading conditions of each of the construction operations mentioned above. Buoyancy and stability shall be considered during all phases of construction.
- (2) Mixing, placing, and curing of concrete. (i) Mixing of concrete must conform to the requirements of ACI Standard 318 and ASTM Standard C 94/C 94M-99, Standard Specification for Ready-Mixed Concrete;
- (ii) When concreting in cold weather, the temperature of the fresh concrete shall be maintained sufficiently above freezing until the process of hardening is well in progress;
- (iii) In hot weather, the temperature of the fresh concrete shall be controlled so that it does not impair attainment of the desired strength and durability;
- (iv) The methods for curing concrete shall ensure maximum compressive and tensile strength, durability, and a minimum of cracking; and
- (v) The location and workmanship of construction joints shall not impair the strength, crack resistance, and watertightness of the platform.
- (3) Reinforcement. (i) Reinforcement shall be free from loose rust, grease, oil, deposits of salt, or any other material that may adversely affect the

strength, durability, or bond of the reinforcement. The specified cover of reinforcement shall be maintained accurately. The cutting, bending, and fixing of reinforcement shall ensure that it is correctly positioned and rigidly held.

- (ii) The welding of reinforcement shall conform to the requirements of AWS publication, AWS D1.4, Structural Welding Code—Reinforcing Steel.
- (4) Prestressing tendons, ducts, and grouting. (i) Steps shall be taken to ensure that the achieved prestressing force is that specified in the design.
- (ii) Tendons and ducts shall be in a condition that ensures the required strength, durability, and bond.
- (iii) The grouting procedures shall produce the required bond strength of the tendons and provide permanent corrosion protection for the tendons. Anchorages shall also be protected adequately against corrosion.

[53 FR 10690, Apr. 1, 1988, as amended at 61 FR 60025, Nov. 26, 1996. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 65 FR 15864, Mar. 24, 2000]

### §250.909 Foundation.

(a) General—(1) Coverage. Soil investigations, design considerations for the supporting soil, and the influence of the soil on the foundation structure are addressed in this section, including criteria for the strength and deformation characteristics of the foundation employed by both pile founded and gravity platforms.

(2) *Guidelines*. (i) The degree of design conservatism shall reflect prior experience under similar conditions, the manner and extent of data collection, the scatter of design data, and the con-

sequences of failure;

- (ii) For cases where the limits of applicability of any method of calculation employed are not well defined or where the soil characteristics are quite variable, the use of more than one method of calculation or a parametric study of the sensitivity of the important design variables shall be considered, and
- (iii) A listing of design parameters, necessary calculations, and test results shall be retained by the designer.
- (b) Site investigation—(1) General. (i) The actual extent, depth, and degree of precision to be obtained in the site in-

vestigation program shall reflect the type and intended use of the platform, characteristics of the site, similarity of the area based on previous site studies or platform installations as well as the consequences of a failure of the foundation. The site investigation program shall generally consist of three major phases as follows:

(A) Shallow hazards (see paragraph (b)(2) of this section) to obtain relevant

geophysical data.

(B) Geological survey (see paragraph (b)(3) of this section) to obtain data of a regional nature concerning the site.

- (C) Subsurface investigation and testing (see paragraph (b)(4) of this section) to obtain the necessary geotechnical data. The results of these investigations shall be the basis for the additional site related studies specified in paragraph (b)(5) of this section.
- (ii) A complete site-investigation program shall be furnished for each platform. The positioning devices used on the vessel employed in the site investigation as well as those used during the installation of the platform shall have sufficient accuracy to ensure that the data obtained are pertinent to the actual final location of the platform.
- (2) Shallow hazard survey. (i) Consistent with the objectives of paragraph (b)(1)(i) of this section, a high-resolution or acoustic-profiling survey shall be performed to obtain information on the conditions existing at and near the surface of the seafloor; and
- (ii) The information to be obtained from this survey shall include the following items, as appropriate, for the planned platform:
  - (A) Contours of the sea bed,
- (B) Presence of any seafloor surface or near-surface anomaly or obstructions which would adversely affect platform installation at the site,
  - (C) Shallow faults,
  - (D) Gas seeps,
  - (E) Slump blocks,
  - (F) Occurrence of shallow gas, and
  - (G) Ice scour of seafloor sediments.
- (3) Geological survey. (i) Background geological data shall be obtained to provide regional information that can affect the design and siting of the platform. The data shall be considered in planning the subsurface investigation.

- (ii) Where necessary, the seismic activity at the site shall be assessed. Fault zones, the extent and geometry of faulting, and attenuation effects of conditions in the vicinity of the site shall be identified.
- (iii) For platforms located in a producing area, the possibility of seafloor subsidence shall be considered.
- (4) Subsurface investigation and testing.
  (i) The primary objective of the subsurface investigation and testing program shall be the attainment of reliable geotechnical data concerning the stratigraphic and engineering properties of the soil. These data shall be used to properly design the foundation to the desired structural safety level.
- (ii) The subsurface investigation and soil testing program shall consist of adequate in situ testing, boring, and sampling to examine all important soil and rock strata. The testing program shall reveal the necessary strength, classification, and deformation properties of the soil. Further tests, as needed, shall describe the dynamic characteristics of the soil.
- (iii) At least one borehole having a minimum depth of the anticipated length of the pile plus a zone of influence shall be drilled at the installation site for a pile-supported platform. Previously gathered borehole data may be used on a case-by-case basis, when approved by the Regional Supervisor. The zone of influence shall be sufficient to ensure that punch through failures will not occur. Additional boreholes of a lesser depth shall be required by the Regional Supervisor if discontinuities in the soil are indicated to exist in the area of the platform.
- (iv) For a gravity-type platform foundation, the required depth of the borehole shall be equal to at least the depth of the zone of influence which the structure imposes on the supporting soil. Where possible, in situ tests shall be performed to a depth that will include the anticipated shearing failure zone.
- (v) When samples from the field are sent to a laboratory for further testing, they shall be packed carefully and accurately labeled, and the results of visual inspections shall be recorded.
- (vi) A summary report showing the results of the soil testing program

- shall be prepared. The report shall describe briefly the various field and laboratory test methods employed and shall indicate the applicability of these methods as they relate to the quality of the sample, the type of soil, and the anticipated design application.
- (vii) The engineering properties of the soil to be used in the design shall be listed for each stratum. The selected design properties shall specify the uncertainties inherent in the overall testing program and in the reliability and applicability of the individual test methods.
- (5) Additional requirements. Based on the results of the overall site investigation program, studies shall be performed, as applicable, to assess the following effects of the installed platform:
  - (i) Scouring potential of the seafloor,(ii) Hydraulic instability and the oc-
- currence of sand waves,
  (iii) Instability of slopes in the area
- where the platform is to be placed, (iv) Liquefaction and/or possible re-
- duction of soil strength due to increased pore pressures, and
- (v) Degradation of subsea permafrost layers.
- (c) Foundation design requirements—(1) General. (i) The loadings used in the design of the foundation shall include those defined in paragraph (c)(6)(ii) of this section.
- (ii) Foundation displacements shall be evaluated to ensure that they are within limits that do not impair the intended function and safety of the platform.
- (iii) The soil and the platform shall be considered as an interactive system, and the results of the analysis as required in paragraphs (c)(2) through (c)(6) of this section shall be evaluated from this point of view.
- (2) Cyclic loading effects. Evaluation of the short-term and long-term effects of cyclic loading with respect to changes in soil characteristics, whether caused by conditions during installation, seismic activity, or storms, shall be accomplished by using defensible methods.
- (3) Scour. (i) For unprotected foundations, the depth and lateral extent of

scouring, as determined in the site investigation program, shall be accounted for in design; and

(ii) If scour is not accounted for in design, either effective protection shall be furnished soon after the installation of the platform or frequent visual inspection shall be carried out, particu-

larly after major storms.

- (4) Settlements and displacements. (i) Based on the type and function of the platform, tolerable limits shall be established for settlements and lateral deflections. Due consideration shall be given to the effect of these movements on risers, pilings, and other components which interact with the platform:
- (ii) Maximum allowable values of platform movements, as limited by these structural considerations or overall platform stability, shall be considered in the design.

(5) Dynamic considerations. (i) For dynamic-loading conditions, a defensible method shall be employed to simulate the interactive effects between the soil

and the platform, and

- (ii) The evaluation of the dynamic response of the platform shall account for, as appropriate, the nonlinear and inelastic characteristics of the soil, the possible deterioration of strength, the increased or decreased damping due to cyclic soil loading, and the influence of nearby platforms.
- (6) Loading conditions. (i) Loadings producing the worst effects on the foundation during and after installation shall be addressed; and
- (ii) In-place platform loadings to be checked shall include at least those relating to both the operating and design environmental conditions, combined in accordance with the following:
- (A) Operating environmental conditions with dead and live loads appropriate to the function and operation of the platform,
- (B) Design environmental conditions with dead and live loads appropriate to the function and operation of the platform and
- (C) Design environmental conditions with dead and minimum live loads appropriate to the function and operation of the platform.
- (d) *Pile foundations*—(1) *General.* The following requirements apply to pile-

founded platforms. Pertinent parts of these requirements dealing with steel design shall be consulted regarding the design of the steel piles.

- (i) In the design of individual piles and piles in a group, the effects of axial, bending, and lateral loads shall be addressed.
- (ii) The design of a pile shall reflect the interactive behavior between the soil and the pile, between the pile and the platform, and between piles in a group.
- (iii) Methods of pile installation shall be consistent with the type of soil at the site and the installation equipment available. If unexpectedly high-driving resistance or other conditions lead to a failure of the pile to reach the desired penetration, the pile's capacities shall be reevaluated by considering the actual installation situation.
- (iv) Pile driving shall be performed and supervised by qualified and experienced personnel. Driving records which include such information as blowcounts and estimated hammer performance and stoppages shall be retained.
- (v) Where necessary, the effects of bottom instability in the vicinity of the platform shall be assessed.
- (2) Axial piles. (i) For piles in compression, the axial capacity shall be considered to consist of the skin friction, Q<sub>f</sub> developed along the length of the pile and the end bearing, Qp, at the tip of the pile. The various parameters needed to evaluate Q<sub>f</sub> and Q<sub>p</sub> shall be predicted by using a defensible analytical method that employs reliably obtained soil data consistent with the prediction method selected. The acceptability of any method used to predict the components of pile resistance shall be demonstrated by showing satisfactory performance of the method under conditions similar to those existing at the actual site.
- (ii) The results of the dynamic pile driving analysis alone shall not be used to predict the axial load capacity of a pile.
- (iii) For piles driven through clay, the estimated skin friction developed over any increment of the pile surface shall not exceed the shear strength of the clay.

(iv) The capacity of the internal plug of an open-ended pile shall be considered since it may limit the estimated end bearing to the pile.

(v) When combining side friction and end-bearing effects in determining axial pile capacity, the load deflection response of the soil-pile system shall be addressed.

- (vi) For piles subjected to pullout loads, the contribution of the end resistance of the pile to its axial capacity shall not be considered. The possible variation of predicted pile-skin friction between the compressive and tensile modes of the axial-pile loading shall be considered.
- (3) Laterally loaded piles. (i) In evaluating the pile's behavior when acted upon by lateral loadings, the combined load deflection characteristics of the soil and the pile and the platform shall be addressed.
- (ii) The representation of the soil's lateral displacement when it is subjected to lateral loads shall adequately reflect the deterioration of the lateral load capacity when the soil is subjected to cyclic loading.
- (iii) The description of the lateral load versus displacement characteristics for the various soil strata shall be based on constitutive data obtained from suitable soil tests. The use of empirical methods to provide the description of the soil's lateral response shall be permitted if such methods are documented.
- (iv) Where applicable, the rapidly deteriorating cyclic lateral load capacity of stiff clays, especially those exhibiting the presence of a secondary structure, shall be addressed in the design.
- (v) Calculation of pile deflection and stress induced by lateral loads shall account for the nonlinear interaction between the soil and the pile.
- (4) Pile groups. Where applicable, the effects of close spacing on the load and deflection characteristics of pile groups shall be determined. The allowable load for a group, both axial and lateral, shall not exceed the sum of the apparent individual pile allowable loads.
- (5) *Plastic analysis.* When the design of a platform is based on the formation collapse mechanisms associated with a plastic analysis method, influence of

the soil's support on the pile shall be addressed.

- (e) Gravity platforms foundations—(1) General. The following requirements apply to soil foundations for gravity platforms. Section 250.138 of this part shall be consulted regarding the design of the base slab.
- (i) The influence of hydraulic and slope instability, if any, shall be determined for the structural loading cases that include the design environmental loading.

(ii) The effects of adjacent platforms and the variation of soil properties in the horizontal direction shall be considered, as appropriate.

(iii) The stability of the foundation with regard to bearing and sliding failure modes shall be investigated by employing the soil shear strengths determined with consideration of paragraphs (b)(4) and (c)(2) of this section.

(iv) When an underpressure or overpressure is experienced by the seafloor under the platform, provisions shall be made to prevent piping that could impair the integrity of the foundation.

(v) Initial, consolidation, and secondary settlements, as well as permanent horizontal displacements, shall be determined.

- (vi) If the intended site is not level, the predicted tilt of the overall platform shall be based on the average bottom slope of the seafloor and the tolerance of the measuring device used in the site-investigation program. Differential settlement shall also be calculated and the tilting of the platform caused by this settlement shall be combined with the predicted structural tilt of the overall platform. Any increased loading effects caused by tilting of the platform shall be addressed in stability requirements specified for the foundation.
- (2) Stability. (i) The bearing capacity and lateral resistance shall be calculated by considering the most unfavorable combination of loads. The long-term redistribution of bearing pressures under the base slab shall be considered to ensure that the maximum edge pressures are used in the design of the base.

(ii) The lateral resistance of the platform shall be investigated considering various potential shearing planes. The

presence of any soft layers shall require special consideration.

- (iii) Calculations for overturning moment and vertical forces induced by the passage of a wave shall include the vertical pressure distribution across the top of the foundation and along the seafloor. The foundation shall not lose contact with the soil due to uplift created by the maximum overturning mo-
- (iv) The capacity of the foundation to resist a deep-seated bearing failure shall be analyzed.
- (v) Where present, the additional effects of penetrating walls or skirts that transfer vertical and lateral loads to the soil shall be investigated for their contribution to bearing load capacity and lateral resistance.
- (3) Soil reaction on the platform. (i) For conditions during and after installation, the reaction of the soil against all structural members seated on or penetrating into the seafloor shall be determined and accounted for in the design of these members.
- (ii) The distribution of soil reactions shall be based on the results obtained in paragraphs (b)(2) and (b)(4) of this section, and the calculations of soil reactions shall account for any deviation from a plane surface, the load-deflection characteristics of the soil, and the geometry of the platform base.
- (iii) Where applicable, effects of local soil stiffening, nonhomogeneous soil properties, and boulders and other obstructions shall be addressed in the design. During installation, the possibility of local contact pressures due to irregular contact between the base and the seafloor shall be considered. Contact pressures shall be added to the hydrostatic pressure.
- (iv) The penetration resistance of structural elements projecting into the seafloor below the foundation structure shall be analyzed. The design of the ballasting system shall reflect uncertainties associated with achieving the required penetration of the platform.

### §250.910 Marine operations.

(a) General—(1) Marine operations means all activities necessary for the transportation and installation of a platform from the time it enters the marine environment until it is fixed in place at its final destination. Marine operations generally include such activities as follows:

- (i) Lifting and mooring,
- (ii) Loadout or initial flotation,
- (iii) Fabrication afloat,
- (iv) Towing,
- (v) Launching and uprighting,
- (vi) Submergence,
- (vii) Pile installation, and
- (viii) Final field erection.
- (2) The requirements of this section apply to all platforms covered by this subpart, regardless of structural type or material of construction.
- (b) Objective. The structural strength and integrity of a platform shall not be reduced or otherwise jeopardized by the performance of the activities required to install the platform on site. The type and magnitude of loads and load combinations to which a platform will be exposed during marine operations shall be the subject of an analysis pursuant to paragraph (c) of this section, except where the use of proven and well-controlled methods of fabrication and installation are proposed and justified. Sufficient equipment shall be provided to ensure installation of the platform in a safe and well-controlled man-
- (c) Analysis. (1) Analyses shall be performed to determine the type and magnitude of the loads and load combinations to which the platform will be exposed during the performance of marine operations.
- (2) Analyses shall be performed to ensure that the structural design is sufficient to withstand the type and magnitude of the loads and load combinations determined, in accordance with paragraph (c)(1) of this section, without loss or degradation of structural integrity
- (3) Analyses shall be performed to ensure that the platform or its means of support has sufficient hydrostatic stability and reserve buoyancy to allow for successful execution of all phases of marine operations.

## §250.911 Inspection during construc-

(a) General—(1) Coverage. All pile-supported and gravity platforms covered by this subpart shall be inspected during the construction phase. Additional requirements for steel pile-supported platforms are contained in paragraph (b) of this section, and additional requirements pertaining to concrete-gravity platforms are contained in paragraph (c) of this section. The phases of construction subject to inspection include material manufacture, fabrication, loadout, transportation, positioning, installation, and final field erection.

- (2) Objective. Inspections during construction are to verify that the platform is constructed in accordance with the approved construction plan. Any unusual or innovative application of materials or methods of construction not adequately covered by the requirements of this section shall receive special attention during compliance inspections relevant to its effect on the integrity of the platform.
- (3) Remedial action. If construction inspection results reveal that materials, procedures, or workmanship deviate significantly from the approved design, remedial action shall be taken.
- (4) Identification of materials. The origin of materials used in the platform and the results of relevant material tests for all significant structural materials shall be retained and made readily available for inspection by MMS representatives during all stages of construction. Records shall be kept of the locations throughout the platform of the various heat numbers for such materials.
- (b) Steel pile-supported platforms—(1) Scope. Inspections of steel pile-supported platforms shall address the following topics, as appropriate:
  - (i) Material quality and forming,
- (ii) Welder and welding procedure qualifications,
  - (iii) Weld inspection,
  - (iv) Tolerances and alignments, and
  - (v) Corrosion-control systems.
- (2) Material quality and forming. Inspection shall verify that all materials employed are of good quality and suitable for their intended service as specified in the approved design. Inspection shall ensure the compliance of materials to the relevant material standards selected in the design of the platform. Inspection shall ensure that formed members satisfy the dimensional tolerances listed in the design.

- (3) Welder and welding-procedure qualifications. (i) Welders shall be tested and possess a current welder's certification.
- (ii) All welding procedures to be employed shall be tested and certified for the production of satisfactory welds. Welding procedures previously tested and certified shall be considered prequalified.
- (4) Weld inspection. (i) Inspection shall include, but not be limited to, visual inspection of all welds and representative magnetic particle or dye penetrant inspection of welds of Weld Classes A and B materials (see §250.907(a)(4) of this part) not subjected to ultrasonic or radiographic inspection. The extent of ultrasonic or radiographic inspection shall be specified and shall emphasize, but not be confined to, welds of Weld Class A materials.
- (ii) The extent and methods of inspection shall be consistent with the classification of applications (see §250.907(a)(4) of this part) of the area being examined.
- (iii) Any welding not meeting the acceptance criteria specified in the inspection plan shall be rejected and appropriate remedial action taken.
- (5) Tolerances and alignments. Overall dimensional tolerances, forming tolerances, and local alignment tolerances shall be commensurate with those considered in developing the structural design. Inspections shall ensure that the dimensional tolerance criteria are being met. Out of roundness of structural elements for which buckling is the anticipated mode of failure shall receive individual inspection.
- (6) Corrosion-control systems. Corrosion-control systems employed on the platform shall be inspected to ensure that they are installed as specified in the approved design. Inspection shall ensure that proper protection against galvanic effects, especially in locations where nonferrous materials are used in conjunction with steel, has been provided in the corrosion-control system.
- (7) Additional inspection items. (i) The provisions of paragraphs (b)(2) through (b)(6) of this section relate only to matters directly affecting the onshore construction phases of the platform. Other items relating to the onshore construction site and the construction phases

from loadout to final erection shall also be performed.

- (ii) The construction site shall be inspected to ensure that adequate consideration has been given to the following items:
- (A) Support of the platform during construction.
- (B) Employment of a sufficient number of certified welders and inspectors to maintain an adequate quality of work, and
- (C) Weathertight storage of welding consumables under conditions specified by their manufacturers.
- (iii) Inspection shall verify that the following operations have been accomplished in a manner conforming to approved plans or drawings:
  - (A) Loadout,
  - (B) Tie down,
  - (C) Positioning at the site,
- (D) Installation (see §250.909(d)(1)(iv) of this part for piles), and
  - (E) Final field erection.
- (iv) To determine if overstressing of the platform during transportation has occurred, towing records shall be reviewed to ascertain if conditions during towing operations exceeded those employed in the analyses required by \$250.910(c) of this part.
- (v) When the inspections indicate that overstressing has occurred during loadout, transportation, or installation, the affected parts of the platform shall be surveyed to determine the extent of actual damage, if any. Where necessary, a reevaluation of the structural capacity shall be carried out, considering the results of the survey.
- (8) *Records.* The following construction records shall be compiled, retained, and made available for inspection by MMS representatives:
  - (i) Mill certificates,
- (ii) Weld-procedure qualification records,
  - (iii) Weld inspection records,
  - (iv) Dimensional tolerance reports,
  - (v) Towing records, and
  - (vi) Pile driving records.
- (c) Concrete-gravity platforms—(1) Scope. Inspection of concrete-gravity platforms shall address the following topics, as appropriate:
- (i) Preparation for concrete production and placement;

- (ii) Batching, mixing, and placing concrete;
- (iii) Form removal and concrete curing;
- (iv) Pretensioning and grouting;(v) Joints; and
- (vi) Finished concrete.
- (2) Preparation for concrete production and placement. (i) Inspection shall ensure that the pertinent physical properties of cement, reinforcing steel, prestressing tendons, and appurtenances comply with those specified in the approved design.
- (ii) Forms and shoring supporting the forms shall be inspected to ensure that they are adequate in number and type and are located correctly.
- (iii) The dimensional tolerances of the forms shall be inspected to ensure that the finished dimensional tolerances are comparable to those allowed for in the approved design.
- (iv) Reinforcing steel, prestressing tendons, post-tensioning ducts, anchorages, and any other embedded steel shall be inspected, as appropriate, for size, bending, spacing, location, firmness of installation, surface condition, vent locations, proper duct coupling, and duct capping.
- (3) Batching, mixing, and placing concrete. (i) Inspections shall be performed to ensure that the procedures for the production and placement of concrete provide a well-mixed and well-compacted concrete. The procedures shall contamination, and premature initial set during all operations.
- (ii) Inspection shall verify that the mix components of each batch of concrete are properly proportioned and within allowable variations specified in the approved design. Inspection shall ensure that the water/cement ratio of each batch is within the limit specified in §250.908(b)(7) of this part.
- (iii) Aggregate gradation, cleanliness, moisture content, and unit weight shall be tested. The frequency of testing shall be determined taking into account the uniformity of the supply source, volume of concrete used, and variations of atmospheric conditions.
- (iv) Mix water shall be tested for purity following specified methods and schedules.

- (v) Testing during the production of concrete shall be performed to monitor, as a minimum, the following concrete qualities:
  - (A) Consistency,
  - (B) Air content, and
  - (C) Strength.
- (4) Form removal and concrete curing.
  (i) Inspection shall ensure that forms and form supports are not removed until the platform has attained sufficient strength to bear its own weight, construction loads, and anticipated environmental loads without undue deformation and that they are removed according to schedule.
- (ii) Inspection shall ensure that curing of concrete is accomplished in accordance with the provisions of a predetermined procedure.
- (iii) Where the construction procedures require the submergence of recently placed concrete, inspection shall ensure that methods for protecting the concrete from the effects of salt water are properly executed.
- (5) Pretensioning and grouting. (i) Inspection shall verify that the sequence of tendon tensioning and the resulting elongation and force are in accordance with provisions specified in the approved design.
- (ii) Pretensioning or post-tensioning stress shall be determined by measuring both tendon elongation and tendon force. Inspection shall verify that the variation of measurements does not exceed a specified amount.
- (iii) Inspection shall verify that grout mix proportions and ambient conditions during mixing are in accordance with provisions designated in the approved design. Tests for grout, viscosity expansion, bleeding, compressive strength, and setting time shall be performed to ensure compliance with design requirements. Procedures shall be observed to ensure that ducts are completely filled.
- (iv) Anchorages shall be inspected to ensure that they are located and sized as specified in the design and are provided with adequate cover to mitigate the effects of corrosion.
- (6) *Joints.* Where appropriate, leak testing of construction joints shall be performed by using specified procedures. When deciding which joints to inspect, consideration shall be given to

- the hydrostatic head on the subject joint during normal operation, the consequence of a leak at the subject joint, and the ease of repair once the platform is in service.
- (7) Finished concrete. (i) The surface of the hardened concrete shall be completely inspected for cracks, honeycombing, popouts, spalling, and other surface imperfections.
- (ii) The platform shall be examined by using a calibrated rebound hammer or a similar nondestructive examination device. Inspection shall verify that the results of surface inspection, cylinder strength test, or nondestructive examination are in accordance with the approved design criteria.
- (iii) The completed sections of the platform shall be checked for compliance to specified design tolerances of thickness and alignment and, to the extent practicable, the location of reinforcing and prestressing steel and posttensioning ducts.
- (8) Additional inspection items. (i) While the provisions of paragraphs (c)(2) through (c)(7) of this section relate only to some matters directly affecting the onshore or nearshore construction phases of the platform, other items relating to such phases and from loadout to final erection shall also be considered.
- (ii) Inspection shall ensure that adequate consideration has been given the following items:
- (A) Support of the structure during construction,
- (B) Employment of a sufficient number of competent workmen and inspectors to maintain an adequate quality of work,
- (C) Storage of cement and prestressing tendons in weathertight areas,
- (D) Storage of admixtures and epoxies according to manufacturers' specifications, and
- (E) Storage of aggregates to limit segregation, contamination by deleterious substances, and moisture variations within the stockpile.
- (iii) Inspection shall verify that the following operations, as applicable to the planned platform, have been accomplished in a manner conforming to approved plans or drawings developed for these operations:

- (A) Loadout,
- (B) Towing arrangements,
- (C) Positioning at the site,
- (D) Installation, and
- (E) Final field erection.
- (iv) To determine if overstressing of the platform during transportation has occurred, towing records shall be reviewed to ascertain if conditions during the towing operations exceeded those employed in the analyses required by §250.910(c) of this part.
- (9) *Records.* The following construction records shall be compiled, retained, and made available for inspection by MMS representatives:
- (i) Material certificates and test reports:
- (ii) Tensioning and grouting records; (iii) Concreting records including weight, moisture content, mix proportions, test methods and results, ambient conditions during the pour, and test equipment calibration data;
- (iv) Deviations from design or fabrication specifications and repairs carried out;
  - (v) Towing records; and
- (vi) Data on initial structural settlements.

[53 FR 10690, Apr. 1, 1988; 53 FR 26067, July 11, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 64 FR 9065, Feb. 24, 1999]

## § 250.912 Periodic inspection and maintenance.

(a) All platforms installed in the OCS shall be inspected periodically in accordance with the provisions of section 14, Surveys of API RP 2A-WSD (incorporated by reference, see § 250.198). However, use of an inspection interval which exceeds 5 years shall require prior approval by the Regional Supervisor. Proper maintenance shall be performed to assure the structural integrity of the platform as a workbase for oil and gas operations.

(b) A report shall be submitted annually on November 1 to the Regional Supervisor stating which platforms have been inspected in the preceding 12 months, the extent and area of inspection, and the type of inspection employed, i.e., visual, magnetic particle, ultrasonic testing. A summary of the testing results shall be submitted indicating what repairs, if any, were need-

ed and the overall structural condition of the platform.

[53 FR 10690, Apr. 1, 1988, as amended at 55 FR 51415, Dec. 14, 1990. Redesignated at 63 FR 29479, May 29, 1998, as amended at 68 FR 19355, Apr. 21, 2003; 68 FR 41078, July 10, 2003; 68 FR 41861, July 15, 2003]

### § 250.914 Records.

The lessee shall compile, retain, and make available to Minerals Management Service representatives for the functional life of all platforms, the asbuilt structural drawings, the design assumptions and analyses, a summary of the nondestructive examination records, and the inspection results from platform inspections required by §250.912 of this part.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

### Subpart J—Pipelines and Pipeline Rights-of-Way

### § 250.1000 General requirements.

- (a) Pipelines and associated valves, flanges, and fittings shall be designed, installed, operated, maintained, and abandoned to provide safe and pollution-free transportation of fluids in a manner which does not unduly interfere with other uses in the Outer Continental Shelf (OCS).
- (b) An application shall be submitted to the Regional Supervisor and approval obtained prior to the installation, modification, or abandonment of a pipeline which qualifies as a lease term pipeline (see §250.1001, Definitions) and prior to the installation of a right-of-way pipeline or the modification or relinquishment of a pipeline right-of-way.
- (c)(1) Department of the Interior (DOI) pipelines, as defined in  $\S 250.1001$ , must meet the requirements in  $\S \$ 250.1000$  through 250.1008.
- (2) A pipeline right-of-way grant holder must identify in writing to the Regional Supervisor the operator of any pipeline located on its right-of-way, if the operator is different from the right-of-way grant holder.
- (3) A producing operator must identify for its own records, on all existing pipelines located on its lease or right-

of-way, the specific points at which operating responsibility transfers to a transporting operator.

- (i) Each producing operator must, if practical, durably mark all of its above-water transfer points by April 14, 1999 or the date a pipeline begins service, whichever is later.
- (ii) If it is not practical to durably mark a transfer point, and the transfer point is located above water, then the operator must identify the transfer point on a schematic located on the facility.
- (iii) If a transfer point is located below water, then the operator must identify the transfer point on a schematic and provide the schematic to MMS upon request.
- (iv) If adjoining producing and transporting operators cannot agree on a transfer point by April 14, 1999, the MMS Regional Supervisor and the Department of Transportation (DOT) Office of Pipeline Safety (OPS) Regional Director may jointly determine the transfer point.
- (4) The transfer point serves as a regulatory boundary. An operator may write to the MMS Regional Supervisor to request an exception to this requirement for an individual facility or area. The Regional Supervisor, in consultation with the OPS Regional Director and affected parties, may grant the request.
- (5) Pipeline segments designed, constructed, maintained, and operated under DOT regulations but transferring to DOI regulation as of October 16, 1998, may continue to operate under DOT design and construction requirements until significant modifications or repairs are made to those segments. After October 16, 1998, MMS operational and maintenance requirements will apply to those segments.
- (6) Any producer operating a pipeline that crosses into State waters without first connecting to a transporting operator's facility on the OCS must comply with this subpart. Compliance must extend from the point where hydrocarbons are first produced, through and including the last valve and associated safety equipment (e.g., pressure safety sensors) on the last production facility on the OCS.

- (7) Any producer operating a pipeline that connects facilities on the OCS must comply with this subpart.
- (8) Any operator of a pipeline that has a valve on the OCS downstream (landward) of the last production facility may ask in writing that the MMS Regional Supervisor recognize that valve as the last point MMS will exercise its regulatory authority.
- (9) A pipeline segment is not subject to MMS regulations for design, construction, operation, and maintenance if
- (i) It is downstream (generally shoreward) of the last valve and associated safety equipment on the last production facility on the OCS; and
- (ii) It is subject to regulation under 49 CFR parts 192 and 195.
- (10) DOT may inspect all upstream safety equipment (including valves, over-pressure protection devices, cathodic protection equipment, and pigging devices, etc.) that serve to protect the integrity of DOT-regulated pipeline segments.
- (11) OCS pipeline segments not subject to DOT regulation under 49 CFR parts 192 and 195 are subject to all MMS regulations.
- (12) A producer may request that its pipeline operate under DOT regulations governing pipeline design, construction, operation, and maintenance.
- (i) The operator's request must be in the form of a written petition to the MMS Regional Supervisor that states the justification for the pipeline to operate under DOT regulation.
- (ii) The Regional Supervisor will decide, on a case-by-case basis, whether to grant the operator's request. In considering each petition, the Regional Supervisor will consult with the Office of Pipeline Safety (OPS) Regional Director.
- (13) A transporter who operates a pipeline regulated by DOT may request to operate under MMS regulations governing pipeline operation and maintenance. Any subsequent repairs or modifications will also be subject to MMS regulations governing design and construction.
- (i) The operator's request must be in the form of a written petition to the OPS Regional Director and the MMS Regional Supervisor.

- (ii) The MMS Regional Supervisor and the OPS Regional Director will decide how to act on this petition.
- (d) A pipeline which qualifies as a right-of-way pipeline (see §250.1001, Definitions) shall not be installed until a right-of-way has been requested and granted in accordance with this subpart.
- (e)(1) The Regional Supervisor may suspend any pipeline operation upon a determination by the Regional Supervisor that continued activity would threaten or result in serious, irreparable, or immediate harm or damage to life (including fish and other aquatic life), property, mineral deposits, or the marine, coastal, or human environment.
- (2) The Regional Supervisor may also suspend pipeline operations or a right-of-way grant if the Regional Supervisor determines that the lessee or right-of-way holder has failed to comply with a provision of the Act or any other applicable law, a provision of these or other applicable regulations, or a condition of a permit or right-of-way grant.
- (3) The Secretary of the Interior (Secretary) may cancel a pipeline permit or right-of-way grant in accordance with 43 U.S.C. 1334(a)(2). A right-of-way grant may be forfeited in accordance with 43 U.S.C. 1334(e).

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998; 63 FR 43880, Aug. 17, 1998; 65 FR 46095, July 27, 2000]

### § 250.1001 Definitions.

Terms used in this subpart shall have the meanings given below:

DOI pipelines include:

- (1) Producer-operated pipelines extending upstream (generally seaward) from each point on the OCS at which operating responsibility transfers from a producing operator to a transporting operator;
- (2) Producer-operated pipelines extending upstream (generally seaward) of the last valve (including associated safety equipment) on the last production facility on the OCS that do not connect to a transporter-operated pipeline on the OCS before crossing into State waters;

- (3) Producer-operated pipelines connecting production facilities on the OCS:
- (4) Transporter-operated pipelines that DOI and DOT have agreed are to be regulated as DOI pipelines; and
- (5) All OCS pipelines not subject to regulation under 49 CFR parts 192 and 195.

DOT pipelines include:

- (1) Transporter-operated pipelines currently operated under DOT requirements governing design, construction, maintenance, and operation;
- (2) Producer-operated pipelines that DOI and DOT have agreed are to be regulated under DOT requirements governing design, construction, maintenance, and operation; and
- (3) Producer-operated pipelines downstream (generally shoreward) of the last valve (including associated safety equipment) on the last production facility on the OCS that do not connect to a transporter-operated pipeline on the OCS before crossing into State waters and that are regulated under 49 CFR parts 192 and 195.

Lease term pipelines are those pipelines owned and operated by a lessee or operator and are wholly contained within the boundaries of a single lease, unitized leases, or contiguous (not cornering) leases of that lessee or operator.

Out-of-service pipelines are those pipelines that have not been used to transport oil, natural gas, sulfur, or produced water for more than 30 consecutive days.

*Pipelines* are the piping, risers, and appurtenances installed for the purpose of transporting oil, gas, sulphur, and produced water. (Piping confined to a production platform or structure is covered in Subpart H, Production Safety Systems, and is excluded from this subpart.)

Production facilities means OCS facilities that receive hydrocarbon production either directly from wells or from other facilities that produce hydrocarbons from wells. They may include processing equipment for treating the production or separating it into its various liquid and gaseous components before transporting it to shore.

Right-of-way pipelines are those pipelines which—

- (a) Are contained within the boundaries of a single lease or group unitized leases but are not owned and operated by the lessee or operator of that lease or unit.
- (b) Are contained within the boundaries of contiguous (not cornering) leases which do not have a common lessee or operator,
- (c) Are contained within the boundaries of contiguous (not cornering) leases which have a common lessee or operator but are not owned and operated by that common lessee or operator, or
- (d) Cross any portion of an unleased block(s).

[53 FR 10690, Apr. 1, 1998. Redesignated at 63 FR 29479, May 29, 1998, as amended at 63 FR 43881, Aug. 17, 1998; 65 FR 46096, July 27, 2000; 67 FR 35405, May 17, 2002]

## § 250.1002 Design requirements for DOI pipelines.

(a) The internal design pressure for steel pipe shall be determined in accordance with the following formula:

$$P = \frac{2(S)(t)}{D} \times (F)(E)(T)$$

For limitations see section 841.121 of American National Standards Institute (ANSI) B31.8 where—

P=Internal design pressure in pounds per square inch (psi).

S=Specified minimum yield strength, in psi, stipulated in the specification under which the pipe was purchased from the manufacturer or determined in accordance with section 811.253(h) of ANSI B31.8.

D=Nominal outside diameter of pipe, in inches.

t=Nominal wall thickness, in inches

F=Construction design factor of 0.72 for the submerged component and 0.60 for the riser component.

E=Longitudinal joint factor obtained from Table 841.1B of ANSI B31.8. (See also section 811.253(d)).

T=Temperature derating factor obtained from Table 841.1C of ANSI B31.8.

(b)(1) Pipeline valves shall meet the minimum design requirements of American Petroleum Institute (API) Spec 6A, API Spec 6D, or the equivalent. A valve may not be used under operating conditions that exceed the applicable pressure-temperature ratings contained in those standards.

- (2) Pipeline flanges and flange accessories shall meet the minimum design requirements of ANSI B16.5, API Spec 6A, or the equivalent. Each flange assembly must be able to withstand the maximum pressure at which the pipeline is to be operated and to maintain its physical and chemical properties at any temperature to which it is anticipated that it might be subjected in service.
- (3) Pipeline fittings shall have pressure-temperature ratings based on stresses for pipe of the same or equivalent material. The actual bursting strength of the fitting shall at least be equal to the computed bursting strength of the pipe.

(c) The maximum allowable operating pressure (MAOP) shall not exceed the least of the following:

(1) Internal design pressure of the pipeline, valves, flanges, and fittings;

(2) Eighty percent of the hydrostatic pressure test (HPT) of the pipeline; or (3) If applicable, the MAOP of the re-

- (3) If applicable, the MAOP of the receiving pipeline when the proposed pipeline and the receiving pipeline are connected at a subsea tie-in.
- (d) If the maximum source pressure (MSP) exceeds the pipeline's MAOP, you must install and maintain redundant safety devices meeting the requirements of section A9 of API RP 14C (incorporated by reference as specified in §250.198). Pressure safety valves (PSV) may be used only after a determination by the Regional Supervisor that the pressure will be relieved in a safe and pollution-free manner. The setting level at which the primary and redundant safety equipment actuates shall not exceed the pipeline's MAOP.
- (e) Pipelines shall be provided with an external protective coating capable of minimizing underfilm corrosion and a cathodic protection system designed to mitigate corrosion for at least 20 years.
- (f) Pipelines shall be designed and maintained to mitigate any reasonably anticipated detrimental effects of water currents, storm or ice scouring, soft bottoms, mud slides, earthquakes, subfreezing temperatures, and other environmental factors.

[53 FR 10690, Apr. 1, 1988. Redesignated at 63 FR 29479, May 29, 1998, as amended at 67 FR 51760, Aug. 9, 2002]

# § 250.1003 Installation, testing, and repair requirements for DOI pipelines.

(a)(1) Pipelines greater than 8-5/8 inches in diameter and installed in water depths of less than 200 feet shall be buried to a depth of at least 3 feet unless they are located in pipeline congested areas or seismically active areas as determined by the Regional Supervisor. Nevertheless, the Regional Supervisor may require burial of any pipeline if the Regional Supervisor determines that such burial will reduce the likelihood of environmental degradation or that the pipeline may constitute a hazard to trawling operations or other uses. A trawl test or diver survey may be required to determine whether or not pipeline burial is necessary or to determine whether a pipeline has been properly buried.

(2) Pipeline valves, taps, tie-ins, capped lines, and repaired sections that could be obstructive shall be provided with at least 3 feet of cover unless the Regional Supervisor determines that such items present no hazard to trawling or other operations. A protective device may be used to cover an obstruction in lieu of burial if it is approved by the Regional Supervisor prior to installation.

(3) Pipelines shall be installed with a minimum separation of 18 inches at pipeline crossings and from obstructions.

(4) Pipeline risers installed after April 1, 1988, shall be protected from physical damage that could result from contact with floating vessels. Riser protection on pipelines installed on or before April 1, 1988, may be required when the Regional Supervisor determines that significant damage potential exists.

(b) (1) Pipelines shall be hydrostatically tested with water at a stabilized pressure of at least  $1.25\ \text{times}$ the MAOP for at least 8 hours when installed, relocated, uprated, or reactivated after being out-of-service for more than 1 year.

(2) Prior to returning a pipeline to service after a repair, the pipeline shall be pressure tested with water or processed natural gas at a minimum stabilized pressure of at least 1.25 times the MAOP for at least 2 hours.

(3) Pipelines shall not be pressure tested at a pressure which produces a stress in the pipeline in excess of 95percent of the specified minimum-yield strength of the pipeline. A temperature recorder measuring test fluid temperature synchronized with a pressure recorder along with deadweight test readings shall be employed for all pressure testing. When a pipeline is pressure tested, no observable leakage shall be allowed. Pressure gauges and recorders shall be of sufficient accuracy to verify that leakage is not occurring.

(4) The Regional Supervisor may require pressure testing of pipelines to verify the integrity of the system when the Regional Supervisor determines that there is a reasonable likelihood that the line has been damaged or weakened by external or internal conditions.

(c) When a pipeline is repaired utilizing a clamp, the clamp shall be a full encirclement clamp able to withstand the anticipated pipeline pressure.

[53 FR 10690, Apr. 1, 1988; 53 FR 12227, Apr. 13, 1988; 57 FR 26997, June 17, 1992. Redesignated at 63 FR 29479, May 29, 1998]

# § 250.1004 Safety equipment requirements for DOI pipelines.

(a) The lessee shall ensure the proper installation, operation, and maintenance of safety devices required by this section on all incoming, departing, and crossing pipelines on platforms.

(b)(1)(i) Incoming pipelines to a platform shall be equipped with a flow safe-

ty valve (FSV).

(ii) For sulphur operations, incoming pipelines delivering gas to the power plant platform may be equipped with high- and low-pressure sensors (PSHL), which activate audible and visual alarms in lieu of requirements in paragraph (b)(1)(i) of this section. The PSHL shall be set at 15 percent or 5 psi, whichever is greater, above and below the normal operating pressure range.

(2) Incoming pipelines boarding to a production platform shall be equipped with an automatic shutdown valve (SDV) immediately upon boarding the platform. The SDV shall be connected to the automatic- and remote-emer-

gency shut-in systems.

(3) Departing pipelines receiving production from production facilities shall be protected by high- and low-pressure sensors (PSHL) to directly or indirectly shut in all production facilities. The PSHL shall be set not to exceed 15 percent above and below the normal operating pressure range. However, high pilots shall not be set above the pipeline's MAOP.

- (4) Crossing pipelines on production or manned nonproduction platforms which do not receive production from the platform shall be equipped with an SDV immediately upon boarding the platform. The SDV shall be operated by a PSHL on the departing pipelines and connected to the platform automaticand remote-emergency shut-in systems
- (5) The Regional Supervisor may require that oil pipelines be equipped with a metering system to provide a continuous volumetric comparison between the input to the line at the structure(s) and the deliveries onshore. The system shall include an alarm system and shall be of adequate sensitivity to detect variations between input and discharge volumes. In lieu of the foregoing, a system capable of detecting leaks in the pipeline may be substituted with the approval of the Regional Supervisor.
- (6) Pipelines incoming to a subsea tie-in shall be equipped with a block valve and an FSV. Bidirectional pipelines connected to a subsea tie-in shall be equipped with only a block valve.
- (7) Gas-lift or water-injection pipelines on unmanned platforms need only be equipped with an FSV installed immediately upstream of each casing annulus or the first inlet valve on the christmas tree.
- (8) Bidirectional pipelines shall be equipped with a PSHL and an SDV immediately upon boarding each platform.
- (9) Pipeline pumps must comply with section A7 of API RP 14C (incorporated by reference as specified in §250.198). The setting levels for the PSHL devices are specified in paragraph (b)(3) of this section
- (c) If the required safety equipment is rendered ineffective or removed from service on pipelines which are continued in operation, an equivalent degree of safety shall be provided. The safety equipment shall be identified by the

placement of a sign on the equipment stating that the equipment is rendered ineffective or removed from service.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 56 FR 32100, July 15, 1991. Redesignated at 63 FR 29479, May 29, 1998; 67 FR 51760, Aug. 9, 2002]

## § 250.1005 Inspection requirements for DOI pipelines.

- (a) Pipeline routes shall be inspected at time intervals and methods prescribed by the Regional Supervisor for indication of pipeline leakage. The results of these inspections shall be retained for at least 2 years and be made available to the Regional Supervisor upon request.
- (b) When pipelines are protected by rectifiers or anodes for which the initial life expectancy of the cathodic protection system either cannot be calculated or calculations indicate a life expectancy of less than 20 years, such pipelines shall be inspected annually by taking measurements of pipe-to-electrolyte potential measurements.

# § 250.1006 How must I decommission and take out of service a DOI pipeline?

- (a) The requirements for decommissioning pipelines are listed in §250.1750 through §250.1754.
- (b) The table in this section lists the requirements if you take a DOI pipeline out of service:

If you have the pipeline out of service for:	Then you must:
(1) 1 year or less	Isolate the pipeline with a blind flange or a closed block valve at each end of the pipeline.
(2) More than 1 year but less than 5 years.	Flush and fill the pipeline with inhibited seawater.
(3) 5 or more years	Decommission the pipeline according to §§ 250.1750–250.1754.

[67 FR 35405, May 17, 2002]

## $\S 250.1007$ What to include in applications.

(a) Applications to install a lease term pipeline or for a pipeline right-of-way grant must be submitted in quadruplicate to the Regional Supervisor. Right-of-way grant applications must include an identification of the operator of the pipeline. Each application must include the following:

- (1) Plat(s) drawn to a scale specified by the Regional Supervisor showing major features and other pertinent data including area, lease, and block designations; water depths; route; length in Federal waters; width of right-of-way, if applicable; connecting facilities; size; product(s) to be transported with anticipated gravity or density; burial depth; direction of flow; X-Y coordinates of key points; and the location of other pipelines that will be connected to or crossed by the proposed pipeline(s). The initial and terminal points of the pipeline and any continuation into State jurisdiction shall be accurately located even if the pipeline is to have an onshore terminal point. A plat(s) submitted for a pipeline right-of-way shall bear a signed certificate upon its face by the engineer who made the map that certifies that the right-of-way is accurately represented upon the map and that the design characteristics of the associated pipeline are in accordance with applicable regulations.
- (2) A schematic drawing showing the size, weight, grade, wall thickness, and type of line pipe and risers; pressureregulating devices (including backpressure regulators); sensing devices with associated pressure-control lines; PSV's and settings; SDV's, FSV's, and block valves; and manifolds. This schematic drawing shall also show input source(s), e.g., wells, pumps, compressors, and vessels; maximum input pressure(s); the rated working pressure, as specified by ANSI or API, of all valves, flanges, and fittings; the initial receiving equipment and its rated working pressure; and associated safety equipment and pig launchers and receivers. The schematic must indicate the point on the OCS at which operating responsibility transfers between a producing operator and a transporting operator.
  - (3) General information as follows:
- (i) Description of cathodic protection system. If pipeline anodes are to be used, specify the type, size, weight, number, spacing, and anticipated life;
- (ii) Description of external pipeline coating system;
- (iii) Description of internal protective measures;
- (iv) Specific gravity of the empty pipe;

- (v) MSP;
- (vi) MAOP and calculations used in its determination;
- (vii) Hydrostatic test pressure, medium, and period of time that the line will be tested;
- (viii) MAOP of the receiving pipeline or facility.
- (ix) Proposed date for commencing installation and estimated time for construction; and
- (x) Type of protection to be afforded crossing pipelines, subsea valves, taps, and manifold assemblies, if applicable.
- (4) The application shall include a description of any additional design precautions which were taken to enable the pipeline to withstand the effects of water currents, storm or ice scouring, soft bottoms, mudslides, earthquakes, permafrost, and other environmental factors.
- (5) The application shall include a shallow hazards survey report and, if required by the Regional Director, an archaeological resource report that covers the entire length of the pipeline. A shallow hazards analysis may be included in a lease term pipeline application in lieu of the shallow hazards survey report with the approval of the Regional Director. The Regional Director may require the submission of the data upon which the report or analysis is based.
- (b) Applications to modify an approved lease term pipeline or right-of-way grant shall be submitted in quadruplicate to the Regional Supervisor. These applications need only address those items in the original application affected by the proposed modification.

[53 FR 10690, Apr. 1, 1988, as amended at 59 FR 53094, Oct. 21, 1994. Redesignated at 63 FR 29479, May 29, 1998, as amended at 63 FR 43881, Aug. 17, 1998; 67 FR 35406, May 17, 2002]

### §250.1008 Reports.

- (a) The lessee, or right-of-way holder, shall notify the Regional Supervisor at least 48 hours prior to commencing the installation or relocation of a pipeline or conducting a pressure test on a pipeline.
- (b) The lessee or right-of-way holder shall submit a report to the Regional Supervisor within 90 days after completion of any pipeline construction. The report, submitted in triplicate, shall

include an "as-built" location plat drawn to a scale specified by the Regional Supervisor showing the location, length in Federal waters, and X-Y coordinates of key points; the completion date; the proposed date of first operation; and the HPT data. Pipeline right-of-way "as-built" location plats shall be certified by a registered engineer or land surveyor and show the boundaries of the right-of-way as granted. If there is a substantial deviation of the pipeline route as granted in the right-of-way, the report shall include a discussion of the reasons for such deviation.

- (c) The lessee or right-of-way holder shall report to the Regional Supervisor any pipeline taken out of service. If the period of time in which the pipeline is out of service is greater than 60 days, written confirmation is also required.
- (d) The lessee or right-of-way holder shall report to the Regional Supervisor when any required pipeline safety equipment is taken out of service for more than 12 hours. The Regional Supervisor shall be notified when the equipment is returned to service.
- (e) The lessee or right-of-way holder shall notify the Regional Supervisor prior to the repair of any pipeline or as soon as practicable. A detailed report of the repair of a pipeline or pipeline component shall be submitted to the Regional Supervisor within 30 days after completion of the repairs. The report shall include the following:
  - (1) Description of repairs,
  - (2) Results of pressure test, and
  - (3) Date returned to service.
- (f) The Regional Supervisor may require that DOI pipeline failures be analyzed and that samples of a failed section be examined in a laboratory to assist in determining the cause of the failure. A comprehensive written report of the information obtained shall be submitted by the lessee to the Regional Supervisor as soon as available.
- (g) If the effects of scouring, soft bottoms, or other environmental factors are observed to be detrimentally affecting a pipeline, a plan of corrective action shall be submitted to the Re-

gional Supervisor for approval within 30 days of the observation. A report of the remedial action taken shall be submitted to the Regional Supervisor by the lessee or right-of-way holder within 30 days after completion.

(h) The results and conclusions of measurements of pipe-to-electrolyte potential measurements taken annually on DOI pipelines in accordance with §250.1005(b) of this part shall be submitted to the Regional Supervisor by the lessee before March of each year.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

## § 250.1009 Requirements to obtain pipeline right-of-way grants.

(a) In addition to applicable requirements of §§ 250.1000 through 250.1008 and other regulations of this part, regulations of the Department of Transportation, Department of the Army, and the Federal Energy Regulatory Commission (FERC), when a pipeline qualifies as a right-of-way pipeline, the pipeline shall not be installed until a right-of-way has been requested and granted in accordance with this subpart. The right-of-way grant is issued pursuant to 43 U.S.C. 1334(e) and may be acquired and held only by citizens and nationals of the United States; aliens lawfully admitted for permanent residence in the United States as defined in 8 U.S.C. 1101(a)(20); private, public, or municipal corporations organized under the laws of the United States or territory thereof, the District of Columbia, or of any State; or associations of such citizens, nationals, resident aliens, or private, public, or municipal corporations, States, or political subdivisions of States.

(b) A right-of-way shall include the site on which the pipeline and associated structures are to be situated, shall not exceed 200 feet in width unless safety and environmental factors during construction and operation of the associated right-of-way pipeline require a greater width, and shall be limited to the area reasonably necessary for

pumping stations or other accessory structures.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 55 FR 47753, Nov. 15, 1990; 59 FR 53094, Oct. 21, 1994; 62 FR 27955, May 22, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998; 64 FR 9065, Feb. 24, 1999. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

## § 250.1010 General requirements for pipeline right-of-way holders.

An applicant, by accepting a right-ofway grant, agrees to comply with the following requirements:

(a) The right-of-way holder shall comply with applicable laws and regulations and the terms of the grant.

- (b) The granting of the right-of-way shall be subject to the express condition that the rights granted shall not prevent or interfere in any way with the management, administration, or the granting of other rights by the United States, either prior or subsequent to the granting of the right-ofway. Moreover, the holder agrees to allow the occupancy and use by the United States, its lessees, or other right-of-way holders, of any part of the right-of-way grant not actually occupied or necessarily incident to its use for any necessary operations involved in the management, administration, or the enjoyment of such other granted
- (c) If the right-of-way holder discovers any archaeological resource while conducting operations within the right-of-way, the right-of-way holder shall immediately halt operations within the area of the discovery and report the discovery to the Regional Director. If investigations determine that the resource is significant, the Regional Director will inform the lessee how to protect it.

(d) The Regional Supervisor shall be kept informed at all times of the right-of-way holder's address and, if a corporation, the address of its principal place of business and the name and address of the officer or agent authorized to be served with process.

(e) The right-of-way holder shall pay the United States or its lessees or right-of-way holders, as the case may be, the full value of all damages to the property of the United States or its said lessees or right-of-way holders and shall indemnify the United States against any and all liability for damages to life, person, or property arising from the occupation and use of the area covered by the right-of-way grant.

(f)(1) The holder of a right-of-way oil or gas pipeline shall transport or purchase oil or natural gas produced from submerged lands in the vicinity of the pipeline without discrimination and in such proportionate amounts as the FERC may, after a full hearing with due notice thereof to the interested parties, determine to be reasonable, taking into account, among other things, conservation and the prevention of waste.

(2) Unless otherwise exempted by FERC pursuant to 43 U.S.C. 1334(f)(2), the holder shall—

(i) Provide open and nondiscriminatory access to a right-of-way pipeline to both owner and nonowner shippers, and

- (ii) Comply with the provisions of 43 U.S.C. 1334(f)(1)(B) under which FERC may order an expansion of the throughput capacity of a right-of-way pipeline which is approved after September 18, 1978, and which is not located in the Gulf of Mexico or the Santa Barbara Channel.
- (g) The area covered by a right-of-way and all improvements thereon shall be kept open at all reasonable times for inspection by the Minerals Management Service (MMS). The right-of-way holder shall make available all records relative to the design, construction, operation, maintenance and repair, and investigations on or with regard to such area.
- (h) Upon relinquishment, forfeiture, or cancellation of a right-of-way grant, the right-of-way holder shall remove all platforms, structures, domes over valves, pipes, taps, and valves along the right-of-way. All of these improvements shall be removed by the holder within 1 year of the effective date of the relinquishment, forfeiture, or cancellation unless this requirement is waived in writing by the Regional Supervisor. All such improvements not removed within the time provided herein shall become the property of the United States but that shall not relieve the holder of liability for the cost of

### Minerals Management Service, Interior

their removal or for restoration of the site. Furthermore, the holder is responsible for accidents or damages which might occur as a result of failure to timely remove improvements and equipment and restore a site. An application for relinquishment of a right-of-way grant shall be filed in accordance with §250.1014 of this part.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 55 FR 47753, Nov. 15, 1990; 59 FR 53094, Oct. 21, 1994; 62 FR 27955, May 22, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998; 64 FR 9065, Feb. 24, 1999. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

### § 250.1011 Bond requirements for pipeline right-of-way holders.

(a) When you apply for, or are the holder of, a right-of-way, you must:

(1) Provide and maintain a \$300,000 bond (in addition to the bond coverage required in part 256) that guarantees compliance with all the terms and conditions of the rights-of-way you hold in an OCS area; and

- (2) Provide additional security if the Regional Director determines that a bond in excess of \$300,000 is needed.
- (b) For the purpose of this paragraph, there are three areas:
- (1) The areas offshore the Gulf of Mexico and Atlantic Coast;
- (2) The area offshore the Pacific Coast States of California, Oregon, Washington, and Hawaii; and
- (3) The area offshore the Coast of Alaska.

(c) If, as the result of a default, the surety on a right-of-way grant bond makes payment to the Government of any indebtedness under a grant secured by the bond, the face amount of such bond and the surety's liability shall be reduced by the amount of such payment.

(d) After a default, a new bond in the amount of \$300,000 shall be posted within 6 months or such shorter period as the Regional Supervisor may direct. Failure to post a new bond shall be grounds for forfeiture of all grants covered by the defaulted bond.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 55 FR 47753, Nov. 15, 1990; 59 FR 53094, Oct. 21, 1994; 62 FR 27955, May 22, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998; 64 FR 9065, Feb. 24, 1999. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

### § 250.1012 Required payments for pipeline right-of-way holders.

- (a) You must pay MMS an annual rental of \$15 for each statute mile, or part of a statute mile, of the OCS that your pipeline right-of-way crosses.
- (b) This paragraph applies to you if you obtain a pipeline right-of-way that includes a site for an accessory to the pipeline, including but not limited to a platform. This paragraph also applies if you apply to modify a right-of-way to change the site footprint. In either case, you must pay the amounts shown in the following table.

If...

(1) Your accessory site is located in water depths of less than 200 meters;

You must pay a rental of \$5 per acre per year with a minimum of \$450 per year. The area subject to annual rental includes the areal extent of anchor chains, pipeline risers, and other facilities and devices associated with the accessory.

You must pay a rental of \$5 per year. The area subject to annual rental includes and devices associated with the accessory.

You must pay a rental of \$7.50 per acre per year with a minimum of \$450 per year. The area subject to annual rental includes the areal extent of anchor chains, pipeline risers, and other facilities and devices associated with the accessory.

- (c) If you hold a pipeline right-of-way that includes a site for an accessory to your pipeline and you are not covered by paragraph (b) of this section, then you must pay MMS an annual rental of \$75 for use of the affected area.
- (d) You may make the rental payments required by paragraphs (a),

(b)(1), (b)(2), and (c) of this section on an annual basis, for a 5-year period, or for multiples of 5 years. You must make the first payment at the time you submit the pipeline right-of-way application. You must make all subsequent payments before the respective time periods begin.

(e) Late payments. An interest charge will be assessed on unpaid and underpaid amounts from the date the amounts are due, in accordance with the provisions found in 30 CFR 218.54. If you fail to make a payment that is late after written notice from MMS, MMS may initiate cancellation of the right-of-use grant and easement under 30 CFR 250.1013.

[68 FR 69312, Dec. 12, 2003, as amended at 69 FR 29433, May 24, 2004]

## § 250.1013 Grounds for forfeiture of pipeline right-of-way grants.

Failure to comply with the Act, regulations, or any conditions of the right-of-way grant prescribed by the Regional Supervisor shall be grounds for forfeiture of the grant in an appropriate judicial proceeding instituted by the United States in any U.S. District Court having jurisdiction in accordance with the provisions of 43 U.S.C. 1349.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 55 FR 47753, Nov. 15, 1990; 59 FR 53094, Oct. 21, 1994; 62 FR 27955, May 22, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998; 64 FR 9065, Feb. 24, 1999. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

## § 250.1014 When pipeline right-of-way grants expire.

Any right-of-way granted under the provisions of this subpart remains in effect as long as the associated pipeline is properly maintained and used for the purpose for which the grant was made, unless otherwise expressly stated in the grant. Temporary cessation or suspension of pipeline operations shall not cause the grant to expire. However, if the purpose of the grant ceases to exist to use of the associated pipeline is permanently discontinued for any reason, the grant shall be deemed to have expired.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1989; 55 FR 47753, Nov. 15, 1990; 59 FR 53094, Oct. 21, 1994; 62 FR 27955, May 22, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 34597, June 25, 1998; 64 FR 9065, Feb. 24, 1999. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

## § 250.1015 Applications for pipeline right-of-way grants.

(a) You must submit an original and three copies of an application for a new or modified pipeline right-of-way grant to the Regional Supervisor. The application must address those items required by §250.1007 (a) or (b) of this subpart, as applicable. It must also state the primary purpose for which you will use the right-of-way grant. If the rightof-way has been used before the application is made, the application must state the date such use began, by whom, and the date the applicant obtained control of the improvement. When you file your application, you must pay the rental required under  $\S250.1009(c)(2)$  of this subpart and a non-refundable filing fee of \$2,350 for a pipeline right-of-way grant to install a new pipeline or a non-refundable filing fee of \$300 for a pipeline right-of-way grant to convert an existing lease term pipeline into a right-of-way pipeline. MMS periodically will amend the filing fee based on its experience with the costs for administering pipeline rightof-way applications. If the costs change by a percentage of not more than the percentage change in the CPI "U" since the last change to the filing fee, MMS will amend the application fee by the percentage of the change in costs without notice and opportunity for comment. If costs increase by a percentage more than the percentage change in the CPI "U" since the last change to the filing fee, MMS will provide notice and an opportunity to comment before it changes the filing fee. An application to modify an approved right-of-way grant shall be accompanied by the additional rental required \$250.1009(c)(2), if applicable. A separate application shall be filed for each right-of-way.

(b)(1) An individual applicant shall submit a statement of citizenship or nationality with the application. An applicant who is an alien lawfully admitted for permanent residence in the United States shall also submit evidence of such status with the application.

(2) If the applicant is an association (including a partnership), the application shall also be accompanied by a

certified copy of the articles of association or appropriate reference to a copy of such articles already filed with MMS and a statement as to any subsequent amendments.

- (3) If the applicant is a corporation, the application shall also include the following:
- (i) A statement certified by the Secretary or Assistant Secretary of the corporation with the corporate seal showing the State in which it is incorporated and the name of the person(s) authorized to act on behalf of the corporation, or
- (ii) In lieu of such a statement, an appropriate reference to statements or records previously submitted to MMS (including material submitted in compliance with prior regulations).
- (c) The application shall include a list of every lessee and right-of-way holder whose lease or right-of-way is intersected by the proposed right-of-way. The application shall also include a statement that a copy of the application has been sent by registered or certified mail to each such lessee or right-of-way holder.
- (d) The applicant shall include in the application an original and three copies of a completed Nondiscrimination in Employment form (YN 3341-1 dated July 1982). These forms are available at each MMS regional office.

[53 FR 10690, Apr. 1, 1988, as amended at 62 FR 39775, July 24, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 64 FR 42598, Aug. 5, 1999. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

#### § 250.1016 Granting pipeline rights-ofway.

(a) In considering an application for a right-of-way, the Regional Supervisor shall consider the potential effect of the associated pipeline on the human, marine, and coastal environments, life (including aquatic life), property, and mineral resources in the entire area during construction and operational phases. The Regional Supervisor shall prepare an environmental analysis in accordance with applicable policies and guidelines. To aid in the evaluation and determinations, the Regional Supervisor may request and consider views and recommendations of appro-

priate Federal Agencies, hold public meetings after appropriate notice, and consult, as appropriate, with State agencies, organizations, industries, and individuals. Before granting a pipeline right-of-way, the Regional Supervisor shall give consideration to any recommendation by the intergovernmental planning program, or similar process, for the assessment and management of OCS oil and gas transportation.

- (b) Should the proposed route of a right-of-way adjoin and subsequently cross any State submerged lands, the applicant shall submit evidence to the Regional Supervisor that the State(s) so affected has reviewed the application. The applicant shall also submit any comment received as a result of that review. In the event of a State recommendation to relocate the proposed route, the Regional Supervisor may consult with the appropriate State officials.
- (c)(1) The applicant shall submit photocopies of return receipts to the Regional Supervisor that indicate the date that each lessee or right-of-way holder referenced in §250.1010(c) of this part has received a copy of the application. Letters of no objection may be submitted in lieu of the return receipts.
- (2) The Regional Supervisor shall not take final action on a right-of-way application until the Regional Supervisor is satisfied that each such lessee or right-of-way holder has been afforded at least 30 days from the date determined in paragraph (c)(1) of this section in which to submit comments.
- (d) If a proposed right-of-way crosses any lands not subject to disposition by mineral leasing or restricted from oil and gas activities, it shall be rejected by the Regional Supervisor unless the Federal Agency with jurisdiction over such excluded or restricted area gives its consent to the granting of the right-of-way. In such case, the applicant, upon a request filed within 30 days after receipt of the notification of such rejection, shall be allowed an opportunity to eliminate the conflict.
- (e)(1) If the application and other required information are found to be in compliance with applicable laws and regulations, the right-of-way may be

granted. The Regional Supervisor may prescribe, as conditions to the right-of-way grant, stipulations necessary to protect human, marine, and coastal environments, life (including aquatic life), property, and mineral resources located on or adjacent to the right-of-way.

- (2) If the Regional Supervisor determines that a change in the application should be made, the Regional Supervisor shall notify the applicant that an amended application shall be filed subject to stipulated changes. The Regional Supervisor shall determine whether the applicant shall deliver copies of the amended application to other parties for comment.
- (3) A decision to reject an application shall be in writing and shall state the reasons for the rejection.

[53 FR 10690, Apr. 1, 1988, as amended at 54 FR 50617, Dec. 8, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

### § 250.1017 Requirements for construction under pipeline right-of-way grants.

- (a) Failure to construct the associated right-of-way pipeline within 5 years of the date of the granting of a right-of-way shall cause the grant to expire.
- (b)(1) A right-of-way holder shall ensure that the right-of-way pipeline is constructed in a manner that minimizes deviations from the right-of-way as granted.
- (2) If, after constructing the right-ofway pipeline, it is determined that a deviation from the proposed right-ofway as granted has occurred, the rightof-way holder shall—
- (i) Notify the operators of all leases and holders of all right-of-way grants in which a deviation has occurred, and within 60 days of the date of the acceptance by the Regional Supervisor of the completion of pipeline construction report, provide the Regional Supervisor with evidence of such notification; and
- (ii) Relinquish any unused portion of the right-of-way.
- (3) Substantial deviation of a rightof-way pipeline as constructed from the proposed right-of-way as granted may

be grounds for forfeiture of the right-of-way.

(c) If the Regional Supervisor determines that a significant change in conditions has occurred subsequent to the granting of a right-of-way but prior to the commencement of construction of the associated pipeline, the Regional Supervisor may suspend or temporarily prohibit the commencement of construction until the right-of-way grant is modified to the extent necessary to address the changed conditions.

[53 FR 10690, Apr. 1, 1988. Redesignated at 63 FR 29479, May 29, 1998. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

## \$250.1018 Assignment of pipeline right-of-way grants.

- (a) Assignment may be made of a right-of-way grant, in whole or of any lineal segment thereof, subject to the approval of the Regional Supervisor. An application for approval of an assignment of a right-of-way or of a lineal segment thereof, shall be filed in triplicate with the Regional Supervisor
- (b) Any application for approval for an assignment, in whole or in part, of any right, title, or interest in a rightof-way grant shall be accompanied by the same showing of qualifications of the assignees as is required of an applicant for a right-of-way in §250.1010 of this subpart and shall be supported by a statement that the assignee agrees to comply with and to be bound by the terms and conditions of the right-ofway grant. The assignee shall satisfy the bonding requirements §250.1009(b) of this part. No transfer shall be recognized unless and until it is first approved, in writing, by the Regional Supervisor. A nonrefundable filing fee of \$60 must accompany the application for the approval of an assignment. MMS periodically will amend the filing fee based on its experience with the costs for administering pipeline right-of-way assignment applications. If the costs increase by more than the CPI "U," MMS will provide notice and opportunity for comment before changing the filing fee. For lesser cost increases or cost reductions MMS

will change the fee without such procedures.

[53 FR 10690, Apr. 1, 1988, as amended at 62 FR 39775, July 24, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 2003]

## § 250.1019 Relinquishment of pipeline right-of-way grants.

A right-of-way grant or a portion thereof may be surrendered by the holder by filing a written relinquishment in triplicate with the Regional Supervisor. It must contain those items addressed in §\$250.1751 and 250.1752 of this part. A relinquishment shall take effect on the date it is filed subject to the satisfaction of all outstanding debts, fees, or fines and the requirements in §250.1009(c)(9) of this part.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 67 FR 35406, May 17, 2002. Further redesignated and amended at 68 FR 69311, 69312, Dec. 12, 20031

### Subpart K—Oil and Gas Production Rates

## § 250.1100 Definitions for production rates.

Terms used in this subpart shall have meanings given below:

Enhanced recovery operations means pressure maintenance operations, secondary and tertiary recovery, cycling, and similar recovery operations which alter the natural forces in a reservoir to increase the ultimate recovery of oil or gas.

*Gas reservoir* means a reservoir that contains hydrocarbons predominantly in a gaseous (single-phase) state.

Gas-well completion means a well completed in a gas reservoir or in the gas cap of an oil reservoir with an associated gas cap.

Maximum Efficient Rate (MER) means the maximum sustainable daily oil or gas withdrawal rate from a reservoir which will permit economic development and depletion of that reservoir without detriment to ultimate recovery.

Maximum Production Rate (MPR) means the approved maximum daily rate at which oil or gas may be pro-

duced from a specified oil-well or gaswell completion.

Nonsensitive reservoir means a reservoir in which ultimate recovery is not decreased by high reservoir production rates.

*Oil reservoir* means a reservoir that contains hydrocarbons predominantly in a liquid (single-phase) state.

Oil reservoir with an associated gas cap means a reservoir that contains hydrocarbons in both a liquid and gaseous (two-phase) state.

Oil-well completion means a well completed in an oil reservoir or in the oil accumulation of an oil reservoir with an associated gas cap.

Sensitive reservoir means a reservoir in which ultimate recovery is decreased by high reservoir production rates. A high reservoir production rate is one which exceeds the MER.

Waste of oil and gas means: (1) The physical waste of oil and gas; (2) the inefficient, excessive, or improper use of, or the unnecessary dissipation of reservoir energy; (3) the locating, spacing, drilling, equipping, operating, or producing of any oil or gas well(s) in a manner which causes or tends to cause a reduction in the quantity of oil or gas ultimately recoverable from a pool under prudent and proper operations or which causes or tends to cause unnecessary or excessive surface loss or destruction of oil or gas; or (4) the inefficient storage of oil.

## § 250.1101 General requirements and classification of reservoirs.

- (a) Wells and reservoirs shall be produced at rates that will provide economic development and depletion of the hydrocarbon resources in a manner that would maximize the ultimate recovery without adversely affecting correlative rights.
- (b) For directionally drilled wells in which the completed interval is closer than 500 feet from a unit or lease line or for vertically drilled wells in which the surface location is closer than 500 feet from a unit or lease line, for which the unit, lease, or royalty interests are not the same, the prior approval by the Regional Supervisor is required before production is commenced. An operator

requesting such an approval shall furnish the Regional Supervisor with letters expressing acceptance or objection from operators of offset properties.

- (c) The lessee shall propose a classification for each reservoir as an oil reservoir, an oil reservoir with an associated gas cap or a gas reservoir, and as sensitive or nonsensitive.
- (d) All oil reservoirs with associated gas caps shall be initially classified as sensitive and shall require establishing a maximum efficient production rate and balancing of production in accordance with §250.1102(a) (1) and (5) of this part. All other oil reservoirs and all gas reservoirs shall be initially classified as nonsensitive.
- (e) A reservoir may be reclassified by the Minerals Management Service (MMS) as to type and sensitivity at any time during its productive life when information becomes available showing that reclassification is warranted.

[53 FR 10690, Apr. 1, 1988. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

## §250.1102 Oil and gas production rates.

- (a) MER. (1) The lessee shall submit a proposed MER for each producing sensitive reservoir on Form MMS-127, Request for Reservoir Maximum Efficient Rate (MER), along with appropriate supporting information to the Regional Supervisor within 45 days after discovering that a reservoir is sensitive.
- (2) The lessee may propose to revise an MER by submitting Form MMS-127 with appropriate supporting information.
- (3) The effective date of an MER for a reservoir or revision thereof shall be the first day of the month in which Form MMS-127 is submitted.
- (4) When approved, the MER shall not be exceeded, except as provided in paragraph (a)(5) of this section.
- (5) If a reservoir is produced at a rate in excess of the MER for any month, the lessee should initiate measures necessary to balance production (offset overproduction by underproduction) during the next succeeding month. All overproduction shall be balanced by the end of the next succeeding calendar quarter following the quarter in which the overproduction occurred. Any oper-

ation in an overproduction status in any reservoir for two successive calendar quarters shall be shut in from that reservoir until the actual production is equal to that which would have occurred under the approved MER, unless an alternative plan is approved by the Regional Supervisor.

- (6) The lessee shall review the MER for each producing sensitive reservoir at least once a year and submit Form MMS-127 with appropriate supporting information.
- (7) The lessee may request the reclassification of a reservoir from sensitive to nonsensitive and request approval for termination of an MER by submitting Form MMS-127 with information supporting the reclassification and termination.
- (8) At the request of the Regional Supervisor, the lessee shall furnish the information specified on Form MMS-127 for any producing nonsensitive reservoir.
- (9) Public information copies of Form MMS-127 shall be submitted in accordance with  $\S 250.190$ .
- (b) MPR. (1) The lessee shall propose an MPR for each producing well completion together with full information on the method used in its determination. The MPR shall be based on well tests and any limitations imposed by well and surface equipment, sand production, gas-oil and water-oil ratios, location of perforated intervals, and prudent operating practices. The sum of the MPR's of wells completed in a sensitive reservoir shall not exceed the approved MER.
- (2) The lessee shall conduct a wellflow potential test within 30 days of the date of first continuous production on all new, recompleted, and reworked well completions. Within 15 days after the end of the test period, the lessee must submit a proposed MPR with well potential test for the individual well completion on Form MMS-126, Well Potential Test Report. The initial MPR shall not exceed 110 percent of the test rate submitted and shall be effective on the first day of the month following the end of the test period if approved by the Regional Supervisor. During the 30-day period allowed for testing, the lessee may produce a new, recompleted, or reworked completion at rates

necessary to establish the MPR. After the 30-day period and prior to approval of the initial MPR, a well completion may be produced at a rate not to exceed the proposed rate. The lessee shall report the total production obtained during the test period and shall identify all other wells completed in the reservoir on Form MMS-126.

- (3) At least one well test shall be conducted during a calendar half for producing oil-well and gas-well completions and results submitted on Form MMS-128, Semiannual Well Test Report. Well tests shall be submitted within 45 days of the day the test was conducted.
- (4) Unless otherwise ordered by the Regional Supervisor, a revised MPR shall automatically be approved for each well completion for each well test submitted equal to 110 percent of the test rate. The revised MPR will be effective on the first day of the month following the date the well test was conducted. Prior to the approval of a proposed increase of the MPR, a well completion may be produced at a rate not to exceed the proposed increased rate.
- (5) When a well test is not submitted during a calendar half for a producing oil-well or gas-well completion, the MPR will be automatically canceled effective on the first day of the appropriate following calendar half.
- (6) When the results of a semiannual well test for an oil-well or gas-well completion cannot be submitted within the specified time, the lessee shall request an extension of time for submitting those test results. The extension must be approved in advance by the Regional Supervisor to continue production under the last approved MPR.
- (7) When approved by the Regional Supervisor, an MPR shall not be exceeded, except as provided in paragraphs (b)(4) and (c) of this section.
- (8) Public Information copies of Form MMS-126 shall be submitted in accordance with §250.190.
- (9) Public information copies of Form MMS-128 shall be submitted in accordance with §250.190.
- (c) *Temporary rates.* Temporary production rates resulting from normal variations and fluctuations exceeding a well MPR or reservoir MER shall not

be considered a violation, provided that such production in excess of an approved MER is balanced by production in accordance with the provisions of paragraph (a)(5) of this section.

[53 FR 10690, Apr. 1, 1988, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 64 FR 72794, Dec. 28, 1999; 65 FR 2875, Jan. 19, 20001

#### §250.1103 Well production testing.

- (a) The required well testing shall be conducted for a period of not less than four consecutive hours. Immediately prior to the 4-hour test period, the well completion shall have produced under stabilized conditions for a period of not less than six consecutive hours. The 6hour pretest period shall not begin until after the recovery of a volume of fluid equivalent to the amount of fluids introduced into the formation during completion, recompletion, reworking, or treatment operations. Measured gas volumes shall be adjusted to the standard conditions of 14.73 pounds per square inch absolute (psia) (15.025 psia in the Gulf of Mexico OCS Region) and 60 °F for all tests. When orifice meters are used, a specific gravity for the gas shall be obtained or estimated, and a specific gravity-correction factor shall be applied to the orifice coefficient. The Regional Supervisor may require a prolonged test or retest of a well completion if the test is determined to be necessary for the establishment of a well MPR or a reservoir MER. The Regional Supervisor may approve test periods of less than 4 hours and pretest stabilization periods of less than 6 hours for well completions provided that test reliability can be demonstrated under such procedures.
- (b) At the request of the Regional Supervisor, the lessee shall conduct a multipoint back-pressure test to determine the theoretical open-flow potential of a gas well. The test shall be conducted within 30 days of the Regional Supervisor's request or within the time period specified by the Regional Supervisor.
- (c) An MMS representative may witness any well test of oil-well and gaswell completions. Upon request, a lessee shall provide advance notice to the

Regional Supervisor of the time and date of well tests.

#### § 250.1104 Bottomhole pressure survey.

- (a) For each new reservoir, the lessee shall conduct a static bottomhole pressure survey within 3 months after the date of first continuous production.
- (b) For each producing reservoir with three or more producing completions, the lessee shall conduct annual static bottomhole pressure surveys in a sufficient number of key wells to establish an average reservoir pressure. The Regional Supervisor may require that a survey be performed on specific wells.
- (c) The results of all static bottomhole pressure surveys obtained by the lessee shall be filed with the Regional Supervisor within 60 days after the date of the survey.

# § 250.1105 Flaring or venting gas and burning liquid hydrocarbons.

- (a) Lessees may flare or vent oil-well gas or gas-well gas without receiving prior approval from the Regional Supervisor only in the following situations:
- (1) When gas vapors are flared or vented in small volumes from storage vessels or other low-pressure production vessels and cannot be economically recovered.
- (2) During an equipment failure or to relieve system pressures. The lessee must comply with the following conditions:
- (i) Lessees must not flare or vent oilwell gas for more than 48 continuous hours unless the Regional Supervisor approves. The Regional Supervisor may specify a limit of less than 48 hours to prevent air quality degradation.
- (ii) Lessees must not flare or vent gas from a facility for more than 144 cumulative hours during any calendar month unless the Regional Supervisor approves.

(iii) Lessees must not flare or vent gas-well gas beyond the time required to eliminate an emergency unless the Regional Supervisor approves.

(3) During the unloading or cleaning of a well, drill-stem testing, production testing, or other well-evaluation testing. Flaring or venting must not exceed 48 cumulative hours per testing operation on a single completion. The

Regional Supervisor may allow less time to prevent air quality degradation or more time if lessees need additional time to evaluate reservoir parameters.

- (b) Lessees may flare or vent oil-well gas for up to 1 year when the Regional Supervisor approves the request for one of the following reasons:
- (1) The lessee initiated an action which, when completed, will eliminate flaring and venting; or
- (2) The lessee submitted an evaluation supported by engineering, geologic, and economic data indicating that either:
- (i) The oil and gas produced from the well(s) will not economically support the facilities necessary to save and/or sell the gas; or
- (ii) There is not enough gas to market.
- (c) Lessees may burn produced liquid hydrocarbons only if the Regional Supervisor approves. To burn produced liquid hydrocarbons, the lessee must demonstrate that the amounts to burn would be minimal, or that the alternatives are infeasible or pose a significant risk that may harm offshore personnel or the environment. Alternatives to burning liquid hydrocarbons include transporting the liquids or storing and re-injecting them into a producible zone.
- (d) Lessees must prepare records detailing gas flaring or venting and liquid hydrocarbon burning for each facility. The records must include, at a minimum:
- Daily volumes of gas flared or vented and liquid hydrocarbons burned;
- (2) Number of hours of flaring, venting, or burning on a daily basis;
- (3) Reasons for flaring, venting, or burning; and
- (4) A list of the wells contributing to flaring, venting, or burning, along with the gas-oil ratio data.
- (e) Lessees must keep these records for at least 2 years. Lessees must allow Minerals Management Service representatives to inspect the records at the lessees' field office that is nearest the Outer Continental Shelf facility, or at another location agreed to by the Regional Supervisor. If the Regional Supervisor requests to see the records, lessees must provide a copy.

- (f) Requirements for flaring and venting of gas containing  $H_2S$ —(1) Flaring of gas containing  $H_2S$ . (i) The Regional Supervisor may, for safety or air pollution prevention purposes, further restrict the flaring of gas containing  $H_2S$ . The Regional Supervisor will use information provided in the lessee's  $H_2S$  Contingency Plan (§250.490(f)), Exploration Plan or Development and Production Plan, and associated documents in determining the need for such restrictions.
- (ii) If the Regional Supervisor determines that flaring at a facility or group of facilities may significantly affect the air quality of an onshore area, the Regional Supervisor may require the operator(s) to conduct an air quality modeling analysis to determine the potential effect of facility emissions on onshore ambient concentrations of SO<sub>2</sub>. The Regional Supervisor may require monitoring and reporting or may restrict or prohibit flaring pursuant to §§ 250.303 and 250.304.
- (2) Venting of gas containing  $H_2S$ . You must not vent gas containing  $H_2S$  except for minor releases during maintenance and repair activities that do not result in a 15-minute time weighted average atmospheric concentration of  $H_2S$  of 20 ppm or higher anywhere on the platform.
- (3) Reporting flared gas containing  $H_2S$ . In addition to the recordkeeping requirements of paragraphs (d) and (e) of this section, when required by the Regional Supervisor, the operator must submit to the Regional Supervisor a monthly report of flared and vented gas containing  $H_2S$ . The report must contain the following information:
- (i) On a daily basis, the volume and duration of each flaring episode;
- (ii)  $H_2S$  concentration in the flared gas; and
- (iii) Calculated amount of  $SO_2$  emitted.

[61 FR 25148, May 20, 1996, as amended at 62 FR 3800, Jan. 27, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 68 FR 8435, Feb. 20, 2003]

#### §250.1106 Downhole commingling.

(a) An application to commingle hydrocarbons produced from multiple reservoirs within a common wellbore shall

be submitted to the Regional Supervisor for approval and shall include all pertinent well information, geologic and reservoir engineering data, and a schematic diagram of well equipment. The application shall provide the estimated recoverable reserves as well as any available alternate drainage points which might be used to produce the reservoirs separately.

- (b) For a competitive reservoir, notice of intent to submit the application shall be sent by the applicant to all other lessees having an interest in the reservoir prior to submitting the application to the Regional Supervisor.
- (c) The application shall specify the well-completion number to be used for subsequent reporting purposes.

# § 250.1107 Enhanced oil and gas recovery operations.

- (a) The lessee shall timely initiate enhanced oil and gas recovery operations for all competitive and noncompetitive reservoirs where such operations would result in an increased ultimate recovery of oil or gas under sound engineering and economic principles.
- (b) A proposed plan for pressure maintenance, secondary and tertiary recovery, cycling, and similar recovery operations to increase the ultimate recovery of oil and/or gas from a reservoir shall be submitted to the Regional Supervisor for approval before such operations are initiated.
- (c) Periodic reports of the volumes of oil, gas, or other substances injected, produced, or reproduced shall be submitted as required by the Regional Supervisor.

#### Subpart L—Oil and Gas Production Measurement, Surface Commingling, and Security

SOURCE: 63 FR 26370, May 12, 1998, unless otherwise noted. Redesignated at 63 FR 29479, May 29, 1998.

#### § 250.1200 Question index table.

The table in this section lists questions concerning Oil and Gas Production Measurement, Surface Commingling, and Security.

Frequently asked questions	CFR citation
What are the requirements for measuring liquid hydrocarbons?	§ 250.1202(a)
2. What are the requirements for liquid hydrocarbon royalty meters?	§ 250.1202(b)
3. What are the requirements for run tickets?	§ 250.1202(c)
4. What are the requirements for liquid hydrocarbon royalty meter provings?	§ 250.1202(d)
5. What are the requirements for calibrating a master meter used in royalty meter provings?	§ 250.1202(e)
<ol> <li>What are the requirements for calibrating mechanical-displacement provers and tank provers?</li> <li>What correction factors must a lessee use when proving meters with a mechanical displacement prover,</li> </ol>	§ 250.1202(f)
tank prover, or master meter?	§ 250.1202(g)
8. What are the requirements for establishing and applying operating meter factors for liquid hydrocarbons?	§ 250.1202(h)
9. Under what circumstances does a liquid hydrocarbon royalty meter need to be taken out of service, and	
what must a lessee do?	§ 250.1202(i)
0. How must a lessee correct gross liquid hydrocarbon volumes to standard conditions?	
1. What are the requirements for liquid hydrocarbon allocation meters?	
2. What are the requirements for royalty and inventory tank facilities?	
3. To which meters do MMS requirements for gas measurement apply?	§ 250.1203(a)
4. What are the requirements for measuring gas?	
5. What are the requirements for gas meter calibrations?	§ 250.1203(c)
6. What must a lessee do if a gas meter is out of calibration or malfunctioning?	§ 250.1203(d)
7. What are the requirements when natural gas from a Federal lease is transferred to a gas plant before	
royalty determination?	§ 250.1203(e)
8. What are the requirements for measuring gas lost or used on a lease?	§ 250.1203(f)
9. What are the requirements for the surface commingling of production?	
0. What are the requirements for a periodic well test used for allocation?	§ 250.1204(b)
1. What are the requirements for site security?	§ 250.1205(a)
2. What are the requirements for using seals?	§ 250.1205(b)

[63 FR 26370, May 12, 1998. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

#### § 250.1201 Definitions.

Terms not defined in this section have the meanings given in the applicable chapter of the API MPMS, which is incorporated by reference in 30 CFR 250.198. Terms used in Subpart L have the following meaning:

Allocation meter—a meter used to determine the portion of hydrocarbons attributable to one or more platforms, leases, units, or wells, in relation to the total production from a royalty or allocation measurement point.

API MPMS—the American Petroleum Institute's Manual of Petroleum Measurement Standards, chapters 1, 20, and 21.

British Thermal Unit (Btu)—the amount of heat needed to raise the temperature of one pound of water from 59.5 degrees Fahrenheit (59.5  $^{\circ}$ F) to 60.5 degrees Fahrenheit (60.5  $^{\circ}$ F) at standard pressure base (14.73 pounds per square inch absolute (psia)).

Calibration—testing (verifying) and correcting, if necessary, a measuring device to industry accepted, manufacturer's recommended, or regulatory required standard of accuracy.

Compositional Analysis—separating mixtures into identifiable components expressed in mole percent.

Gas lost—gas that is neither sold nor used on the lease or unit nor used internally by the producer.

Gas processing plant—an installation that uses any process designed to remove elements or compounds (hydrocarbon and non-hydrocarbon) from gas, including absorption, adsorption, or refrigeration. Processing does not include treatment operations, including those necessary to put gas into marketable conditions such as natural pressure reduction, mechanical separation, heating, cooling, dehydration, desulphurization, and compression. The changing of pressures or temperatures in a reservoir is not processing.

Gas processing plant statement—a monthly statement showing the volume and quality of the inlet or field gas stream and the plant products recovered during the period, volume of plant fuel, flare and shrinkage, and the allocation of these volumes to the sources of the inlet stream.

Gas royalty meter malfunction—an error in any component of the gas measurement system which exceeds contractual tolerances.

Gas volume statement—a monthly statement showing gas measurement data, including the volume (Mcf) and

quality (Btu) of natural gas which flowed through a meter.

Inventory tank—a tank in which liquid hydrocarbons are stored prior to royalty measurement. The measured volumes are used in the allocation process.

Liquid hydrocarbons (free liquids)—hydrocarbons which exist in liquid form at standard conditions after passing through separating facilities.

*Malfunction factor*—a liquid hydrocarbon royalty meter factor that differs from the previous meter factor by an amount greater than 0.0025.

Natural gas—a highly compressible, highly expandable mixture of hydrocarbons which occurs naturally in a gaseous form and passes a meter in vapor phase.

Operating meter—a royalty or allocation meter that is used for gas or liquid hydrocarbon measurement for any period during a calibration cycle.

*Pressure base*—the pressure at which gas volumes and quality are reported. The standard pressure base is 14.73 psia.

*Prove*—to determine (as in meter proving) the relationship between the volume passing through a meter at one set of conditions and the indicated volume at those same conditions.

*Pipeline (retrograde) condensate*—liquid hydrocarbons which drop out of the separated gas stream at any point in a pipeline during transmission to shore.

Royalty meter—a meter approved for the purpose of determining the volume of gas, oil, or other components removed, saved, or sold from a Federal lease.

Royalty tank—an approved tank in which liquid hydrocarbons are measured and upon which royalty volumes are based.

Run ticket—the invoice for liquid hydrocarbons measured at a royalty point.

Sales meter—a meter at which custody transfer takes place (not necessarily a royalty meter).

*Seal*—a device or approved method used to prevent tampering with royalty measurement components.

Standard conditions—atmospheric pressure of 14.73 pounds per square inch absolute (psia) and 60  $^{\circ}$ F.

Surface commingling—the surface mixing of production from two or more

leases or units prior to measurement for royalty purposes.

Temperature base—the temperature at which gas and liquid hydrocarbon volumes and quality are reported. The standard temperature base is 60 °F.

You or your—the lessee or the operator or other lessees' representative engaged in operations in the Outer Continental Shelf (OCS).

[63 FR 26370, May 12, 1998. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 64 FR 72794, Dec. 28, 1999]

#### § 250.1202 Liquid hydrocarbon measurement.

- (a) What are the requirements for measuring liquid hydrocarbons? You must:
- (1) Submit a written application to, and obtain approval from, the Regional Supervisor before commencing liquid hydrocarbon production or making changes to previously approved measurement procedures;
- (2) Use measurement equipment that will accurately measure the liquid hydrocarbons produced from a lease or unit;
- (3) Use procedures and correction factors according to the applicable chapters of the API MPMS as incorporated by reference in 30 CFR 250.198, when obtaining net standard volume and associated measurement parameters; and
- (4) When requested by the Regional Supervisor, provide the pipeline (retrograde) condensate volumes as allocated to the individual leases or units.
- (b) What are the requirements for liquid hydrocarbon royalty meters? You must:
- (1) Ensure that the royalty meter facilities include the following approved components (or other MMS-approved components) which must be compatible with their connected systems:
- (i) A meter equipped with a nonreset totalizer;
- (ii) A calibrated mechanical displacement (pipe) prover, master meter, or tank prover;
- (iii) A proportional-to-flow sampling device pulsed by the meter output;
- (iv) A temperature measurement or temperature compensation device; and
- (v) A sediment and water monitor with a probe located upstream of the divert valve.
- (2) Ensure that the royalty meter facilities accomplish the following:

- (i) Prevent flow reversal through the meter:
- (ii) Protect meters subjected to pressure pulsations or surges;
- (iii) Prevent the meter from being subjected to shock pressures greater than the maximum working pressure; and
  - (iv) Prevent meter bypassing.
- (3) Maintain royalty meter facilities to ensure the following:
- (i) Meters operate within the gravity range specified by the manufacturer;
- (ii) Meters operate within the manufacturer's specifications for maximum and minimum flow rate for linear accuracy; and
- (iii) Meters are reproven when changes in metering conditions affect the meters' performance such as changes in pressure, temperature, density (water content), viscosity, pressure, and flow rate.
- (4) Ensure that sampling devices conform to the following:
- (i) The sampling point is in the flowstream immediately upstream or downstream of the meter or divert valve (in accordance with the API MPMS as incorporated by reference in 30 CFR 250.198);
- (ii) The sample container is vaportight and includes a power mixing device to allow complete mixing of the sample before removal from the container; and
- (iii) The sample probe is in the center half of the pipe diameter in a vertical run and is located at least three pipe diameters downstream of any pipe fitting within a region of turbulent flow. The sample probe can be located in a horizontal pipe if adequate stream conditioning such as power mixers or static mixers are installed upstream of the probe according to the manufacturer's instructions.
- (c) What are the requirements for run tickets? You must:
- (1) For royalty meters, ensure that the run tickets clearly identify all observed data, all correction factors not included in the meter factor, and the net standard volume.
- (2) For royalty tanks, ensure that the run tickets clearly identify all observed data, all applicable correction factors, on/off seal numbers, and the net standard volume.

- (3) Pull a run ticket at the beginning of the month and immediately after establishing the monthly meter factor or a malfunction meter factor.
- (4) Send all run tickets for royalty meters and tanks to the Regional Supervisor within 15 days after the end of the month:
- (d) What are the requirements for liquid hydrocarbon royalty meter provings? You must:
- (1) Permit MMS representatives to witness provings;
- (2) Ensure that the integrity of the prover calibration is traceable to test measures certified by the National Institute of Standards and Technology;
- (3) Prove each operating royalty meter to determine the meter factor monthly, but the time between meter factor determinations must not exceed 42 days;
- (4) Obtain approval from the Regional Supervisor before proving on a schedule other than monthly; and
- (5) Submit copies of all meter proving reports for royalty meters to the Regional Supervisor monthly within 15 days after the end of the month.
- (e) What are the requirements for calibrating a master meter used in royalty meter provings? You must:
- (1) Calibrate the master meter to obtain a master meter factor before using it to determine operating meter factors;
- (2) Use a fluid of similar gravity, viscosity, temperature, and flow rate as the liquid hydrocarbons that flow through the operating meter to calibrate the master meter;
- (3) Calibrate the master meter monthly, but the time between calibrations must not exceed 42 days;
- (4) Calibrate the master meter by recording runs until the results of two consecutive runs (if a tank prover is used) or five out of six consecutive runs (if a mechanical-displacement prover is used) produce meter factor differences of no greater than 0.0002. Lessees must use the average of the two (or the five) runs that produced acceptable results to compute the master meter factor;
- (5) Install the master meter upstream of any back-pressure or reverse flow check valves associated with the operating meter. However, the master

meter may be installed either upstream or downstream of the operating meter; and

- (6) Keep a copy of the master meter calibration report at your field location for 2 years.
- (f) What are the requirements for calibrating mechanical-displacement provers and tank provers? You must:
- (1) Calibrate mechanical-displacement provers and tank provers at least once every 5 years according to the API MPMS as incorporated by reference in 30 CFR 250.101; and
- (2) Submit a copy of each calibration report to the Regional Supervisor within 15 days after the calibration.
- (g) What correction factors must I use when proving meters with a mechanical-displacement prover, tank prover, or master meter? Calculate the following correction factors using the API MPMS as referenced in 30 CFR 250.198:
- (1) The change in prover volume due to the effect of temperature on steel (Cts);
- (2) The change in prover volume due to the effect of pressure on steel (Cps);
- (3) The change in liquid volume due to the effect of temperature on a liquid (Ctl); and
- (4) The change in liquid volume due to the effect of pressure on a liquid (Cpl).
- (h) What are the requirements for establishing and applying operating meter factors for liquid hydrocarbons? (1) If you use a mechanical-displacement prover, you must record proof runs until five out of six consecutive runs produce a difference between individual runs of no greater than .05 percent. You must use the average of the five accepted runs to compute the meter factor.
- (2) If you use a master meter, you must record proof runs until three consecutive runs produce a total meter factor difference of no greater than 0.0005. The flow rate through the meters during the proving must be within 10 percent of the rate at which the line meter will operate. The final meter factor is determined by averaging the meter factors of the three runs;
- (3) If you use a tank prover, you must record proof runs until two consecutive runs produce a meter factor difference of no greater than .0005. The final meter factor is determined by aver-

aging the meter factors of the two runs; and

- (4) You must apply operating meter factors forward starting with the date of the proving.
- (i) Under what circumstances does a liquid hydrocarbon royalty meter need to be taken out of service, and what must I do? (1) If the difference between the meter factor and the previous factor exceeds 0.0025 it is a malfunction factor, and you must:
- (i) Remove the meter from service and inspect it for damage or wear;
- (ii) Adjust or repair the meter, and reprove it;
- (iii) Apply the average of the malfunction factor and the previous factor to the production measured through the meter between the date of the previous factor and the date of the malfunction factor; and
- (iv) Indicate that a meter malfunction occurred and show all appropriate remarks regarding subsequent repairs or adjustments on the proving report.
- (2) If a meter fails to register production, you must:
- (i) Remove the meter from service, repair and reprove it;
- (ii) Apply the previous meter factor to the production run between the date of that factor and the date of the failure: and
- (iii) Estimate and report unregistered production on the run ticket.
- (3) If the results of a royalty meter proving exceed the run tolerance criteria and all measures excluding the adjustment or repair of the meter cannot bring results within tolerance, you must:
- (i) Establish a factor using proving results made before any adjustment or repair of the meter; and
- (ii) Treat the established factor like a malfunction factor (see paragraph (i)(1) of this section).
- (j) How must I correct gross liquid hydrocarbon volumes to standard conditions? To correct gross liquid hydrocarbon volumes to standard conditions, you must:
- (1) Include Cpl factors in the meter factor calculation or list and apply them on the appropriate run ticket.
- (2) List Ctl factors on the appropriate run ticket when the meter is not automatically temperature compensated.

- (k) What are the requirements for liquid hydrocarbon allocation meters? For liquid hydrocarbon allocation meters you must:
- (1) Take samples continuously proportional to flow or daily (use the procedure in the applicable chapter of the API MPMS as incorporated by reference in 30 CFR 250.198;
- (2) For turbine meters, take the sample proportional to the flow only;
- (3) Prove allocation meters monthly if they measure 50 or more barrels per day per meter; or
- (4) Prove allocation meters quarterly if they measure less than 50 barrels per day per meter;
- (5) Keep a copy of the proving reports at the field location for 2 years;
- (6) Adjust and reprove the meter if the meter factor differs from the previous meter factor by more than 2 percent and less than 7 percent;
- (7) For turbine meters, remove from service, inspect and reprove the meter if the factor differs from the previous meter factor by more than 2 percent and less than 7 percent;
- (8) Repair and reprove, or replace and prove the meter if the meter factor differs from the previous meter factor by 7 percent or more; and
- (9) Permit MMS representatives to witness provings.
- (l) What are the requirements for royalty and inventory tank facilities? You must:
- (1) Equip each royalty and inventory tank with a vapor-tight thief hatch, a vent-line valve, and a fill line designed to minimize free fall and splashing;
- (2) For royalty tanks, submit a complete set of calibration charts (tank tables) to the Regional Supervisor before using the tanks for royalty measurement;
- (3) For inventory tanks, retain the calibration charts for as long as the tanks are in use and submit them to the Regional Supervisor upon request; and
- (4) Obtain the volume and other measurement parameters by using correction factors and procedures in the

API MPMS as incorporated by reference in 30 CFR 250.198.

[63 FR 26370, May 12, 1998. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 33853, June 22, 1998; 64 FR 72794, Dec. 28 1999]

#### § 250.1203 Gas measurement.

- (a) To which meters do MMS requirements for gas measurement apply? MMS requirements for gas measurements apply to all OCS gas royalty and allocation meters.
- (b) What are the requirements for measuring gas? You must:
- (1) Submit a written application to, and obtain approval from, the Regional Supervisor before commencing gas production or making changes to previously approved measurement procedures.
- (2) Design, install, use, maintain, and test measurement equipment to ensure accurate and verifiable measurement. You must follow the recommendations in API MPMS as incorporated by reference in 30 CFR 250.198.
- (3) Ensure that the measurement components demonstrate consistent levels of accuracy throughout the system.
- (4) Equip the meter with a chart or electronic data recorder. If an electronic data recorder is used, you must follow the recommendations in API MPMS as referenced in 30 CFR 250.198.
- (5) Take proportional-to-flow or spot samples upstream or downstream of the meter at least once every 6 months.
- (6) When requested by the Regional Supervisor, provide available information on the gas quality.
- (7) Ensure that standard conditions for reporting gross heating value (Btu) are at a base temperature of 60 °F and at a base pressure of 14.73 psia and reflect the same degree of water saturation as in the gas volume.
- (8) When requested by the Regional Supervisor, submit copies of gas volume statements for each requested gas meter. Show whether gas volumes and gross Btu heating values are reported at saturated or unsaturated conditions; and
- (9) When requested by the Regional Supervisor, provide volume and quality statements on dispositions other than those on the gas volume statement.

- (c) What are the requirements for gas meter calibrations? You must:
- (1) Calibrate meters monthly, but do not exceed 42 days between calibrations;
- (2) Calibrate each meter by using the manufacturer's specifications;
- (3) Conduct calibrations as close as possible to the average hourly rate of flow since the last calibration;
- (4) Retain calibration reports at the field location for 2 years, and send the reports to the Regional Supervisor upon request; and
- (5) Permit MMS representatives to witness calibrations.
- (d) What must I do if a gas meter is out of calibration or malfunctioning? If a gas meter is out of calibration or malfunctioning, you must:
- (1) If the readings are greater than the contractual tolerances, adjust the meter to function properly or remove it from service and replace it.
- (2) Correct the volumes to the last acceptable calibration as follows:
- (i) If the duration of the error can be determined, calculate the volume adjustment for that period.
- (ii) If the duration of the error cannot be determined, apply the volume adjustment to one-half of the time elapsed since the last calibration or 21 days, whichever is less.
- (e) What are the requirements when natural gas from a Federal lease on the OCS is transferred to a gas plant before royalty determination? If natural gas from a Federal lease on the OCS is transferred to a gas plant before royalty determination:
- (Ĭ) You must provide the following to the Regional Supervisor upon request:
- (i) A copy of the monthly gas processing plant allocation statement; and
- (ii) Gross heating values of the inlet and residue streams when not reported on the gas plant statement.
- (2) You must permit MMS to inspect the measurement and sampling equipment of natural gas processing plants that process Federal production.
- (f) What are the requirements for measuring gas lost or used on a lease? (1) You must either measure or estimate the volume of gas lost or used on a lease.
- (2) If you measure the volume, document the measurement equipment used and include the volume measured.

- (3) If you estimate the volume, document the estimating method, the data used, and the volumes estimated.
- (4) You must keep the documentation, including the volume data, easily obtainable for inspection at the field location for at least 2 years, and must retain the documentation at a location of your choosing for at least 7 years after the documentation is generated, subject to all other document retention and production requirements in 30 U.S.C. 1713 and 30 CFR part 212.
- (5) Upon the request of the Regional Supervisor, you must provide copies of the records.

[63 FR 26370, May 12, 1998. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 63 FR 33853, June 22, 1998; 64 FR 72794, Dec. 28, 1999]

#### §250.1204 Surface commingling.

- (a) What are the requirements for the surface commingling of production? You must:
- (1) Submit a written application to, and obtain approval from, the Regional supervisor before commencing the commingling of production or making changes to previously approved commingling applications.
- (2) Upon the request of the Regional Supervisor, lessees who deliver State lease production into a Federal commingling system must provide volumetric or fractional analysis data on the State lease production through the designated system operator.
- (b) What are the requirements for a periodic well test used for allocation? You must
- (1) Conduct a well test at least once every 2 months unless the Regional Supervisor approves a different frequency;
- (2) Follow the well test procedures in 30 CFR part 250, Subpart K; and
- (3) Retain the well test data at the field location for 2 years.

[63 FR 26370, May 12, 1998. Redesignated at 63 FR 29479, May 29, 1998; 63 FR 33853, June 22, 1998]

#### §250.1205 Site security.

- (a) What are the requirements for site security? You must:
- (1) Protect Federal production against production loss or theft;

- (2) Post a sign at each royalty or inventory tank which is used in the royalty determination process. The sign must contain the name of the facility operator, the size of the tank, and the tank number:
- (3) Not bypass MMS-approved liquid hydrocarbon royalty meters and tanks; and
- (4) Report the following to the Regional Supervisor as soon as possible, but no later than the next business day after discovery:
- (i) Theft or mishandling of production;
- (ii) Tampering or bypassing any component of the royalty measurement facility; and
- (iii) Falsifying production measurements.
- (b) What are the requirements for using seals? You must:
- (1) Seal the following components of liquid hydrocarbon royalty meter installations to ensure that tampering cannot occur without destroying the seal:
- (i) Meter component connections from the base of the meter up to and including the register;
- (ii) Sampling systems including packing device, fittings, sight glass, and container lid:
- (iii) Temperature and gravity compensation device components;
- (iv) All valves on lines leaving a royalty or inventory storage tank, including load-out line valves, drain-line valves, and connection-line valves between royalty and non-royalty tanks; and
- (v) Any additional components required by the Regional Supervisor.
- (2) Seal all bypass valves of gas royalty and allocation meters.
- (3) Number and track the seals and keep the records at the field location for at least 2 years; and
- (4) Make the records of seals available for MMS inspection.

#### Subpart M—Unitization

SOURCE:  $62\ FR\ 5331,\ Feb.\ 5,\ 1997,\ unless otherwise noted.$  Redesignated at  $63\ FR\ 29479,\ May\ 29,\ 1998.$ 

### § 250.1300 What is the purpose of this subpart?

This subpart explains how Outer Continental Shelf (OCS) leases are unitized. If you are an OCS lessee, use the regulations in this subpart for both competitive reservoir and unitization situations. The purpose of joint development and unitization is to:

- (a) Conserve natural resources;
- (b) Prevent waste; and/or
- (c) Protect correlative rights, including Federal royalty interests.

### § 250.1301 What are the requirements for unitization?

- (a) Voluntary unitization. You and other OCS lessees may ask the Regional Supervisor to approve a request for voluntary unitization. The Regional Supervisor may approve the request for voluntary unitization if unitized operations:
- (1) Promote and expedite exploration and development; or
- (2) Prevent waste, conserve natural resources, or protect correlative rights, including Federal royalty interests, of a reasonably delineated and productive reservoir.
- (b) *Compulsory unitization.* The Regional Supervisor may require you and other lessees to unitize operations if unitized operations are necessary to:
  - (1) Prevent waste;
  - (2) Conserve natural resources; or
- (3) Protect correlative rights, including Federal royalty interests, of a reasonably delineated and productive reservoir.
- (c) *Unit area*. The area that a unit includes is the minimum number of leases that will allow the lessees to minimize the number of platforms, facility installations, and wells necessary for efficient exploration, development, and production of mineral deposits, oil and gas reservoirs, or potential hydrocarbon accumulations. A unit may include whole leases or portions of leases.
- (d) *Unit agreement.* You, the other lessees, and the unit operator must enter into a unit agreement. The unit agreement must: allocate benefits to unitized leases, designate a unit operator, and specify the effective date of the unit agreement. The unit agreement must terminate when: the unit no

longer produces unitized substances, and the unit operator no longer conducts drilling or well-workover operations (§250.180) under the unit agreement, unless the Regional Supervisor orders or approves a suspension of production under §250.170.

- (e) *Unit operating agreement.* The unit operator and the owners of working interests in the unitized leases must enter into a unit operating agreement. The unit operating agreement must describe how all the unit participants will apportion all costs and liabilities incurred maintaining or conducting operations. When a unit involves one or more net-profit-share leases, the unit operating agreement must describe how to attribute costs and credits to the net-profit-share lease(s), and this part of the agreement must be approved by the Regional Supervisor. Otherwise, you must provide a copy of the unit operating agreement to the Regional Supervisor, but the Regional Supervisor does not need to approve the unit operating agreement.
- (f) Extension of a lease covered by unit operations. If your unit agreement expires or terminates, or the unit area adjusts so that no part of your lease remains within the unit boundaries, your lease expires unless:
  - (1) Its initial term has not expired;
- (2) You conduct drilling, production, or well-reworking operations on your lease consistent with applicable regulations; or
- (3) MMS orders or approves a suspension of production or operations for your lease.
- (g) Unit operations. If your lease, or any part of your lease, is subject to a unit agreement, the entire lease continues for the term provided in the lease, and as long thereafter as any portion of your lease remains part of the unit area, and as long as operations continue the unit in effect.
- (1) If you drill, produce or perform well-workover operations on a lease within a unit, each lease, or part of a lease, in the unit will remain active in accordance with the unit agreement. Following a discovery, if your unit ceases drilling activities for a reasonable time period between the delineation of one or more reservoirs and the initiation of actual development drill-

ing or production operations and that time period would extend beyond your lease's primary term or any extension under §250.180, the unit operator must request and obtain MMS approval of a suspension of production under §250.170 in order to keep the unit from terminating.

- (2) When a lease in a unit agreement is beyond the primary term and the lease or unit is not producing, the lease will expire unless:
- (i) You conduct a continuous drilling or well reworking program designed to develop or restore the lease or unit production; or
- (ii) MMS orders or approves a suspension of operations under §250.170.

[62 FR 5331, Feb. 5, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998; 64 FR 72794, Dec. 28, 1999]

# § 250.1302 What if I have a competitive reservoir on a lease?

- (a) The Regional Supervisor may require you to conduct development and production operations in a competitive reservoir under either a joint Development and Production Plan or a unitization agreement. A competitive reservoir has one or more producing or producible well completions on each of two or more leases, or portions of leases, with different lease operating interests. For purposes of this paragraph, a producible well completion is a well which is capable of production and which is shut in at the well head or at the surface but not necessarily connected to production facilities and from which the operator plans future production.
- (b) You may request that the Regional Supervisor make a preliminary determination whether a reservoir is competitive. When you receive the preliminary determination, you have 30 days (or longer if the Regional Supervisor allows additional time) to concur or to submit an objection with supporting evidence if you do not concur. The Regional Supervisor will make a final determination and notify you and the other lessees.
- (c) If you conduct drilling or production operations in a reservoir determined competitive by the Regional Supervisor, you and the other affected lessees must submit for approval a

joint plan of operations. You must submit the joint plan within 90 days after the Regional Supervisor makes a final determination that the reservoir is competitive. The joint plan must provide for the development and/or production of the reservoir. You may submit supplemental plans for the Regional Supervisor's approval.

(d) If you and the other affected lessees cannot reach an agreement on a joint Development and Production Plan within the approved period of time, each lessee must submit a separate plan to the Regional Supervisor. The Regional Supervisor will hold a hearing to resolve differences in the separate plans. If the differences in the separate plans are not resolved at the hearing and the Regional Supervisor determines that unitization is necessary under §250.1301(b), MMS will initiate unitization under §250.1304.

[62 FR 5331, Feb. 5, 1997. Redesignated and amended at 63 FR 29479, 29486, May 29, 1998]

#### § 250.1303 How do I apply for voluntary unitization?

- (a) You must file a request for a voluntary unit with the Regional Supervisor. Your request must include:
- (1) A draft of the proposed unit agreement:
- (2) A proposed initial plan of operation:
- (3) Supporting geological, geophysical, and engineering data; and
- (4) Other information that may be necessary to show that the unitization proposal meets the criteria of §250.1300.
- (b) The unit agreement must comply with the requirements of this part. MMS will maintain and provide a model unit agreement for you to follow. If MMS revises the model, MMS will publish the revised model in the FEDERAL REGISTER. If you vary your unit agreement from the model agreement, you must obtain the approval of the Regional Supervisor.
- (c) After the Regional Supervisor accepts your unitization proposal, you, the other lessees, and the unit operator must sign and file copies of the unit agreement, the unit operating agreement, and the initial plan of operation

with the Regional Supervisor for approval.

[62 FR 5331, Feb. 5, 1997. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

### § 250.1304 How will MMS require unitization?

- (a) If the Regional Supervisor determines that unitization of operations within a proposed unit area is necessary to prevent waste, conserve natural resources of the OCS, or protect correlative rights, including Federal royalty interests, the Regional Supervisor may require unitization.
- (b) If you ask MMS to require unitization, you must file a request with the Regional Supervisor. You must include a proposed unit agreement as described in §§ 250.1301(d) and 250.1303(b); a proposed unit operating agreement; a proposed initial plan of operation; supporting geological, geophysical, and engineering data; and any other information that may be necessary to show that unitization meets the criteria of §250.1300. The proposed unit agreement must include a counterpart executed by each lessee seeking compulsory unitization. Lessees who seek compulsory unitization must simultaneously serve on the nonconsenting lessees copies of:
  - (1) The request;
- (2) The proposed unit agreement with executed counterparts;
- (3) The proposed unit operating agreement; and
- (4) The proposed initial plan of operation
- (c) If the Regional Supervisor initiates compulsory unitization, MMS will serve all lessees of the proposed unit area with a proposed unitization plan and a statement of reasons for the proposed unitization.
- (d) The Regional Supervisor will not require unitization until MMS provides all lessees of the proposed unit area written notice and an opportunity for a hearing. If you want MMS to hold a hearing, you must request it within 30 days after you receive written notice from the Regional Supervisor or after you are served with a request for compulsory unitization from another lessee.
- (e) MMS will not hold a hearing under this paragraph until at least 30

#### Minerals Management Service, Interior

days after MMS provides written notice of the hearing date to all parties owning interests that would be made subject to the unit agreement. The Regional Supervisor must give all lessees of the proposed unit area an opportunity to submit views orally and in writing and to question both those seeking and those opposing compulsory unitization. Adjudicatory procedures are not required. The Regional Supervisor will make a decision based upon a record of the hearing, including any written information made a part of the record. The Regional Supervisor will arrange for a court reporter to make a verbatim transcript. The party seeking compulsory unitization must pay for the court reporter and pay for and provide to the Regional Supervisor within 10 days after the hearing three copies of the verbatim transcript.

(f) The Regional Supervisor will issue an order that requires or rejects compulsory unitization. That order must include a statement of reasons for the action taken and identify those parts of the record which form the basis of the decision. Any adversely affected party may appeal the final order of the Regional Supervisor under 30 CFR part 290.

[62 FR 5331, Feb. 5, 1997. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

# Subpart N—Outer Continental Shelf (OCS) Civil Penalties

Source:  $62\ FR\ 42668$ , Aug.  $8,\ 1997$ , unless otherwise noted. Redesignated at  $63\ FR\ 29479$ , May  $29,\ 1998$ .

### § 250.1400 How does MMS begin the civil penalty process?

This subpart explains MMS's civil penalty procedures whenever a lessee, operator or other person engaged in oil, gas, sulphur or other minerals operations in the OCS has a violation. Whenever MMS determines, on the basis of available evidence, that a violation occurred and a civil penalty review is appropriate, it will prepare a case file. MMS will appoint a Reviewing Officer.

#### § 250.1401 Index table.

The following table is an index of the sections in this subpart:

#### §250.1401 TABLE

Definitions \$250 What is the maximum civil penalty? \$250 Which violations will MMS review for potential civil penalties? \$250 When is a case file developed? \$250 When will MMS notify me and provide penalty information? \$250 How do I respond to the letter of notification? \$250 When will I be notified of the Reviewing Officer's decision? \$250 What are my appeal rights? \$250	0.1403 0.1404 0.1405 0.1406 0.1407
--	--

[62 FR 42668, Aug. 8, 1997. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

#### § 250.1402 Definitions.

Terms used in this subpart have the following meaning:

Case file means an MMS document file containing information and the record of evidence related to the alleged violation.

Civil penalty means a fine. It is an MMS regulatory enforcement tool used in addition to Notices of Incidents of Noncompliance and directed suspensions of production or other operations.

*I, me* in a question or *you* in a response means the person, or agent of a person engaged in oil, gas, sulphur, or other minerals operations in the Outer Continental Shelf (OCS).

Person means, in addition to a natural person, an association (including partnerships and joint ventures), a State, a political subdivision of a State, or a private, public, or municipal corporation.

Reviewing Officer means an MMS employee assigned to review case files and assess civil penalties.

Violation means failure to comply with the Outer Continental Shelf Lands Act (OCSLA) or any other applicable laws, with any regulations issued under the OCSLA, or with the terms or provisions of leases, licenses, permits, rights-of-way, or other approvals issued under the OCSLA.

*Violator* means a person responsible for a violation.

### § 250.1403 What is the maximum civil penalty?

The maximum civil penalty is \$30,000 per day per violation.

[68 FR 61624, Oct. 29, 2003]

# § 250.1404 Which violations will MMS review for potential civil penalties?

MMS will review each of the following violations for potential civil penalties:

- (a) Violations that you do not correct within the period MMS grants;
- (b) Violations that MMS determines may constitute, or constituted, a threat of serious, irreparable, or immediate harm or damage to life (including fish and other aquatic life), property, any mineral deposit, or the marine, coastal, or human environment; or
- (c) Violations that cause serious, irreparable, or immediate harm or damage to life (including fish and other aquatic life), property, any mineral deposit, or the marine, coastal, or human environment.
- (d) Violations of the oil spill financial responsibility requirements at 30 CFR part 253.

[62 FR 5331, Feb. 5, 1997. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 63 FR 42711, Aug. 11, 1998; 64 FR 9066, Feb. 24, 1999]

### § 250.1405 When is a case file developed?

MMS will develop a case file during its investigation of the violation, and forward it to a Reviewing Officer if any of the conditions in §250.1404 exist. The Reviewing Officer will review the case file and determine if a civil penalty is appropriate. The Reviewing Officer may administer oaths and issue subpoenas requiring witnesses to attend

meetings, submit depositions, or produce evidence.

[62 FR 42668, Aug. 8, 1997. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

# § 250.1406 When will MMS notify me and provide penalty information?

If the Reviewing Officer determines that a civil penalty should be assessed, the Reviewing Officer will send the violator a letter of notification. The letter of notification will include:

- (a) The amount of the proposed civil penalty;
- (b) Information on the violation(s); and
- (c) Instruction on how to obtain a copy of the case file, schedule a meeting, submit information, or pay the penalty.

[62 FR 42668, Aug. 8, 1997. Redesignated at 63 FR 29479, May 29, 1998; 64 FR 9066, Feb. 24, 1999]

### § 250.1407 How do I respond to the letter of notification?

You have 30 calendar days after you receive the Reviewing Officer's letter to either:

- (a) Request, in writing, a meeting with the Reviewing Officer;
  - (b) Submit additional information; or
  - (c) Pay the proposed civil penalty.

## § 250.1408 When will I be notified of the Reviewing Officer's decision?

At the end of the 30 calendar days or after the meeting and submittal of additional information, the Reviewing Officer will review the case file, including all information you submitted, and send you a decision. The decision will include the amount of any final civil penalty, the basis for the civil penalty, and instructions for paying or appealing the civil penalty.

#### § 250.1409 What are my appeal rights?

- (a) When you receive the Reviewing Officer's final decision, you have 60 days to either pay the penalty or file an appeal in accordance with 30 CFR part 290, subpart A.
- (b) If you file an appeal, you must either:
- (1) Submit a surety bond in the amount of the penalty to the Regional Adjudication Office in the Region

where the penalty was assessed, following instructions that the Reviewing Officer will include in the final decision; or

- (2) Notify the Regional Adjudication Office, in the Region where the penalty was assessed, that you want your lease-specific/area-wide bond on file to be used as the bond for the penalty amount.
- (c) If you choose the alternative in paragraph (b)(2) of this section, the Regional Director may require additional security (i.e., security in excess of your existing bond) to ensure sufficient coverage during an appeal. In that event, the Regional Director will require you to post the supplemental bond with the regional office in the same manner as under §§256.53(d) through (f) of this chapter. If the Regional Director determines the appeal should be covered by a lease-specific abandonment account then you must establish an account that meets the requirements of §256.56.
- (d) If you do not either pay the penalty or file a timely appeal, MMS will take one or more of the following actions:
- (1) We will collect the amount you were assessed, plus interest, late payment charges, and other fees as provided by law, from the date you received the Reviewing Officer's final decision until the date we receive payment;
- (2) We may initiate additional enforcement, including, if appropriate, cancellation of the lease, right-of-way, license, permit, or approval, or the forfeiture of a bond under this part; or
- (3) We may bar you from doing further business with the Federal Government according to Executive Orders 12549 and 12689, and section 2455 of the Federal Acquisition Streamlining Act of 1994, 31 U.S.C. 6101. The Department of the Interior's regulations implementing these authorities are found at 43 CFR part 12, subpart D.

[64 FR 26257, May 13, 1999, as amended at 65 FR 2875, Jan. 19, 2000]

#### Subpart O—Well Control and Production Safety Training

SOURCE: 65 FR 49490, Aug. 14, 2000, unless otherwise noted.

#### § 250.1500 Definitions.

Terms used in this subpart have the following meaning:

*Employee* means direct employees of the lessees who are assigned well control or production safety duties.

*I* or *you* means the lessee engaged in oil, gas, or sulphur operations in the Outer Continental Shelf (OCS).

Lessee means a person who has entered into a lease with the United States to explore for, develop, and produce the leased minerals. The term lessee also includes an owner of operating rights for that lease and the MMS-approved assignee of that lease.

Production safety means production operations as well as the installation, repair, testing, maintenance, or operation of surface or subsurface safety devices.

Well control means drilling, well completion, well workover, and well servicing operations. For purposes of this subpart, well completion/well workover means those operations following the drilling of a well that are intended to establish or restore production to a well. It includes small tubing operations but does not include well servicing. Well servicing means snubbing, coil tubing, and wireline operations.

# § 250.1501 What is the goal of my training program?

The goal of your training program must be safe and clean OCS operations. To accomplish this, you must ensure that your employees and contract personnel engaged in well control or production safety operations understand and can properly perform their duties.

# § 250.1502 Is there a transition period for complying with the regulations in this subpart?

- (a) During the period October 13, 2000 until October 15, 2002 you may either:
- (1) Comply with the provisions of this subpart. If you elect to do so, you must notify the Regional Supervisor; or
- (2) Comply with the training regulations in 30 CFR 250.1501 through 250.1524 that were in effect on June 1, 2000 and are contained in the 30 CFR, parts 200 to 699, edition revised as of July 1, 1999, as amended on December 28, 1999 (64 FR 72794).

(b) After October 15, 2002, you must comply with the provisions of this subpart.

### § 250.1503 What are my general responsibilities for training?

- (a) You must establish and implement a training program so that all of your employees are trained to competently perform their assigned well control and production safety duties. You must verify that your employees understand and can perform the assigned well control or production safety duties.
- (b) You must have a training plan that specifies the type, method(s), length, frequency, and content of the training for your employees. Your training plan must specify the method(s) of verifying employee understanding and performance. This plan must include at least the following information:
- (1) Procedures for training employees in well control or production safety practices:
- (2) Procedures for evaluating the training programs of your contractors;
- (3) Procedures for verifying that all employees and contractor personnel engaged in well control or production safety operations can perform their assigned duties;
- (4) Procedures for assessing the training needs of your employees on a periodic basis;
- (5) Recordkeeping and documentation procedures; and
- (6) Internal audit procedures.
- (c) Upon request of the Regional or District Supervisor, you must provide:
- (1) Copies of training documentation for personnel involved in well control or production safety operations during the past 5 years; and
  - (2) A copy of your training plan.

### § 250.1504 May I use alternative training methods?

You may use alternative training methods. These methods may include computer-based learning, films, or their equivalents. This training should be reinforced by appropriate demonstrations and "hands-on" training. Alternative training methods must be conducted according to, and meet the objectives of, your training plan.

### § 250.1505 Where may I get training for my employees?

You may get training from any source that meets the requirements of your training plan.

### § 250.1506 How often must I train my employees?

You determine the frequency of the training you provide your employees. You must do all of the following:

- (a) Provide periodic training to ensure that employees maintain understanding of, and competency in, well control or production safety practices;
- (b) Establish procedures to verify adequate retention of the knowledge and skills that employees need to perform their assigned well control or production safety duties; and
- (c) Ensure that your contractors' training programs provide for periodic training and verification of well control or production safety knowledge and skills.

### § 250.1507 How will MMS measure training results?

MMS may periodically assess your training program, using one or more of the methods in this section.

- (a) Training system audit. MMS or its authorized representative may conduct a training system audit at your office. The training system audit will compare your training program against this subpart. You must be prepared to explain your overall training program and produce evidence to support your explanation.
- (b) Employee or contract personnel interviews. MMS or its authorized representative may conduct interviews at either onshore or offshore locations to inquire about the types of training that were provided, when and where this training was conducted, and how effective the training was.
- (c) Employee or contract personnel testing. MMS or its authorized representative may conduct testing at either on shore or offshore locations for the purpose of evaluating an individual's knowledge and skills in perfecting well control and production safety duties.
- (d) Hands-on production safety, simulator, or live well testing. MMS or its authorized representative may conduct

#### Minerals Management Service, Interior

tests at either onshore or offshore locations. Tests will be designed to evaluate the competency of your employees or contract personnel in performing their assigned well control and production safety duties. You are responsible for the costs associated with this testing, excluding salary and travel costs for MMS personnel.

### § 250.1508 What must I do when MMS administers written or oral tests?

MMS or its authorized representative may test your employees or contract personnel at your worksite or at an onshore location. You and your contractors must:

- (a) Allow MMS or its authorized representative to administer written or oral tests; and
- (b) Identify personnel by current position, years of experience in present position, years of total oil field experience, and employer's name (e.g., operator, contractor, or sub-contractor company name).

# § 250.1509 What must I do when MMS administers or requires hands-on, simulator, or other types of testing?

If MMS or its authorized representative conducts, or requires you or your contractor to conduct hands-on, simulator, or other types of testing, you must:

- (a) Allow MMS or its authorized representative to administer or witness the testing;
- (b) Identify personnel by current position, years of experience in present position, years of total oil field experience, and employer's name (e.g., operator, contractor, or sub-contractor company name); and
- (c) Pay for all costs associated with the testing, excluding salary and travel costs for MMS personnel.

# § 250.1510 What will MMS do if my training program does not comply with this subpart?

If MMS determines that your training program is not in compliance, we may initiate one or more of the following enforcement actions:

(a) Issue an Incident of Noncompliance (INC);

- (b) Require you to revise and submit to MMS your training plan to address identified deficiencies;
- (c) Assess civil/criminal penalties; or
- (d) Initiate disqualification procedures

#### **Subpart P—Sulphur Operations**

SOURCE: 56 FR 32100, July 15, 1991, unless otherwise noted. Redesignated at 63 FR 29479, May 29, 1998.

#### §250.1600 Performance standard.

Operations to discover, develop, and produce sulphur in the OCS shall be in accordance with an approved Exploration Plan or Development and Production Plan and shall be conducted in a manner to protect against harm or damage to life (including fish and other aquatic life), property, natural resources of the OCS including any mineral deposits (in areas leased or not leased), the national security or defense, and the marine, coastal, or human environment.

#### § 250.1601 Definitions.

Terms used in this subpart shall have the meanings as defined below:

Air line means a tubing string that is used to inject air within a sulphur producing well to airlift sulphur out of the well

*Bleedwater* means a mixture of mine water or booster water and connate water that is produced by a bleedwell.

Bleedwell means a well drilled into a producing sulphur deposit that is used to control the mine pressure generated by the injection of mine water.

*Brine* means the water containing dissolved salt obtained from a brine well by circulating water into and out of a cavity in the salt core of a salt dome.

*Brine well* means a well drilled through cap rock into the core at a salt dome for the purpose of producing brine

*Cap rock* means the rock formation, a body of limestone, anhydride, and/or gypsum, overlying a salt dome.

Sulphur deposit means a formation of rock that contains elemental sulphur.

Sulphur production rate means the number of long tons of sulphur produced during a certain period of time, usually per day.

#### § 250.1602 Applicability.

- (a) The requirements of this subpart P are applicable to all exploration, development, and production operations under an OCS sulphur lease. Sulphur operations include all activities conducted under a lease for the purpose of discovery or delineation of a sulphur deposit and for the development and production of elemental sulphur. Sulphur operations also include activities conducted for related purposes. Activities conducted for related purposes include, but are not limited to, production of other minerals, such as salt, for use in the exploration for or the development and production of sulphur. The lessee must have obtained the right to produce and/or use these other min-
- (b) Lessees conducting sulphur operations in the OCS shall comply with the requirements of the applicable provisions of subparts A, B, C, G, I, J, M, N, and O of this part.
- (c) Lessees conducting sulphur operations in the OCS are also required to comply with the requirements in the applicable provisions of subparts D, E, F, H, K, and L of this part where such provisions specifically are referenced in this subpart.

# § 250.1603 Determination of sulphur deposit.

- (a) Upon receipt of a written request from the lessee, the District Supervisor will determine whether a sulphur deposit has been defined that contains sulphur in paying quantities (i.e., sulphur in quantities sufficient to yield a return in excess of the costs, after completion of the wells, of producing minerals at the wellheads).
- (b) A determination under paragraph (a) of this section shall be based upon the following:
- (1) Core analyses that indicate the presence of a producible sulphur deposit (including an assay of elemental sulphur);
- (2) An estimate of the amount of recoverable sulphur in long tons over a specified period of time; and

(3) Contour map of the cap rock together with isopach map showing the extent and estimated thickness of the sulphur deposit.

#### §250.1604 General requirements.

Sulphur lessees shall comply with requirements of this section when conducting well-drilling, well-completion, well-workover, or production operations.

- (a) Equipment movement. The movement of well-drilling, well-completion, or well-workover rigs and related equipment on and off an offshore platform, or from one well to another well on the same offshore platform, including rigging up and rigging down, shall be conducted in a safe manner.
- (b) Hydrogen sulfide (H2S). When a drilling, well-completion, wellworkover, or production operation is being conducted on a well in zones known to contain H<sub>2</sub>S or in zones where the presence of H<sub>2</sub>S is unknown (as defined in 30 CFR 250.490 of this part), the lessee shall take appropriate precautions to protect life and property, especially during operations such as dismantling wellhead equipment and flow lines and circulating the well. The lessee shall also take appropriate precautions when H2S is generated as a result of sulphur production operations. The lessee shall comply with the requirements in §250.490 of this part as well as the requirements of this sub-
- (c) Welding and burning practices and procedures. All welding, burning, and hot-tapping activities involved in drilling, well-completion, well-workover or production operations shall be conducted with properly maintained equipment, trained personnel, and appropriate procedures in order to minimize the danger to life and property according to the specific requirements in § 250.109 through § 250.113 of this part.
- (d) Electrical requirements. All electrical equipment and systems involved in drilling, well-completion, well-workover, and production operations shall be designed, installed, equipped, protected, operated, and maintained so as to minimize the danger to life and property in accordance with the requirements of § 250.114 of this part.

- (e) Structures on fixed OCS platforms. Derricks, cranes, masts, substructures, and related equipment shall be selected, designed, installed, used, and maintained so as to be adequate for the potential loads and conditions of loading that may be encountered during the operations. Prior to moving equipment such as a well-drilling, well-completion, or well-workover rig or associated equipment or production equipment onto a platform, the lessee shall determine the structural capability of the platform to safely support the equipment and operations, taking into consideration corrosion protection, platform age, and previous stresses.
- (f) Traveling-block safety device. After August 14, 1992, all drilling units being used for drilling, well-completion, or well-workover operations that have both a traveling block and a crown block shall be equipped with a safety device that is designed to prevent the traveling block from striking the crown block. The device shall be checked for proper operation weekly and after each drill-line slipping operation. The results of the operational check shall be entered in the operations log.

[56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 67 FR 51760, Aug. 9, 2002; 68 FR 8435, Feb. 20, 2003]

#### § 250.1605 Drilling requirements.

- (a) Lessees of OCS sulphur leases shall conduct drilling operations in accordance with §§250.1605 through 250.1619 of this subpart and with other requirements of this part, as appropriate.
- (b) Fitness of drilling unit. (1) Drilling units shall be capable of withstanding the oceanographic and meteorological conditions for the proposed season and location of operations.
- (2) Prior to commencing operation, drilling units shall be made available for a complete inspection by the District Supervisor.
- (3) The lessee shall provide information and data on the fitness of the drilling unit to perform the proposed drilling operation. The information shall be submitted with, or prior to, the submission of Form MMS-123, Application for Permit to Drill (APD), in

- accordance with §250.1617 of this subpart. After a drilling unit has been approved by an MMS district office, the information required in this paragraph need not be resubmitted unless required by the District Supervisor or there are changes in the equipment that affect the rated capacity of the unit.
- (c) Oceanographic, meteorological, and drilling unit performance data. Where oceanographic, meteorological, and drilling unit performance data are not otherwise readily available, lessees shall collect and report such data upon request to the District Supervisor. The type of information to be collected and reported will be determined by the District Supervisor in the interests of safety in the conduct of operations and the structural integrity of the drilling unit.
- (d) Foundation requirements. When the lessee fails to provide sufficient information pursuant to §§ 250.203 and 250.204 of this part to support a determination that the seafloor is capable of supporting a specific bottom-founded drilling unit under the site-specific soil and oceanographic conditions, the District Supervisor may require that additional surveys and soil borings be performed and the results submitted for review and evaluation by the District Supervisor before approval is granted for commencing drilling operations.
- (e) Tests, surveys, and samples. (1) Lessees shall drill and take cores and/or run well and mud logs through the objective interval to determine the presence, quality, and quantity of sulphur and other minerals (e.g., oil and gas) in the cap rock and the outline of the commercial sulphur deposit.
- (2) Inclinational surveys shall be obtained on all vertical wells at intervals not exceeding 1,000 feet during the normal course of drilling. Directional surveys giving both inclination and azimuth shall be obtained on all directionally drilled wells at intervals not exceeding 500 feet during the normal course of drilling and at intervals not exceeding 200 feet in all planned anglechange portions of the borehole.
- (3) Directional surveys giving both inclination and azimuth shall be obtained on both vertically and directionally drilled wells at intervals not

exceeding 500 feet prior to or upon setting a string of casing, or production liner, and at total depth. Composite directional surveys shall be prepared with the interval shown from the bottom of the conductor casing. In calculating all surveys, a correction from the true north to Universal-Transverse-Mercator-Grid-north or Lambert-Grid-north shall be made after making the magnetic-to-true-north correction. A composite dipmeter directional survey or a composite measurement while-drilling directional survey will be acceptable as fulfilling the applicable requirements of this paragraph.

- (4) Wells are classified as vertical if the calculated average of inclination readings weighted by the respective interval lengths between readings from surface to drilled depth does not exceed 3 degrees from the vertical. When the calculated average inclination readings weighted by the length of the respective interval between readings from the surface to drilled depth exceeds 3 degrees, the well is classified as directional.
- (5) At the request of a holder of an adjoining lease, the Regional Supervisor may, for the protection of correlative rights, furnish a copy of the directional survey to that leaseholder.
- (f) Fixed drilling platforms. Applications for installation of fixed drilling platforms or structures including artificial islands shall be submitted in accordance with the provisions of subpart I, Platforms and Structures, of this part. Mobile drilling units that have their jacking equipment removed or have been otherwise immobilized are classified as fixed bottom founded drilling platforms.
- (g) Crane operations. You must operate a crane installed on fixed platforms according to §250.108 of this subpart.
- (h) Diesel-engine air intakes. After August 14, 1992, diesel-engine air intakes shall be equipped with a device to shut down the diesel engine in the event of runaway. Diesel engines that are continuously attended shall be equipped with either remote-operated manual or automatic-shutdown devices. Diesel engines that are not continuously at-

tended shall be equipped with automatic shutdown devices.

[56 FR 32100, July 15, 1991, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 63 FR 34597, June 25, 1998; 65 FR 15864, Mar. 24, 20001

#### §250.1606 Control of wells.

The lessee shall take necessary precautions to keep its wells under control at all times. Operations shall be conducted in a safe and workmanlike manner. The lessee shall utilize the best available and safest drilling technologies and state-of-the-art methods to evaluate and minimize the potential for a well to flow or kick. The lessee shall utilize personnel who are trained and competent and shall utilize and maintain equipment and materials necessary to assure the safety and protection of personnel, equipment, natural resources, and the environment.

#### $\S 250.1607$ Field rules.

When geological and engineering information in a field enables a District Supervisor to determine specific operating requirements, field rules may be established for drilling, well completion, or well workover on the District Supervisor's initiative or in response to a request from a lessee; such rules may modify the specific requirements of this subpart. After field rules have been established, operations in the field shall be conducted in accordance with such rules and other requirements of this subpart. Field rules may be amended or canceled for cause at any time upon the initiative of the District Supervisor or upon the request of a les-

#### §250.1608 Well casing and cementing.

- (a) *General requirements.* (1) For the purpose of this subpart, the several casing strings in order of normal installation are:
  - (i) Drive or structural,
  - (ii) Conductor,
  - (iii) Cap rock casing,
- (iv) Bobtail cap rock casing (required when the cap rock casing does not penetrate into the cap rock),
- (v) Second cap rock casing (brine wells), and
- (vi) Production liner.

- (2) The lessee shall case and cement all wells with a sufficient number of strings of casing cemented in a manner necessary to prevent release of fluids from any stratum through the wellbore (directly or indirectly) into the sea, protect freshwater aquifers from contamination, support unconsolidated sediments, and otherwise provide a means of control of the formation pressures and fluids. Cement composition, placement techniques, and waiting time shall be designed and conducted so that the cement in place behind the bottom 500 feet of casing or total length of annular cement fill, if less, attains a minimum compressive strength of 160 pounds per square inch (psi).
- (3) The lessee shall install casing designed to withstand the anticipated stresses imposed by tensile, compressive, and buckling loads; burst and collapse pressures; thermal effects; and combinations thereof. Safety factors in the drilling and casing program designs shall be of sufficient magnitude to provide well control during drilling and to assure safe operations for the life of the well.
- (4) In cases where cement has filled the annular space back to the mud line, the cement may be washed out or displaced to a depth not exceeding the depth of the structural casing shoe to facilitate casing removal upon well abandonment if the District Supervisor determines that subsurface protection against damage to freshwater aquifers and against damage caused by adverse loads, pressures, and fluid flows is not jeopardized.
- (5) If there are indications of inadequate cementing (such as lost returns, cement channeling, or mechanical failure of equipment), the lessee shall evaluate the adequacy of the cementing operations by pressure testing the casing shoe. If the test indicates inadequate cementing, the lessee shall initiate remedial action as approved by the District Supervisor. For cap rock casing, the test for adequacy of cementing shall be the pressure testing of the annulus between the cap rock and the conductor casings. The pressure shall not exceed 70 percent of the burst pressure of the conductor casing

or 70 percent of the collapse pressure of the cap rock casing.

- (b) Drive or structural casing. This casing shall be set by driving, jetting, or drilling to a minimum depth of 100 feet below the mud line or such other depth, as may be required or approved by the District Supervisor, in order to support unconsolidated deposits and to provide hole stability for initial drilling operations. If this portion of the hole is drilled, a quantity of cement sufficient to fill the annular space back to the mud line shall be used.
- (c) Conductor and cap rock casing setting and cementing requirements. (1) Conductor and cap rock casing design and setting depths shall be based upon relevant engineering and geologic factors including the presence or absence of hydrocarbons, potential hazards, and water depths. The proposed casing setting depths may be varied, subject to District Supervisor approval, to permit the casing to be set in a competent formation or through formations determined desirable to be isolated from the wellbore by casing for safer drilling operations. However, the conductor casing shall be set immediately prior to drilling into formations known to contain oil or gas or, if unknown, upon encountering such formations. Cap rock casing shall be set and cemented through formations known to contain oil or gas or, if unknown, upon encountering such formations. Upon encountering unexpected formation pressures, the lessee shall submit a revised casing program to the District Supervisor for approval.
- (2) Conductor casing shall be cemented with a quantity of cement that fills the calculated annular space back to the mud line. Cement fill shall be verified by the observation of cement returns. In the event that observation of cement returns is not feasible, additional quantities of cement shall be used to assure fill to the mud line.
- (3) Cap rock casing shall be cemented with a quantity of cement that fills the calculated annular space to at least 200 feet inside the conductor casing. When geologic conditions such as near surface fractures and faulting exist, cap rock casing shall be cemented with a quantity of cement that fills the calculated annular space to the mud line,

unless otherwise approved by the District Supervisor. In brine wells, the second cap rock casing shall be cemented with a quantity of cement that fills the calculated annular space to at least 200 feet above the setting depth of the first cap rock casing.

(d) Bobtail cap rock casing setting and cementing requirements. (1) Bobtail cap rock casing shall be set on or just in cap rock and lapped a minimum of 100 feet into the previous casing string.

(2) Sufficient cement shall be used to fill the annular space to the top of the

bobtail cap rock casing.

(e) Production liner setting and cementing requirements. (1) Production liners for sulphur wells and bleedwells shall be set in cap rock at or above the bottom of the open hole (hole that is open in cap rock, below the bottom of the cap rock casing) and lapped into the previous casing string or to the surface. For brine wells, the liner shall be set in salt and lapped into the previous casing string or to the surface.

(2) The production liner is not required to be cemented unless the cap rock contains oil or gas. If the cap rock contains oil or gas, sufficient cement shall be used to fill the annular space to the top of the production liner.

#### $\S 250.1609$ Pressure testing of casing.

(a) Prior to drilling the plug after cementing, all casing strings, except the drive or structural casing, shall be pressure tested. The conductor casing shall be tested to at least 200 psi. All casing strings below the conductor casing shall be tested to 500 psi or 0.22 psi/ ft, whichever is greater. (When oil or gas is not present in the cap rock, the production liner need not be cemented in place; thus, it would not be subject to pressure testing.) If the pressure declines more than 10 percent in 30 minutes or if there is another indication of a leak, the casing shall be recemented, repaired, or an additional casing string run and the casing tested again. The above procedures shall be repeated until a satisfactory test is obtained. The time, conditions of testing, and results of all casing pressure tests shall be recorded in the driller's report.

(b) After cementing any string of casing other than structural, drilling shall not be resumed until there has been a

timelapse of at least 8 hours under pressure for the conductor casing string or 12 hours under pressure for all other casing strings. Cement is considered under pressure if one or more float valves are shown to be holding the cement in place or when other means of holding pressure are used.

### § 250.1610 Blowout preventer systems and system components.

- (a) *General.* The blowout preventer (BOP) systems and system components shall be designed, installed, used, maintained, and tested to assure well control.
- (b) *BOP stacks*. The BOP stacks shall consist of an annular preventer and the number of ram-type preventers as specified under paragraphs (e) and (f) of this section. The pipe rams shall be of proper size to fit the drill pipe in use.
- (c) Working pressure. The workingpressure rating of any BOP shall exceed the surface pressure to which it may be anticipated to be subjected.
- (d) *BOP equipment*. All BOP systems shall be equipped and provided with the following:
- (1) An accumulator system that provides sufficient capacity to supply 1.5 times the volume necessary to close and hold closed all BOP equipment units with a minimum pressure of 200 psi above the precharge pressure, without assistance from a charging system. After February 14, 1992, accumulator regulators supplied by rig air, which do not have a secondary source of pneumatic supply, shall be equipped with manual overrides or other devices alternately provided to ensure capability of hydraulic operations if rig air is lost.
- (2) An automatic backup to the accumulator system. The backup system shall be supplied by a power source independent from the power source to the primary accumulator system. The automatic backup system shall possess sufficient capability to close the BOP and hold it closed.
- (3) At least one operable remote BOP control station in addition to the one on the drilling floor. This control station shall be in a readily accessible location away from the drilling floor.

(4) A drilling spool with side outlets, if side outlets are not provided in the body of the BOP stack, to provide for separate kill and choke lines.

- (5) A choke line and a kill line each equipped with two full-opening valves. At least one of the valves on the choke line and one valve on the kill line shall be remotely controlled, except that a check valve may be installed on the kill line in lieu of the remotely controlled valve, provided that two readily accessible manual valves are in place and the check valve is placed between the manual valve and the pump.
- (6) A fill-up line above the uppermost preventer.
- (7) A choke manifold designed with consideration of anticipated pressures to which it may be subjected, method of well control to be employed, surrounding environment, and corrosiveness, volume, and abrasiveness of fluids. The choke manifold shall also meet the following requirements:
- (i) Manifold and choke equipment subject to well and/or pump pressure shall have a rated working pressure at least as great as the rated working pressure of the ram-type BOP's or as otherwise approved by the District Supervisor;
- (ii) All components of the choke manifold system shall be protected from freezing by heating, draining, or filling with proper fluids; and
- (iii) When buffer tanks are installed downstream of the choke assemblies for the purpose of manifolding the bleed lines together, isolation valves shall be installed on each line.
- (8) Valves, pipes, flexible steel hoses, and other fittings upstream of, and including, the choke manifold with a pressure rating at least as great as the rated working pressure of the ram-type BOP's unless otherwise approved by the District Supervisor.
- (9) A wellhead assembly with a rated working pressure that exceeds the pressure to which it might be subjected.
- (10) The following system components:
- (i) A kelly cock (an essentially fullopening valve) installed below the swivel and a similar valve of such design that it can be run through the BOP stack installed at the bottom of the kelly. A wrench to fit each valve shall be stored in a location readily accessible to the drilling crew;

- (ii) An inside BOP and an essentially full-opening, drill-string safety valve in the open position on the rig floor at all times while drilling operations are being conducted. These valves shall be maintained on the rig floor to fit all connections that are in the drill string. A wrench to fit the drill-string safety valve shall be stored in a location readily accessible to the drilling crew;
- (iii) A safety valve available on the rig floor assembled with the proper connection to fit the casing string being run in the hole; and
- (iv) Locking devices installed on the ram-type preventers.
- (e) BOP requirements. Prior to drilling below cap rock casing, a BOP system shall be installed consisting of at least three remote-controlled, hydraulically operated BOP's including at least one equipped with pipe rams, one with blind rams, and one annular type.
- (f) Tapered drill-string operations. Prior to commencing tapered drill-string operations, the BOP stack shall be equipped with conventional and/or variable-bore pipe rams to provide either of the following:
- (1) One set of variable bore rams capable of sealing around both sizes in the string and one set of blind rams, or
- (2) One set of pipe rams capable of sealing around the larger size string, provided that blind-shear ram capability is present, and crossover subs to the larger size pipe are readily available on the rig floor.

# § 250.1611 Blowout preventer systems tests, actuations, inspections, and maintenance.

- (a) Prior to conducting high-pressure tests, all BOP systems shall be tested to a pressure of 200 to 300 psi.
- (b) Ram-type BOP's and the choke manifold shall be pressure tested with water to rated working pressure or as otherwise approved by the District Supervisor. Annular type BOP's shall be pressure tested with water to 70 percent of rated working pressure or as otherwise approved by the District Supervisor.
- (c) In conjunction with the weekly pressure test of BOP systems required in paragraph (d) of this section, the choke manifold valves, upper and lower kelly cocks, and drill-string safety

valves shall be pressure tested to piperam test pressures. Safety valves with proper casing connections shall be actuated prior to running casing.

- (d) BOP system shall be pressure tested as follows:
  - (1) When installed;
- (2) Before drilling out each string of casing or before continuing operations in cases where cement is not drilled out;
- (3) At least once each week, but not exceeding 7 days between pressure tests, alternating between control stations. If either control system is not functional, further drilling operations shall be suspended until that system becomes operable. A period of more than 7 days between BOP tests is allowed when there is a stuck drill pipe or there are pressure control operations and remedial efforts are being performed, provided that the pressure tests are conducted as soon as possible and before normal operations resume. The date, time, and reason for postponing pressure testing shall be entered into the driller's report. Pressure testing shall be performed at intervals to allow each drilling crew to operate the equipment. The weekly pressure test is not required for blind and blindshear rams;
- (4) Bind and blind-shear rams shall be actuated at least once every 7 days. Closing pressure on the blind and blind-shear rams greater than necessary to indicate proper operation of the rams is not required;
- (5) Variable bore-pipe rams shall be pressure tested against all sizes of pipe in use, excluding drill collars and bottomhole tools; and
- (6) Following the disconnection or repair of any well-pressure containment seal in the wellhead/BOP stack assembly. In this situation, the pressure tests may be limited to the affected component.
- (e) All BOP systems shall be inspected and maintained to assure that the equipment will function properly. The BOP systems shall be visually inspected at least once each day. The manufacturer's recommended inspection and maintenance procedures are acceptable as guidelines in complying with this requirement.

- (f) The lessee shall record pressure conditions during BOP tests on pressure charts, unless otherwise approved by the District Supervisor. The test duration for each BOP component tested shall be sufficient to demonstrate that the component is effectively holding pressure. The charts shall be certified as correct by the operator's representative at the facility.
- (g) The time, date, and results of all pressure tests, actuations, inspections, and crew drills of the BOP system and system components shall be recorded in the driller's report. The BOP tests shall be documented in accordance with the following:
- (1) The documentation shall indicate the sequential order of BOP and auxiliary equipment testing and the pressure and duration of each test. As an alternate, the documentation in the driller's report may reference a BOP test plan that contains the required information and is retained on file at the facility.
- (2) The control station used during the test shall be identified in the driller's report.
- (3) Any problems or irregularities observed during BOP and auxiliary equipment testing and any actions taken to remedy such problems or irregularities shall be noted in the driller's report.
- (4) Documentation required to be entered in the driller's report may instead be referenced in the driller's report. All records, including pressure charts, driller's report, and referenced documents, pertaining to BOP tests, actuations, and inspections, shall be available for MMS review at the facility for the duration of the drilling activity. Following completion of the drilling activity, all drilling records shall be retained for a period of 2 years at the facility, at the lessee's field office nearest the OCS facility, or at another location conveniently available to the District Supervisor.

#### § 250.1612 Well-control drills.

Well-control drills shall be conducted for each drilling crew in accordance with the requirements set forth in §250.462 of this part or as approved by the District Supervisor.

[56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 68 FR 8435, Feb. 20, 2003]

#### §250.1613 Diverter systems.

(a) When drilling a conductor or cap rock hole, all drilling units shall be equipped with a diverter system consisting of a diverter sealing element, diverter lines, and control systems. The diverter system shall be designed, installed, and maintained so as to divert gases, water, mud, and other materials away from the facilities and personnel.

(b) After August 14, 1992, diverter systems shall be in compliance with the requirements of this section.

The requirements applicable to diverters that were in effect immediately prior to August 14, 1991, shall remain in effect until August 14, 1992.

- (c) The diverter system shall be equipped with remote-control valves in the flow lines that can be operated from at least one remote-control station in addition to the one on the drilling floor. Any valve used in a diverter system shall be full opening. No manual or butterfly valves shall be installed in any part of a diverter system. There shall be a minimum number of turns in the vent line(s) downstream of the spool outlet flange, and the radius of curvature of turns shall be as large as practicable. Flexible hose may be used for diversion lines instead of rigid pipe if the flexible hose has integral end couplings. The entire diverter system shall be firmly anchored and supported to prevent whipping and vibrations. All diverter control equipment and lines shall be protected from physical damage from thrown and falling objects.
- (d) For drilling operations conducted with a surface wellhead configuration, the following shall apply:
- (1) If the diverter system utilizes only one spool outlet, branch lines shall be installed to provide downwind diversion capability, and
- (2) No spool outlet or diverter line internal diameter shall be less than 10 inches, except that dual spool outlets are acceptable if each outlet has a minimum internal diameter of 8 inches,

and both outlets are piped to overboard lines and that each line downstream of the changeover nipple at the spool has a minimum internal diameter of 10 inches

(e) The diverter sealing element and diverter valves shall be pressure tested to a minimum of 200 psi when nippled upon conductor casing. No more than 7 days shall elapse between subsequent pressure tests. The diverter sealing element, diverter valves, and diverter control systems (including the remote) shall be actuation tested, and the diverter lines shall be tested for flow prior to spudding and thereafter at least once each 24-hour period alternating between control stations. All test times and results shall be recorded in the driller's report.

#### §250.1614 Mud program.

- (a) The quantities, characteristics, use, and testing of drilling mud and the related drilling procedures shall be designed and implemented to prevent the loss of well control.
- (b) The lessee shall comply with requirements concerning mud control, mud test and monitoring equipment, mud quantities, and safety precautions in enclosed mud handling areas as prescribed in §250.455 through §250.459 of this part, except that the installation of an operable degasser in the mud system as required in §250.456(g) is not required for sulphur operations.

[56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 68 FR 8435, Feb. 20, 2003]

#### § 250.1615 Securing of wells.

A downhole-safety device such as a cement plug, bridge plug, or packer shall be timely installed when drilling operations are interrupted by events such as those that force evacuation of the drilling crew, prevent station keeping, or require repairs to major drilling units or well-control equipment. The use of blind-shear rams or pipe rams and an inside BOP may be approved by the District Supervisor in lieu of the above requirements if cap rock casing has been set.

### § 250.1616 Supervision, surveillance, and training.

(a) The lessee shall provide onsite supervision of drilling operations at all times.

(b) From the time drilling operations are initiated and until the well is completed or abandoned, a member of the drilling crew or the toolpusher shall maintain rig-floor surveillance continuously, unless the well is secured with BOP's, bridge plugs, packers, or cement plugs.

(c) Lessee and drilling contractor personnel shall be trained and qualified in accordance with the provisions of subpart O of this part. Records of specific training that lessee and drilling contractor personnel have successfully completed, the dates of completion, and the names and dates of the courses shall be maintained at the drill site.

### § 250.1617 Application for permit to drill.

(a) Prior to commencing the drilling of a well under an approved Exploration Plan, Development and Production Plan, or Development Operations Coordination Document, the lessee shall file Form MMS-123, APD, with the District Supervisor for approval. Prior to commencing operations, written approval from the District Supervisor must be received by the lessee unless oral approval has been given pursuant to §250.140 of this part.

(b) An APD shall include rated capacities of the proposed drilling unit and of major drilling equipment. After a drilling unit has been approved for use in an MMS district, the information need not be resubmitted unless required by the District Supervisor or there are changes in the equipment that affect the rated capacity of the unit.

(c) An APD shall include a fully completed Form MMS-123 and the following:

(1) A plat, drawn to a scale of 2,000 feet to the inch, showing the surface and subsurface location of the well to be drilled and of all the wells previously drilled in the vicinity from which information is available. For development wells on a lease, the wells previously drilled in the vicinity need not be shown on the plat. Locations

shall be indicated in feet from the nearest block line;

- (2) The design criteria considered for the well and for well control, including the following:
  - (i) Pore pressure;
  - (ii) Formation fracture gradients;
  - (iii) Potential lost circulation zones;
  - (iv) Mud weights;
  - (v) Casing setting depths;
- (vi) Anticipated surface pressures (which for purposes of this section are defined as the pressure that can reasonably be expected to be exerted upon a casing string and its related wellhead equipment). In the calculation of anticipated surface pressure, the lessee shall take into account the drilling, completion, and producing conditions. The lessee shall consider mud densities to be used below various casing strings, fracture gradients of the exposed formations, casing setting depths, and cementing intervals, total well depth, formation fluid type, and other pertinent conditions. Considerations for calculating anticipated surface pressure may vary for each segment of the well. The lessee shall include as a part of the statement of anticipated surface pressure the calculations used to determine this pressure during the drilling phase and the completion phase, including the anticipated surface pressure used for production string design; and

(vii) If a shallow hazards site survey is conducted, the lessee shall submit with or prior to the submittal of the APD, two copies of a summary report describing the geological and manmade conditions present. The lessee shall also submit two copies of the site maps and data records identified in the survey strategy.

(3) A BOP equipment program including the following:

(i) The pressure rating of BOP equipment,

(ii) A schematic drawing of the diverter system to be used (plan and elevation views) showing spool outlet internal diameter(s); diverter line lengths and diameters, burst strengths, and radius of curvature at each turn; valve type, size, working-pressure rating, and location; the control instrumentation logic; and the operating procedure to be used by personnel, and

- (iii) A schematic drawing of the BOP stack showing the inside diameter of the BOP stack and the number of annular, pipe ram, variable-bore pipe ram, blind ram, and blind-shear ram preventers.
- (4) A casing program including the following:
- (i) Casing size, weight, grade, type of connection and setting depth, and
- (ii) Casing design safety factors for tension, collapse, and burst with the assumptions made to arrive at these values.
- (5) The drilling prognosis including the following:
  - (i) Estimated coring intervals,
- (ii) Estimated depths to the top of significant marker formations, and
- (iii) Estimated depths at which encounters with fresh water, sulphur, oil, gas, or abnormally pressured water are expected.
- (6) A cementing program including type and amount of cement in cubic feet to be used for each casing string;
- (7) A mud program including the minimum quantities of mud and mud materials, including weight materials, to be kept at the site;
- (8) A directional survey program for directionally drilled wells;
- (9) An  $H_2\vec{S}$  Contingency Plan, if applicable, and if not previously submitted; and
- (10) Such other information as may be required by the District Supervisor.
- (d) Public information copies of the APD shall be submitted in accordance with §250.190 of this part.

[56 FR 32100, July 15, 1991, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 64 FR 72794, Dec. 28, 1999]

# § 250.1618 Sundry notices and reports on wells.

(a) Notices of the lessee's intention to change plans, make changes in major drilling equipment, deepen, sidetrack, or plug back a well, or engage in similar activities and subsequent reports pertaining to such operations shall be submitted to the District Supervisor on Form MMS-124, Sundry Notices and Reports on Wells. Prior to commencing operations associated with the change, written approval must be received from the District Su-

pervisor unless oral approval is obtained pursuant to §250.140 of this part.

- (b) The Form MMS-124 submittal shall contain a detailed statement of the proposed work that will materially change from the work described in the approved APD. Information submitted shall include the present state of the well, including the production liner and last string of casing, the well depth and production zone, and the well's capability to produce. Within 30 days after completion of the work, a subsequent detailed report of all the work done and the results obtained shall be submitted.
- (c) Public information copies of Form MMS-124 shall be submitted in accordance with §250.117 of this part.

[56 FR 32100, July 15, 1991, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 64 FR 72794, Dec. 28, 1999]

#### § 250.1619 Well records.

- (a) Complete and accurate records for each well and all well operations shall be retained for a period of 2 years at the lessee's field office nearest the OCS facility or at another location conveniently available to the District Supervisor. The records shall contain a description of any significant malfunction or problem; all the formations penetrated; the content and character of sulphur in each formation if cored and analyzed; the kind, weight, size, grade, and setting depth of casing; all well logs and surveys run in the wellbore; and all other information required by the District Supervisor in the interests of resource evaluation, prevention of waste, conservation of natural resources, protection of correlative rights, safety of operations, and environmental protection.
- (b) When drilling operations are suspended or temporarily prohibited under the provisions of §250.170 of this part, the lessee shall, within 30 days after termination of the suspension or temporary prohibition or within 30 days after the completion of any activities related to the suspension or prohibition, transmit to the District Supervisor duplicate copies of the records of all activities related to and conducted during the suspension or temporary prohibition on, or attached to, Form

MMS-125, Well Summary Report, or Form MMS-124, Sundry Notices and Reports on Wells, as appropriate.

- (c) Upon request by the Regional or District Supervisor, the lessee shall furnish the following:
- (1) Copies of the records of any of the well operations specified in paragraph (a) of this section;
- (2) Copies of the driller's report at a frequency as determined by the District Supervisor. Items to be reported include spud dates, casing setting depths, cement quantities, casing characteristics, mud weights, lost returns, and any unusual activities; and
- (3) Legible, exact copies of reports on cementing, acidizing, analyses of cores, testing, or other similar services.
- (d) As soon as available, the lessee shall transmit copies of logs and charts developed by well-logging operations, directional-well surveys, and core analyses. Composite logs of multiple runs and directional-well surveys shall be transmitted to the District Supervisor in duplicate as soon as available but not later than 30 days after completion of such operations for each well.
- (e) If the District Supervisor determines that circumstances warrant, the lessee shall submit any other reports and records of operations in the manner and form prescribed by the District Supervisor.

[56 FR 32100, July 15, 1991, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 64 FR 72794, Dec. 28, 1999]

# § 250.1620 Well-completion and well-workover requirements.

- (a) Lessees shall conduct well-completion and well-workover operations in sulphur wells, bleedwells, and brine wells in accordance with §§250.1620 through 250.1626 of this part and other provisions of this part as appropriate (see §§250.501 and 250.601 of this part for the definition of well-completion and well-workover operations).
- (b) Well-completion and well-workover operations shall be conducted in a manner to protect against harm or damage to life (including fish and other aquatic life), property, natural resources of the OCS including any mineral deposits (in areas leased and not leased), the national security or de-

fense, or the marine, coastal, or human environment.

[56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

#### §250.1621 Crew instructions.

Prior to engaging in well-completion or well-workover operations, crew members shall be instructed in the safety requirements of the operations to be performed, possible hazards to be encountered, and general safety considerations to protect personnel, equipment, and the environment. Date and time of safety meetings shall be recorded and available for MMS review.

# § 250.1622 Approvals and reporting of well-completion and well-workover operations.

- (a) No well-completion or well-workover operation shall begin until the lessee receives written approval from the District Supervisor. Approval for such operations shall be requested on Form MMS-124. Approvals by the District Supervisor shall be based upon a determination that the operations will be conducted in a manner to protect against harm or damage to life, property, natural resources of the OCS, including any mineral deposits, the national security or defense, or the marine, coastal, or human environment.
- (b) The following information shall be submitted with Form MMS-124 (or with Form MMS-123):
- (1) A brief description of the well-completion or well-workover procedures to be followed;
- (2) When changes in existing subsurface equipment are proposed, a schematic drawing showing the well equipment; and
- (3) Where the well is in zones known to contain  $H_2S$  or zones where the presence of  $H_2S$  is unknown, a description of the safety precautions to be implemented
- (c)(1) Within 30 days after completion, Form MMS-125, including a schematic of the tubing and the results of any well tests, shall be submitted to the District Supervisor.
- (2) Within 30 days after completing the well-workover operation, except routine operations, Form MMS-124 shall be submitted to the District Supervisor and shall include the results of

any well tests and a new schematic of the well if any subsurface equipment has been changed.

[56 FR 32100, July 15, 1991, as amended at 58 FR 49928, Sept. 24, 1993. Redesignated at 63 FR 29479, May 29, 1998]

# § 250.1623 Well-control fluids, equipment, and operations.

- (a) Well-control fluids, equipment, and operations shall be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions. The well shall be continuously monitored during well-completion and well-workover operations and shall not be left unattended at any time unless the well is shut in and secured;
- (b) The following well-control fluid equipment shall be installed, maintained, and utilized:
- (1) A fill-up line above the uppermost BOP,
- (2) A well-control fluid-volume measuring device for determining fluid volumes when filling the hole on trips, and
- (3) A recording mud-pit-level indicator to determine mud-pit-volume gains and losses. This indicator shall include both a visual and an audible warning device.
- (c) When coming out of the hole with drill pipe or a workover string, the annulus shall be filled with well-control fluid before the change in fluid level decreases the hydrostatic pressure 75 psi or every five stands of drill pipe or workover string, whichever gives a lower decrease in hydrostatic pressure. The number of stands of drill pipe or workover string and drill collars that may be pulled prior to filling the hole and the equivalent well-control fluid volume shall be calculated and posted near the operator's station. A mechanical, volumetric, or electronic device for measuring the amount of well-control fluid required to fill the hole shall be utilized.

### § 250.1624 Blowout prevention equipment.

(a) The BOP system and system components and related well-control equipment shall be designed, used, maintained, and tested in a manner nec-

essary to assure well control in foreseeable conditions and circumstances, including subfreezing conditions. The working pressure of the BOP system and system components shall equal or exceed the expected surface pressure to which they may be subjected.

- (b) The minimum BOP stack for well-completion operations or for well-workover operations with the tree removed shall consist of the following:
- (1) Three remote-controlled, hydraulically operated preventers including at least one equipped with pipe rams, one with blind rams, and one annular type.
- (2) When a tapered string is used, the minimum BOP stack shall consist of either of the following:
- (i) An annular preventer, one set of variable bore rams capable of sealing around both sizes in the string, and one set of blind rams; or
- (ii) An annular preventer, one set of pipe rams capable of sealing around the larger size string, a preventer equipped with blind-shear rams, and a crossover sub to the larger size pipe that shall be readily available on the rig floor.
- (c) The BOP systems for well-completion operations, or for well-workover operations with the tree removed, shall be equipped with the following:
- (1) An accumulator system that provides sufficient capacity to supply 1.5 times the volume necessary to close and hold closed all BOP equipment units with a minimum pressure of 200 psi above the precharge pressure without assistance from a charging system. After February 14, 1992, accumulator regulators supplied by rig air which do not have a secondary source of pneumatic supply shall be equipped with manual overrides or alternately other devices provided to ensure capability of hydraulic operations if rig air is lost;
- (2) An automatic backup to the accumulator system supplied by a power source independent from the power source to the primary accumulator system and possessing sufficient capacity to close all BOP's and hold them closed;
- (3) Locking devices for the pipe-ram preventers;
- (4) At least one remote BOP-control station and one BOP-control station on the rig floor; and

- (5) A choke line and a kill line each equipped with two full-opening valves and a choke manifold. One of the choke-line valves and one of the kill-line valves shall be remotely controlled except that a check valve may be installed on the kill line in lieu of the remotely-controlled valve provided that two readily accessible manual valves are in place, and the check valve is placed between the manual valve and the pump.
- (d) The minimum BOP-stack components for well-workover operations with the tree in place and performed through the wellhead inside of the sulphur line using small diameter jointed pipe (usually ¾ inch to 1¼ inch) as a work string; i.e., small-tubing operations, shall consist of the following:
- (1) For air line changes, the well shall be killed prior to beginning operations. The procedures for killing the well shall be included in the description of well-workover procedures in accordance with §250.1622 of this part. Under these circumstances, no BOP equipment is required.
- (2) For other work inside of the sulphur line, a tubing stripper or annular preventer shall be installed prior to beginning work.
- (e) An essentially full-opening, workstring safety valve shall be maintained on the rig floor at all times during well-completion operations. A wrench to fit the work-string safety valve shall be readily available. Proper connections shall be readily available for inserting a safety valve in the work string.

[56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998]

# § 250.1625 Blowout preventer system testing, records, and drills.

- (a) Prior to conducting high-pressure tests, all BOP systems shall be tested to a pressure of 200 to 300 psi.
- (b) Ram-type BOP's and the choke manifold shall be pressure tested with water to a rated working pressure or as otherwise approved by the District Supervisor. Annular type BOP's shall be pressure tested with water to 70 percent of rated working pressure or as otherwise approved by the District Supervisor.

- (c) In conjunction with the weekly pressure test of BOP systems required in paragraph (d) of this section, the choke manifold valves, upper and lower kelly cocks, and drill-string safety valves shall be pressure tested to piperam test pressures. Safety valves with proper casing connections shall be actuated prior to running casing.
- (d) BOP system shall be pressure tested as follows:
  - (1) When installed;
- (2) Before drilling out each string of casing or before continuing operations in cases where cement is not drilled out:
- (3) At least once each week, but not exceeding 7 days between pressure tests, alternating between control stations. If either control system is not functional, further drilling operations shall be suspended until that system becomes operable. A period of more than 7 days between BOP tests is allowed when there is a stuck drill pipe or there are pressure control operations, and remedial efforts are being performed, provided that the pressure tests are conducted as soon as possible and before normal operations resume. The time, date, and reason for postponing pressure testing shall be entered into the driller's report. Pressure testing shall be performed at intervals to allow each drilling crew to operate the equipment. The weekly pressure test is not required for blind and blindshear rams:
- (4) Blind and blind-shear rams shall be actuated at least once every 7 days. Closing pressure on the blind and blindshear rams greater than necessary to indicate proper operation of the rams is not required;
- (5) Variable bore-pipe rams shall be pressure tested against all sizes of pipe in use, excluding drill collars and bottomhole tools; and
- (6) Following the disconnection or repair of any well-pressure containment seal in the wellhead/BOP stack assembly, the pressure tests may be limited to the affected component.
- (e) All personnel engaged in well-completion operations shall participate in a weekly BOP drill to familiarize crew members with appropriate safety measures.

#### Minerals Management Service, Interior

- (f) The lessee shall record pressure conditions during BOP tests on pressure charts, unless otherwise approved by the District Supervisor. The test duration for each BOP component tested shall be sufficient to demonstrate that the component is effectively holding pressure. The charts shall be certified as correct by the operator's representative at the facility.
- (g) The time, date, and results of all pressure tests, actuations, inspections, and crew drills of the BOP system and system components shall be recorded in the operations log. The BOP tests shall be documented in accordance with the following:
- (1) The documentation shall indicate the sequential order of BOP and auxiliary equipment testing and the pressure and duration of each test. As an alternate, the documentation in the operations log may reference a BOP test plan that contains the required information and is retained on file at the facility.
- (2) The control station used during the test shall be identified in the operations log.
- (3) Any problems or irregularities observed during BOP and auxiliary equipment testing and any actions taken to remedy such problems or irregularities shall be noted in the operations log.
- (4) Documentation required to be entered in the driller's report may instead be referenced in the driller's report. All records, including pressure charts, driller's report, and referenced documents, pertaining to BOP tests, actuations, and inspections shall be available for MMS review at the facility for the duration of the drilling activity. Following completion of the drilling activity, all drilling records shall be retained for a period of 2 years at the facility, at the lessee's field office nearest the OCS facility, or at another location conveniently available to the District Supervisor.

### § 250.1626 Tubing and wellhead equipment.

(a) No tubing string shall be placed into service or continue to be used unless such tubing string has the necessary strength and pressure integrity and is otherwise suitable for its intended use.

(b) Wellhead, tree, and related equipment shall be designed, installed, tested, used, and maintained so as to achieve and maintain pressure control.

#### § 250.1627 Production requirements.

- (a) The lessee shall conduct sulphur production operations in compliance with the approved Development and Production Plan requirements of §§ 250.1627 through 250.1634 of this subpart and requirements of this part, as appropriate.
- (b) Production safety equipment shall be designed, installed, used, maintained, and tested in a manner to assure the safety of operations and protection of the human, marine, and coastal environments.

[56 FR 32100, July 15, 1991. Redesignated and amended at 63 FR 29479, 29487, May 29, 1998; 63 FR 34597, June 25, 1998]

# § 250.1628 Design, installation, and operation of production systems.

- (a) *General.* All production facilities shall be designed, installed, and maintained in a manner that provides for efficiency and safety of operations and protection of the environment.
- (b) Approval of design and installation features for sulphur production facilities. Prior to installation, the lessee shall submit a sulphur production system application, in duplicate, to the District Supervisor for approval. The application shall include information relative to the proposed design and installation features. Information concerning approved design and installation features shall be maintained by the lessee at the lessee's offshore field office nearest the OCS facility or at another location conveniently available to the District Supervisor. All approvals are subject to field verification. The application shall include the following:
- (1) A schematic flow diagram showing size, capacity, design, working pressure of separators, storage tanks, compressor pumps, metering devices, and other sulphur-handling vessels;
- (2) A schematic piping diagram showing the size and maximum allowable

working pressures as determined in accordance with API RP 14E, Recommended Practice for Design and Installation of Offshore Production Platform Piping Systems;

- (3) Electrical system information including a plan of each platform deck, outlining all hazardous areas classified according to API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Division 1 and Division 2, or API RP 505, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Zone 0, Zone 1, and Zone 2, and outlining areas in which potential ignition sources are to be installed;
- (4) Certification that the design for the mechanical and electrical systems to be installed were approved by registered professional engineers. After these systems are installed, the lessee shall submit a statement to the District Supervisor certifying that the new installations conform to the approved designs of this subpart.
- (c) Hydrocarbon handling vessels associated with fuel gas system. You must protect hydrocarbon handling vessels associated with the fuel gas system with a basic and ancillary surface safety system. This system must be designed, analyzed, installed, tested, and maintained in operating condition in accordance with API RP 14C, Analysis, Design, Installation, and Testing of Basic Surface Safety Systems for Offshore Production Platforms (incorporated by reference as specified in §250.198). If processing components are to be utilized, other than those for which Safety Analysis Checklists are included in API RP 14C, you must use the analysis technique and documentation specified therein to determine the effect and requirements of these components upon the safety system.
- (d) Approval of safety-systems design and installation features for fuel gas system. Prior to installation, the lessee shall submit a fuel gas safety system application, in duplicate, to the District Supervisor for approval. The application shall include information relative to the proposed design and installation features. Information con-

cerning approved design and installation features shall be maintained by the lessee at the lessee's offshore field office nearest the OCS facility or at another location conveniently available to the District Supervisor. All approvals are subject to field verification. The application shall include the following:

- (1) A schematic flow diagram showing size, capacity, design, working pressure of separators, storage tanks, compressor pumps, metering devices, and other hydrocarbon-handling vessels;
- (2) A schematic flow diagram (API RP 14C, Figure E1, incorporated by reference as specified in §250.198) and the related Safety Analysis Function Evaluation chart (API RP 14C, subsection 4.3c, incorporated by reference as specified in §250.198).
- (3) A schematic piping diagram showing the size and maximum allowable working pressures as determined in accordance with API RP 14E, Design and Installation of Offshore Production Platform Piping Systems;
- (4) Electrical system information including the following:
- (i) A plan of each platform deck, outlining all hazardous areas classified according to API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Division 1 and Divisions 2, or API RP 505, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Zone 0, Zone 1, and Zone 2, and outlining areas in which potential ignition sources are to be installed;
- (ii) All significant hydrocarbon sources and a description of the type of decking, ceiling, walls (e.g., grating or solid), and firewalls; and
- (iii) Elementary electrical schematic of any platform safety shutdown system with a functional legend.
- (5) Certification that the design for the mechanical and electrical systems to be installed was approved by registered professional engineers. After these systems are installed, the lessee shall submit a statement to the District Supervisor certifying that the

new installations conform to the approved designs of this subpart; and

- (6) Design and schematics of the installation and maintenance of all fireand gas-detection systems including the following:
- (i) Type, location, and number of detection heads;
- (ii) Type and kind of alarm, including emergency equipment to be activated;
  - (iii) Method used for detection;
- (iv) Method and frequency of calibration; and
- (v) A functional block diagram of the detection system, including the electric power supply.

[53 FR 10690, Apr. 1, 1988, as amended at 61 FR 60026, Nov. 26, 1996. Redesignated at 63 FR 29479, May 29, 1998, as amended at 65 FR 219, Jan. 4, 2000; 67 FR 51760, Aug. 9, 2002]

### § 250.1629 Additional production and fuel gas system requirements.

- (a) General. Lessees shall comply with the following production safety system requirements (some of which are in addition to those contained in §250.1628 of this part).
- (b) Design, installation, and operation of additional production systems, including fuel gas handling safety systems. (1) Pressure and fired vessels shall be designed, fabricated, code stamped, and maintained in accordance with applicable provisions of section I, IV, and VIII of the American Society of Mechanical Engineers (ASME) Boiler and Pressure Vessel Code.
- (i) Pressure safety relief valves shall be designed, installed, and maintained in accordance with applicable provisions of sections I, IV, and VIII of the ANSI/ASME Boiler and Pressure Vessel Code. The safety relief valves shall conform to the valve-sizing and pressure-relieving requirements specified in these documents; however, the safety relief valves shall be set no higher than the maximum-allowable working pressure of the vessel. All safety relief valves and vents shall be piped in such a way as to prevent fluid from striking personnel or ignition sources.
- (ii) The lessee shall use pressure recorders to establish the operating pressure ranges of pressure vessels in order to establish the pressure-sensor settings. Pressure-recording charts used to determine operating pressure ranges

- shall be maintained by the lessee for a period of 2 years at the lessee's field office nearest the OCS facility or at another location conveniently available to the District Supervisor. The highpressure sensor shall be set no higher than 15 percent or 5 psi, whichever is greater, above the highest operating pressure of the vessel. This setting shall also be set sufficiently below (15 percent or 5 psi, whichever is greater) the safety relief valve's set pressure to assure that the high-pressure sensor sounds an alarm before the safety relief valve starts relieving. The low-pressure sensor shall sound an alarm no lower than 15 percent or 5 psi, whichever is greater, below the lowest pressure in the operating range.
- (2) Engine exhaust. You must equip engine exhausts to comply with the insulation and personnel protection requirements of API RP 14C, section 4.2c(4) (incorporated by reference as specified in §250.198). Exhaust piping from diesel engines must be equipped with spark arresters.
- (3) Firefighting systems. Firefighting systems shall conform to subsection 5.2, Fire Water Systems, of API RP 14G, Recommended Practice for Fire Prevention and Control on Open Type Offshore Production Platforms, and shall be subject to the approval of the District Supervisor. Additional requirements shall apply as follows:
- (i) A firewater system consisting of rigid pipe with firehose stations shall be installed. The firewater system shall be installed to provide needed protection, especially in areas where fuel handling equipment is located.
- (ii) Fuel or power for firewater pump drivers shall be available for at least 30 minutes of run time during platform shut-in time. If necessary, an alternate fuel or power supply shall be installed to provide for this pump-operating time unless an alternate firefighting system has been approved by the District Supervisor;
- (iii) A firefighting system using chemicals may be used in lieu of a water system if the District Supervisor determines that the use of a chemical system provides equivalent fire-protection control; and

- (iv) A diagram of the firefighting system showing the location of all firefighting equipment shall be posted in a prominent place on the facility or structure.
- (4) Fire- and gas-detection system. (i) Fire (flame, heat, or smoke) sensors shall be installed in all enclosed classified areas. Gas sensors shall be installed in all inadequately ventilated, enclosed classified areas. Adequate ventilation is defined as ventilation that is sufficient to prevent accumulation of significant quantities of vaporair mixture in concentrations over 25 percent of the lower explosive limit. One approved method of providing adequate ventilation is a change of air volume each 5 minutes or 1 cubic foot of air-volume flow per minute per square foot of solid floor area, whichever is greater. Enclosed areas (e.g., buildings, living quarters, or doghouses) are defined as those areas confined on more than four of their six possible sides by walls, floors, or ceilings more restrictive to air flow than grating or fixed open louvers and of sufficient size to allow entry of personnel. A classified area is any area classified Class I, Group D, Division 1 or 2, following the guidelines of API RP 500, or any area classified Class I, Zone 0, Zone 1, or Zone 2, following the guidelines of API RP 505.
- (ii) All detection systems shall be capable of continuous monitoring. Firedetection systems and portions of combustible gas-detection systems related to the higher gas concentration levels shall be of the manual-reset type. Combustible gas-detection systems related to the lower gas-concentration level may be of the automatic-reset type.
- (iii) A fuel-gas odorant or an automatic gas-detection and alarm system is required in enclosed, continuously manned areas of the facility that are provided with fuel gas. Living quarters and doghouses not containing a gas source and not located in a classified area do not require a gas detection system.
- (iv) The District Supervisor may require the installation and maintenance of a gas detector or alarm in any potentially hazardous area.
- (v) Fire- and gas-detection systems must be an approved type, designed and

installed according to API RP 14C, API RP 14G, and either API RP 14F or API RP 14FZ (the preceding four documents incorporated by reference as specified in §250.198).

(c) General platform operations. Safety devices shall not be bypassed or blocked out of service unless they are temporarily out of service for startup, maintenance, or testing procedures. Only the minimum number of safety devices shall be taken out of service. Personnel shall monitor the bypassed or blocked out functions until the safety devices are placed back in service. Any safety device that is temporarily out of service shall be flagged by the person taking such device out of service.

[53 FR 10690, Apr. 1, 1988, as amended at 61 FR 60026, Nov. 26, 1996. Redesignated at 63 FR 29479, May 29, 1998, as amended at 64 FR 72794, Dec. 28, 1999; 65 FR 219, Jan. 4, 2000; 67 FR 51760, Aug. 9, 2002; 68 FR 43298, July 22, 2003]

# § 250.1630 Safety-system testing and records.

- (a) Inspection and testing. You must inspect and successfully test safety system devices at the interval specified below or more frequently if operating conditions warant. Testing must be in accordance with API RP 14C, Appendix D (incorporated by reference as specified in §250.198). For safety system devices other than those listed in API RP 14C, Appendix D, you must utilize the analysis technique and documentation specified therein for inspection and testing of these components, and the following:
- (1) Safety relief valves on the natural gas feed system for power plant operations such as pressure safety valves shall be inspected and tested for operation at least once every 12 months. These valves shall be either bench tested or equipped to permit testing with an external pressure source.
- (2) The following safety devices (excluding electronic pressure transmitters and level sensors) must be inspected and tested at least once each calendar month, but at no time may more than 6 weeks elapse between tests:
- (i) All pressure safety high or pressure safety low, and

- (ii) All level safety high and level safety low controls.
- (3) The following electronic pressure transmitters and level sensors must be inspected and tested at least once every 3 months, but at no time may more than 120 days elapse between tests:
  - (i) All PSH or PSL, and
  - (ii) All LSH and LSL controls.
- (4) All pumps for firewater systems shall be inspected and operated weekly.
- (5) All fire- (flame, heat, or smoke) and gas-detection systems shall be inspected and tested for operation and recalibrated every 3 months provided that testing can be performed in a non-destructive manner.
- (6) Prior to the commencement of production, the lessee shall notify the District Supervisor when the lessee is ready to conduct a preproduction test and inspection of the safety system. The lessee shall also notify the District Supervisor upon commencement of production in order that a complete inspection may be conducted.
- (b) Records. The lessee shall maintain records for a period of 2 years for each safety device installed. These records shall be maintained by the lessee at the lessee's field office nearest the OCS facility or another location conveniently available to the District Supervisor. These records shall be available for MMS review. The records shall show the present status and history of each safety device, including dates and details of installation, removal, inspection, testing, repairing, adjustments, and reinstallation.

[56 FR 32100, July 15, 1991. Redesignated at 63 FR 29479, May 29, 1998, as amended at 67 FR 51761, Aug. 9, 2002]

#### § 250.1631 Safety device training.

Prior to engaging in production operations on a lease and periodically thereafter, personnel installing, inspecting, testing, and maintaining safety devices shall be instructed in the safety requirements of the operations to be performed; possible hazards to be encountered; and general safety considerations to be taken to protect personnel, equipment, and the environment. Date and time of safety meetings shall be recorded and available for MMS review.

#### §250.1632 Production rates.

Each sulphur deposit shall be produced at rates that will provide economic development and depletion of the deposit in a manner that would maximize the ultimate recovery of sulphur without resulting in waste (e.g., an undue reduction in the recovery of oil and gas from an associated hydrocarbon accumulation).

#### § 250.1633 Production measurement.

- (a) General. Measurement equipment and security procedures shall be designed, installed, used, maintained, and tested so as to accurately and completely measure the sulphur produced on a lease for purposes of royalty determination.
- (b) Application and approval. The lessee shall not commence production of sulphur until the Regional Supervisor has approved the method of measurement. The request for approval of the method of measurement shall contain sufficient information to demonstrate to the satisfaction of the Regional Supervisor that the method of measurement meets the requirements of paragraph (a) of this section.

#### §250.1634 Site security.

- (a) All locations where sulphur is produced, measured, or stored shall be operated and maintained to ensure against the loss or theft of produced sulphur and to assure accurate and complete measurement of produced sulphur for royalty purposes.
- (b) Evidence of mishandling of produced sulphur from an offshore lease, or tampering or falsifying any measurement of production for an offshore lease, shall be reported to the Regional Supervisor as soon as possible but no later than the next business day after discovery of the evidence of mishandling.

# Subpart Q—Decommissioning Activities

AUTHORITY: 43 U.S.C. 1331  $et\ seq.$ 

Source:  $67 \ FR \ 35406$ , May 17, 2002, unless otherwise noted.

#### **GENERAL**

# § 250.1700 What do the terms "decommissioning", "obstructions", and "facility" mean?

- (a) Decommissioning means:
- (1) Ending oil, gas, or sulphur operations; and
- (2) Returning the lease or pipeline right-of-way to a condition that meets the requirements of regulations of MMS and other agencies that have jurisdiction over decommissioning activities.
- (b) Obstructions means structures, equipment, or objects that were used in oil, gas, or sulphur operations or marine growth that, if left in place, would hinder other users of the OCS. Obstructions may include, but are not limited to, shell mounds, wellheads, casing stubs, mud line suspensions, well protection devices, subsea trees, jumper assemblies, umbilicals, manifolds, termination skids, production and pipeline risers, platforms, templates, pilings, pipelines, pipeline valves, and power cables.
- (c) Facility means any installation other than a pipeline used for oil, gas, or sulphur activities that is permanently or temporarily attached to the seabed on the OCS. Facilities include production and pipeline risers, templates, pilings, and any other facility or equipment that constitutes an obstruction such as jumper assemblies, termination skids, umbilicals, anchors, and mooring lines.

[67 FR 35406, May 17, 2002; 67 FR 66047, Oct. 30, 2002]

# § 250.1701 Who must meet the decommissioning obligations in this subpart?

- (a) Lessees and owners of operating rights are jointly and severally responsible for meeting decommissioning obligations for facilities on leases, including the obligations related to lease-term pipelines, as the obligations accrue and until each obligation is met.
- (b) All holders of a right-of-way are jointly and severally liable for meeting decommissioning obligations for facilities on their right-of-way, including right-of-way pipelines, as the obliga-

tions accrue and until each obligation is met.

(c) In this subpart, the terms "you" or "I" refer to lessees and owners of operating rights, as to facilities installed under the authority of a lease, and to right-of-way holders as to facilities installed under the authority of a right-of-way.

## § 250.1702 When do I accrue decommissioning obligations?

You accrue decommissioning obligations when you do any of the following:

- (a) Drill a well;
- (b) Install a platform, pipeline, or other facility;
- (c) Create an obstruction to other users of the OCS;
- (d) Are or become a lessee or the owner of operating rights of a lease on which there is a well that has not been permanently plugged according to this subpart, a platform, a lease term pipeline, or other facility, or an obstruction:
- (e) Are or become the holder of a pipeline right-of-way on which there is a pipeline, platform, or other facility, or an obstruction; or
- (f) Re-enter a well that was previously plugged according to this subpart.

### § 250.1703 What are the general requirements for decommissioning?

When your facilities are no longer useful for operations, you must:

- (a) Get approval from the appropriate District Supervisor before decommissioning wells and from the Regional Supervisor before decommissioning platforms and pipelines or other facilities:
  - (b) Permanently plug all wells;
- (c) Remove all platforms and other facilities;
  - (d) Decommission all pipelines;
- (e) Clear the seafloor of all obstructions created by your lease and pipeline right-of-way operations; and
- (f) Conduct all decommissioning activities in a manner that is safe, does not unreasonably interfere with other uses of the OCS, and does not cause undue or serious harm or damage to the human, marine, or coastal environment.

#### § 250.1704 When must I submit decommissioning applications and reports?

You must submit decommissioning applications and receive approval and submit subsequent reports according to the table in this section.

**DECOMMISSIONING APPLICATIONS AND REPORTS TABLE** 

Decommissioning applications and reports	When to submit	Instructions
(a) Initial platform removal application [not required in the Gulf of Mexico OCS Region].	In the Pacific OCS Region or Alaska OCS Region, submit the application to the Regional Supervisor at least 2 years before production is projected to cease.	Include information required under § 250.1726.
(b) Final removal application for a platform or other facility.	Before removing a platform or other facility in the Gulf of Mexico OCS Region, or not more than 2 years after the submittal of an initial platform removal application to the Pacific OCS Region and the Alaska OCS Region.	Include information required under § 250.1727.
(c) Post-removal report for a platform or other facility.	Within 30 days after you remove a platform or other facility	Include information required under § 250.1729.
(d) Pipeline decommissioning application.	Before you decommission a pipeline	Include information required under § 250.1751(a) or § 250.1752(a), as applicable.
<ul><li>(e) Post-pipeline decommis- sioning report.</li></ul>	Within 30 days after you decommission a pipeline	Include information required under § 250.1753.
(f) Site clearance report for a platform or other facility.	Within 30 days after you complete site clearance verification activities.	Include information required under § 250.1743(b).
<ul><li>(g) Form MMS–124, Application for Permit to Modify (formerly Sundry Notices and Reports on Wells).</li></ul>	(1) Before you temporarily abandon or permanently plug a well or zone.	Include information required under §§ 250.1712 and 250.1721.
	(2) Within 30 days after you plug a well	Include information required under § 250.1717.
	(3) Before you install a subsea protective device     (4) Within 30 days after you complete a protective device trawl test.	Refer to § 250.1722(a). Include information required under § 250.1722(d).
	(5) Before you remove any casing stub or mud line suspension equipment and any subsea protective device.	Refer to § 250.1723.
	(6) Within 30 days after you complete site clearance verification activities.	Include information required under § 250.1743(a).

[67 FR 35406, May 17, 2002; 67 FR 44265, July 1, 2002; 67 FR 66047, Oct. 30, 2002]

#### PERMANENTLY PLUGGING WELLS

# § 250.1710 When must I permanently plug all wells on a lease?

You must permanently plug all wells on a lease within 1 year after the lease terminates.

# § 250.1711 When will MMS order me to permanently plug a well?

MMS will order you to permanently plug a well if that well:

- (a) Poses a hazard to safety or the environment; or
- (b) Is not useful for lease operations and is not capable of oil, gas, or sulphur production in paying quantities.

# § 250.1712 What information must I submit before I permanently plug a well or zone?

Before you permanently plug a well or zone, you must submit form MMS-124, Application for Permit to Modify, to the appropriate District Supervisor and receive approval. A request for approval must contain the following information:

- (a) The reason you are plugging the well (or zone), for completions with production amounts specified by the Regional Supervisor, along with substantiating information demonstrating its lack of capacity for further profitable production of oil, gas, or sulfur;
- (b) Recent well test data and pressure data, if available;
- (c) Maximum possible surface pressure, and how it was determined;
- (d) Type and weight of well-control fluid you will use;
- (e) A description of the work; and
- (f) A current and proposed well schematic and description that includes:
  - (1) Well depth;
- (2) All perforated intervals that have not been plugged;

#### § 250.1713

- (3) Casing and tubing depths and details;
  - (4) Subsurface equipment;
- (5) Estimated tops of cement (and the basis of the estimate) in each casing annulus;
  - (6) Plug locations;
  - (7) Plug types;
  - (8) Plug lengths;
- (9) Properties of mud and cement to be used;
- (10) Perforating and casing cutting plans;
  - (11) Plug testing plans;
- (12) Casing removal (including information on explosives, if used);
- (13) Proposed casing removal depth; and
- (14) Your plans to protect archaeological and sensitive biological features, including anchor damage during plugging operations, a brief assessment of the environmental impacts of the plugging operations, and the procedures and mitigation measures you will take to minimize such impacts.

[67 FR 35406, May 17, 2002; 67 FR 66048, Oct. 30, 2002]

# § 250.1713 Must I notify MMS before I begin well plugging operations?

You must notify the appropriate District Supervisor at least 48 hours before beginning operations to permanently plug a well.

# § 250.1714 What must I accomplish with well plugs?

You must ensure that all well plugs:

- (a) Provide downhole isolation of hydrocarbon and sulphur zones;
  - (b) Protect freshwater aquifers; and
- (c) Prevent migration of formation fluids within the wellbore or to the seafloor.

# § 250.1715 How must I permanently plug a well?

(a) You must permanently plug wells according to the table in this section. The District Supervisor may require additional well plugs as necessary.

# PERMANENT WELL PLUGGING REQUIREMENTS

If you have—	Then you must use—
(1) Zones in open hole	Cement plug(s) set from at least 100 feet below the bottom to 100 feet above the top of oil, gas, and fresh-water zones to isolate fluids in the strata.
(2) Open hole below casing	(i) A cement plug, set by the displacement method, at least 100 feet above and below deepest casing shoe; (ii) A cement retainer with effective back-pressure control set 50 to 100 feet above the casing shoe, and a cement plug that extends at least 100 feet below the casing shoe and at least 50 feet above the retainer; or (iii) A bridge plug set 50 feet to 100 feet above the shoe with 50 feet of cement on top of the bridge plug, for expected or known lost circulation conditions.
(3) A perforated zone that is currently open and not previously squeezed or isolated.	(i) A method to squeeze cement to all perforations;  (ii) A cement plug set by the displacement method, at least 100 feet above to 100 feet below the perforated interval, or down to a casing plug, whichever is less; or casing plug, whichever is less; or casing plug, whichever is less; or casing plug, whichever is less; or casing plug, whichever is less; or casing plug, whichever is less; or casing plug, whichever is less; or casing plug are isolated from the hole below, you may use any of the plugs specified in paragraphs (a)(3)(ii) (a) if the perforated zones are isolated from the hole in paragraphs (a)(3)(ii) of this section, this section instead of those specified in paragraphs (a)(3)(iii) (a) A cement retainer with effective back-pressure control set 50 to 100 feet above the botform of the perforated interval with at least 50 feet of cement above the retainer; (b) A bridge plug set 50 to 100 feet above the top of the perforated interval and at least 50 feet of cement on top of the bridge
	programment plug at least 200 feet in length, set by the displacement method, with the bottom of the plug no more than 100 feet above the perforated interval; (C) A through-tubing basket plug set no more than 100 feet above the perforated interval with at least 50 feet of cement on top of the basket plug, or (E) A tubing plug set no more than 100 feet above the perforated interval topped with a sufficient volume of cement so as to extend at least 100 feet above the uppermost packer in the wellbore and at least 300 feet of cement in the casing annulus immediated above the nacker.
(4) A casing stub where the stub end is within the casing.	(i) A cement plug set at least 100 feet above and below the stub end; (ii) A cement retainer or bridge plug set at least 50 to 100 feet above the stub end with at least 50 feet of cement on top of the retainer or bridge plug, or tainer or bridge plug, or (iii) A cement blug at least 200 feet long with the bottom of the plug set no more than 100 feet above the stub end.
(5) A casing stub where the stub end is below the casing.	A plug as specified in paragraph (a)(1) or (a)(2) of this section, as applicable.
(6) An annular space that communicates with open hole and extends to the mud line.	A cement plug at least 200 feet long set in the annular space. For a well completed above the ocean surface, you must pressure test each casing annulus to verify isolation.
(7) A subsea well with unsealed annulus(8) A well with casing	∢ ∢
(9) Fluid left in the hole	A fluid in the intervals between the plugs that is dense enough to exert a hydrostatic pressure that is greater than the formation pressures in the intervals.
(10) Permafrost areas	(i) A fluid to be left in the hole that has a freezing point below the temperature of the permafrost, and a treatment to inhibit corrosion; and (ii) Cement plugs designed to set before freezing and have a low heat of hydration.

#### § 250.1716

- (b) You must test the first plug below the surface plug and all plugs in lost circulation areas that are in open hole. The plug must pass one of the following tests to verify plug integrity:
- (1) A pipe weight of at least 15,000 pounds on the plug; or
- (2) A pump pressure of at least 1,000 pounds per square inch. Ensure that the pressure does not drop more than 10 percent in 15 minutes. The District Supervisor may require you to tests other plug(s).

[67 FR 35406, May 17, 2002; 67 FR 44265, July 1, 2002; 67 FR 66048, Oct. 30, 2002]

# § 250.1716 To what depth must I remove wellheads and casings?

- (a) Unless the District Supervisor approves an alternate depth under paragraph (b) of this section, you must remove all wellheads and casings to at least 15 feet below the mud line.
- (b) The District Supervisor may approve an alternate removal depth if:
- (1) The wellhead or casing would not become an obstruction to other users of the seafloor or area, and geotechnical and other information you provide demonstrate that erosional processes capable of exposing the obstructions are not expected; or
- (2) You determine, and MMS concurs, that you must use divers, and the seafloor sediment stability poses safety concerns; or
- (3) The water depth is greater than 800 meters (2,624 feet).

# § 250.1717 After I permanently plug a well, what information must I submit?

Within 30 days after you permanently plug a well, you must submit form MMS-124, Application for Permit to Modify (subsequent report), to the appropriate District Supervisor, and include the following information:

- (a) Information included in §250.1712 with a final well schematic;
  - (b) Description of the plugging work;
- (c) Nature and quantities of material used in the plugs; and
- (d) If you cut and pulled any casing string, the following information:
- (1) A description of the methods used (including information on explosives, if used):

- (2) Size and amount of casing removed; and
  - (3) Casing removal depth.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

TEMPORARY ABANDONED WELLS

#### § 250.1721 If I temporarily abandon a well that I plan to re-enter, what must I do?

You may temporarily abandon a well when it is necessary for proper development and production of a lease. To temporarily abandon a well, you must do all of the following:

- (a) Submit form MMS-124, Application for Permit to Modify, and the applicable information required by \$250.1712 to the appropriate District Supervisor and receive approval;
- (b) Adhere to the plugging and testing requirements for permanently plugged wells listed in the table in §250.1715, except for §250.1715 (a)(8). You do not need to sever the casings, remove the wellhead, or clear the site;
- (c) Set a bridge plug or a cement plug at least 100-feet long at the base of the deepest casing string, unless the casing string has been cemented and has not been drilled out. If a cement plug is set, it is not necessary for the cement plug to extend below the casing shoe into the open hole;
- (d) Set a retrievable or a permanent-type bridge plug or a cement plug at least 100 feet long in the inner-most casing. The top of the bridge plug or cement plug must be no more than 1,000 feet below the mud line. MMS may consider approving alternate requirements for subsea wells case-by-case;
- (e) Identify and report subsea wellheads, casing stubs, or other obstructions that extend above the mud line according to U.S. Coast Guard (USCG) requirements; and
- (f) Except in water depths greater than 300 feet, protect subsea wellheads, casing stubs, mud line suspensions, or other obstructions remaining above the seafloor by using one of the following methods, as approved by the Regional or District Supervisor:
- (1) A caisson designed according to 30 CFR 250, subpart I, and equipped with aids to navigation;

- (2) A jacket designed according to 30 CFR 250, subpart I, and equipped with aids to navigation; or
- (3) A subsea protective device that meets the requirements in § 250.1722.
- (g) Within 30 days after you temporarily plug a well, you must submit form MMS-124, Application for Permit to Modify (subsequent report), and include the following information:
- (1) Information included in §250.1712 with a well schematic;
- (2) Information required by § 250.1717(b), (c), and (d); and
- (3) A description of any remaining subsea wellheads, casing stubs, mudline suspension equipment, or other obstructions that extend above the seafloor.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

# § 250.1722 If I install a subsea protective device, what requirements must I meet?

If you install a subsea protective device under §250.1721(f)(3), you must install it in a manner that allows fishing gear to pass over the obstruction without damage to the obstruction, the protective device, or the fishing gear.

- (a) Use form MMS-124, Application for Permit to Modify to request approval from the appropriate District Supervisor to install a subsea protective device.
- (b) The protective device may not extend more than 10 feet above the seafloor (unless MMS approves otherwise).
- (c) You must trawl over the protective device when you install it (adhere to the requirements at §250.1741 (d) through (h)). If the trawl does not pass over the protective device or causes damage to it, you must notify the appropriate District Supervisor within 5 days and perform remedial action within 30 days of the trawl;
- (d) Within 30 days after you complete the trawling test described in paragraph (c) of this section, submit a report to the appropriate District Supervisor using form MMS-124, Application for Permit to Modify, that includes the following:
- (1) The date(s) the trawling test was performed and the vessel that was used:

- (2) A plat at an appropriate scale showing the trawl lines;
- (3) A description of the trawling operation and the net(s) that were used;
- (4) An estimate by the trawling contractor of the seafloor penetration depth achieved by the trawl;
- (5) A summary of the results of the trawling test including a discussion of any snags and interruptions, a description of any damage to the protective covering, the casing stub or mud line suspension equipment, or the trawl, and a discussion of any snag removals requiring diver assistance; and
- (6) A letter signed by your authorized representative stating that he/she witnessed the trawling test.
- (e) If a temporarily abandoned well is protected by a subsea device installed in a water depth less than 100 feet, mark the site with a buoy installed according to the USCG requirements.
- (f) Provide annual reports to the Regional Supervisor describing your plans to either re-enter and complete the well or to permanently plug the well.
- (g) Ensure that all subsea wellheads, casing stubs, mud line suspensions, or other obstructions in water depths less than 300 feet remain protected.
- (1) To confirm that the subsea protective covering remains properly installed, either conduct a visual inspection or perform a trawl test at least annually.
- (2) If the inspection reveals that a casing stub or mud line suspension is no longer properly protected, or if the trawl does not pass over the subsea protective covering without causing damage to the covering, the casing stub or mud line suspension equipment, or the trawl, notify the appropriate District Supervisor within 5 days, and perform the necessary remedial work within 30 days of discovery of the problem.
- (3) In your annual report required by paragraph (f) of this section, include the inspection date, results, and method used and a description of any remedial work you will perform or have performed.
- (h) You may request approval to waive the trawling test required by paragraph (c) of this section if you plan to use either:

#### § 250.1723

- (1) A buoy with automatic tracking capabilities installed and maintained according to USCG requirements at 33 CFR part 67 (or its successor); or
- (2) A design and installation method that has been proven successful by trawl testing of previous protective devices of the same design and installed in areas with similar bottom conditions.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

#### § 250.1723 What must I do when it is no longer necessary to maintain a well in temporary abandoned status?

If you or MMS determines that continued maintenance of a well in a temporary abandoned status is not necessary for the proper development or production of a lease, you must:

- (a) Promptly and permanently plug the well according to §250.1715;
- (b) Remove any casing stub or mud line suspension equipment and any subsea protective covering. You must submit a request for approval to perform such work to the appropriate District Supervisor using form MMS-124, Application for Permit to Modify; and
- (c) Clear the well site according to §250.1740 through §250.1742.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

# REMOVING PLATFORMS AND OTHER FACILITIES

## § 250.1725 When do I have to remove platforms and other facilities?

- (a) You must remove all platforms and other facilities within 1 year after the lease or pipeline right-of-way terminates, unless you receive approval to maintain the structure to conduct other activities. Platforms include production platforms, well jackets, singlewell caissons, and pipeline accessory platforms.
- (b) Before you may remove a platform or other facility, you must submit a final removal application to the Regional Supervisor for approval and include the information listed in § 250.1727.
- (c) You must remove a platform or other facility according to the approved application.

- (d) You must flush all production risers with seawater before you remove them.
- (e) You must notify the Regional Supervisor at least 48 hours before you begin the removal operations.

# § 250.1726 When must I submit an initial platform removal application and what must it include?

An initial platform removal application is required only for leases and pipeline rights-of-way in the Pacific OCS Region or the Alaska OCS Region. It must include the following information:

- (a) Platform or other facility removal procedures, including the types of vessels and equipment you will use;
- (b) Facilities (including pipelines) you plan to remove or leave in place;
- (c) Platform or other facility transportation and disposal plans;
- (d) Plans to protect marine life and the environment during decommissioning operations, including a brief assessment of the environmental impacts of the operations, and procedures and mitigation measures that you will take to minimize the impacts; and
- (e) A projected decommissioning schedule.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

# § 250.1727 What information must I include in my final application to remove a platform or other facility?

You must submit a final application to remove a platform or other facility to the Regional Supervisor for approval. This requirement applies to leases in all MMS Regions. If you are proposing to use explosives, provide three copies of the application. If you are not proposing to use explosives, provide two copies of the application in Include the following information in the final removal application, as applicable:

- (a) Identification of the applicant including:
- Lease operator/pipeline right-ofway holder;
- (2) Address;
- $\begin{array}{ccccc} \hbox{(3)} & \hbox{Contact} & \hbox{person} & \hbox{and} & \hbox{telephone} \\ \hbox{number; and} & & \\ \end{array}$
- (4) Shore base.

- (b) Identification of the structure you are removing including:
- (1) Platform Name/MMS Complex ID Number;
- (2) Location (lease/right-of-way, area, block, and block coordinates);
  - (3) Date installed (year);
- (4) Proposed date of removal (Month/Year); and
  - (5) Water depth.
- (c) Description of the structure you are removing including:
- (1) Configuration (attach a photograph or a diagram);
  - (2) Size:
  - (3) Number of legs/casings/pilings;
- (4) Diameter and wall thickness of legs/casings/pilings;
- (5) Whether piles are grouted inside or outside;
- (6) Brief description of soil composition and condition;
- (7) The sizes and weights of the jacket, topsides (by module), conductors, and pilings; and
- (8) The maximum removal lift weight and estimated number of main lifts to remove the structure.
- (d) A description, including anchor pattern, of the vessel(s) you will use to remove the structure.
- (e) Identification of the purpose, including:
- (1) Lease expiration/right-of-way relinquishment date; and
- (2) Reason for removing the structure.
- (f) A description of the removal method, including:
- (1) A brief description of the method you will use:
- (2) If you are using explosives, the following:
  - (i) Type of explosives;
  - (ii) Number and sizes of charges;
- (iii) Whether you are using single shot or multiple shots;
- (iv) If multiple shots, the sequence and timing of detonations;
- (v) Whether you are using a bulk or shaped charge;
- (vi) Depth of detonation below the mud line; and
- (vii) Whether you are placing the explosives inside or outside of the pilings;
- (3) If you will use divers or acoustic devices to conduct a pre-removal survey to detect the presence of turtles

- and marine mammals, a description of the proposed detection method; and
- (4) A statement whether or not you will use transducers to measure the pressure and impulse of the detonations.
- (g) Your plans for transportation and disposal (including as an artificial reef) or salvage of the removed platform.
- (h) If available, the results of any recent biological surveys conducted in the vicinity of the structure and recent observations of turtles or marine mammals at the structure site.
- (i) Your plans to protect archaeological and sensitive biological features during removal operations, including a brief assessment of the environmental impacts of the removal operations and procedures and mitigation measures you will take to minimize such impacts.
- (j) A statement whether or not you will use divers to survey the area after removal to determine any effects on marine life.

# § 250.1728 To what depth must I remove a platform or other facility?

- (a) Unless the Regional Supervisor approves an alternate depth under paragraph (b) of this section, you must remove all platforms and other facilities (including templates and pilings) to at least 15 feet below the mud line.
- (b) The Regional Supervisor may approve an alternate removal depth if:
- (1) The remaining structure would not become an obstruction to other users of the seafloor or area, and geotechnical and other information you provide demonstrate that erosional processes capable of exposing the obstructions are not expected; or
- (2) You determine, and MMS concurs, that you must use divers and the seafloor sediment stability poses safety concerns; or
- (3) The water depth is greater than 800 meters (2,624 feet).

#### § 250.1729 After I remove a platform or other facility, what information must I submit?

Within 30 days after you remove a platform or other facility, you must submit a written report to the Regional Supervisor that includes the following:

#### § 250.1730

- (a) A summary of the removal operation including the date it was completed;
- (b) A description of any mitigation measures you took; and
- (c) A statement signed by your authorized representative that certifies that the types and amount of explosives you used in removing the platform or other facility were consistent with those set forth in the approved removal application.

# § 250.1730 When might MMS approve partial structure removal or toppling in place?

The Regional Supervisor may grant a departure from the requirement to remove a platform or other facility by approving partial structure removal or toppling in place for conversion to an artificial reef or other use if you meet the following conditions:

- (a) The structure becomes part of a State artificial reef program, and the responsible State agency acquires a permit from the U.S. Army Corps of Engineers and accepts title and liability for the structure; and
- (b) You satisfy any U.S. Coast Guard (USCG) navigational requirements for the structure.

SITE CLEARANCE FOR WELLS, PLATFORMS, AND OTHER FACILITIES

# § 250.1740 How must I verify that the site of a permanently plugged well, removed platform, or other removed facility is clear of obstructions?

Within 60 days after you permanently plug a well or remove a platform or

other facility, you must verify that the site is clear of obstructions by using one of the following methods:

- (a) For a well site, you must either:
- (1) Drag a trawl over the site;
- (2) Scan across the location using sonar equipment;
  - (3) Inspect the site using a diver;
- (4) Videotape the site using a camera on a remotely operated vehicle (ROV); or
- (5) Use another method approved by the District Supervisor if the particular site conditions warrant.
- (b) For a platform or other facility site in water depths less than 300 feet, you must drag a trawl over the site.
- (c) For a platform or other facility site in water depths 300 feet or more, you must either:
  - (1) Drag a trawl over the site;
- (2) Scan across the site using sonar equipment; or
- (3) Use another method approved by the Regional Supervisor if the particular site conditions warrant.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

# § 250.1741 If I drag a trawl across a site, what requirements must I meet?

If you drag a trawl across the site in accordance with §250.1740, you must meet all of the requirements of this section.

(a) You must drag the trawl in a gridlike pattern as shown in the following table:

For a—	You must drag the trawl across a—
(2) Subsea well site(3) Platform site	300-foot-radius circle centered on the well location. 600-foot-radius circle centered on the well location. 1,320-foot-radius circle centered on the location of the platform. 600-foot-radius circle centered on the structure location.

- (b) You must trawl 100 percent of the limits described in paragraph (a) of this section in two directions.
- (c) You must mark the area to be cleared as a hazard to navigation according to USCG requirements until you complete the site clearance procedures.
- (d) You must use a trawling vessel equipped with a calibrated navigational positioning system capable of providing position accuracy of ±30 feet.
- (e) You must use a trawling net that is representative of those used in the commercial fishing industry (one that

#### Minerals Management Service, Interior

has a net strength equal or greater than that provided by No. 18 twine).

(f) You must ensure that you trawl no closer than 300 feet from a ship-

wreck, and 500 feet from a sensitive biological feature.

(g) If you trawl near an active pipeline, you must meet the requirements in the following table:

For—	You must trawl—	And you must—
(2) Unburied active pipelines that are 8 inches in diameter or larger.  (3) Unburied smaller diameter active pipelines in the trawl area that have obstructions (e.g., pipeline valves) present.  (4) Unburied active pipelines in the trawl area that are smaller than 8 inches in diameter and have no obstructions present.	no closer than 100 feet to the either side of the pipeline. no closer than 100 feet to either side of the pipeline. parallel to the pipeline.	First contact the pipeline owner or operator to determine the condition of the pipeline before trawling over the buried pipeline.  Trawl parallel to the pipeline Do not trawl across the pipeline.  Trawl parallel to the pipeline. Do not trawl across the pipeline.

- (h) You must ensure that any trawling contractor you may use:
- (1) Has no corporate or other financial ties to you; and
- (2) Has a valid commercial trawling license for both the vessel and its captain.

[67 FR 35406, May 17, 2002; 67 FR 44266, July 1, 2002; 67 FR 66049, Oct. 30, 2002]

#### §250.1742 What other methods can I use to verify that a site is clear?

If you do not trawl a site, you can verify that the site is clear of obstructions by using any of the methods shown in the following table:

If you use—	You must—	And you must—
(a) Sonar	cover 100 percent of the appropriate grid area listed in §250.1741(a).	Use a sonar signal with a frequency of at least 500 kHz.
(b) A diver	ensure that the diver visually inspects 100 percent of the appropriate grid area listed in §250.1741(a).	Ensure that the diver uses a search pat- tern of concentric circles or parallel lines spaced no more than 10 feet apart.
(c) An ROV (remotely operated vehicle)	ensure that the ROV camera records videotape over 100 percent of the appropriate grid area listed in § 250.1741(a).	Ensure that the ROV uses a pattern of concentic circles or parallel lines spaced no more than 10 feet apart.

[67 FR 35406, May 17, 2002; 67 FR 44266, July 1, 2002]

## § 250.1743 How do I certify that a site is clear of obstructions?

- (a) For a well site, you must submit to the appropriate District Supervisor within 30 days after you complete the verification activities a form MMS-124, Application for Permit to Modify, to include the following information:
- (1) A signed certification that the well site area is cleared of all obstructions;
- (2) The date the verification work was performed and the vessel used;
  - (3) The extent of the area surveyed;

- (4) The survey method used;
- (5) The results of the survey, including a list of any debris removed or a statement from the trawling contractor that no objects were recovered; and
- (6) A post-trawling job plot or map showing the trawled area.
- (b) For a platform or other facility site, you must submit the following information to the appropriate Regional Supervisor within 30 days after you complete the verification activities:

#### § 250.1750

- (1) A letter signed by an authorized company official certifying that the platform or other facility site area is cleared of all obstructions and that a company representative witnessed the verification activities;
- (2) A letter signed by an authorized official of the company that performed the verification work for you certifying that they cleared the platform or other facility site area of all obstructions;
- (3) The date the verification work was performed and the vessel used;
  - (4) The extent of the area surveyed;
  - (5) The survey method used;
- (6) The results of the survey, including a list of any debris removed or a statement from the trawling contractor that no objects were recovered; and
- (7) A post-trawling job plot or map showing the trawled area.

[67 FR 35406, May 17, 2002; 67 FR 66049, Oct. 30, 2002]

#### PIPELINE DECOMMISSIONING

# § 250.1750 When may I decommission a pipeline in place?

You may decommission a pipeline in place when the Regional Supervisor determines that the pipeline does not constitute a hazard (obstruction) to navigation and commercial fishing operations, unduly interfere with other uses of the OCS, or have adverse environmental effects.

## § 250.1751 How do I decommission a pipeline in place?

You must do the following to decommission a pipeline in place:

- (a) Submit a pipeline decommissioning application in triplicate to the Regional Supervisor for approval that includes the following information:
  - (1) Reason for the operation;
- (2) Proposed decommissioning procedures;
- (3) Length (feet) of segment to be decommissioned; and
- (4) Length (feet) of segment remaining
- (b) Pig the pipeline, unless the Regional Supervisor determines that pigging is not practical;
  - (c) Flush the pipeline;
  - (d) Fill the pipeline with seawater;

- (e) Cut and plug each end of the pipeline:
- (f) Bury each end of the pipeline at least 3 feet below the seafloor or cover each end with protective concrete mats, if required by the Regional Supervisor; and
- (g) Remove all pipeline valves and other fittings that could unduly interfere with other uses of the OCS.

#### § 250.1752 How do I remove a pipeline?

Before removing a pipeline, you must:

- (a) Submit a pipeline removal application in triplicate to the Regional Supervisor for approval that includes the following information:
  - (1) Proposed removal procedures;
- (2) If the Regional Supervisor requires it, a description, including anchor pattern(s), of the vessel(s) you will use to remove the pipeline;
  - (3) Length (feet) to be removed;
- (4) Length (feet) of the segment that will remain in place;
- (5) Plans for transportation of the removed pipe for disposal or salvage;
- (6) Plans to protect archaeological and sensitive biological features during removal operations, including a brief assessment of the environmental impacts of the removal operations and procedures and mitigation measures that you will take to minimize such impacts; and
- (7) Projected removal schedule and duration.
- (b) Pig the pipeline, unless the Regional Supervisor determines that pigging is not practical; and
  - (c) Flush the pipeline.

#### § 250.1753 After I decommission a pipeline, what information must I submit?

Within 30 days after you decommission a pipeline, you must submit a written report to the Regional Supervisor that includes the following:

- (a) A summary of the decommissioning operation including the date it was completed;
- (b) A description of any mitigation measures you took; and
- (c) A statement signed by your authorized representative that certifies that the pipeline was decommissioned according to the approved application.

# § 250.1754 When must I remove a pipeline decommissioned in place?

You must remove a pipeline decommissioned in place if the Regional Supervisor determines that the pipeline is an obstruction.

# PART 251—GEOLOGICAL AND GEOPHYSICAL (G&G) EXPLORATIONS OF THE OUTER CONTINENTAL SHELF

Sec.

251.1 Definitions.

251.2 Purpose of this part.

251.3 Authority and applicability of this part.

251.4 Types of G&G activities that require permits or Notices.

251.5 Applying for permits or filing Notices.251.6 Obligations and rights under a permit or a Notice.

251.7 Test drilling activities under a permit.251.8 Inspection and reporting requirements for activities under a permit.

251.9 Temporarily stopping, canceling, or relinquishing activities approved under a permit.

251.10 Penalties and appeals.

251.11 Submission, inspection, and selection of geological data and information collected under a permit and processed by permittees or third parties.

251.12 Submission, inspection, and selection of geophysical data and information collected under a permit and processed by permittees or third parties.

251.13 Reimbursement for the cost of reproducing data and information and certain processing costs.

251.14 Protecting and disclosing data and information submitted to MMS under a permit.

251.15 Authority for information collection.

AUTHORITY: 43 U.S.C. 1331 et seq.

SOURCE:  $62\ FR\ 67284$ , Dec. 24, 1997, unless otherwise noted.

#### § 251.1 Definitions.

Terms used in this part have the following meaning:

Act means the Outer Continental Shelf Lands Act (OCSLA), as amended (43 U.S.C. 1331 et seq.).

Analyzed geological information means data collected under a permit or a lease that have been analyzed. Analysis may include, but is not limited to, identification of lithologic and fossil content, core analyses, laboratory analyses of physical and chemical prop-

erties, well logs or charts, results from formation fluid tests, and descriptions of hydrocarbon occurrences or hazardous conditions.

Archaeological interest means capable of providing scientific or humanistic understanding of past human behavior, cultural adaptation, and related topics through the application of scientific or scholarly techniques, such as controlled observation, contextual measurements, controlled collection, analysis, interpretation, and explanation.

Archaeological resources means any material remains of human life or activities that are at least 50 years of age and of archaeological interest.

Coastal environment means the physical, atmospheric, and biological components, conditions, and factors that interactively determine the productivity, state, condition, and quality of the terrestrial ecosystem from the shoreline inward to the boundaries of the coastal zone.

Coastal Zone means the coastal waters (including the lands therein and thereunder) and the adjacent shorelands (including the waters therein and thereunder), strongly influenced by each other and in proximity to the shorelines of the several coastal States and extends seaward to the outer limit of the U.S. territorial sea.

Coastal Zone Management Act means the Coastal Zone Management Act of 1972, as amended (16 U.S.C. 1451 et seq.).

Data means facts, statistics, measurements, or samples that have not been analyzed, processed, or interpreted.

Deep stratigraphic test means drilling that involves the penetration into the sea bottom of more than 500 feet (152 meters).

*Director* means the Director of the Minerals Management Service, U.S. Department of the Interior, or a subordinate authorized to act on the Director's behalf.

Exploration means the commercial search for oil, gas, and sulphur. Activities classified as exploration include, but are not limited to:

(1) Geological and geophysical marine and airborne surveys where magnetic, gravity, seismic reflection, seismic refraction, gas sniffers, coring, or other systems are used to detect or

§251.1

imply the presence of oil, gas, or sulphur; and

(2) Any drilling, whether on or off a geological structure.

Geological and geophysical scientific research means any oil, gas, or sulphur related investigation conducted in the OCS for scientific and/or research purposes. Geological, geophysical, and geochemical data and information gathered and analyzed are made available to the public for inspection and reproduction at the earliest practicable time. The term does not include commercial geological or geophysical exploration or research.

Geological exploration means exploration that uses geological and geochemical techniques (e.g., coring and test drilling, well logging, and bottom sampling) to produce data and information on oil, gas, and sulphur resources in support of possible exploration and development activities. The term does not include geological scientific research.

Geophysical exploration means exploration that utilizes geophysical techniques (e.g., gravity, magnetic, or seismic) to produce data and information on oil, gas, and sulphur resources in support of possible exploration and development activities. The term does not include geophysical scientific research.

Governor means the Governor of a State or the person or entity lawfully designated to exercise the powers granted to a Governor pursuant to the Act.

Human environment means the physical, social, and economic components, conditions, and factors which interactively determine the state, condition, and quality of living conditions, employment, and health of those affected, directly or indirectly, by activities occurring on the OCS.

Hydrocarbon occurrence means the direct or indirect detection during drilling operations of any liquid or gaseous hydrocarbons by examination of well cuttings, cores, gas detector readings, formation fluid tests, wireline logs, or by any other means. The term does not include background gas, minor accumulations of gas, or heavy oil residues on cuttings and cores.

*Information* means geological and geophysical data that have been analyzed, processed, or interpreted.

Interpreted geological information means knowledge, often in the form of schematic cross sections, 3-dimensional representations, and maps, developed by determining the geological significance of geological data and analyzed and processed geologic information

Interpreted geophysical information means knowledge, often in the form of seismic cross sections, 3-dimensional representations, and maps, developed by determining the geological significance of geophysical data and processed geophysical information.

Lease means an agreement which is issued under section 8 or maintained under section 6 of the Act and which authorizes exploration for, and development and production of, minerals or the area covered by that authorization, whichever is required by the context.

Lessee means a person who has entered into, or is the MMS approved assignee of, a lease with the United States to explore for, develop, and produce the leased minerals. The term "lessee" also includes an owner of operating rights.

*Marine environment* means the physical, atmospheric, and biological components, conditions, and factors that interactively determine the quality of the marine ecosystem in the coastal zone and in the OCS.

*Material remains* mean physical evidence of human habitation, occupation, use, or activity, including the site, location, or context in which such evidence is situated.

Minerals mean oil, gas, sulphur, geopressured-geothermal and associated resources, and all other minerals which are authorized by an Act of Congress to be produced from public lands as defined in section 103 of the Federal Land Policy and Management Act of 1976 (43 U.S.C. 1702).

Notice means a written statement of intent to conduct geological or geophysical scientific research related to oil, gas, and sulphur in the OCS other than under a permit.

Oil, gas, and sulphur mean oil, gas, sulphur, geopressured-geothermal, and associated resources.

Outer Continental Shelf (OCS) means all submerged lands lying seaward and outside the area of lands beneath navigable waters as defined in section 2 of the Submerged Lands Act (43 U.S.C. 1301), and of which the subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.

Permit means the contract or agreement, other than a lease, issued pursuant to this part, under which a person acquires the right to conduct on the OCS, in accordance with appropriate statutes, regulations, and stipulations:

- (1) Geological exploration for mineral resources:
- (2) Geophysical exploration for mineral resources;
  - (3) Geological scientific research; or
  - (4) Geophysical scientific research.

*Permittee* means the person authorized by a permit issued pursuant to this part to conduct activities on the OCS.

Person means a citizen or national of the United States; an alien lawfully admitted for permanent residence in the United States as defined in section 8 U.S.C. 1101(a)(20); a private, public, or municipal corporation organized under the laws of the United States or of any State or territory thereof; and associations of such citizens, nationals, resident aliens, or private, public, or municipal corporations, States, or political subdivisions of States or anyone operating in a manner provided for by treaty or other applicable international agreements. The term does not include Federal agencies.

Processed geological or geophysical information means data collected under a permit and later processed or reprocessed. Processing involves changing the form of data so as to facilitate interpretation. Processing operations may include, but are not limited to, applying corrections for known perturbing causes, rearranging or filtering data, and combining or transforming data elements. Reprocessing is the additional processing other than ordinary processing used in the general course of evaluation. Reprocessing operations may include varying identified parameters for the detailed study of a specific problem area.

Secretary means the Secretary of the Interior or a subordinate authorized to act on the Secretary's behalf.

Shallow test drilling means drilling into the sea bottom to depths less than those specified in the definition of a deep stratigraphic test.

Significant archaeological resource means those archaeological resources that meet the criteria of significance for eligibility to the National Register of Historic Places as defined in 36 CFR 60.4.

Third Party means any person other than the permittee or a representative of the United States, including all persons who obtain data or information acquired under a permit from the permittee, or from another third party, by sale, trade, license agreement, or other means.

Violation means a failure to comply with any provision of the Act, or a provision of a regulation or order issued under the Act, or any provision of a lease, license, or permit issued under the Act.

You means a person who applies for and/or obtains a permit, or files a Notice to conduct geological or geophysical exploration or scientific research related to oil, gas, and sulphur in the OCS.

#### §251.2 Purpose of this part.

- (a) To allow you to conduct G&G activities in the OCS related to oil, gas, and sulphur on unleased lands or on lands under lease to a third party.
- (b) To ensure that you carry out G&G activities in a safe and environmentally sound manner so as to prevent harm or damage to, or waste of, any natural resources (including any mineral deposit in areas leased or not leased), any life (including fish and other aquatic life), property, or the marine, coastal, or human environment.
- (c) To inform you and third parties of your legal and contractual obligations.
- (d) To inform you and third parties of the U.S. Government's rights to access G&G data and information collected under permit in the OCS, reimbursement for submittal of data and information, and the proprietary terms of data and information submitted to, and retained by, MMS.

#### § 251.3

## § 251.3 Authority and applicability of this part.

MMS authorizes you to conduct exploration or scientific research activities under this part in accordance with the Act, the regulations in this part, orders of the Director/Regional Director, and other applicable statutes, regulations, and amendments.

(a) This part does not apply to G&G exploration conducted by or on behalf of the lessee on a lease in the OCS. Refer to 30 CFR part 250 if you plan to conduct G&G activities related to oil, gas, or sulphur under terms of a lease.

(b) Federal agencies are exempt from

the regulations in this part.

(c) G&G exploration or G&G scientific research related to minerals other than oil, gas, and sulphur is covered by regulations at 30 CFR part 280.

# § 251.4 Types of G&G activities that require permits or Notices.

- (a) Exploration. You must have an MMS-approved permit to conduct G&G exploration, including deep stratigraphic tests, for oil, gas, or sulphur resources. If you conduct both geological and geophysical exploration, you must have a separate permit for each.
- (b) *Scientific research*. You may only conduct G&G scientific research related to oil, gas, and sulphur in the OCS after you obtain an MMS-approved permit or file a Notice.
- (1) *Permit.* You must obtain a permit if the research activities you propose to conduct involve:
  - (i) Using solid or liquid explosives;
- (ii) Drilling a deep stratigraphic test;
- (iii) Developing data and information

for proprietary use or sale.

(2) Notice. Any other G&G scientific research that you conduct related to oil, gas, and sulphur in the OCS requires you to file a Notice with the Regional Director at least 30 days before you begin. If circumstances preclude a 30-day Notice, you must provide oral notification and followup in writing. You must also inform MMS in writing when you conclude your work.

## § 251.5 Applying for permits or filing Notices.

(a) Permits. You must submit a signed original and three copies of the MMS

permit application form (Form MMS-327). The form includes names of persons, type, location, purpose, and dates of activity, and environmental and other information.

- (b) Disapproval of permit application. If MMS disapproves your application for a permit, the Regional Director will state the reasons for the denial and will advise you of the changes needed to obtain approval.
- (c) Notices. You must sign and date a Notice and state:
- (1) The name(s) of the person(s) who will conduct the proposed research;
- (2) The name(s) of any other person(s) participating in the proposed research, including the sponsor;
- (3) The type of research and a brief description of how you will conduct it;
- (4) The location in the OCS, indicated on a map, plat, or chart, where you will conduct research;
- (5) The proposed dates you project for your research activity to start and end;
- (6) The name, registry number, registered owner, and port of registry of vessels used in the operation;
- (7) The earliest practicable time you expect to make the data and information resulting from your research activity available to the public;
- (8) Your plan of how you will make the data and information you collected available to the public;
- (9) That you and others involved will not sell or withhold for exclusive use the data and information resulting from your research; and
- (10) At your option, you may submit (as a substitute for the material required in paragraphs (c)(7), (c)(8), and (c)(9) of this section) the nonexclusive use agreement for scientific research attachment to Form 327.
- (d) *Filing locations.* You must apply for a permit or file a Notice at one of the following locations:
- (1) For the OCS off the State of Alaska—the Regional Supervisor for Resource Evaluation, Minerals Management Service, Alaska OCS Region, 949 East 36th Avenue, Anchorage, Alaska 99508–4302.
- (2) For the OCS off the Atlantic Coast and in the Gulf of Mexico—the Regional Supervisor for Resource Evaluation, Minerals Management Service,

Gulf of Mexico OCS Region, 1201 Elmwood Park Boulevard, New Orleans, Louisiana 70123–2394.

(3) For the OCS off the coast of the States of California, Oregon, Washington, or Hawaii—the Regional Supervisor for Resource Evaluation, Minerals Management Service, Pacific OCS Region, 770 Paseo Camarillo, California 93010–6064.

## § 251.6 Obligations and rights under a permit or a Notice.

While conducting G&G exploration or scientific research activities under MMS permit or Notice:

- (a) You must not:
- (1) Interfere with or endanger operations under any lease, right-of-way, easement, right-of-use, Notice, or permit issued or maintained under the Act:
- (2) Cause harm or damage to life (including fish and other aquatic life), property, or to the marine, coastal, or human environment;
- (3) Cause harm or damage to any mineral resource (in areas leased or not leased):
  - (4) Cause pollution;
  - (5) Disturb archaeological resources;
- (6) Create hazardous or unsafe conditions; or
- (7) Unreasonably interfere with or cause harm to other uses of the area.
- (b) You must immediately report to the Regional Director if you:
  - (1) Detect hydrocarbon occurrences;
- (2) Detect environmental hazards which imminently threaten life and property; or
- (3) Adversely affect the environment, aquatic life, archaeological resources, or other uses of the area where you are conducting exploration or scientific research activities.
- (c) You must also consult and coordinate your G&G activities with other users of the area for navigation and safety purposes.
- (d) Any persons conducting shallow test drilling or deep stratigraphic test drilling activities under a permit must use the best available and safest technologies that the Regional Director determines to be economically feasible.
- (e) You may not claim any oil, gas, sulphur, or other minerals you discover

while conducting operations under a permit or Notice.

# § 251.7 Test drilling activities under a permit.

- (a) Shallow test drilling. Before you begin shallow test drilling under a permit, the Regional Director may require you to:
- (1) Gather and submit seismic, bathymetric, sidescan sonar, magnetometer, or other geophysical data and information to determine shallow structural detail across and in the vicinity of the proposed test.
- (2) Submit information for coastal zone consistency certification according to paragraphs (b)(3) and (b)(4) of this section, and for protecting archaeological resources according to paragraph (b)(5) of this section.
- (3) Allow all interested parties the opportunity to participate in the shallow test according to paragraph (c) of this section, and meet bonding requirements according to paragraph (d) of this section.
- (b) Deep stratigraphic tests. You must submit to the appropriate Regional Director, at the address given in §251.5, a drilling plan, an environmental report, and an application for permit to drill (Form MMS-123) as follows:
- (1)  $Drilling\ plan.$  The drilling plan must include:
- (i) The proposed type, sequence, and timetable of drilling activities;
- (ii) A description of your drilling rig, indicating the important features with special attention to safety, pollution prevention, oil-spill containment and cleanup plans, and onshore disposal procedures;
- (iii) The location of each deep stratigraphic test you will conduct, including the location of the surface and projected bottomhole of the borehole;
- (iv) The types of geological and geophysical survey instruments you will use before and during drilling;
- (v) Seismic, bathymetric, sidescan sonar, magnetometer, or other geophysical data and information sufficient to evaluate seafloor characteristics, shallow geologic hazards, and structural detail across and in the vicinity of the proposed test to the total depth of the proposed test well; and

#### § 251.7

- (vi) Other relevant data and information that the Regional Director requires.
- (2) Environmental report. The environmental report must include all of the following material:
- (i) A summary with data and information available at the time you submitted the related drilling plan. MMS will consider site-specific data and information developed since the most recent environmental impact statement or other environmental impact analysis in the immediate area. The summary must meet the following requirements:
- (A) You must concentrate on the issues specific to the site(s) of drilling activity. However, you only need to summarize data and information discussed in any environmental reports, analyses, or impact statements prepared for the geographic area of the drilling activity.
- (B) You must list referenced material. Include brief descriptions and a statement of where the material is available for inspection.
- (C) You must refer only to data that are available to MMS.
- (ii) Details about your project such as:
- (A) A list and description of new or unusual technologies;
- (B) The location of travel routes for supplies and personnel;
- (C) The kinds and approximate levels of energy sources;
- (D) The environmental monitoring systems; and
- (E) Suitable maps and diagrams showing details of the proposed project layout
- (iii) A description of the existing environment. For this section, you must include the following information on the area:
  - (A) Geology;
  - (B) Physical oceanography;
  - (C) Other uses of the area;
  - (D) Flora and fauna;
- (E) Existing environmental monitoring systems; and
- (F) Other unusual or unique characteristics that may affect or be affected by the drilling activities.
- (iv) A description of the probable impacts of the proposed action on the en-

vironment and the measures you propose for mitigating these impacts.

- (v) A description of any unavoidable or irreversible adverse effects on the environment that could occur.
- (vi) Other relevant data that the Regional Director requires.
- (3) Copies for coastal States. You must submit copies of the drilling plan and environmental report to the Regional Director for transmittal to the Governor of each affected coastal State and the coastal zone management agency of each affected coastal State that has an approved program under the Coastal Zone Management Act. (The Regional Director will make the drilling plan and environmental report available to appropriate Federal agencies and the public according to the Department of the Interior's policies and procedures).
- (4) Certification of coastal zone management program consistency and State concurrence. When required under an approved coastal zone management program of an affected State, your drilling plan must include a certification that the proposed activities described in the plan comply with enforceable policies of, and will be conducted in a manner consistent with such State's program. The Regional Director may not approve any of the activities described in the drilling plan unless the State concurs with the consistency certification or the Secretary of Commerce makes the finding authorized by section 307(c)(3)(B)(iii) of the Coastal Zone Management Act.
- (5) Protecting archaeological resources. If the Regional Director believes that an archaeological resource may exist in the area that may be affected by drilling, the Regional Director will notify you of the need to prepare an archaeological report.
- (i) If the evidence suggests that an archaeological resource may be present, you must:
- (A) Locate the site of the drilling so as to not adversely affect the area where the archaeological resources may be, or
- (B) Establish to the satisfaction of the Regional Director that an archaeological resource does not exist or will not be adversely affected by drilling.

This must be done by further archaeological investigation, conducted by an archaeologist and a geophysicist, using survey equipment and techniques deemed necessary by the Regional Director. A report on the investigation must be submitted to the Regional Director for review.

- (ii) If the Regional Director determines that an archaeological resource is likely to be present in the area that may be affected by drilling, and may be adversely affected by drilling, the Regional Director will notify you immediately. You must take no action that may adversely affect the archaeological resource unless further investigations determine that the resource is not archaeologically significant.
- (iii) If you discover any archaeological resource while drilling, you must immediately halt drilling and report the discovery to the Regional Director. If investigations determine that the resource is significant, the Regional Director will inform you how to protect it.
- (6) Application for permit to drill (APD). Before commencing deep stratigraphic test drilling activities under an approved drilling plan, you must submit an APD (Form MMS-123) and receive approval. You must comply with all regulations relating to drilling operations in 30 CFR part 250.

(7) Revising an approved drilling plan. Before you revise an approved drilling plan, you must obtain the Regional Director's approval.

- (8) After drilling. When you complete the test activities, you must permanently plug and abandon the boreholes of all deep stratigraphic tests in compliance with 30 CFR part 250. If the tract on which you conducted a deep stratigraphic test is leased to another party for exploration and development, and if the lessee has not disturbed the borehole, MMS will hold you and not the lessee responsible for problems associated with the test hole.
- (9) Deadline for completing a deep stratigraphic test. If your deep stratigraphic test well is within 50 geographic miles of a tract that MMS has identified for a future lease sale, as listed on the currently approved OCS leasing schedule, you must complete all drilling activities and submit the data and informa-

tion to the Regional Director at least 60 days before the first day of the month in which MMS schedules the lease sale. However, the Regional Director may extend your permit duration to allow you to complete drilling activities and submit data and information if the extension is in the national interest.

- (c) *Group participation in test drilling.* MMS encourages group participation for deep stratigraphic tests.
- (1) Purpose of group participation. The purpose is to minimize duplicative G&G activities involving drilling into the seabed of the OCS.
- (2) Providing opportunity for participation in a deep stratigraphic test. When you propose to drill a deep stratigraphic test, you must give all interested persons an opportunity to participate in the test drilling through a signed agreement on a cost-sharing basis. You may include a penalty for late participation of not more than 100 percent of the cost to each original participant in addition to the original share cost.
- (i) The participants must assess and distribute late participation penalties in accordance with the terms of the agreement.
- (ii) For a significant hydrocarbon occurrence that the Regional Director announces to the public, the penalty for subsequent late participants may be raised to not more than 300 percent of the cost of each original participant in addition to the original share cost.
- (3) Providing opportunity for participation in a shallow test drilling project. When you apply to conduct shallow test drilling activities, you must, if ordered by the Regional Director or required by the permit, give all interested persons an opportunity to participate in the test activity on a costsharing basis. You may include a penalty provision for late participation of not more than 50 percent of the cost to each original participant in addition to the original share cost.
- (4) Procedures for group participation in drilling activities. You must:
- (i) Publish a summary statement that describes the approved activity in a relevant trade publication;
- (ii) Forward a copy of the published statement to the Regional Director;

#### § 251.8

- (iii) Allow at least 30 days from the summary statement publication date for other persons to join as original participants;
- (iv) Compute the estimated cost by dividing the estimated total cost of the program by the number of original participants; and
- (v) Furnish the Regional Director with a complete list of all participants before starting operations, or at the end of the advertising period if you begin operations before the advertising period is over. The names of any subsequent or late participants must also be furnished to the Regional Director.
- (5) Changes to the original application for test drilling. If you propose changes to the original application and the Regional Director determines that the changes are significant, the Regional Director will require you to publish the changes for an additional 30 days to give other persons a chance to join as original participants.
- (d) Bonding requirements. You must submit a bond under this part before you may start a deep stratigraphic test.
- (1) Before MMS issues a permit authorizing the drilling of a deep stratigraphic test, you must either:
- (i) Furnish to MMS a bond of not less than \$200,000 that guarantees compliance with all the terms and conditions of the permit; or
- (ii) Maintain a \$1 million bond that guarantees compliance with all the terms and conditions of the permit you hold for the OCS area where you propose to drill.
- (2) You must provide additional security to MMS if the Regional Director determines that it is necessary for the permit or area.
- (3) The Regional Director may require you to provide a bond, in an amount the Regional Director prescribes, before authorizing you to drill a shallow test well.
- (4) Your bond must be on a form approved by the Associate Director for Offshore Minerals Management.

# § 251.8 Inspection and reporting requirements for activities under a permit.

(a) *Inspection of permit activities.* You must allow MMS representatives to in-

- spect your exploration or scientific research activities under a permit. They will determine whether operations are adversely affecting the environment, aquatic life, archaeological resources, or other uses of the area. MMS will reimburse you for food, quarters, and transportation that you provide for MMS representatives if you send in your reimbursement request to the Region that issued the permit within 90 days of the inspection.
- (b) Approval for modifications. Before you begin modified operations, you must submit a written request describing the modifications and receive the Regional Director's oral or written approval. If circumstances preclude a written request, you must make an oral request and follow up in writing.
- (c) *Reports.* (1) You must submit status reports on a schedule specified in the permit and include a daily log of operations.
- (2) You must submit a final report of exploration or scientific research activities under a permit within 30 days after the completion of acquisition activities under the permit. You may combine the final report with the last status report and must include each of the following:
- (i) A description of the work performed.
- (ii) Charts, maps, plats, and digital navigational data in a format specified by the Regional Director, showing the areas and blocks in which any exploration or permitted scientific research activities were conducted. Identify the lines of geophysical traverses and their locations including a reference sufficient to identify the data produced during each activity.
- (iii) The dates on which you conducted the actual exploration or scientific research activities.
  - (iv) A summary of any:
- (A) Hydrocarbon or sulphur occurrences encountered;
  - (B) Environmental hazards; and
- (C) Adverse effects of the exploration or scientific research activities on the environment, aquatic life, archaeological resources, or other uses of the area in which the activities were conducted.

(v) Other descriptions of the activities conducted as specified by the Regional Director.

#### § 251.9 Temporarily stopping, canceling, or relinquishing activities approved under a permit.

- (a) MMS may temporarily stop exploration or scientific research activities under a permit when the Regional Director determines that:
- (1) Activities pose a threat of serious, irreparable, or immediate harm. This includes damage to life (including fish and other aquatic life), property, any mineral deposit (in areas leased or not leased), to the marine, coastal, or human environment, or to an archaeological resource;
- (2) You failed to comply with any applicable law, regulation, order, or provision of the permit. This would include MMS' required submission of reports, well records or logs, and G&G data and information within the time specified; or
- (3) Stopping the activities is in the interest of national security or defense.
- (b) Procedures to temporarily stop activities. (1) The Regional Director will advise you either orally or in writing. MMS will confirm an oral notification in writing and deliver all written notifications by courier or certified or registered mail. You must halt all activities under a permit as soon as you receive an oral or written notification.
- (2) The Regional Director will advise you when you may start your permit activities again.
- (c) Procedure to cancel or relinquish a permit. The Regional Director may cancel, or a permittee may relinquish, a permit at any time.
- (1) If MMS cancels your permit, the Regional Director will advise you by certified or registered mail 30 days before the cancellation date and will state the reason.
- (2) You may relinquish the permit by advising the Regional Director by certified or registered mail 30 days in advance.
- (3) After MMS cancels your permit or you relinquish it, you are still responsible for proper abandonment of any drill sites in accordance with the requirements of §251.7(b)(8). You must

also comply with all other obligations specified in this part or in the permit.

#### §251.10 Penalties and appeals.

- (a) Penalties for noncompliance under a permit issued by MMS. You are subject to the penalty provisions of: (1) Section 24 of the Act (43 U.S.C. 1350); and (2) The procedures contained in 30 CFR part 250, subpart N, for noncompliance with: (i) Any provision of the Act; (ii) Any provision of a G&G or drilling permit; or (iii) Any regulation or order issued under the Act.
- (b) Penalties under other laws and regulations. The penalties prescribed in this section are in addition to any other penalty imposed by any other law or regulation.
- (c) Procedures to appeal orders or decisions MMS issues. See 30 CFR part 290 for instructions on how to appeal any order or decision that we issue under this part.

[62 FR 67284, Dec. 24, 1997, as amended at 65 FR 3856, Jan. 25, 2000]

#### § 251.11 Submission, inspection, and selection of geological data and information collected under a permit and processed by permittees or third parties.

- (a) Availability of geological data and information collected under a permit. (1) You must notify the Regional Director, in writing, when you complete the initial analysis, processing, or interpretation of any geological data and information. Initial analysis and processing are the stages of analysis or processing where the data and information first become available for in-house interpretation by the permittee, or become available commercially to third parties via sale, trade, license agreement, or other means.
- (2) The Regional Director may ask if you have further analyzed, processed, or interpreted any geological data and information. When so asked, you must respond to MMS in writing within 30 days.
- (b) Submission, inspection, and selection of geological data and information. The Regional Director may request the permittee or third party to submit the analyzed, processed, and interpreted geologic data and information for inspection and/or permanent retention by

#### § 251.12

MMS. The data and information must be submitted within 30 days after such request.

- (c) Requirements for submission of geological data and information collected under a permit. Unless the Regional Director specifies otherwise, geological data and information must include:
- (1) An accurate and complete record of all geological (including geochemical) data and information describing each operation of analysis, processing, and interpretation;
- (2) Paleontological reports identifying microscopic fossils by depth, including the reference datum to which paleontological sample depths are related and, if the Regional Director requests, washed samples that you maintain for paleontological determinations:
- (3) Copies of well logs or charts in a digital format, if available;
- (4) Results and data obtained from formation fluid tests;
- (5) Analyses of core or bottom samples and/or a representative cut or split of the core or bottom sample;
- (6) Detailed descriptions of any hydrocarbons or hazardous conditions encountered during operations, including near losses of well control, abnormal geopressures, and losses of circulation; and
- (7) Other geological data and information that the Regional Director may specify.
- (d) Obligations when geological data and information collected under permit are obtained by a third party. A third party may obtain geological data and information from a permittee, or from another third party, by sale, trade, license agreement, or other means. If this happens:
- (1) The third party recipient of the data and information assumes the obligations under this section, except for the notification provisions of paragraph (a)(1), and is subject to the penalty provisions of 30 CFR part 250, subpart N; and
- (2) A permittee or third party that sells, trades, licenses, or otherwise provides data and information to a third party must advise the recipient, in writing, that accepting these obligations is a condition precedent of the

- sale, trade, license, or other agreement; and
- (3) Except for license agreements, a permittee or third party that sells, trades, or otherwise provides data and information to a third party must advise the Regional Director, in writing and within 30 days, of the sale, trade, or other agreement, including the identity of the recipient of the data and information; or
- (4) For license agreements a permittee or third party that licenses data and information to a third party must, within 30 days of a request by the Regional Director, advise the Regional Director, in writing, of the license agreement, including the identity of the recipient of the data and information.

#### § 251.12 Submission, inspection, and selection of geophysical data and information collected under a permit and processed by permittees or third parties.

- (a) Availability of geophysical data and information collected under a permit. (1) You must notify the Regional Director, in writing, when you complete the initial processing and interpretation of any geophysical data and information. Initial processing is the stage of processing where the data and information become available for in-house interpretation by the permittee, or become available commercially to third parties via sale, trade, license agreement, or other means.
- (2) The Regional Director may ask if you have further processed or interpreted any geophysical data and information. When so asked, you must respond to MMS in writing within 30 days.
- (b) Submission, inspection and selection of geophysical data and information collected under a permit. The Regional Director may request that the permittee or third party submit geophysical data and information before making a final selection for retention. MMS representatives may inspect and select the data and information on your premises, or the Regional Director can request delivery of the data and information to the appropriate MMS regional office for review.
- (1) You must submit the geophysical data and information within 30 days of

receiving the request, unless the Regional Director extends the delivery time.

- (2) At any time before final selection, the Regional Director may return any or all geophysical data and information following review. You will be notified in writing of all or portions of those data the Regional Director decides to retain.
- (c) Requirements for submission of geophysical data and information collected under a permit. Unless the Regional Director specifies otherwise, you must include:
- (1) An accurate and complete record of each geophysical survey conducted under the permit, including digital navigational data and final location maps;

(2) All seismic data collected under a permit presented in a format and of a quality suitable for processing;

- (3) Processed geophysical information derived from seismic data with extraneous signals and interference removed, presented in a quality format suitable for interpretive evaluation, reflecting state-of-the-art processing techniques; and
- (4) Other geophysical data, processed geophysical information, and interpreted geophysical information including, but not limited to, shallow and deep subbottom profiles, bathymetry, sidescan sonar, gravity and magnetic surveys, and special studies such as refraction and velocity surveys.
- (d) Obligations when geophysical data and information collected under a permit are obtained by a third party. A third party may obtain geophysical data, processed geophysical information, or interpreted geophysical information from a permittee, or from another third party, by sale, trade, license agreement, or other means. If this happens:
- (1) The third party recipient of the data and information assumes the obligations under this section, except for the notification provisions of paragraph (a)(1), and is subject to the penalty provisions of 30 CFR part 250, subpart N; and
- (2) A permittee or third party that sells, trades, licenses, or otherwise provides data and information to a third party must advise the recipient, in

- writing, that accepting these obligations is a condition precedent of the sale, trade, license, or other agreement; and
- (3) Except for license agreements, a permittee or third party that sells, trades, or otherwise provides data and information to a third party must advise the Regional Director, in writing and within 30 days, of the sale, trade, or other agreement, including the identity of the recipient of the data and information; or
- (4) For license agreements, a permittee or third party that licenses data and information to a third party must, within 30 days of a request by the Regional Director, advise the Regional Director, in writing, of the license agreement, including the identity of the recipient of the data and information.

# § 251.13 Reimbursement for the costs of reproducing data and information and certain processing costs.

- (a) MMS will reimburse you or a third party for reasonable costs of reproducing data and information that the Regional Director requests if:
- (1) You deliver G&G data and information to MMS for the Regional Director to inspect or select and retain (according to §§ 251.11 or 251.12);
- (2) MMS receives your request for reimbursement and the Regional Director determines that the requested reimbursement is proper; and
- (3) The cost is at your lowest rate (or a third party's) or at the lowest commercial rate established in the area, whichever is less.
- (b) MMS will reimburse you or the third party for the reasonable costs of processing geophysical information (which does not include cost of data acquisition):
- (1) If, at the request of the Regional Director, you processed the geophysical data or information in a form or manner other than that used in the normal conduct of business; or
- (2) If you collected the information under a permit that MMS issued to you before October 1, 1985, and the Regional Director requests and retains the information.
- (c) When you request reimbursement, you must identify reproduction and

#### § 251.14

processing costs separately from acquisition costs.

(d) MMS will not reimburse you or a third party for data acquisition costs or for the costs of analyzing or processing geological information or interpreting geological or geophysical information.

#### § 251.14 Protecting and disclosing data and information submitted to MMS under a permit.

- (a) Disclosure of data and information to the public by MMS. (1) In making data and information available to the public, the Regional Director will follow the applicable requirements of:
- (i) The Freedom of Information Act (5 U.S.C. 552);
- (ii) The implementing regulations at 43 CFR part 2;
  - (iii) The Act; and
- (iv) The regulations at 30 CFR parts 250 and 252
- (2) Except as specified in this section or in 30 CFR parts 250 and 252, if the Regional Director determines any data or information is exempt from public disclosure under paragraph (a) of this section, MMS will not provide the data and information to any State or to the executive of any local government or to the public, unless you and all third parties agree to the disclosure.
- (3) MMS will keep confidential the identity of third party recipients of data and information collected under a permit. MMS will not release the identity unless you and the third parties agree to the disclosure.
- (4) When you detect any significant hydrocarbon occurrences or environmental hazards on unleased lands during drilling operations, the Regional Director will immediately issue a public announcement. The announcement must further the national interest, but without unduly damaging your competitive position.
- (b) Timetable for release of G&G data and information that MMS acquires. MMS will release data and information that you or a third party submits and MMS retains, in accordance with paragraphs (b)(1) and (b)(2) of this section.
- (1) If the data and information are not related to a deep stratigraphic test, MMS will release them to the public in accordance with the following table:

If you or a third party submit and MMS retains	The Regional Director will disclose them to the public
Geological data and information. Geophysical data Geophysical information	10 years after issuing the permit. 50 years after you or a third party submit the data. 25 years after you or a third party submit the information.

- (2) If the data and information are related to a deep stratigraphic test, MMS will release them to the public at the earlier of the following times:
- (i) Twenty-five years after you complete the test; or
- (ii) If a lease sale is held after you complete a test well, 60 calendar days after MMS issues the first lease, any portion of which is located within 50 geographic miles (92.7 kilometers) of the test.
- (c) Procedure that MMS follows to disclose acquired data and information to a contractor for reproduction, processing, and interpretation.
- (1) When practical, the Regional Director will advise the person who submitted data and information under §§ 251.11 or 251.12 of the intent to disclose the data or information to an independent contractor or agent.
- (2) The person so notified will have at least 5 working days to comment on the action.
- (3) When the Regional Director advises the person who submitted the data and information, all other owners of the data or information will be considered to have been so notified.
- (4) Before disclosure, the contractor or agent must sign a written commitment not to sell, trade, license, or disclose data or information to anyone without the Regional Director's consent.
- (d) Sharing data and information with coastal States. (1) When MMS solicits nominations for leasing lands located within 3 geographic miles (5.6 kilometers) of the seaward boundary of any coastal State, the Regional Director, in accordance with 30 CFR 252.7 (a)(4) and (b) and subsections 8(g) and 26(e) of the Act (43 U.S.C. 1337(g) and 1352(e)), will provide the Governor with:
- (i) All information on the geographical, geological, and ecological characteristics of the areas and regions MMS proposes to offer for lease;

- (ii) An estimate of the oil and gas reserves in the areas proposed for leasing; and
- (iii) An identification of any field, geological structure, or trap on the OCS within 3 geographic miles (5.6 kilometers) of the seaward boundary of the State.
- (2) After receiving nominations for leasing an area of the OCS within 3 geographic miles of the seaward boundary of any coastal State, MMS will carry out a tentative area identification according to 30 CFR part 256, subparts D and E. At that time, the Regional Director will consult with the Governor to determine whether any tracts further considered for leasing may contain any oil or gas reservoirs that underlie both the OCS and lands subject to the jurisdiction of the State.
- (3) Before a sale, if a Governor requests, the Regional Director, in accordance with 30 CFR 252.7(a)(4) and (b) and sections 8(g) and 26(e) of the Act (43 U.S.C. 1337(g) and 1352(e)), will share with the Governor information that identifies potential and/or proven common hydrocarbon bearing areas within 3 geographic miles of the seaward boundary of that State.
- (4) Information received and knowledge gained by a State official under paragraph (d) of this section is subject to applicable confidentiality requirements of:
  - (i) The Act; and
- (ii) The regulations at 30 CFR parts 250, 251, and 252.

# § 251.15 Authority for information collection.

- (a) The Office of Management and Budget has approved the information collection requirements in this part under 44 U.S.C. 3501 *et seq.* and assigned OMB control number 1010–0048. The title of this information collection is "30 CFR Part 251, Geological and Geophysical (G&G) Explorations of the OCS."
- (b) We may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number.
- (c) We use the information collected under this part to:

- (1) Evaluate permit applications and monitor scientific research activities for environmental and safety reasons.
- (2) Determine that explorations do not harm resources, result in pollution, create hazardous or unsafe conditions, or interfere with other users in the area
- (3) Approve reimbursement of certain expenses.
- (4) Monitor the progress and activities carried out under an OCS G&G permit.
- (5) Inspect and select G&G data and information collected under an OCS G&G permit.
- (d) Respondents are Federal OCS permittees and Notice filers. Responses are mandatory or are required to obtain or retain a benefit. We will protect information considered proprietary under applicable law and under regulations at §251.14 and part 250 of this chapter.
- (e) Send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

[62 FR 67284, Dec. 24, 1997, as amended at 65 FR 2875, Jan. 19, 2000]

# PART 252—OUTER CONTINENTAL SHELF (OCS) OIL AND GAS INFORMATION PROGRAM

Sec.

252.1 Purpose.

252.2 Definitions.

- 252.3 Oil and gas data and information to be provided for use in the OCS Oil and Gas Information Program.
- 252.4 Summary Report to affected States.
- 252.5 Information to be made available to affected States.
- 252.6 Freedom of Information Act requirements.
- 252.7 Privileged and proprietary data and information to be made available to affected States.

AUTHORITY: OCS Lands Act, 43 U.S.C. 1331 et seq., as amended, 92 Stat. 629; Freedom of Information Act, 5 U.S.C. 552; §252.3 also issued under Pub. L. 99–190 making continuing appropriations for Fiscal Year 1986, and for other purposes.

#### § 252.1

SOURCE: 44 FR 46408, Aug. 7, 1979, unless otherwise noted.

#### §252.1 Purpose.

The purpose of this part is to implement the provisions of section 26 of the Act (43 U.S.C. 1352). This part supplements the procedures and requirements contained in parts 250 and 251 of this chapter and provides procedures and requirements for the submission of oil and gas data and information resulting from exploration, development, and production operations on the Outer Continental Shelf (OCS) to the Director, Minerals Management Service. In addition, this part establishes procedures for the Director to make available certain information to the Governors of affected States and, upon request, to the executives of affected local governments in accordance with the provisions of the Freedom of Information Act and the Act.

#### § 252.2 Definitions.

When used in the regulations in this part, the following terms shall have the meanings given below:

- (a) *Act* refers to the Outer Continental Shelf Lands Act, as amended (43 U.S.C. 1331 *et seq.*).
- (b) Affected local government means the principal governing body of a locality which is in an affected State and is identified by the Governor of that State as a locality which will be significantly affected by oil and gas activities on the OCS.
- (c) Affected State means, with respect to any program, plan, lease sale, or other activity, proposed, conducted, or approved pursuant to the provisions of the Act, any State:
- (1) The laws of which are declared, pursuant to section 4(a)(2)(A) of the Act, to be the law of the United States for the portion of the OCS on which such activity is, or is proposed to be, conducted;
- (2) Which is, or is proposed to be, directly connected by transportation facilities to any artificial island or installations and other devices permanently, or temporarily attached to the seabed;
- (3) Which is receiving, or in accordance with the proposed activity will receive, oil for processing, refining, or

transshipment which was extracted from the OCS and transported directly to such State by means of vessels or by a combination of means including vessels:

- (4) Which is designated by the Director as a State in which there is a substantial probability of significant impact on or damage to the coastal, marine, or human environment, or a State in which there will be significant changes in the social, governmental, or economic infrastructure, resulting from the exploration, development, and production of oil and gas anywhere on the OCS; or
- (5) In which the Director finds that because of such activity there is, or will be, a significant risk of serious damage, due to factors such as prevailing winds and currents, to the marine or coastal environment in the event of any oilspill, blowout, or release of oil or gas from vessels, pipelines, or other transshipment facilities.
- (d) Analyzed geological information means data collected under a permit or a lease which have been analyzed. Analysis may include, but is not limited to, identification of lithologic and fossil content, core analyses, laboratory analyses of physical and chemical properties, logs or charts of electrical, radioactive, sonic, and other well logs, and descriptions of hydrocarbon shows or hazardous conditions.
- (e) Area adjacent to a State means all of that portion of the OCS included within a planning area if such planning area is bordered by that State. The portion of the OCS in the Navarin Basin Planning Area is deemed to be adjacent to the State of Alaska. The States of New York and Rhode Island are deemed to be adjacent to both the Mid-Atlantic Planning Area and the North Atlantic Planning Area.
- (f) *Data* means facts and statistics or samples which have not been analyzed or processed.
- (g) *Development* means those activities which take place following discovery of oil or natural gas in paying quantities, including geophysical activity, drilling, platform construction, and operation of all onshore support facilities, and which are for the purpose of ultimately producing the oil and gas discovered.

(h) *Director* means the Director of the Minerals Management Service of the U.S. Department of the Interior or a designee of the Director.

(i) Exploration means the process of searching for oil and natural gas, including: (1) Geophysical surveys where magnetic, gravity, seismic, or other systems are used to detect or imply the presence of such oil or natural gas, and (2) any drilling, whether on or off known geological structures, including the drilling of a well in which a discovery of oil or natural gas in paying quantities is made and the drilling of any additional delineation well after such discovery which is needed to delineate any reservoir and to enable the lessee to determine whether to proceed with development and production.

(j) Governor means the Governor of a State, or the person or entity designated by, or pursuant to, State law to exercise the powers granted to a Governor pursuant to the Act.

(k) *Information*, when used without a qualifying adjective, includes analyzed geological information, processed geophysical information, interpreted geological information, and interpreted geophysical information.

(I) Interpreted geological information means knowledge, often in the form of schematic cross sections and maps, developed by determining the geological significance of data and analyzed geological information.

(m) Interpreted geophysical information means knowledge, often in the form of schematic cross sections and maps, developed by determining the geological significance of geophysical data and processed geophysical information.

(n) Lease means any form of authorization which is issued under section 8 or maintained under section 6 of the Act and which authorizes exploration for, and development and production of, oil or natural gas, or the land covered by such authorization, whichever is required by the context.

(0) Lessee means the party authorized by a lease, or an approved assignment thereof, to explore for and develop and produce the leased deposits in accordance with the regulations in part 250 of this chapter, including all parties holding such authority by or through the lessee.

- (p) Outer Continental Shelf (OCS) means all submerged lands which lie seaward and outside of the area of lands beneath navigable waters as defined in the Submerged Lands Act (67 Stat. 29) and of which the subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.
- (q) *Permittee* means the party authorized by a permit issued pursuant to part 251 of this chapter to conduct activities on the OCS.
- (r) Processed geophysical information means data collected under a permit or a lease which have been processed. Processing involves changing the form of data so as to facilitate interpretation. Processing operations may include, but are not limited to, applying corrections for known perturbing causes, rearranging or filtering data, and combining or transforming data elements.
- (s) Production means those activities which take place after the successful completion of any means for the removal of oil or natural gas, including such removal, field operations, transfer of oil or natural gas to shore, operation monitoring, maintenance, and workover drilling.
- (t) *Secretary* means the Secretary of the Interior or a designee of the Secretary.

[44 FR 46408, Aug. 7, 1979, as amended at 49 FR 10670, Mar. 22, 1984; 51 FR 10382, Mar. 26, 1986]

#### § 252.3 Oil and gas data and information to be provided for use in the OCS Oil and Gas Information Program.

(a) Any permittee or lessee engaging in the activities of exploration for, or development and production of, oil and gas on the OCS shall provide the Director access to all data and information obtained or developed as a result of such activities, including geological data, geophysical data, analyzed geological information, processed and reprocessed geophysical information, interpreted geophysical information, and interpreted geological information copies of these data and information and any interpretation of these data and information shall be provided to

#### § 252.3

the Director upon request. No permittee or lessee submitting an interpretation of data or information, where such interpretation has been submitted in good faith, shall be held responsible for any consequence of the use of or reliance upon such interpretation.

(b)(1) Whenever a lessee or permittee provides any data or information, at the request of the Director and specifically for use in the OCS Oil and Gas Information Program in a form and manner of processing which is utilized by the lessee or permittee in the normal conduct of business, the Director shall pay the reasonable cost of reproducing the data and information if the lessee or permittee requests reimbursement. The cost shall be computed and paid in accordance with the applicable provisions of paragraph (e)(1) of this section.

- (2) Whenever a lessee or permittee provides any data or information, at the request of the Director and specifically for use in the OCS Oil and Gas Information Program, in a form and manner of processing not normally utilized by the lessee or permittee in the normal conduct of business, the Director shall pay the lessee or permittee, if the lessee or permittee requests reimbursement, the reasonable cost of processing and reproducing the requested data and information. The cost is to be computed and paid in accordance with the applicable provisions of paragraph (e)(2) of this section.
- (c) Data or information requested by the Director shall be provided as soon as practicable, but not later than 30 days following receipt of the Director's request, unless, for good reason, the Director authorizes a longer time period for the submission of the requested data or information.
- (d) The Director reserves the right to disclose any data or information acquired from a lessee or permittee to an independent contractor or agent for the purpose of reproducing, processing, reprocessing, or interpreting such data or information. When practicable, the Director shall notify the lessee(s) or permittee(s) who provided the data or information of the intent to disclose the data or information to an independent contractor or agent. The Director's notice of intent will afford the permittee(s) or lessee(s) a period of not

less than 5 working days within which to comment on the intended action. When the Director so notifies a lessee or permittee of the intent to disclose data or information to an independent contractor or agent, all other owners of such data or information shall be deemed to have been notified of the Director's intent. Prior to any such disclosure, the contractor or agent shall be required to execute a written commitment not to disclose any data or information to anyone without the express consent of the Director, and not to make any disclosure or use of the data or information other than that provided in the contract. Contracts between the Minerals Management Service and independent contractors shall be available to the lessee(s) or permittee(s) for inspection. In the event of any unauthorized use or disclosure of data or information by the contractor or agent, or by an employee thereof, the responsible contractor or agent or employee thereof shall be liable for penalties pursuant to section 24 of the

(e)(1) After delivery of data or information in accordance with paragraph (b)(1) of this section and upon receipt of a request for reimbursement and a determination by the Director that the requested reimbursement is proper, the lessee or permittee shall be reimbursed for the cost of reproducing the data or information at the lessee's or permittee's lowest rate or at the lowest commercial rate established in the area, whichever is less. Requests for reimbursement must be made within 60 days of the delivery date of the data or information requested under paragraph (b)(1) of this section.

(2) After delivery of data or information in accordance with paragraph (b)(3) of this section, and upon receipt of a request for reimbursement and a determination by the Director that the requested reimbursement is proper, the lessee or permittee shall be reimbursed for the cost of processing or reprocessing and of reproducing the requested data or information. Requests for reimbursement must be made within 60 days of the delivery date of the data or information and shall be for only the

costs attributable to processing or reprocessing and reproducing, as distinguished from the costs of data acquisition

- (3) Requests for reimbursement are to contain a breakdown of costs in sufficient detail to allow separation of reproduction, processing, and reprocessing costs from acquisition and other costs.
- (f) Each Federal Department or Agency shall provide the Director with any data which it has obtained pursuant to section 11 of the Act and any other information which may be necessary or useful to assist the Director in carrying out the provisions of the Act.

[44 FR 46408, Aug. 7, 1979, as amended at 51 FR 17176, May 9, 1986]

### § 252.4 Summary Report to affected States.

(a) The Director, as soon as practicable after analysis, interpretation, and compilation of oil and gas data and information developed by the Minerals Management Service or furnished by lessees, permittees, or other government agencies, shall make available to affected States and, upon request, to the executive of any affected local government, a Summary Report of data and information designed to assist them in planning for the onshore impacts of potential OCS oil and gas development and production. The Director shall consult with affected States and other interested parties to define the nature, scope, content, and timing of the Summary Report. The Director may consult with affected States and other interested parties regarding subsequent revisions in the definition of the nature, scope, content, and timing of the Summary Report. The Summary Report shall not contain data or information which the Director determines is exempt from disclosure in accordance with this part. The Summary Report shall not contain data or information the release of which the Director determines would unduly damage the competitive position of the lessee or permittee who provided the data or information which the Director has processed, analyzed, or interpreted during the development of the Summary Report. The Summary Report shall include:

- (1) Estimates of oil and gas reserves; estimates of the oil and gas resources that may be found within areas which the Secretary has leased or plans to offer for lease; and when available, projected rates and volumes of oil and gas to be produced from leased areas;
- (2) Magnitude of the approximate projections and timing of development, if and when oil or gas, or both, is discovered:
- (3) Methods of transportation to be used, including vessels and pipelines and approximate location of routes to be followed; and
- (4) General location and nature of near-shore and onshore facilities expected to be utilized.
- (b) When the Director determines that significant changes have occurred in the information contained in a Summary Report, the Director shall prepare and make available the new or revised information to each affected State, and, upon request, to the executive of any affected local government.

## § 252.5 Information to be made available to affected States.

- (a) The Director shall prepare an index of OCS information (see 30 CFR 256.10). The index shall list all relevant actual or proposed programs, plans, reports, environmental impact statements, nominations information, environmental study reports, lease sale information, and any similar type of relevant information, including modifications, comments, and revisions prepared or directly obtained by the Director under the Act. The index shall be sent to affected States and, upon request, to any affected local government. The public shall be informed of the availability of the index.
- (b) Upon request, the Director shall transmit to affected States, affected local governments, and the public a copy of any information listed in the index which is subject to the control of the Minerals Management Service, in accordance with the requirements and subject to the limitations of the Freedom of Information Act (5 U.S.C. 552) and implementing regulations. The Director shall not transmit or make

#### § 252.6

available any information which he determines is exempt from disclosure in accordance with this part.

[44 FR 46408, Aug. 7, 1979, as amended at 54 FR 50617, Dec. 8, 1989]

## § 252.6 Freedom of Information Act requirements.

(a) The Director shall make data and information available in accordance with the requirements and subject to the limitations of the Freedom of Information Act (5 U.S.C. 552), the regulations contained in 43 CFR part 2 (Records and Testimony), the requirements of the Act, and the regulations contained in 30 CFR part 250 (Oil and Gas and Sulphur Operations in the Outer Continental Shelf) and 30 CFR part 251 (Geological and Geophysical Explorations of the Outer Continental Shelf).

(b) Except as provided in §252.7 or in parts 250 and 251 of this chapter, no data or information determined by the director to be exempt from public disclosure under paragraph (a) of this section shall be provided to any affected State or be made available to the executive of any affected local government or to the public unless the lessee, or the permittee and all persons to whom such permittee has sold such data or information under promise of confidentiality, agree to such action.

#### § 252.7 Privileged and proprietary data and information to be made available to affected States.

(a)(1) The Governor of any affected State may designate an appropriate State official to inspect, at a regional location which the Director shall designate, any privileged or proprietary data or information received by the Director regarding any activity in an area adjacent to such State, except that no such inspection shall take place prior to the sale of a lease covering the area in which such activity was conducted.

(2)(i) Except as provided for in 30 CFR 250.106 and 251.14, no privileged or proprietary data or information will be transmitted to any affected State unless the lessee who provided the privileged or proprietary data or information agrees in writing to the transmittal of the data or information.

(ii) Except as provided for in 30 CFR 250.106 and 251.14, no privileged or proprietary data or information will be transmitted to any affected State unless the permittee and all persons to whom the permittee has sold the data or information under promise of confidentiality agree in writing to the transmittal of the data or information.

(3) Knowledge obtained by a State official who inspects data or information under paragraph (a)(1) or who receives data or information under paragraph (a)(2) of this section shall be subject to the requirements and limitations of the Freedom of Information Act (5 U.S.C. 552), the regulations contained in 43 CFR part 2 (Records and Testimony), the Act (92 Stat. 629), the regulations contained in 30 CFR part 250 (Oil and Gas and Sulphur Operations in the Outer Continental Shelf), the regulations contained in 30 CFR part 251 (Geological and Geophysical Explorations of the Outer Continental Shelf), and the regulations contained in this part 252 (Outer Continental Shelf Oil and Gas Information Program).

(4) Prior to the transmittal of any privileged or proprietary data or information to any State, or the grant of access to a State official to such data or information, the Secretary shall enter into a written agreement with the Governor of the State in accordance with section 26(e) of the Act (43 U.S.C. 1352). In that agreement the State shall agree, as a condition precedent to receiving or being granted access to such data or information to: (i) Protect and maintain the confidentiality of privileged or proprietary data and information in accordance with the laws and regulations listed in paragraph (a)(3) of this section; (ii) waive the defenses as set forth in paragraph (b)(2) of this section; and (iii) hold the United States harmless from any violations of the agreement to protect the confidentiality of privileged or proprietary data or information by the State or its employees or contractors.

(b)(1) Whenever any employee of the Federal Government or of any State reveals in violation of the Act or of the provisions of the regulations implementing the Act, privileged or proprietary data or information obtained pursuant to the regulations in this

#### Minerals Management Service, Interior

chapter, the lessee or permittee who supplied such information to the Director or any other Federal official, and any person to whom such lessee or permittee has sold such data or information under the promise of confidentiality, may commence a civil action for damages in the appropriate district court of the United States against the Federal Government or such State, as the case may be. Any Federal or State employee who is found guilty of failure to comply with any of the requirements of this section shall be subject to the penalties described in section 24 of the Act (43 U.S.C. 1350).

- (2) In any action commenced against the Federal Government or a State pursuant to paragraph (b)(1) of this section, the Federal Government or such State, as the case may be, may not raise as a defense any claim of sovereign immunity, or any claim that the employee who revealed the privileged or proprietary data or information which is the basis of such suit was acting outside the scope of the person's employment in revealing such data or information.
- (c) If the Director finds that any State cannot or does not comply with the conditions described in the agreement entered into pursuant to paragraph (a)(4) of this section, the Director shall thereafter withhold transmittal and deny access for inspection of privileged or proprietary data or information to such State until the Director finds that such State can and will comply with those conditions.

[44 FR 46408, Aug. 7, 1979, as amended at 64 FR 72794, Dec. 28, 1999]

# PART 253—OIL SPILL FINANCIAL RESPONSIBILITY FOR OFFSHORE FACILITIES

#### Subpart A—General

Sec.

- 253.1 What is the purpose of this part?
- 253.3 How are the terms used in this regulation defined?
- 253.5 What is the authority for collecting Oil Spill Financial Responsibility (OSFR) information?

## Subpart B—Applicability and Amount of OSFR

- 253.10 What facilities does this part cover?
- 253.11 Who must demonstrate OSFR?
- 253.12 May I ask MMS for a determination of whether I must demonstrate OSFR?
- 253.13 How much OSFR must I demonstrate?
- 253.14 How do I determine the worst case oil-spill discharge volume?
- 253.15 What are my general OSFR compliance responsibilities?

## Subpart C—Methods for Demonstrating OSFR

- 253.20 What methods may I use to demonstrate OSFR?
- 253.21 How can I use self-insurance as OSFR evidence?
- 253.22 How do I apply to use self-insurance as OSFR evidence?
- 253.23 What information must I submit to support my net worth demonstration?
- 253.24 When I submit audited annual financial statements to verify my net worth, what standards must they meet?
- 253.25 What financial test procedures must I use to determine the amount of self-insurance allowed as OSFR evidence based on net worth?
- 253.26 What information must I submit to support my unencumbered net assets demonstration?
- 253.27 When I submit audited annual financial statements to verify my unencumbered assets, what standards must they meet?
- 253.28 What financial test procedures must I use to evaluate the amount of self-insurance allowed as OSFR evidence based on unencumbered assets?
- 253.29 How can I use insurance as OSFR evidence?
- 253.30 How can I use an indemnity as OSFR evidence?
- 253.31 How can I use a surety bond as OSFR evidence?
- 253.32 Are there alternative methods to demonstrate OSFR?

# Subpart D—Requirements for Submitting OSFR Information

- 253.40 What OSFR evidence must I submit to MMS?
- 253.41 What terms must I include in my OSFR evidence?
- 253.42 How can I amend my list of COFs?
- 253.43 When is my OSFR demonstration or the amendment to my OSFR demonstration effective?
- 253.44 When must I comply with this subpart?
- 253.45 Where do I send my OSFR evidence?

#### § 253.1

#### Subpart E—Revocation and Penalties

253.50 How can MMS refuse or invalidate my OSFR evidence?

253.51 What are the penalties for not complying with this part?

#### Subpart F—Claims for Oil-Spill Removal Costs and Damages

253.60 To whom may I present a claim?

253.61 When is a guarantor subject to direct action for claims?

253.62 What are the designated applicant's notification obligations regarding a claim?

APPENDIX TO PART 253—LIST OF U.S. GEO-LOGICAL SURVEY TOPOGRAPHIC MAPS

AUTHORITY: 33 U.S.C. 2701 et seq.

SOURCE: 63 FR 42711, Aug. 11, 1998, unless otherwise noted

EFFECTIVE DATE NOTE: At 63 FR 42711, Aug. 11, 1998, part 253 was added. This part contains information collection and record-keeping requirements and will not become effective until approval has been given by the Office of Management and Budget.

#### Subpart A—General

# § 253.1 What is the purpose of this part?

This part establishes the requirements for demonstrating OSFR for covered offshore facilities (COFs) under Title I of the Oil Pollution Act of 1990 (OPA), as amended, 33 U.S.C. 2701 et seq.

# § 253.3 How are the terms used in this regulation defined?

Terms used in this part have the following meaning:

Advertise means publication of the notice of designation of the source of the incident and the procedures by which the claims may be presented, according to 33 CFR part 136, subpart D.

Bay means a body of water included in the Geographic Names Information System (GNIS) bay feature class. A GNIS bay includes an arm, bay, bight, cove, estuary, gulf, inlet, or sound.

Claim means a written request, for a specific sum, for compensation for damages or removal costs resulting from an oil-spill discharge or a substantial threat of the discharge of oil.

Claimant means any person or government who presents a claim for compensation under OPA. Coastline means the line of ordinary low water along that portion of the coast that is in direct contact with the open sea which marks the seaward limit of inland waters.

Covered offshore facility (COF) means a facility:

(1) That includes any structure and all its components (including wells completed at the structure and the associated pipelines), equipment, pipeline, or device (other than a vessel or other than a pipeline or deepwater port licensed under the Deepwater Port Act of 1974 (33 U.S.C. 1501 et seq.)) used for exploring for, drilling for, or producing oil or for transporting oil from such facilities. This includes a well drilled from a mobile offshore drilling unit (MODU) and the associated riser and well control equipment from the moment a drill shaft or other device first touches the seabed for purposes of exploring for, drilling for, or producing oil, but it does not include the MODU;

(2) That is located:

(i) Seaward of the coastline; or

(ii) In any portion of a bay that is:

 (A) Connected to the sea, either directly or through one or more other bays; and

(B) Depicted in whole or in part on any USGS map listed in the Appendix to this part, or on any map published by the USGS that is a successor to and covers all or part of the same area as a listed map. Where any portion of a bay is included on a listed map, this rule applies to the entire bay; and

(3) That has a worst case oil-spill discharge potential of more than 1,000 bbls of oil, or a lesser volume if the Director determines in writing that the oil-spill discharge risk justifies the requirement to demonstrate OSFR.

Designated applicant means a person the responsible parties designate to demonstrate OSFR for a COF on a lease, permit, or right-of-use and easement.

*Director* means the Director of the Minerals Management Service.

Fund means the Oil Spill Liability Trust Fund established by section 9509 of the Internal Revenue Code of 1986 as amended (26 U.S.C. 9509).

Geographic Names Information System (GNIS) means the database developed

by the USGS in cooperation with the U.S. Board of Geographic Names which contains the federally-recognized geographic names for all known places, features, and areas in the United States that are identified by a proper name. Each feature is located by state, county, and geographic coordinates and is referenced to the appropriate 1:24,000-scale or 1:63,360-scale USGS topographic map on which it is shown.

Guarantor means a person other than a responsible party who provides OSFR evidence for a designated applicant.

Guaranty means any acceptable form of OSFR evidence provided by a guarantor including an indemnity, insurance, or surety bond.

Incident means any occurrence or series of occurrences having the same origin that results in the discharge or substantial threat of the discharge of oil.

Indemnity means an agreement to indemnify a designated applicant upon its satisfaction of a claim.

Indemnitor means a person providing an indemnity for a designated appli-

Independent accountant means a certified public accountant who is certified by a state, or a chartered accountant certified by the government of jurisdiction within the country of incorporation of the company proposing to use one of the self-insurance evidence methods specified in this sub-

*Insolvent* has the meaning set forth in 11 U.S.C. 101, and generally refers to a financial condition in which the sum of a person's debts is greater than the value of the person's assets.

Lease means any form of authorization issued under the Outer Continental Shelf Lands Act or state law which allows oil and gas exploration and production in the area covered by the authorization.

Lessee means a person holding a leasehold interest in an oil or gas lease including an owner of record title or a holder of operating rights (working interest owner).

Oil means oil of any kind or in any form, except as excluded by paragraph (2) of this definition.

(1) Oil includes:

- (i) Petroleum, fuel oil, sludge, oil refuse, and oil mixed with wastes other than dredged spoil;
- (ii) Hydrocarbons produced at the wellhead in liquid form;
- (iii) Gas condensate that has been separated from gas before pipeline injection.
- (2) Oil does not include petroleum, including crude oil or any fraction thereof, which is specifically listed or designated as a hazardous substance under subparagraphs (A) through (F) of section 101(14) of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) (42 U.S.C. 9601).
- Spill Financial Responsibility (OSFR) means the capability and means by which a responsible party for a covered offshore facility will meet removal costs and damages for which it is liable under Title I of the Oil Pollution Act of 1990, as amended (33 CFR 2701 et seq.), with respect to both oilspill discharges and substantial threats of the discharge of oil.

Outer Continental Shelf (OCS) has the same meaning as the term "Outer Continental Shelf" defined in section 2(a) of the OCS Lands Act (OCSLA) (43 U.S.C. 1331(a)).

Permit means an authorization, license, or permit for geological exploration issued under section 11 of the OCSLA (43 U.S.C. 1340) or applicable state law.

Person means an individual, corporation, partnership, association (including a trust or limited liability company), state, municipality, commission or political subdivision of a state, or any interstate body.

*Pipeline* means the pipeline segments and any associated equipment or appurtenances used or intended for use in the transportation of oil or natural

Responsible party has the following meanings:

(1) For a COF that is a pipeline, responsible party means any person own-

ing or operating the pipeline;
(2) For a COF that is not a pipeline, responsible party means either the lessee or permittee of the area in which the COF is located, or the holder of a right-of-use and easement granted under applicable state law or the

#### § 253.5

OCSLA (43 U.S.C. 1301–1356) for the area in which the COF is located (if the holder is a different person than the lessee or permittee). A Federal agency, State, municipality, commission, or political subdivision of a state, or any interstate body that as owner transfers possession and right to use the property to another person by lease, assignment, or permit is not a responsible party; and

(3) For an abandoned COF, responsible party means any person who would have been a responsible party for the COF immediately before abandonment.

Right-of-use and easement (RUE) means any authorization to use the OCS or submerged land for purposes other than those authorized by a lease or permit, as defined herein. It includes pipeline rights-of-way.

Source of the incident means the facility from which oil was discharged or which poses a substantial threat of discharging oil, as designated by the Director, National Pollution Funds Center, according to 33 CFR part 136, subpart D.

State means the several States of the United States, the District of Columbia, the Commonwealth of Puerto Rico, Guam, American Samoa, the United States Virgin Islands, the Commonwealth of the Northern Marianas, and any other territory or possession of the United States.

# § 253.5 What is the authority for collecting Oil Spill Financial Responsibility (OSFR) information?

- (a) The Office of Management and Budget (OMB) has approved the information collection requirements in this part 253 under 44 U.S.C. 3501 *et seq.* and assigned OMB control number 1010–0106.
- (b) MMS collects the information to ensure that the designated applicant for a COF has the financial resources necessary to pay for cleanup and damages that could be caused by oil discharges from the COF. MMS uses the information to ensure compliance of offshore lessees, owners, and operators of covered facilities with OPA; to establish eligibility of designated applicants for OSFR certification (OSFRC); and to establish a reference source of

names, addresses, and telephone numbers of responsible parties for covered facilities and their designated agents, guarantors, and U.S. agents for service of process for claims associated with oil pollution from designated covered facilities. The requirement to provide the information is mandatory. No information submitted for OSFRC is confidential or proprietary.

- (c) An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.
- (d) Send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

[63 FR 42711, Aug. 11, 1998, as amended at 65 FR 2876, Jan. 19, 2000]

# Subpart B—Applicability and Amount of OSFR

# § 253.10 What facilities does this part cover?

- (a) This part applies to any COF on any lease or permit issued or on any RUE granted under the OCSLA or applicable state law.
- (b) For a pipeline COF that extends onto land, this part applies to that portion of the pipeline lying seaward of the first accessible flow shut-off device on land

#### § 253.11 Who must demonstrate OSFR?

- (a) A designated applicant must demonstrate OSFR. A designated applicant may be a responsible party or another person authorized under this section. Each COF must have a single designated applicant.
- (1) If there is more than one responsible party, those responsible parties must use Form MMS-1017 to select a designated applicant. The designated applicant must submit Form MMS-1016 and agree to demonstrate OSFR on behalf of all the responsible parties.
- (2) If you are a designated applicant who is not a responsible party, you must agree to be liable for claims made

under OPA jointly and severally with the responsible parties.

- (b) The designated applicant for a COF on a lease must be either:
  - (1) A lessee; or
- (2) The designated operator for the OCS lease under 30 CFR 250.143 or the unit operator designated under a Federally approved unit including the OCS lease. For a lease or unit not in the OCS, the operator designated under the lease or unit operating agreement for the lease may be the designated applicant only if the operator has agreed to be responsible for compliance with all the laws and regulations applicable to the lease or unit.
- (c) The designated applicant for a COF on a permit must be the permittee.
- (d) The designated applicant for a COF on a RUE must be the holder of the RUE or, if there is a pipeline on the RUE, the owner or operator of the pipeline.
- (e) MMS may require the designated applicant for a lease, permit, or RUE to be a person other than a person identified in paragraphs (b) through (d) of this section if MMS determines that a

person identified in paragraphs (b) through (d) cannot adequately demonstrate OSFR.

(f) If you are a responsible party and you fail to designate an applicant, then you must demonstrate OSFR under the requirements of this part.

[63 FR 42711, Aug. 11, 1998, as amended at 64 FR 72794, Dec. 28, 1999]

# § 253.12 May I ask MMS for a determination of whether I must demonstrate OSFR?

You may submit to MMS a request for a determination of OSFR applicability. Address the request to the office identified in §253.45. You must include in your request any information that will assist MMS in making the determination. MMS may require you to submit other information before making a determination of OSFR applicability.

# § 253.13 How much OSFR must I demonstrate?

(a) The following general parameters apply to the amount of OSFR that you must demonstrate:

If you are the designated applicant for	Then you must demonstrate
Only one COF	The amount of OSFR that applies to the COF.
More than one COF	The highest amount of OSFR that applies to any one of the COFs.

(b) You must demonstrate OSFR in the amounts specified in this section:

(1) For a COF located wholly or partially in the OCS you must dem-

onstrate OSFR in accordance with the following table:

COF worst case oil-spill discharge volume	Applicable amount of OSFR
Over 1,000 bbls but not more than 35,000 bbls	\$35,000,000
Over 35,000 but not more than 70,000 bbls	
Over 70,000 but not more than 105,000 bbls	
Over 105,000 bbls	150,000,000

(2) For a COF not located in the OCS you must demonstrate OSFR in accordance with the following table:

#### § 253.14

COF worst case oil-spill discharge volume	Applicable amount of OSFR
Over 1,000 bbls but not more than 10,000 bbls	\$10,000,000
Over 10,000 but not more than 35,000 bbls	35,000,000
Over 35,000 but not more than 70,000 bbls	70,000,000
Over 70,000 but not more than 105,000 bbls	105,000,000
Over 105,000 bbls	150,000,000

- (3) The Director may determine that you must demonstrate an amount of OSFR greater than the amount in paragraphs (b)(1) and (2) of this section based on the relative operational, environmental, human health, and other risks that your COF poses. The Director may require an amount that is one or more levels higher than the amount indicated in paragraph (b)(1) or (2) of this section for your COF. The Director will not require an OSFR demonstration that exceeds \$150 million.
- (4) You must demonstrate OSFR in the lowest amount specified in the applicable table in paragraph (b)(1) or (b)(2) for a facility with a potential worst case oil-spill discharge of 1,000 bbls or less if the Director notifies you in writing that the demonstration is justified by the risks of the potential oil-spill discharge.

## § 253.14 How do I determine the worst case oil-spill discharge volume?

- (a) To calculate the amount of OSFR you must demonstrate for a facility under §253.13(b), you must use the worst case oil-spill discharge volume that you determined under whichever of the following regulations applies:
- (1) 30 CFR Part 254—Response Plans for Facilities Located Seaward of the Coast Line, except that the volume of the worst case oil-spill discharge for a well must be four times the uncontrolled flow volume that you estimate for the first 24 hours.
- (2) 40 CFR Part 112—Oil Pollution Prevention; or
- (3) 49 CFR Part 194—Response Plans for Onshore Oil Pipelines.
- (b) If you are a designated applicant and you choose to demonstrate \$150 million in OSFR, you are not required to determine any worst case oil-spill discharge volumes, since that is the

maximum amount of OSFR required under this part.

# § 253.15 What are my general OSFR compliance responsibilities?

- (a) You must maintain continuous OSFR coverage for all your leases, permits, and RUEs with COFs for which you are the designated applicant.
- (b) You must ensure that new OSFR evidence is submitted before your current evidence lapses or is canceled and that coverage for your new COF is submitted before the COF goes into operation.
- (c) If you use self-insurance to demonstrate OSFR and find that you no longer qualify to self-insure the required OSFR amount based upon your latest audited annual financial statements, then you must demonstrate OSFR using other methods acceptable to MMS by whichever of the following dates comes first:
- (1) Sixty calendar days after you receive your latest audited annual financial statement: or
- (2) The first calendar day of the 5th month after the close of your fiscal year.
- (d) You may use a surety bond to demonstrate OSFR. If you find that your bonding company has lost its state license or has had its U.S. Treasury Department certification revoked, then you must replace the surety bond within 15 calendar days using a method of OSFR that is acceptable to MMS.
- (e) You must notify MMS in writing within 15 calendar days after a change occurs that would prevent you from meeting your OSFR obligations (e.g., if you or your indemnitor petition for bankruptcy under Chapters 7 or 11 of Title 11, U.S.C.). You must take any action MMS directs to ensure an acceptable OSFR demonstration.

(f) If you deny payment of a claim presented to you under §253.60, then you must give the claimant a written explanation for your denial.

[63 FR 42711, Aug. 11, 1998; 63 FR 48578, Sept. 11, 1998]

#### Subpart C—Methods for Demonstrating OSFR

## §253.20 What methods may I use to demonstrate OSFR?

As the designated applicant, you may satisfy your OSFR requirements by using one or a combination of the following methods to demonstrate OSFR:

- (a) Self-insurance under §§ 253.21 through 253.28;
  - (b) Insurance under §253.29;
  - (c) An indemnity under §253.30;
  - (d) A surety bond under §253.31; or
- (e) An alternative method the Director approves under §253.32.

## § 253.21 How can I use self-insurance as OSFR evidence?

- (a) If you use self-insurance to satisfy all or part of your obligation to demonstrate OSFR, you must annually pass either a net worth test under §253.25 or an unencumbered net asset test under §253.28.
- (b) To establish the amount of self-insurance allowed, you must submit evidence of your net worth under §253.23 or evidence of your unencumbered assets under §253.26.
- (c) You must identify a U.S. agent for service of process.

#### § 253.22 How do I apply to use self-insurance as OSFR evidence?

- (a) You must submit a complete Form MMS-1018 with each application to demonstrate OSFR using self-insurance
- (b) You must submit your application to renew OSFR using self-insurance by the first calendar day of the 5th month after the close of your fiscal year. You may submit to MMS your initial application to demonstrate OSFR using self-insurance at any time.

# § 253.23 What information must I submit to support my net worth demonstration?

You must support your net worth evaluation with information contained

in your previous fiscal year's audited annual financial statement.

- (a) Audited annual financial statements must be in the form of:
- (1) An annual report, prepared in accordance with the generally accepted accounting practices (GAAP) of the United States or other international accounting practices determined to be equivalent by MMS; or
- (2) A Form 10-K or Form 20-F, prepared in accordance with Securities and Exchange Commission regulations.
- (b) Audited annual financial statements must be submitted together with a letter signed by your treasurer highlighting:
- (1) The State or the country of incorporation:
- (2) The total amount of the stock-holders' equity as shown on the balance sheet;
- (3) The net amount of the plant, property, and equipment shown on the balance sheet; and
- (4) The net amount of the identifiable U.S. assets and the identifiable total assets in the auditor's notes to the financial statement (i.e., a geographic segmented business note).

# § 253.24 When I submit audited annual financial statements to verify my net worth, what standards must they meet?

- (a) Your audited annual financial statements must be bound.
- (b) Your audited annual financial statements must include the unqualified opinion of an independent accountant that states:
- (1) The financial statements are free from material misstatement, and
- (2) The audit was conducted in accordance with the generally accepted auditing standards (GAAS) of the United States, or other international auditing standards that MMS determines to be equivalent.
- (c) The financial information you submit must be expressed in U.S. dollars. If this information was originally reported in another form of currency, you must convert it to U.S. dollars using the conversion factor that was effective on the last day of the fiscal year pertinent to your financial statements. You also must identify the source of the currency exchange rate.

#### § 253.25

#### § 253.25 What financial test procedures must I use to determine the amount of self-insurance allowed as OSFR evidence based on net worth?

- (a) Divide the total amount of the stockholders'/owners' equity listed on the balance sheet by ten.
- (b) Divide the net amount of the identifiable U.S. assets by the net amount of the identifiable total assets.
- (c) Multiply the net amount of plant, property, and equipment shown on the balance sheet by the number calculated under paragraph (b) of this section and divide the resultant product by ten.
- (d) The smaller of the numbers calculated under paragraphs (a) or (c) of this section is the maximum allowable amount you may use to demonstrate OSFR under this method.

# § 253.26 What information must I submit to support my unencumbered assets demonstration?

You must support your unencumbered assets evaluation with the information required by §253.23(a) and a list of reserved, unencumbered, and unimpaired U.S. assets whose value will not be affected by an oil discharge from a COF. The assets must be plant, property, or equipment held for use. You must submit a letter signed by your treasurer:

- (a) Identifying which assets are reserved:
- (b) Certifying that the assets are unencumbered, including contingent encumbrances:
- (c) Promising that the identified assets will not be sold, subjected to a security interest, or otherwise encumbered throughout the specified fiscal year; and
  - (d) Specifying:
- (1) The State or the country of incorporation;
- (2) The total amount of the stock-holders'/owners' equity listed on the balance sheet;
- (3) The identification and location of the reserved U.S. assets; and
- (4) The value of the reserved U.S. assets less accumulated depreciation and amortization, using the same valuation method used in your audited annual financial statement and expressed in U.S. dollars. The net value of the reserved assets must be at least two

times the self-insurance amount requested for demonstration.

# § 253.27 When I submit audited annual financial statements to verify my unencumbered assets, what standards must they meet?

Any audited annual financial statements that you submit must:

- (a) Meet the standards in §253.24; and (b) Include a certification by the independent accountant who audited the financial statements that states:
- (1) The value of the unencumbered assets is reasonable and uses the same valuation method used in your audited annual financial statements;
- (2) Any existing encumbrances are noted:
- (3) The assets are long-term assets held for use; and
- (4) The valuation method used in the audited annual financial statements is for long-term assets held for use.

#### § 253.28 What financial test procedures must I use to evaluate the amount of self-insurance allowed as OSFR evidence based on unencumbered assets?

- (a) Divide the total amount of the stockholders'/owners' equity listed on the balance sheet by 4.
- (b) Divide the value of the unencumbered U.S. assets by 2.
- (c) The smaller number calculated under paragraphs (a) or (b) of this section is the maximum allowable amount you may use to demonstrate OSFR under this method.

## § 253.29 How can I use insurance as OSFR evidence?

- (a) If you use insurance to satisfy all or part of your obligation to demonstrate OSFR, you may use only insurance certificates issued by insurers that have achieved a "Secure" rating for claims paying ability in their latest review by A.M. Best's Insurance Reports, Standard & Poor's Insurance Rating Services, or other equivalent rating made by a rating service acceptable to MMS.
- (b) You must submit information about your insurers to MMS on a completed and unaltered Form MMS-1019. The information you submit must:
- (1) Include all the information required by §253.41 and

- (2) Be executed on one original insurance certificate (i.e., Form MMS-1019) for each OSFR layer (see paragraph (c) of this section ), showing all participating insurers and their proportion (quota share) of this risk. The certificate must bear the original signatures of each insurer's underwriter or of their lead underwriters, underwriting managers, or delegated brokers, depending on who is authorized to bind the underwriter.
- (3) For each insurance company on the insurance certificate, indicate the insurer's claims-paying-ability rating and the rating service that issued the rating.
- (c) The insurance evidence you provide to MMS as OSFR evidence may be divided into layers, subject to the following restrictions:
- (1) The total amount of OSFR evidence must equal the total amount you must demonstrate under §253.13;
- (2) No more than one insurance certificate may be used to cover each OSFR layer specified in §253.13(b) (i.e., four layers for an OCS COF, and five layers for a non-OCS COF);
- (3) You may use one insurance certificate to cover any number of consecutive OSFR layers;
- (4) Each insurer's participation in the covered insurance risk must be on a proportional (quota share) basis, must be expressed as a percentage of a whole layer, and the certificate must not contain intermediate, horizontal layers;
- (5) You may use an insurance deductible. If you use more than one insurance certificate, the deductible amount must apply only to the certificate that covers the base OSFR amount layer. To satisfy an insurance deductible, you may use only those methods that are acceptable as evidence of OSFR under this part; and
- (6) You must identify a U.S. agent for service of process on each insurance certificate you submit to MMS. The agent may be different for each insurance certificate.
- (d) You may submit to MMS a temporary insurance confirmation (fax binder) for each insurance certificate you use as OSFR evidence. Submit your fax binder on Form MMS-1019, and each form must include the signature of an underwriter for at least one

of the participating insurers. MMS will accept your fax binder as OSFR evidence during a period that ends 90 days after the date that you need the insurance to demonstrate OSFR.

### § 253.30 How can I use an indemnity as OSFR evidence?

- (a) You may use only one indemnity issued by only one indemnitor to satisfy all or part of your obligation to demonstrate OSFR.
- (b) Your indemnitor must be your corporate parent or affiliate.
- (c) Your indemnitor must complete a Form MMS-1018 and provide an indemnity that:
- (I) Includes all the information required by  $\S253.41$ ; and
- (2) Does not exceed the amounts calculated using the net worth or unencumbered assets tests specified under §§ 253.21 through 253.28.
- (d) You must submit your application to renew OSFR using an indemnity by the first calendar day of the 5th month after the close of your indemnitor's fiscal year. You may submit to MMS your initial application to demonstrate OSFR using an indemnity at any time.
- (e) Your indemnitor must identify a U.S. agent for service of process.

### § 253.31 How can I use a surety bond as OSFR evidence?

- (a) Each bonding company that issues a surety bond that you submit to MMS as OSFR evidence must:
- (1) Be licensed to do business in the State in which the surety bond is executed:
- (2) Be certified by the U.S. Treasury Department as an acceptable surety for Federal obligations and listed in the current Treasury Circular No. 570;
- (3) Provide the surety bond on Form MMS-1020; and
- (4) Be in compliance with applicable statutes regulating surety company participation in insurance-type risks.
- (b) A surety bond that you submit as OSFR evidence must include all the information required by §253.41.

### § 253.32 Are there alternative methods to demonstrate OSFR?

The Director may accept other methods to demonstrate OSFR that provide

#### § 253.40

equivalent assurance of timely satisfaction of claims. This may include pooling, letters of credit, pledges of treasury notes, or other comparable methods. Submit your proposal, together with all the supporting documents, to the Director at the address listed in §253.45. The Director's decision whether to approve your alternative method to evidence OSFR is by this rule committed to the Director's sole discretion and is not subject to administrative appeal under 30 CFR part 290 or 43 CFR part 4.

#### Subpart D—Requirements for Submitting OSFR Information

### §253.40 What OSFR evidence must I submit to MMS?

- (a) You must submit to MMS:
- (1) A single demonstration of OSFR that covers all the COFs for which you are the designated applicant;
- (2) A completed and unaltered Form MMS-1016;
- (3) MMS forms that identify your COFs (Form MMS-1021, Form MMS-1022), and the methods you will use to demonstrate OSFR (Form MMS-1018, Form MMS-1019, Form MMS-1020). Forms are available from the address listed in §253.45;
- (4) Any insurance certificates, indemnities, and surety bonds used as OSFR evidence for the COFs for which you are the designated applicant;
- (5) A completed Form MMS-1017 for each responsible party, unless you are the only responsible party for the COFs covered by your OSFR demonstration; and
- (6) Other financial instruments and information the Director requires to support your OSFR demonstration under § 253.32.
- (b) Each MMS form you submit to MMS as part of your OSFR demonstration must be signed. You also must attach to Form MMS-1016 proof of your authority to sign.

### § 253.41 What terms must I include in my OSFR evidence?

- (a) Each instrument you submit as OSFR evidence must specify:
- (1) The effective date, and except for a surety bond, the expiration date;

- (2) That termination of the instrument will not affect the liability of the instrument issuer for claims arising from an incident (i.e., oil-spill discharge or substantial threat of the discharge of oil) that occurred on or before the effective date of termination;
- (3) That the instrument will remain in force until the termination date or until the earlier of:
- (i) Thirty calendar days after MMS and the designated applicant receive from the instrument issuer a notification of intent to cancel; or
- (ii) MMS receives from the designated applicant other acceptable OSFR evidence; or
- (iii) All the COFs to which the instrument applies are permanently abandoned in compliance with 30 CFR part 250 or equivalent State requirements;
- (4) That the instrument issuer agrees to direct action for claims made under OPA up to the guaranty amount, subject to the defenses in paragraph (a)(6) of this section and following the procedures in §253.60 of this part;
- (5) An agent in the United States for service of process; and
- (6) That the instrument issuer will not use any defenses against a claim made under OPA except:
- (i) The rights and defenses that would be available to a designated applicant or responsible party for whom the guaranty was provided; and
- (ii) The incident (i.e., oil-spill discharge or a substantial threat of the discharge of oil) leading to the claim for removal costs or damages was caused by willful misconduct of a responsible party for whom the designated applicant demonstrated OSFR.
- (b) You may not change, omit, or add limitations or exceptions to the terms and conditions in an MMS form that you submit as part of your OSFR demonstration. If you attempt to do this, MMS will disregard the changes, omissions, additions, limitations, or exceptions and by operation of this rule MMS will consider the form to contain all the terms and conditions included on the original MMS form.

### \$253.42 How can I amend my list of COFs?

(a) If you want to add a COF that is not identified in your current OSFR demonstration, you must submit to MMS a completed Form MMS-1022. If applicable, you also must submit any additional indemnities, surety bonds, insurance certificates, or other instruments required to extend the coverage of your original OSFR demonstration to the COFs to be added. You do not need to resubmit previously accepted audited annual financial statements for the current fiscal year.

(b) If you want to drop a COF identified in your current OSFR demonstration, you must submit to MMS a completed Form MMS-1022. You must continue to demonstrate OSFR for the COF until MMS approves OSFR evidence for the COF from another designated applicant, or OSFR is no longer required (e.g., until a well that is a COF is properly plugged and abandoned).

# § 253.43 When is my OSFR demonstration or the amendment to my OSFR demonstration effective?

(a) MMS will notify you in writing when we approve your OSFR demonstration. If we find that you have not submitted all the information needed to demonstrate OSFR, we may require you to provide additional information before we determine whether your OSFR evidence is acceptable.

(b) Except in the case of self-insurance or an indemnity, MMS acceptance of OSFR evidence is valid until the surety bond, insurance certificate, or other accepted OSFR instrument expires or is canceled. In the case of self-insurance or indemnity, acceptance is valid until the first day of the 5th month after the close of your or your indemnitor's current fiscal year.

### § 253.44 When must I comply with this part?

If you are the designated applicant for one or more COFs covered by a Certificate of Financial Responsibility (CFR) issued under 33 CFR part 135 that expires after October 13, 1998, you must submit to MMS your evidence of OSFR for all your COFs no later than the earliest date that an existing CFR

for any of your COFs expires. All other designated applicants must submit to MMS evidence of OSFR for their COFs no later than April 8, 1999.

### § 253.45 Where do I send my OSFR evidence?

Address all correspondence and required submissions related to this part to: U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico Region, Oil Spill Financial Responsibility Program, 1201 Elmwood Park Boulevard, New Orleans, Louisiana 70123.

## Subpart E—Revocation and Penalties

### § 253.50 How can MMS refuse or invalidate my OSFR evidence?

- (a) If MMS determines that any OSFR evidence you submit fails to comply with the requirements of this part, we may not accept it. If we do not accept your OSFR evidence, then we will send you a written notification stating:
- That your evidence is not acceptable;
- (2) Why your evidence is unacceptable; and
- (3) The amount of time you are allowed to submit acceptable evidence without being subject to civil penalty under §253.51.
- (b) MMS may immediately and without prior notice invalidate your OSFR demonstration if you:
- (1) Are no longer eligible to be the designated applicant for a COF included in your demonstration; or
- (2) Permit the cancellation or termination of the insurance policy, surety bond, or indemnity upon which the continued validity of the demonstration is based.
- (c) If MMS determines you are not complying with the requirements of this part for any reason other than paragraph (b) of this section, we will notify you of our intent to invalidate your OSFR demonstration and specify the corrective action needed. Unless you take the corrective action MMS specifies within 15 calendar days from the date you receive such a notice, we will invalidate your OSFR demonstration.

#### § 253.51

### § 253.51 What are the penalties for not complying with this part?

(a) If you fail to comply with the financial responsibility requirements of OPA at 33 U.S.C. 2716 or with the requirements of this part, then you may be liable for a civil penalty of up to \$25,000 per COF per day of violation (that is, each day a COF is operated without acceptable evidence of OSFR).

(b) MMS will determine the date of a noncompliance. MMS will assess penalties in accordance with an OSFR penalty schedule using the procedures found at 30 CFR part 250, subpart N. You may obtain a copy of the penalty schedule from MMS at the address in §253.45.

(c) MMS may assess a civil penalty against you that is greater or less than the amount in the penalty schedule after taking into account the factors in section 4303(a) of OPA (33 U.S.C. 2716a).

(d) If you fail to correct a deficiency in the OSFR evidence for a COF, then the Director may suspend operation of a COF in the OCS under 30 CFR 250.170 or seek judicial relief, including an

order suspending the operation of any COF.

[63 FR 42711, Aug. 11, 1998, as amended at 64 FR 72794, Dec. 28, 1999]

## Subpart F—Claims for Oil-Spill Removal Costs and Damages

### $\S\,253.60$ To whom may I present a claim?

(a) If you are a claimant, you must present your claim first to the designated applicant for the COF that is the source of the incident resulting in your claim. If, however, the designated applicant has filed a petition for bankruptcy under 11 U.S.C. chapter 7 or 11, you may present your claim first to any of the designated applicant's guarantors.

(b) If the claim you present to the designated applicant or guarantor is denied or not paid within 90 days after you first present it or advertising begins, whichever is later, then you may seek any of the following remedies that apply:

If the reason for denial or non- payment is	then you may elect to
(1) Not an assertion of insolvency or petition in bankruptcy under 11 U.S.C. chapter 7 or 11.	(i) Present your claim to any of the responsible parties for the COF; or     (ii) Initiate a lawsuit against the designated applicant and/or any of the responsible parties for the COF; or     (iii) Present your claim to the Fund using the procedures at 33 CFR part 136.
(2) An assertion of insolvency or petition in bankruptcy under 11 U.S.C. chapter 7 or 11.	(i) Pursue any of the remedies in items (1)(i) through (iii) of this table; or (ii) Present your claim to any of the designated applicant's guarantors; or (iii) Initiate a lawsuit against any of the designated applicant's guarantors.

(c) If no one has resolved your claim to your satisfaction using the remedy that you elected under paragraph (b) of this section, then you may pursue another available remedy, unless the Fund has denied your claim or a court of competent jurisdiction has ruled against your claim. You may not pursue more than one remedy at a time.

(d) You may ask MMS to assist you in determining whether a guarantor may be liable for your claim. Send your request for assistance to the address listed in §253.45. You must include any information you have regarding the existence or identity of possible guarantors.

### § 253.61 When is a guarantor subject to direct action for claims?

- (a) If you are a guarantor, then you are subject to direct action for any claim asserted by:
- (1) The United States for any compensation paid by the Fund under OPA, including compensation claim processing costs; and
- (2) A claimant other than the United States if the designated applicant has:
- (i) Denied or failed to pay a claim because of being insolvent; or
- (ii) Filed a petition in bankruptcy under 11 U.S.C. chapters 7 or 11.
- (b) If you participate in an insurance guaranty for a COF incident (i.e., oilspill discharge or substantial threat of the discharge of oil) that is subject to

claims under this part, then your maximum, aggregate liability for those claims is equal to your quota share of the insurance guaranty.

## \$253.62 What are the designated applicant's notification obligations regarding a claim?

If you are a designated applicant, and you receive a claim for removal costs and damages, then within 15 calendar days of receipt of a claim you must notify:

(a) Your guarantors; and

(b) The responsible parties for whom you are acting as the designated applicant.

APPENDIX TO PART 253—LIST OF U.S. GEOLOGICAL SURVEY TOPOGRAPHIC MAPS

Alabama (1:24,000 scale): Bellefontaine; Bon Secour Bay; Bridgehead; Coden; Daphne; Fort Morgan; Fort Morgan NW; Grand Bay; Grand Bay SW; Gulf Shores; Heron Bay; Hollingers Island; Isle Aux Herbes; Kreole; Lillian; Little Dauphin Island; Little Point Clear; Magnolia Springs; Mobile; Orange Beach; Perdido Beach; Petit Bois Island; Petit Bois Pass; Pine Beach; Point Clear; Saint Andrews Bay; West Pensacola.

Alaska (1:63,360 scale): Afognak (A-1, A-2, A-3, A-4, A-5, A-0&B-0, B-1, B-2, B-3, C-1&2, C-2&3, C-5, C-6, D-1, D-4, D-5); Anchorage (A-1, A-2, A-3, A-4, A-8, B-7, B-8); Barrow (A-1, A-2, A-3, A-4, A-5, B-3, B-4); Baird Mts. (A-6); Barter Island (A-3, A-4, A-5); Beechy Point (A-1, A-2, B-1, B-2, B-3, B-4, B-5, C-4, C-5); Bering Glacier (A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8); Black (A-1, A-2, B-1, C-1); Blying Sound (C-7, C-8, D-1&2, D-3, D-4, D-5, D-6, D-7, D-8); Candle (D-6); Cordova (A-1, A-2, A-3, A-4, A-7&8, B-2, B-3, B-4, B-5, B-6, B-7, B-8, C-5, C-6, C-7, C-8, D-6, D-7, D-8); De Long Mts. (D-4, D-5); Demarcation Point (C-1, C-2, D-2, D-3); Flaxman Island (A-1, A-3, A-4, A-5, B-5); Harrison Bay (B-1, B-2, B-3, B-4, C-1, C-3, C-4, C-5, D-4, Ď-5); Icy Bay (D1, D-2&3); Iliamna (A-2, A-3, A-4, B-2, B-3, C-1, C-2, D-1); Karluk (A-1, A-2, B-2, B-3, C-1, C-2, C-4&5, C-6); Kenai (A-4, A-5, A-7, A-8, B-4, B-6, B-7, B-8, C-4, C-5, C-6, C-7, D-1, D-2, D-3, D-4, D-5); Kodiak (A-3, A-4, A-5, A-6, B-1&2, B-3, B-4, B-6, C-1, C-2, C-3, C-5, C-6, D-1, D-2, D-3, D-4, D-5, D-6); Kotzebue (A-1, A-2, A-3, A-4, B-4, B-6, C-1, C-4, C-5, C-6, D-1, D-2); Kwiguk (C-6, D-6); Meade River (D-1, D-3, D-4, D-5); Middleton Island (B-7, D-1&2); Mt. Katmai (A-1, A-2, A-3; B-1); Mt. Michelson (D-1, D-2, D-3); Mt. St. Elias (A-5); Noatak (A-1, A-2, A-3, A-4, B-4, C-4, C-5, D-6, D-7); Nome (B-1, C-1, C-2, C-3, D-3, D-4, D-7); Norton Bay (A-4, B-4, B-5, B-6, C-4, C-5, C-6, D-4, D-5, D-6); Point Hope (A-1, A-2,

B-2, B-3, C-2, C-3, D-1, D-2); Point Lay (A-3&4, B-2&3, C-2, D-1, D-2); Selawik (A-5, A-6, B-5, B-6, C-5, C-6, D-6); Seldovia (A-3, A-4, A-5, A-6, B-1, B-2, B-3, B-4, B-5, B-6, C-1, C-2, C-3, C-4, C-5, D-1, D-3, D-4, D-5, D-8): Seward (A-1, A-2, A-3, A-4, A-5, A-6, A-7, B-1, B-2, B-3, B-4, B-5, C-1, C-2, C-3, C-4, C-5, D-1, D-2, D-3, D-4, D-5, D-6, D-7, D-8); Shishmaref (A-2, A-3, A-4, B-1, B-2, B-3); Solomon (B-2, B-3, B-6, C-1, C-2, C-3, C-4, C-5, C-6); St. Michael (A-2, A-3, A-4, A-5, A-6, B-1. B-2. C-1. C-2): Teller (A-2. A-3. A-4. B- $3,\;B-4,\;B-5,\;B-6,\;C-6,\;C-7,\;D-4,\;D-5,\;D-6,\;D-8);$ Teshekpuk (D-1, D-2, D-3, D-4, D-5); Tyonek (A-1, A-2, A-3, A-4, B-1, B-2); Unalakleet (B-5, B-6, C-4, C-5, D-4); Valdez (A-7, A-8); Wainwright (A-5, A-6&7, B-2, B-3, B-4, B-5&6, C-2, C-3, D-1, D-2; Yakutat (A-1, A-2, A-2, B-3, B-4, B-5, C-4, C-5, C-6, C-7, C-8, D-3, D-4, D-5, D-6, D-8).

California (1:24,000 scale): Arroyo Grande NE; Beverly Hills; Carpinteria; Casmalia; Dana Point; Del Mar; Dos Pueblos Canyon; Encinitas; Gaviota; Goleta; Guadalupe; Imperial Beach; Laguna Beach; La Jolla; Las Pulgas Canyon; Lompoc Hills; Long Beach; Los Alamitos; Malibu Beach; Morro Bay South; National City; Newport Beach; Oceano; Oceanside; Oxnard; Pismo Beach; Pitas Point; Point Arguello; Point Conception; Point Dune; Point Loma; Point Mugu; Point Sal; Port San Luis; Rancho Santa Fe; Redondo Beach; Sacate; San Clemente; San Juan Capistrano; San Luis Rey; San Onofre Bluff; San Pedro; Santa Barbara; Saticoy; Seal Beach; Surf; Tajiguas; Topanga; Torrance; Tranquillon Mountain; Triunfo Pass; Tustin; Venice; Ventura; White Ledge Peak.

Florida (1:24,000 scale): Allanton; Alligator Bay; Anna Maria; Apalachicola; Aripeka; Bayport; Beacon Beach; Beacon Hill; Bee Ridge; Belle Meade; Belle Meade NW; Beverly; Big Lostmans Bay; Bird Keys; Bokeelia; Bonita Springs; Bradenton; Bradenton Beach; Bruce; Bunker; Cape Romano; Cape Saint George; Cape San Blas; Captiva; Carrabelle; Cedar Key; Chassahowitzka; Chassahowitzka Bay; Chiefland SW; Choctaw Beach; Chokoloskee; Clearwater; Clive Key; Cobb Rocks; Cockroach Bay; Crawfordville East; Crooked Island; Crooked Point; Cross City SW; Crystal River; Destin; Dog Island; Dunedin; East Pass; Egmont Key; El Jobean; Elfers; Englewood; Englewood NW; Estero; Everglades City; Fivay Junction; Flamingo; Fort Barrancas; Fort Myers Beach; Fort Myers SW; Fort Walton Beach; Freeport; Gandy Bridge; Garcon Point; Gator Hook Swamp; Gibsonton; Goose Island; Grayton Beach; Green Point; Gulf Breeze; Harney River; Harold SE; Holley; Holt SW; Homosassa: Horseshoe Beach: Indian Pass: Jackson River; Jena; Keaton Beach; Laguna Beach: Lake Ingraham East: Lake Ingraham West; Lake Wimico; Laurel; Lebanon Station; Lighthouse Point; Lillian; Long Point; Lostmans River Ranger Station; Manlin

#### Pt. 253, App.

Hammock: Marco Island: Mary Esther: Matlacha; McIntyre; Milton South; Miramar Beach; Myakka Řiver; Naples North; Naples South; Navarre; New Inlet; Niceville; Nutall Rise; Ochopee; Okefenokee Slough; Oldsmar; Orange Beach; Oriole Beach; Overstreet; Ozello; Pace; Palmetto; Panama City; Panama City Beach; Panther Key; Pass-A-Grille Beach; Pavillion Key; Pensacola; Perdido Bay; Pickett Bay; Pine Island Center; Placida; Plover Key; Point Washington; Port Boca Grande; Port Richey; Port Richey NE; Port Saint Joe; Port Tampa; Punta Gorda; Punta Gorda SE: Punta Gorda SW: Red Head: Red Level; Rock Islands; Royal Palm Hammock: Safety Harbor: Saint Joseph Point: Saint Joseph Spit; Saint Marks; Saint Marks NE; Saint Petersburg; Saint Teresa Beach; Salem SW; Sandy Key; Sanibel; Sarasota; Seahorse Key; Seminole; Seminole Hills; Shark Point; Shark River Island; Shired Island; Snipe Island; Sopchoppy; South of Holley; Southport; Sprague Island; Spring Springfield; Steinhatchee; Creek: Steinhatchee SE; Steinhatchee SW; Sugar Hill; Sumner; Suwannee; Tampa; Tarpon Valparaiso; Venice; Springs: Vista: Springs; Valparaiso; Venice; Vista; Waccassasa Bay; Ward Basin; Warrior Swamp; Weavers Station; Weeki Wachee Spring; West Bay; West Pass; West Pensacola; Whitewater Bay West; Withlacoochee Bay; Wulfert; Yankeetown.

Louisiana (1:24,000 scale): Alligator Point; Barataria Pass; Bastian Bay; Bay Batiste; Bay Coquette; Bay Courant; Bay Dosgris; Bay Ronquille; Bay Tambour; Bayou Blanc; Bayou Lucien; Belle Isle; Belle Pass; Big Constance Lake; Black Bay North; Black Bay South; Breton Islands; Breton Islands SE; Buras; Burrwood Bayou East; Burwood Bayou West; Calumet Island; Caminada Pass; Cat Island; Cat Island Pass; Central Isles Dernieres; Chandeleur Light; Chef Mentur; Cheniere Au Tigre; Cocodrie; Coquille Point; Cow Island; Creole; Cypremort Point; Deep Lake; Dixon Bay; Dog Lake; Door Point; East Bay Junop; Eastern Isles; Dernieres; Ellerslie; Empire; English Lookout; False Mouth Bayou; Fearman Lake; Floating Turf Bayou; Fourleague Bay; Franklin; Freemason Island; Garden Island Pass; Grand Bayou; Grand Bayou du Large; Grand Chenier; Grand Gosier Islands; Grand Isle; Hackberry Beach; Hammock Lake; Happy Jack; Hebert Lake; Hell Hole Bayou; Hog Bayou; Holly Beach; Intercoastal City; Isle Au Pitre; Jacko Bay; Johnson Bayou; Kemper; Lake Athanasio; Lake Cuatro Caballo; Lake Eloi; Lake Eugene; Lake Felicity; Lake La Graisse; Lake Merchant; Lake Point; Lake Salve: Lake Tambour: Leeville: Lena Lagoon; Lost Lake; Main Pass; Malheureux Point; Marone Point; Martello Castle; Mink Bayou; Mitchell Key; Morgan City SW; Morgan Harbor; Mound Point; Mulberry Island East; Mulberry Island West; New Harbor Islands: North Islands: Oak Mound Bayou: Ovster Bayou; Pass A Loutre East; Pass A Loutre West; Pass du Bois; Pass Tante Phine; Pecan Island; Pelican Pass; Peveto Beach; Pilottown; Plumb Bayou; Point Au Fer; Point Au Fer NE; Point Chevreuil; Point Chicot; Port Arthur South; Port Sulphur; Pte. Aux Marchuttes; Proctor Point; . Pumpkin Islands; Redfish Point; Rollover Lake; Sabine Pass; Saint Joe Pass; Smith Bayou; South of South Pass; South Pass; Stake Islands; Taylor Pass; Texas Point; Three Mile Bay; Tigre Lagoon; Timbalier Island; Triumph; Venice; Weeks; West of Johnson Bayou; Western Isles Dernieres; Wilkinson Bay: Yscloskey.

Mississippi (1:24,000 scale): Bay Saint Louis; Biloxi; Cat Island; Chandeleur Light; Deer Island; Dog Keys Pass; English Lookout; Gautier North; Gautier South; Grand Bay SW; Gulfport North; Gulfport NW; Gulfport South; Horn Island East; Horn Island West; Isle Au Pitre; Kreole; Ocean Springs; Pascagoula North; Pascagoula South; Pass Christian; Petit Bois Island; Saint Joe Pass; Ship Island; Waveland.

Texas (1:24,000 scale): Allyns Bright; Anahuac: Aransas Pass: Austwell: Bacliff: Bayside; Big Hill Bayou; Brown Cedar Cut; Caplen: Carancahua Pass: Cedar Lakes East: Cedar Lakes West; Cedar Lane NE; Christmas Point; Clam Lake; Corpus Christi; Cove; Crane Islands NW; Crane Islands SW; Decros Point; Dressing Point; Estes; Flake; Freeport; Frozen Point; Galveston; Green Island; Hawk Island; High Island; Hitchcock; Hoskins Mound; Jones Creek; Keller Bay; Kleberg Point; La Comal; La Leona; La Parra Ranch NE; Laguna Vista; Lake Austin; Lake Como; Lake Stephenson; Lamar; Long Island; Los Amigos; Windmill; Maria Estella Well; Matagorda; Matagorda SW; Mesquite Bay; Mission Bay; Morgans Point; Mosquito Point; Mouth of Rio Grande; Mud Lake; North of Port Isabel NW; North of Port Isabel SW; Oak Island; Olivia; Oso Creek NE; Oyster Creek; Palacios; Palacios NE; Palacios Point; Palacios SE; Panther Point; Panther Point NE; Pass Cavallo SW; Pita Island; Point Comfort; Point of Rocks; Port Aransas; Port Arthur South; Port Bolivar; Port Ingleside; Port Isabel; Port Isabel NW; Port Lavaca East; Port Mansfield; Port O'Connor; Portland; Potrero Cortado; Potrero Lopeno NW; Potrero Lopeno SE; Potrero Lopeno SW; Rockport; Sabine Pass; San Luis Pass: Sargent: Sea Isle: Seadrift: Seadrift NE; Smith Point; South Bird Island; South Bird Island NW; South Bird Island SE; South of Palacios Point: South of Potrero Lopeno NE: South of Potrero Lopeno NW: South of Potrero Lopeno SE; South of Star Lake; St. Charles Bay; St. Charles Bay SE; St. Charles Bay SW: Star Lake: Texas City: Texas Point; The Jetties; Three Islands; Tivoli SE; Turtle Bay; Umbrella Point; Virginia Point; West of Johnson Bayou; Whites Ranch; Yarborough Pass.

#### PART 254—OIL-SPILL RESPONSE RE-QUIREMENTS FOR FACILITIES LO-CATED SEAWARD OF THE COAST LINE

#### Subpart A—General

Sec.

- 254.1 Who must submit a spill-response plan?
- 254.2 When must I submit a response plan?
- 254.3 May I cover more than one facility in my response plan?
- 254.4 May I reference other documents in my response plan?
- 254.5 General response plan requirements.
- 254.6 Definitions.
- 254.7 How do I submit my response plan to the MMS?
- 254.8 May I appeal decisions under this part?
- 254.9 Authority for information collection.

#### Subpart B—Oil-Spill Response Plans for Outer Continental Shelf Facilities

- 254.20 Purpose.
- 254.21 How must I format my response plan?
- 254.22 What information must I include in the "Introduction and plan contents" section?
- 254.23 What information must I include in the "Emergency response action plan" section?
- 254.24 What information must I include in the "Equipment inventories" appendix?
- 254.25 What information must I include in the "Contractual agreements" appendix?
- 254.26 What information must I include in the "Worst case discharge scenario" appendix?
- 254.27 What information must I include in the "Dispersant use plan" appendix?
- 254.28 What information must I include in the "In situ burning plan" appendix?
- 254.29 What information must I include in the "Training and drills" appendix?
- 254.30 When must I revise my response plan?

#### Subpart C—Related Requirements for Outer Continental Shelf Facilities

- 254.40 Records.
- $254.41 \quad Training \ your \ response \ personnel.$
- 254.42 Exercises for your response personnel and equipment.
- 254.43 Maintenance and periodic inspection of response equipment.
- 254.44 Calculating response equipment effective daily recovery capacities.
- 254.45 Verifying the capabilities of your response equipment.

- 254.46 Whom do I notify if an oil spill occurs?
- 254.47 Determining the volume of oil of your worst case discharge scenario.

#### Subpart D—Oil-Spill Response Requirements for Facilities Located in State Waters Seaward of the Coast Line

- 254.50 Spill-response plans for facilities located in State waters seaward of the coast line.
- 254.51 Modifying an existing OCS response plan.
- 254.52 Following the format for an OCS response plan.
- 254.53 Submitting a response plan developed under State requirements.
- 254.54 Spill prevention for facilities located in State waters seaward of the coast line.

AUTHORITY: 33 U.S.C. 1321

Source:  $62\ FR\ 13996,\ Mar.\ 25,\ 1997,\ unless$  otherwise noted.

#### Subpart A—General

## $\S 254.1$ Who must submit a spill-response plan?

- (a) If you are the owner or operator of an oil handling, storage, or transportation facility, and it is located seaward of the coast line, you must submit a spill-response plan to MMS for approval. Your spill-response plan must demonstrate that you can respond quickly and effectively whenever oil is discharged from your facility. Refer to §254.6 for the definitions of "oil," "facility," and "coast line" if you have any doubts about whether to submit a plan.
- (b) You must maintain a current response plan for an abandoned facility until you physically remove or dismantle the facility or until the Regional Supervisor notifies you in writing that a plan is no longer required.
- (c) Owners or operators of offshore pipelines carrying essentially dry gas do not need to submit a plan. You must, however, submit a plan for a pipeline that carries:
  - (1) Oil;
- (2) Condensate that has been injected into the pipeline; or
- (3) Gas and naturally occurring condensate.
- (d) If you are in doubt as to whether you must submit a plan for an offshore facility or pipeline, you should check with the Regional Supervisor.

#### § 254.2

(e) If your facility is located landward of the coast line, but you believe your facility is sufficiently similar to OCS facilities that it should be regulated by MMS, you may contact the Regional Supervisor, offer to accept MMS jurisdiction over your facility, and request that MMS seek from the agency with jurisdiction over your facility a relinquishment of that jurisdiction.

### § 254.2 When must I submit a response plan?

- (a) You must submit, and MMS must approve, a response plan that covers each facility located seaward of the coast line before you may use that facility. To continue operations, you must operate the facility in compliance with the plan.
- (b) Despite the provisions of paragraph (a) of this section, you may operate your facility after you submit your plan while MMS reviews it for approval. To operate a facility without an approved plan, you must certify in writing to the Regional Supervisor that you have the capability to respond, to the maximum extent practicable, to a worst case discharge or a substantial threat of such a discharge. The certification must show that you have ensured by contract, or other means approved by the Regional Supervisor, the availability of private personnel and equipment necessary to respond to the discharge. Verification from the organization(s) providing the personnel and equipment must accompany the certification. MMS will not allow you to operate a facility for more than 2 years without an approved plan.
- (c) If you have a plan that MMS already approved, you are not required to immediately rewrite the plan to comply with this part. You must, however, submit the information this regulation requires when submitting your first plan revision (see §254.30) after the effective date of this rule. The Regional Supervisor may extend this deadline upon request.

### § 254.3 May I cover more than one facility in my response plan?

(a) Your response plan may be for a single lease or facility or a group of leases or facilities. All the leases or fa-

cilities in your plan must have the same owner or operator (including affiliates) and must be located in the same MMS Region (see definition of Regional Response Plan in §254.6).

- (b) Regional Response Plans must address all the elements required for a response plan in Subpart B, *Oil Spill Response Plans for Outer Continental Shelf Facilities*, or Subpart D, *Oil Spill Response Requirements for Facilities Located in State Waters Seaward of the Coast Line*, as appropriate.
- (c) When developing a Regional Response Plan, you may group leases or facilities subject to the approval of the Regional Supervisor for the purposes of:
  - (1) Calculating response times;
- (2) Determining quantities of response equipment;
- (3) Conducting oil-spill trajectory analyses;
- (4) Determining worst case discharge scenarios; and
- (5) Identifying areas of special economic and environmental importance that may be impacted and the strategies for their protection.
- (d) The Regional Supervisor may specify how to address the elements of a Regional Response Plan. The Regional Supervisor also may require that Regional Response Plans contain additional information if necessary for compliance with appropriate laws and regulations.

### § 254.4 May I reference other documents in my response plan?

You may reference information contained in other readily accessible documents in your response plan. Examples of documents that you may reference are the National Contingency Plan (NCP), Area Contingency Plan (ACP), MMS environmental documents, and Oil Spill Removal Organization (OSRO) documents that are readily accessible to the Regional Supervisor. You must ensure that the Regional Supervisor possesses or is provided with copies of all OSRO documents you reference. You should contact the Regional Supervisor if you want to know whether a reference is acceptable.

### § 254.5 General response plan requirements.

(a) The response plan must provide for response to an oil spill from the facility. You must immediately carry out the provisions of the plan whenever there is a release of oil from the facility. You must also carry out the training, equipment testing, and periodic drills described in the plan, and these measures must be sufficient to ensure the safety of the facility and to mitigate or prevent a discharge or a substantial threat of a discharge.

(b) The plan must be consistent with the National Contingency Plan and the appropriate Area Contingency Plan(s).

(c) Nothing in this part relieves you from taking all appropriate actions necessary to immediately abate the source of a spill and remove any spills of oil

(d) In addition to the requirements listed in this part, you must provide any other information the Regional Supervisor requires for compliance with appropriate laws and regulations.

#### § 254.6 Definitions.

For the purposes of this part:

Adverse weather conditions means weather conditions found in the operating area that make it difficult for response equipment and personnel to clean up or remove spilled oil or hazardous substances. These include, but are not limited to: Fog, inhospitable water and air temperatures, wind, sea ice, current, and sea states. It does not refer to conditions such as a hurricane, under which it would be dangerous or impossible to respond to a spill.

Area Contingency Plan means an Area Contingency Plan prepared and published under section 311(j) of the Federal Water Pollution Control Act (FWPCA).

Coast line means the line of ordinary low water along that portion of the coast which is in direct contact with the open sea and the line marking the seaward limit of inland waters.

Discharge means any emission (other than natural seepage), intentional or unintentional, and includes, but is not limited to, spilling, leaking, pumping, pouring, emitting, emptying, or dumping.

*District Supervisor* means the MMS officer with authority and responsibility for a district within an MMS Region.

Facility means any structure, group of structures, equipment, or device (other than a vessel) which is used for one or more of the following purposes: Exploring for, drilling for, producing, storing, handling, transferring, processing, or transporting oil. The term excludes deep-water ports and their associated pipelines as defined by the Deepwater Port Act of 1974, but includes other pipelines used for one or more of these purposes. A mobile offshore drilling unit is classified as a facility when engaged in drilling or downhole operations.

Maximum extent practicable means within the limitations of available technology, as well as the physical limitations of personnel, when responding to a worst case discharge in adverse weather conditions.

National Contingency Plan means the National Oil and Hazardous Substances Pollution Contingency Plan prepared and published under section 311(d) of the FWPCA, (33 U.S.C. 1321(d)) or revised under section 105 of the Comprehensive Environmental Response Compensation and Liability Act (42 U.S.C. 9605).

National Contingency Plan Product Schedule means a schedule of dispersants and other chemical or biological products, maintained by the Environmental Protection Agency, that may be authorized for use on oil discharges in accordance with the procedures found at 40 CFR 300.910.

Oil means oil of any kind or in any form, including but not limited to petroleum, fuel oil, sludge, oil refuse, and oil mixed with wastes other than dredged spoil. This also includes hydrocarbons produced at the wellhead in liquid form (includes distillates or condensate associated with produced natural gas), and condensate that has been separated from a gas prior to injection into a pipeline. It does not include petroleum, including crude oil or any fraction thereof, which is specifically listed or designated as a hazardous substance under paragraphs (A) through (F) of section 101(14) of the Comprehensive Environmental Response, Compensation, and Liability Act (42 U. S.

#### § 254.7

C. 9601) and which is subject to the provisions of that Act. It also does not include animal fats and oils and greases and fish and marine mammal oils, within the meaning of paragraph (2) of section 61(a) of title 13, United States Code, and oils of vegetable origin, including oils from the seeds, nuts, and kernels referred to in paragraph (1)(A) of that section.

Oil spill removal organization (OSRO) means an entity contracted by an owner or operator to provide spill-response equipment and/or manpower in the event of an oil or hazardous substance spill.

Outer Continental Shelf means all submerged lands lying seaward and outside of the area of lands beneath navigable waters as defined in section 2 of the Submerged Lands Act (43 U.S.C. 1301) and of which the subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.

Owner or operator means, in the case of an offshore facility, any person owning or operating such offshore facility. In the case of any abandoned offshore facility, it means the person who owned such facility immediately prior to such abandonment.

Pipeline means pipe and any associated equipment, appurtenance, or building used or intended for use in the transportation of oil located seaward of the coast line, except those used for deep-water ports. Pipelines do not include vessels such as barges or shuttle tankers used to transport oil from facilities located seaward of the coast line.

Qualified individual means an English-speaking representative of an owner or operator, located in the United States, available on a 24-hour basis, with full authority to obligate funds, carry out removal actions, and communicate with the appropriate Federal officials and the persons providing personnel and equipment in removal operations.

Regional Response Plan means a spill-response plan required by this part which covers multiple facilities or leases of an owner or operator, including affiliates, which are located in the same MMS Region.

Regional Supervisor means the MMS official with responsibility and authority for operations or other designated program functions within an MMS Region.

Remove means containment and cleanup of oil from water and shore-lines or the taking of other actions as may be necessary to minimize or mitigate damage to the public health or welfare, including, but not limited to, fish, shellfish, wildlife, public and private property, shorelines, and beaches.

Spill is synonymous with "discharge" for the purposes of this part.

*Spill management team* means the trained persons identified in a response plan who staff the organizational structure to manage spill response.

Spill-response coordinator means a trained person charged with the responsibility and designated the commensurate authority for directing and coordinating response operations.

Spill-response operating team means the trained persons who respond to spills through deployment and operation of oil-spill response equipment.

State waters located seaward of the coast line means the belt of the seas measured from the coast line and extending seaward a distance of 3 miles (except the coast of Texas and the Gulf coast of Florida, where the State waters extend seaward a distance of 3 leagues).

*You* means the owner or the operator as defined in this section.

### § 254.7 How do I submit my response plan to the MMS?

You must submit the number of copies of your response plan that the appropriate MMS regional office requires. If you prefer to use improved information technology such as electronic filing to submit your plan, ask the Regional Supervisor for further guidance.

(a) Send plans for facilities located seaward of the coast line of Alaska to: Minerals Management Service, Regional Supervisor, Field Operations, Alaska OCS Region, 949 East 36th Avenue, Anchorage, AK 99508–4302.

(b) Send plans for facilities in the Gulf of Mexico or Atlantic Ocean to: Minerals Management Service, Regional Supervisor, Field Operations, Gulf of Mexico OCS Region, 1201 Elmwood Park Boulevard, New Orleans, LA 70123-2394.

(c) Send plans for facilities in the Pacific Ocean (except seaward of the coast line of Alaska) to: Minerals Management Service, Regional Supervisor, Office of Development Operations and Safety, Pacific OCS Region, 770 Paseo Camarillo, Camarillo, CA 93010-6064.

#### §254.8 May I appeal decisions under this part?

See 30 CFR part 290 for instructions on how to appeal any order or decision that we issue under this part.

[65 FR 3857, Jan. 25, 2000]

#### §254.9 Authority for information collection.

- (a) The Office of Management and Budget (OMB) has approved the information collection requirements in this part under 44 U.S.C. 3501 et seq. OMB assigned the control number 1010-0091. The title of this information collection is "30 CFR Part 254, Oil Spill Response Requirements for Facilities Located Seaward of the Coast line."
- (b) MMS collects this information to ensure that the owner or operator of an offshore facility is prepared to respond to an oil spill. MMS uses the information to verify compliance with the mandates of the Oil Pollution Act of 1990 (OPA). The requirement to submit this information is mandatory. No confidential or proprietary information is collected.
- (c) An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.
- (d) Send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

[62 FR 13996, Mar. 25, 1997, as amended at 62 FR 18041, Apr. 14, 1997; 65 FR 2876, Jan. 19, 20001

#### Response Subpart B—Oil-Spill Plans for Outer Continental **Shelf Facilities**

#### §254.20 Purpose.

This subpart describes the requirements for preparing spill-response plans for facilities located on the OCS.

#### §254.21 How must I format my response plan?

- (a) You must divide your response plan for OCS facilities into the sections specified in paragraph (b) and explained in the other sections of this subpart. The plan must have an easily found marker identifying each section. You may use an alternate format if you include a cross-reference table to identify the location of required sections. You may use alternate contents if you can demonstrate to the Regional Supervisor that they provide for equal or greater levels of preparedness.
  - (b) Your plan must include:
  - (1) Introduction and plan contents. (2) Emergency response action plan.

  - (3) Appendices:
  - (i) Equipment inventory.
  - (ii) Contractual agreements.
  - (iii) Worst case discharge scenario.
  - (iv) Dispersant use plan.
  - (v) In situ burning plan.
  - (vi) Training and drills.

#### §254.22 What information must I include in the "Introduction and plan contents" section?

The "Introduction and plan contents" section must provide:

- (a) Identification of the facility the plan covers, including its location and
- (b) A table of contents;
- (c) A record of changes made to the plan: and
- (d) A cross-reference table, if needed, because you are using an alternate format for your plan.

#### §254.23 What information must I include in the "Emergency response action plan" section?

"Emergency response action plan"section is the core of the response plan. Put information in easy-to-use formats such as flow charts or tables where appropriate. This section must include:

#### § 254.24

- (a) Designation, by name or position, of a trained qualified individual (QI) who has full authority to implement removal actions and ensure immediate notification of appropriate Federal officials and response personnel.
- (b) Designation, by name or position, of a trained spill management team available on a 24-hour basis. The team must include a trained spill-response coordinator and alternate(s) who have the responsibility and authority to direct and coordinate response operations on your behalf. You must describe the team's organizational structure as well as the responsibilities and authorities of each position on the spill management team.
- (c) Description of a spill-response operating team. Team members must be trained and available on a 24-hour basis to deploy and operate spill-response equipment. They must be able to respond within a reasonable minimum specified time. You must include the number and types of personnel available from each identified labor source.
- (d) A planned location for a spill-response operations center and provisions for primary and alternate communications systems available for use in coordinating and directing spill-response operations. You must provide telephone numbers for the response operations center. You also must provide any facsimile numbers and primary and secondary radio frequencies that will be used.
- (e) A listing of the types and characteristics of the oil handled, stored, or transported at the facility.
- (f) Procedures for the early detection of a spill.
- (g) Identification of procedures you will follow in the event of a spill or a substantial threat of a spill. The procedures should show appropriate response levels for differing spill sizes including those resulting from a fire or explosion. These will include, as appropriate:
- (1) Your procedures for spill notification. The plan must provide for the use of the oil spill reporting forms included in the Area Contingency Plan or an equivalent reporting form.
- (i) Your procedures must include a current list which identifies the following by name or position, corporate

address, and telephone number (including facsimile number if applicable):

- (A) The qualified individual;
- (B) The spill-response coordinator and alternate(s); and
- (C) Other spill-response management team members.
- (ii) You must also provide names, telephone numbers, and addresses for the following:
  - (A) OSRO's that the plan cites;
- (B) Federal, State, and local regulatory agencies that you must consult to obtain site specific environmental information; and
- (C) Federal, State, and local regulatory agencies that you must notify when an oil spill occurs.
- (2) Your methods to monitor and predict spill movement;
- (3) Your methods to identify and prioritize the beaches, waterfowl, other marine and shoreline resources, and areas of special economic and environmental importance;
- (4) Your methods to protect beaches, waterfowl, other marine and shoreline resources, and areas of special economic or environmental importance;
- (5) Your methods to ensure that containment and recovery equipment as well as the response personnel are mobilized and deployed at the spill site;
- (6) Your methods to ensure that devices for the storage of recovered oil are sufficient to allow containment and recovery operations to continue without interruption;
- (7) Your procedures to remove oil and oiled debris from shallow waters and along shorelines and rehabilitating waterfowl which become oiled;
- (8) Your procedures to store, transfer, and dispose of recovered oil and oil-contaminated materials and to ensure that all disposal is in accordance with Federal, State, and local requirements; and
- (9) Your methods to implement your dispersant use plan and your in situ burning plan.

# § 254.24 What information must I include in the "Equipment inventory" appendix?

Your "Equipment inventory appendix" must include:

- (a) An inventory of spill-response materials and supplies, services, equipment, and response vessels available locally and regionally. You must identify each supplier and provide their locations and telephone numbers.
- (b) A description of the procedures for inspecting and maintaining spill-response equipment in accordance with §254.43.

# § 254.25 What information must I include in the "Contractual agreements" appendix?

Your "Contractual agreements" appendix must furnish proof of any contracts or membership agreements with OSRO's, cooperatives, spill-response service providers, or spill management team members who are not your employees that you cite in the plan. To provide this proof, submit copies of the contracts or membership agreements or certify that contracts or membership agreement must contract or membership agreement must include provisions for ensuring the availability of the personnel and/or equipment on a 24-hour-per-day basis.

# § 254.26 What information must I include in the "Worst case discharge scenario" appendix?

The discussion of your worst case discharge scenario must include all of the following elements:

- (a) The volume of your worst case discharge scenario determined using the criteria in §254.47. Provide any assumptions made and the supporting calculations used to determine this volume
- (b) An appropriate trajectory analysis specific to the area in which the facility is located. The analysis must identify onshore and offshore areas that a discharge potentially could affect. The trajectory analysis chosen must reflect the maximum distance from the facility that oil could move in a time period that it reasonably could be expected to persist in the environment.
- (c) A list of the resources of special economic or environmental importance that potentially could be impacted in the areas identified by your trajectory analysis. You also must state the strategies that you will use for their protec-

tion. At a minimum, this list must include those resources of special economic and environmental importance, if any, specified in the appropriate Area Contingency Plan(s).

- (d) A discussion of your response to your worst case discharge scenario in adverse weather conditions. This discussion must include:
- (1) A description of the response equipment that you will use to contain and recover the discharge to the maximum extent practicable. This description must include the types, location(s) and owner, quantity, and capabilities of the equipment. You also must include the effective daily recovery capacities, where applicable. You must calculate the effective daily recovery capacities using the methods described in §254.44. For operations at a drilling or production facility, your scenario must show how you will cope with the initial spill volume upon arrival at the scene and then support operations for a blowout lasting 30 days.
- (2) A description of the personnel, materials, and support vessels that would be necessary to ensure that the identified response equipment is deployed and operated promptly and effectively. Your description must include the location and owner of these resources as well as the quantities and types (if applicable);
- (3) A description of your oil storage, transfer, and disposal equipment. Your description must include the types, location and owner, quantity, and capacities of the equipment; and
- (4) An estimation of the individual times needed for:
- (i) Procurement of the identified containment, recovery, and storage equipment:
- (ii) Procurement of equipment transportation vessel(s);
- (iii) Procurement of personnel to load and operate the equipment;
- (iv) Equipment loadout (transfer of equipment to transportation vessel(s));
- (v) Travel to the deployment site (including any time required for travel from an equipment storage area); and
- (vi) Equipment deployment.
- (e) In preparing the discussion required by paragraph (d) of this section, you must:

#### § 254.27

- (1) Ensure that the response equipment, materials, support vessels, and strategies listed are suitable, within the limits of current technology, for the range of environmental conditions anticipated at your facility; and
- (2) Use standardized, defined terms to describe the range of environmental conditions anticipated and the capabilities of response equipment. Examples of acceptable terms include those defined in American Society for Testing of Materials (ASTM) publication F625–94, Standard Practice for Describing Environmental Conditions Relevant to Spill Control Systems for Use on Water, and ASTM F818–93, Standard Definitions Relating to Spill Response Barriers.

## § 254.27 What information must I include in the "Dispersant use plan" appendix?

Your dispersant use plan must be consistent with the National Contingency Plan Product Schedule and other provisions of the National Contingency Plan and the appropriate Area Contingency Plan(s). The plan must include:

- (a) An inventory and a location of the dispersants and other chemical or biological products which you might use on the oils handled, stored, or transported at the facility;
- (b) A summary of toxicity data for these products;
- (c) A description and a location of any application equipment required as well as an estimate of the time to commence application after approval is obtained;
- (d) A discussion of the application procedures;
- (e) A discussion of the conditions under which product use may be requested; and
- (f) An outline of the procedures you must follow in obtaining approval for product use.

## § 254.28 What information must I include in the "In situ burning plan" appendix?

Your in situ burning plan must be consistent with any guidelines authorized by the National Contingency Plan and the appropriate Area Contingency Plan(s). Your in situ burning plan must include:

- (a) A description of the in situ burn equipment including its availability, location, and owner;
- (b) A discussion of your in situ burning procedures, including provisions for ignition of an oil spill;
- (c) A discussion of environmental effects of an in situ burn;
- (d) Your guidelines for well control and safety of personnel and property;
- (e) A discussion of the circumstances in which in situ burning may be appropriate:
- (f) Your guidelines for making the decision to ignite; and
- (g) An outline of the procedures you must follow to obtain approval for an in situ burn.

# § 254.29 What information must I include in the "Training and drills" appendix?

Your "Training and drills" appendix must:

- (a) Identify and include the dates of the training provided to members of the spill-response management team and the qualified individual. The types of training given to the members of the spill-response operating team also must be described. The training requirements for your spill management team and your spill-response operating team are specified in §254.41. You must designate a location where you keep course completion certificates or attendance records for this training.
- (b) Describe in detail your plans for satisfying the exercise requirements of §254.42. You must designate a location where you keep the records of these exercises.

### § 254.30 When must I revise my response plan?

- (a) You must review your response plan at least every 2 years and submit all resulting modifications to the Regional Supervisor. If this review does not result in modifications, you must inform the Regional Supervisor in writing that there are no changes.
- (b) You must submit revisions to your plan for approval within 15 days whenever:
- (1) A change occurs which significantly reduces your response capabilities;

- (2) A significant change occurs in the worst case discharge scenario or in the type of oil being handled, stored, or transported at the facility;
- (3) There is a change in the name(s) or capabilities of the oil spill removal organizations cited in the plan; or

(4) There is a significant change to the Area Contingency Plan(s).

- (c) The Regional Supervisor may require that you resubmit your plan if the plan has become outdated or if numerous revisions have made its use difficult.
- (d) The Regional Supervisor will periodically review the equipment inventories of OSRO's to ensure that sufficient spill removal equipment is available to meet the cumulative needs of the owners and operators who cite these organizations in their plans.
- (e) The Regional Supervisor may require you to revise your plan if significant inadequacies are indicated by:
- (1) Periodic reviews (described in paragraph (d) of this section);
- (2) Information obtained during drills or actual spill responses; or
- (3) Other relevant information the Regional Supervisor obtained.

#### Subpart C—Related Requirements for Outer Continental Shelf Facilities

#### § 254.40 Records.

You must make all records of services, personnel, and equipment provided by OSRO's or cooperatives available to any authorized MMS representative upon request.

### § 254.41 Training your response personnel.

- (a) You must ensure that the members of your spill-response operating team who are responsible for operating response equipment attend hands-on training classes at least annually. This training must include the deployment and operation of the response equipment they will use. Those responsible for supervising the team must be trained annually in directing the deployment and use of the response equipment.
- (b) You must ensure that the spill-response management team, including the spill-response coordinator and al-

ternates, receives annual training. This training must include instruction on:

- (1) Locations, intended use, deployment strategies, and the operational and logistical requirements of response equipment;
  - (2) Spill reporting procedures;
- (3) Oil-spill trajectory analysis and predicting spill movement; and
- (4) Any other responsibilities the spill management team may have.
- (c) You must ensure that the qualified individual is sufficiently trained to perform his or her duties.
- (d) You must keep all training certificates and training attendance records at the location designated in your response plan for at least 2 years. They must be made available to any authorized MMS representative upon request.

### § 254.42 Exercises for your response personnel and equipment.

- (a) You must exercise your entire response plan at least once every 3 years (triennial exercise). You may satisfy this requirement by conducting separate exercises for individual parts of the plan over the 3-year period; you do not have to exercise your entire response plan at one time.
- (b) In satisfying the triennial exercise requirement, you must, at a minimum, conduct:
- (1) An annual spill management team tabletop exercise. The exercise must test the spill management team's organization, communication, and decision-making in managing a response. You must not reveal the spill scenario to team members before the exercise starts.
- (2) An annual deployment exercise of response equipment identified in your plan that is staged at onshore locations. You must deploy and operate each type of equipment in each triennial period. However, it is not necessary to deploy and operate each individual piece of equipment.
- (3) An annual notification exercise for each facility that is manned on a 24- hour basis. The exercise must test the ability of facility personnel to communicate pertinent information in a timely manner to the qualified individual.

#### § 254.43

- (4) A semiannual deployment exercise of any response equipment which the MMS Regional Supervisor requires an owner or operator to maintain at the facility or on dedicated vessels. You must deploy and operate each type of this equipment at least once each year. Each type need not be deployed and operated at each exercise.
- (c) During your exercises, you must simulate conditions in the area of operations, including seasonal weather variations, to the extent practicable. The exercises must cover a range of scenarios over the 3-year exercise period, simulating responses to large continuous spills, spills of short duration and limited volume, and your worst case discharge scenario.
- (d) MMS will recognize and give credit for any documented exercise conducted that satisfies some part of the required triennial exercise. You will receive this credit whether the owner or operator, an OSRO, or a Government regulatory agency initiates the exercise. MMS will give you credit for an actual spill response if you evaluate the response and generate a proper record. Exercise documentation should include the following information:
  - (1) Type of exercise;
  - (2) Date and time of the exercise;
  - (3) Description of the exercise;
  - (4) Objectives met; and
  - (5) Lessons learned.
- (e) All records of spill-response exercises must be maintained for the complete 3-year exercise cycle. Records should be maintained at the facility or at a corporate location designated in the plan. Records showing that OSRO's and oil spill removal cooperatives have deployed each type of equipment also must be maintained for the 3-year cycle.
- (f) You must inform the Regional Supervisor of the date of any exercise required by paragraph (b)(1), (2), or (4) of this section at least 30 days before the exercise. This will allow MMS personnel the opportunity to witness any exercises.
- (g) The Regional Supervisor periodically will initiate unannounced drills to test the spill response preparedness of owners and operators.
- (h) The Regional Supervisor may require changes in the frequency or loca-

- tion of the required exercises, equipment to be deployed and operated, or deployment procedures or strategies. The Regional Supervisor may evaluate the results of the exercises and advise the owner or operator of any needed changes in response equipment, procedures, or strategies.
- (i) Compliance with the National Preparedness for Response Exercise Program (PREP) Guidelines will satisfy the exercise requirements of this section. Copies of the PREP document may be obtained from the Regional Supervisor.

### § 254.43 Maintenance and periodic inspection of response equipment.

- (a) You must ensure that the response equipment listed in your response plan is inspected at least monthly and is maintained, as necessary, to ensure optimal performance.
- (b) You must ensure that records of the inspections and the maintenance activities are kept for at least 2 years and are made available to any authorized MMS representative upon request.

#### § 254.44 Calculating response equipment effective daily recovery capacities.

- (a) You are required by §254.26(d)(1) to calculate the effective daily recovery capacity of the response equipment identified in your response plan that you would use to contain and recover your worst case discharge. You must calculate the effective daily recovery capacity of the equipment by multiplying the manufacturer's throughput capacity over a 24-hour period by 20 percent. This 20 percent efficiency factor takes into account the limitations of the recovery operations due to available daylight, sea state, temperature, viscosity, and emulsification of the oil being recovered. You must use this calculated rate to determine if you have sufficient recovery capacity to respond to your worst case discharge scenario.
- (b) If you want to use a different efficiency factor for specific oil recovery devices, you must submit evidence to substantiate that efficiency factor. Adequate evidence includes verified

performance data measured during actual spills or test data gathered according to the provisions of §254.45 (b) and (c).

### § 254.45 Verifying the capabilities of your response equipment.

- (a) The Regional Supervisor may require performance testing of any spill-response equipment listed in your response plan to verify its capabilities if the equipment:
  - (1) Has been modified;
  - (2) Has been damaged and repaired; or
- (3) Has a claimed effective daily recovery capacity that is inconsistent with data otherwise available to MMS.
- (b) You must conduct any required performance testing of booms in accordance with MMS-approved test criteria. You may use the document "Test Protocol for the Evaluation of Oil-Spill Containment Booms," available from MMS, for guidance. Performance testing of skimmers also must be conducted in accordance with MMS approved test criteria. You may use the document "Suggested Test Protocol for the Evaluation of Oil Spill Skimmers for the OCS," available from MMS, for guidance.
- (c) You are responsible for any required testing of equipment performance and for the accuracy of the information submitted.

### § 254.46 Whom do I notify if an oil spill occurs?

- (a) You must immediately notify the National Response Center (1–800–424–8802) if you observe:
  - (1) An oil spill from your facility;
- (2) An oil spill from another offshore facility; or
- (3) An offshore spill of unknown origin.
- (b) In the event of a spill of 1 barrel or more from your facility, you must orally notify the Regional Supervisor without delay. You also must report spills from your facility of unknown size but thought to be 1 barrel or more.
- (1) If a spill from your facility not originally reported to the Regional Supervisor is subsequently found to be 1 barrel or more, you must then report it without delay.
- (2) You must file a written followup report for any spill from your facility

- of 1 barrel or more. The Regional Supervisor must receive this confirmation within 15 days after the spillage has been stopped. All reports must include the cause, location, volume, and remedial action taken. Reports of spills of more than 50 barrels must include information on the sea state, meteorological conditions, and the size and appearance of the slick. The Regional Supervisor may require additional information if it is determined that an analysis of the response is necessary.
- (c) If you observe a spill resulting from operations at another offshore facility, you must immediately notify the responsible party and the Regional Supervisor.

## § 254.47 Determining the volume of oil of your worst case discharge scenario.

You must calculate the volume of oil of your worst case discharge scenario as follows:

- (a) For an oil production platform facility, the size of your worst case discharge scenario is the sum of the following:
- (1) The maximum capacity of all oil storage tanks and flow lines on the facility. Flow line volume may be estimated; and
- (2) The volume of oil calculated to leak from a break in any pipelines connected to the facility considering shutdown time, the effect of hydrostatic pressure, gravity, frictional wall forces and other factors: and
- (3) The daily production volume from an uncontrolled blowout of the highest capacity well associated with the facility. In determining the daily discharge rate, you must consider reservoir characteristics, casing/production tubing sizes, and historical production and reservoir pressure data. Your scenario must discuss how to respond to this well flowing for 30 days as required by §254.26(d)(1).
- (b) For exploratory or development drilling operations, the size of your worst case discharge scenario is the daily volume possible from an uncontrolled blowout. In determining the daily discharge rate, you must consider any known reservoir characteristics. If reservoir characteristics are unknown,

#### § 254.50

you must consider the characteristics of any analog reservoirs from the area and give an explanation for the selection of the reservoir(s) used. Your scenario must discuss how to respond to this well flowing for 30 days as required by §254.26(d)(1).

- (c) For a pipeline facility, the size of your worst case discharge scenario is the volume possible from a pipeline break. You must calculate this volume as follows:
- (1) Add the pipeline system leak detection time to the shutdown response time.
- (2) Multiply the time calculated in paragraph (c)(1) of this section by the highest measured oil flow rate over the preceding 12-month period. For new pipelines, you should use the predicted oil flow rate in the calculation.
- (3) Add to the volume calculated in paragraph (c)(2) of this section the total volume of oil that would leak from the pipeline after it is shut in. Calculate this volume by taking into account the effects of hydrostatic pressure, gravity, frictional wall forces, length of pipeline segment, tie-ins with other pipelines, and other factors.
- (d) If your facility which stores, handles, transfers, processes, or transports oil does not fall into the categories listed in paragraph (a), (b), or (c) of this section, contact the Regional Supervisor for instructions on the calculation of the volume of your worst case discharge scenario.

#### Subpart D—Oil-Spill Response Requirements for Facilities Located in State Waters Seaward of the Coast Line

#### § 254.50 Spill response plans for facilities located in State waters seaward of the coast line.

Owners or operators of facilities located in State waters seaward of the coast line must submit a spill-response plan to MMS for approval. You may choose one of three methods to comply with this requirement. The three methods are described in §§ 254.51, 254.52, and 254.53.

### § 254.51 Modifying an existing OCS response plan.

You may modify an existing response plan covering a lease or facility on the OCS to include a lease or facility in State waters located seaward of the coast line. Since this plan would cover more than one lease or facility, it would be considered a Regional Response Plan. You should refer to §254.3 and contact the appropriate regional MMS office if you have any questions on how to prepare this Regional Response Plan.

### § 254.52 Following the format for an OCS response plan.

You may develop a response plan following the requirements for plans for OCS facilities found in subpart B of this part.

#### § 254.53 Submitting a response plan developed under State requirements.

- (a) You may submit a response plan to MMS for approval that you developed in accordance with the laws or regulations of the appropriate State. The plan must contain all the elements the State and OPA require and must:
- (1) Be consistent with the requirements of the National Contingency Plan and appropriate Area Contingency Plan(s).
- (2) Identify a qualified individual and require immediate communication between that person and appropriate Federal officials and response personnel if there is a spill.
- (3) Identify any private personnel and equipment necessary to remove, to the maximum extent practicable, a worst case discharge as defined in §254.47. The plan must provide proof of contractual services or other evidence of a contractual agreement with any OSRO's or spill management team members who are not employees of the owner or operator.
- (4) Describe the training, equipment testing, periodic unannounced drills, and response actions of personnel at the facility. These must ensure both the safety of the facility and the mitigation or prevention of a discharge or the substantial threat of a discharge.

#### Minerals Management Service, Interior

- (5) Describe the procedures you will use to periodically update and resubmit the plan for approval of each significant change.
- (b) Your plan developed under State requirements also must include the following information:
- (1)  $\bar{A}$  list of the facilities and leases the plan covers and a map showing their location;
- (2) A list of the types of oil handled, stored, or transported at the facility;
- (3) Name and address of the State agency to whom the plan was submitted;
- (4) Date you submitted the plan to the State;
- (5) If the plan received formal approval, the name of the approving organization, the date of approval, and a copy of the State agency's approval letter if one was issued; and
- (6) Identification of any regulations or standards used in preparing the plan.

# § 254.54 Spill prevention for facilities located in State waters seaward of the coast line.

In addition to your response plan, you must submit to the Regional Supervisor a description of the steps you are taking to prevent spills of oil or mitigate a substantial threat of such a discharge. You must identify all State or Federal safety or pollution prevention requirements that apply to the prevention of oil spills from your facility, and demonstrate your compliance with these requirements. You also should include a description of industry safety and pollution prevention standards your facility meets. The Regional Supervisor may prescribe additional equipment or procedures for spill prevention if it is determined that your efforts to prevent spills do not reflect good industry practices.

# PART 256—LEASING OF SULPHUR OR OIL AND GAS IN THE OUTER CONTINENTAL SHELF

### Subpart A—Outer Continental Shelf Oil, Gas, and Sulphur Management, General

#### Sec

- 256.0 Authority for information collection.
- 256.1 Purpose.
- 256.2 Policy.

- 256 4 Authority
- 256.5 Definitions.
- 256.7 Cross references.
- 256.8 Leasing maps and diagrams.
- 256.10 Information to States.
- 256.11 Helium.
- 256.12 Supplemental sales.

#### Subpart B—Oil and Gas Leasing Program

- 256.16 Receipt and consideration of nominations; public notice and participation.
- 256.17 Review by State and local governments and other persons.
- 256.19 Periodic consultation with interested parties.
- 256.20 Consideration of coastal zone management program.

### Subpart C—Reports From Federal Agencies

256.22 General.

### Subpart D—Call for Information and Nominations

- 256.23 Information on areas.
- 256.25 Areas near coastal States.

#### Subpart E—Area Identification and Tract Size

- 256.26 General.
- 256.28 Tract size.

#### Subpart F—Lease Sales

- 256.29 Proposed notice of sale.
- 256.31 State comments.
- 256.32 Notice of sale.

#### Subpart G—Issuance of Leases

- 256.35 Qualifications of lessees.
- 256.37 Lease term.
- 256.38 Joint bidding provisions.
- 256.40 Definitions.
- 256.41 Joint bidding requirements.
- 256.43 Chargeability for production.256.44 Bids disqualified.
- 256.46 Submission of bids.
- 256.47 Award of leases.
- 256.49 Lease form.
- 256.50 Dating of leases.

### Subpart H—Rentals and Royalties [Reserved]

#### Subpart I—Bonding

- 256.52 Bond requirements for an oil and gas or sulphur lease.
- 256.53 Additional bonds.
- 256.54 General requirements for bonds.
- 256.55 Lapse of bond.
- 256.56 Lease-specific abandonment accounts.

 $256.57\,$  Using a third-party guarantee instead of a bond.

256.58 Termination of the period of liability and cancellation of a bond.

256.59 Forfeiture of bonds and/or other securities.

### Subpart J—Assignments, Transfers, and Extensions

256.62 Assignment of lease or interest in lease.

256.64 How to file transfers.

256.65 Attorney General review.

256.67 Separate filings for assignments.

256.68 Effect of assignment of a particular tract.

256.70 Extension of lease by drilling or well reworking operations.

256.71 Directional drilling.

256.72 Compensatory payments as production.

256.73 Effect of suspensions on lease term.

#### Subpart K—Termination of Leases

256.76 Relinquishment of leases or parts of leases.

256.77 Cancellation of leases.

#### Subpart L—Section 6 Leases

256.79 Effect of regulations on lease.

256.80 Leases of other minerals.

#### Subpart M—Studies

256.82 Environmental studies.

APPENDIX A TO PART 256—OIL AND GAS CASH BONUS BID

AUTHORITY: 43 U.S.C. 1331 et seq., 42 U.S.C. 6213.

SOURCE: 44 FR 38276, June 29, 1979, unless otherwise noted. Redesignated at 47 FR 47006, Oct. 22, 1982.

#### Subpart A—Outer Continental Shelf Oil, Gas, and Sulphur Management, General

### § 256.0 Authority for information collection.

(a) The Office of Management and Budget (OMB) has approved the information collection requirements in this part under 44 U.S.C. 3501 *et seq.* OMB assigned the control number 1010–0006. The title of this information collection is "30 CFR Part 256, Leasing of Sulphur or Oil and Gas in the Outer Continental Shelf."

(b) MMS collects this information to determine if the applicant filing for a lease on the Outer Continental Shelf is qualified to hold such a lease. Response is required to obtain a benefit according to 43 U.S.C. 1331 *et seq.* MMS will protect proprietary information collected according to section 26 of the OCS Lands Act and 30 CFR 256.10.

(c) An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

(d) Send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

[65 FR 2876, Jan. 19, 2000]

#### § 256.1 Purpose.

The purpose of the regulations in this part is to establish the procedures under which the Secretary of the Interior (Secretary) will exercise the authority to administer a leasing program for oil, gas and sulphur. The procedures under which the Secretary will exercise the authority to administer a program to grant rights-of-way, rights-of-use and easements are addressed in other parts.

[64 FR 72795, Dec. 28, 1999]

#### § 256.2 Policy.

The management of Outer Continental Shelf resources is to be conducted in accordance with the findings, purposes and policy directions provided by the Outer Continental Shelf Lands Act Amendments of 1978 (43 U.S.C. 1332, 1801, 1802), and other Executive, legislative, judicial and Departmental guidance. The Secretary of the Interior shall consider available environmental information in making decisions affecting Outer Continental Shelf resources.

#### §256.4 Authority.

The outer Continental Shelf Lands Act (OCSLA) (43 U.S.C. 1331 *et seq.*) authorizes the Secretary of the Interior to issue, on a competitive basis, leases for oil and gas, and sulphur, in submerged lands of the outer Continental Shelf (OCS). The Act authorizes the

Secretary to grant rights-of-way, rights-of-use and easements through the submerged lands of the OCS. The Energy Policy and Conservation Act of 1975 (42 U.S.C. 6213), prohibits joint bidding by major oil and gas producers.

[64 FR 72795, Dec. 28, 1999]

#### § 256.5 Definitions.

As used in this part, the term:

- (a) Act refers to the Outer Continental Shelf Lands Act of August 7, 1953 (43 U.S.C. 1331 et seq.) as amended.
- (b) *Director* means the Director, Minerals Management Service.
- (c) *OCS* means the Outer Continental Shelf, as that term is defined in 43 U.S.C. 1331(a).
- (d) *Secretary* means the Secretary of the Interior or an official authorized to act on the Secretary's behalf.
- (e) MMS means the Minerals Management Service.
- (f) Coastal zone means the coastal waters (including the lands therein and thereunder) and the adjacent shorelands (including the waters therein and thereunder), strongly influenced by each other and in proximity to the shorelines of the several coastal States, and includes islands, transition and intertidal areas, salt marshes, wetlands, and beaches, which zone extends seaward to the outer limit of the United States territorial sea and extends inland from the shore lines to the extent necessary to control shorelands, the uses of which have a direct and significant impact on the coastal waters, and the inward boundaries of which may be identified by the several coastal States, pursuant to the authority of section 305(b)(1) of the Coastal Zone Management Act of 1972 (16 U.S.C. 1454(b)(1)):
- (g) Affected State means, with respect to any program, plan, lease sale, or other activity, proposed, conducted, or approved pursuant to the provisions of the act, any State—
- (1) The laws of which are declared, pursuant to section 4(a)(2) of the Act, to be the law of the United States for the portion of the Outer Continental Shelf on which such activity is, or is proposed to be conducted;
- (2) Which is, or is proposed to be, directly connected by transportation facilities to any artificial island or struc-

ture referred to in section 4(a)(1) of the Act:

- (3) Which is receiving, or in accordance with the proposed activity will receive, oil for processing, refining, or transshipment which was extracted from the Outer Continental Shelf and transported directly to such State by means of vessels or by a combination of means including vessels;
- (4) Which is designated by the Secretary as a State in which there is a substantial probability of significant impact on or damage to the coastal, marine, or human environment, or a State in which there will be significant changes in the social, governmental, or economic infrastructure, resulting from the exploration, development, and production of oil and gas anywhere on the Outer Continental Shelf; or
- (5) In which the Secretary finds that because of such activity there is, or will be, a significant risk of serious damage, due to factors such as prevailing winds and currents, to the marine or coastal environment in the event of any oilspill, blowout, or release of oil or gas from vessels, pipelines, or other transshipment facilities;
- (h) Marine environment means the physical, atmospheric, and biological components, conditions, and factors which interactively determine the productivity, state, conditions, and quality of the marine ecosystem, including the waters of the high seas, the contiguous zone, transitional and intertidal areas, salt marshes, and wetlands within the coastal zone and on the Outer Continental Shelf:
- (i) Coastal environment means the physical, atmospheric, and biological components, conditions, and factors which interactively determine the productivity, state, conditions, and quality of the terrestrial ecosystem from the shoreline inward to the boundaries of the coastal zone;
- (j) *Human environment* means the physical, social, and economic components, conditions, and factors which interactively determine the state, condition, and quality of living conditions, employment, and health of those affected, directly or indirectly, by activities occurring on the Outer Continental Shelf;

(k) *Mineral* means oil, gas, and sulphur; it includes sand and gravel and salt used to facilitate the development and production of oil, gas, or sulphur.

(l) Authorized officer means any person authorized by law or by delegation of authority to or within MMS to perform the duties described in this part.

[44 FR 38276, June 29, 1979. Redesignated and amended at 47 FR 47006, 47007, Oct. 22, 1982; 54 FR 2049. Jan. 18, 1989]

#### § 256.7 Cross references.

- (a) For Minerals Management Service regulations governing exploration, development and production on leases, see 30 CFR parts 250 and 270.
- (b) For MMS regulations governing the appeal of an order or decision issued under the regulations in this part, see 30 CFR part 290.
- (c) For multiple use conflicts, see the Environmental Protection Agency listing of ocean dumping sites—40 CFR part 228.
- (d) For related National Oceanic and Atmospheric Administration programs see:
- (1) Marine sanctuary regulations, 15 CFR part 922;
- (2) Fishermen's Contingency Fund, 50 CFR part 296;
- (3) Coastal Energy Impact Program, 15 CFR part 931;
- (e) For Coast Guard regulations on the oil spill liability of vessels and operators, see 33 CFR parts 132, 135, and 136.
- (f) For Coast Guard regulations on port access routes, see 33 CFR part 164.
- (g) For compliance with the National Environmental Policy Act, see 40 CFR parts 1500 through 1508.
- (h) For Department of Transportation regulations on offshore pipeline facilities, see 49 CFR part 195.
- (i) For Department of Defense regulations on military activities on offshore areas, see 32 CFR part 252.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982, and amended at 54 FR 50617, Dec. 8, 1989; 55 FR 32908, Aug. 13, 1990; 62 FR 27955, May 22, 1997]

#### § 256.8 Leasing maps and diagrams.

(a) Any area of the OCS which has been appropriately platted as provided in paragraph (b) of this section, is subject to lease for any mineral not included in a subsisting lease issued under the act or meeting the requirements of subsection (a) of section 6 of the Act. Before any lease is offered or issued an area may be (1) withdrawn from disposition pursuant to section 12(a) of the Act, or (2) designated as an area or part of an area restricted from operation under section 12(d) of the Act.

(b) The MMS shall prepare leasing maps and official protraction diagrams of areas of the OCS. The areas included in each mineral lease shall be in accordance with the appropriate leasing map or official protraction diagram.

#### §256.10 Information to States.

(a) The information covered in this section is prepared by or directly obtained by the Director. Such information is typically not considered to be proprietary or privileged, with the primary exception of specific indications of interest in an area by industry received in response to a Call for Information issued by the Secretary. This information and all other proprietary and privileged information obtained by or under the control of the Minerals Management Service may be released only in accordance with the regulations in 30 CFR parts 250, 251, and 252.

(b) The Director shall prepare an index to OCS information (see 30 CFR 252.5). The index shall list all relevant actual or proposed programs, plans, reports, environmental impact statements, nominations information, environmental study reports, lease sale information and any similar type of relevant information including, modifications, comments and revisions, prepared by or directly obtained by the Director under the act. The index shall be sent on a regular basis to affected States and, upon request, it shall be sent to any affected local government. The public shall be informed of the availability of the index.

(c) Upon request, the Director shall transmit to affected States, local governments or the public, a copy of any information listed in the index which is subject to the control of the MMS in accordance with the requirements and subject to the limitations of the Freedom of Information Act (5 U.S.C. 552) and regulations implementing said Act,

and the regulations contained in 43 CFR part 2, except as provided in paragraph (d) of this section.

(d) Upon request, the Director shall provide relative indications of interest in areas as well as any comments filed in response to a Call for Information for a proposed sale. However, no information transmitted shall identify any particular area with the name of any particular party so as not to compromise the competitive position of any participants in the process of indicating interest.

[44 FR 38276, June 29, 1979, as amended at 47 FR 25970, June 16, 1982. Redesignated and amended at 47 FR 47006, 47007, Oct. 22, 1982]

#### § 256.11 Helium.

- (a) Each lease issued or continued under these regulations shall be subject to a reservation by the United States, under section 12(f) of the Act, of the ownership of and the right to extract helium from all gas produced from the leased area.
- (b) In case the United States elects to take the helium, the lessee shall deliver all gas containing helium, or the portion of gas desired, to the United States at any point on the leased area or at an onshore processing facility. Delivery shall be made in the manner required by the United States to such plants or reduction works as the United States may provide.
- (c) The extraction of helium shall not cause a reduction in the value of the lessee's gas or any other loss for which he is not reasonably compensated, except for the value of the helium extracted. The United States shall determine the amount of reasonable compensation. The United States shall have the right to erect, maintain and operate on the leased area any and all reduction works and other equipment necessary for the extraction of helium. The extraction of helium shall not cause substantial delays in the delivery of natural gas produced to the purchaser of that gas.

#### §256.12 Supplemental sales.

(a) The Secretary may conduct a supplemental sale in accordance with the provisions of this section.

- (b) Supplemental sales shall be governed by the regulations in this part, except § 256.22.
- (c) Supplemental sales shall be limited to blocks falling into one or more of the following categories:
- (1) Blocks for which bids were rejected during the calendar year preceding the year of the supplemental sale in which they are reoffered or blocks for which bids were rejected in the same calendar year as the supplemental sale in which they are reoffered, except that for the initial supplemental sale only blocks for which bids were rejected after October 1, 1987, may be reoffered. If, after the initial supplemental sale, a supplemental sale is not held annually for any reason, the relevant period for determining blocks eligible for a subsequent supplemental sale may be extended to include rejected bid blocks which were eligible for the supplemental sale not held.
- (2) Blocks for which the high bid was forfeited during the calendar year preceding the year of the supplemental sale in which they are reoffered or blocks for which high bids were forfeited in the same calendar year as the supplemental sale in which they are reoffered, except that for the initial supplemental sale only blocks for which high bids were forfeited after October 1, 1987, may be reoffered. If, after the initial supplemental sale, a supplemental sale is not held annually for any reason, the relevant period for determining blocks eligible for a subsequent sale may be extended to include forfeited bid blocks which were eligible for the supplemental sale not held.
- (3) Development blocks. Development blocks (including blocks susceptible to drainage) are blocks which are located on the same general geologic structure as an existing lease having a well with indicated hydrocarbons; the reservoir may or may not be interpreted to extend on to the block.
- (d) Supplemental sales shall not include blocks in the Central or Western Gulf of Mexico Planning Areas.
- (e) The Director may disclose the classification of blocks in supplemental sales as development blocks.

[53 FR 29886, Aug. 9, 1988]

#### Subpart B—Oil and Gas Leasing Program

## § 256.16 Receipt and consideration of nominations; public notice and participation.

(a) During preparation of a proposed 5-year leasing program, the Secretary shall invite and consider suggestions and relevant information for such program from Governors of affected States, local government, industry, other Federal agencies, including the Attorney General in consultation with the Federal Trade Commission, and all interested parties, including the general public. This request for information shall be issued as a notice in the FEDERAL REGISTER. Local governments wishing to respond to such request shall first submit their responses to the Governor of the State in which the local government is located.

(b) The Secretary shall send letters to the Governors of the affected States requesting them to identify specific laws, goals, and policies which they believe should be considered by the Secretary in connection with the leasing program. The Secretary shall also request from the Secretary of Energy information on regional and national energy markets, on OCS production goals and on transportation networks.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982; 47 FR 50684, Nov. 9, 1982]

### § 256.17 Review by State and local governments and other persons.

(a)(1) The Secretary shall prepare a proposed leasing program. At least 60 days prior to publication of the proposed program in the FEDERAL REGISTER, a copy of the draft of the proposed program shall be forwarded to the Governor of each affected State for comment. The Governor may solicit comments from local governments in his or her State which the Governor determines will be affected by the proposed program.

(2) The Secretary shall reply in writing to any comment on the draft of the proposed program from the Governor of an affected State which is received at least 15 days prior to the submission of the proposed program to the Congress and publication in the FEDERAL REG-

ISTER. All such correspondence between the Secretary and Governor of such State shall accompany the proposed program when it is submitted to the Congress.

(b) The proposed leasing program shall be submitted to the Governors of the affected States for review and comment at the time it is submitted to the Congress and the Attorney General and published in the FEDERAL REGISTER. The Governor of an affected State shall, upon request from any local government affected by the program, submit a copy of the proposed program to such local government. Comments and recommendations on any aspect of the proposed program may be submitted by a State or local government or other persons to the Secretary within 90 days after the date of its publication in the FEDERAL REGISTER. Comments and recommendations from local governments shall be submitted first to the Governor of the State in which the local government is located.

(c) At least 60 days prior to approving the final leasing program and any later significant revision, the Secretary shall submit it to the President and the Congress, together with any comments. The Secretary shall indicate in such submission why any specific recommendation of the Attorney General or of a State or local government was not accepted.

[44 FR 38276, June 29, 1979, as amended at 47 FR 25970, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982; 47 FR 50684, Nov. 9, 1982]

### § 256.19 Periodic consultation with interested parties.

The Secretary shall provide for periodic consultation with State and local governments, existing and potential oil and gas lessees and permittees, and representatives of other individuals or organizations engaged in any activity in or on the OCS, including those involved in fish and shellfish recovery, and recreational activities. This consultation shall take place primarily through appropriate public notice as described in §§ 256.16 and 256.17 and through the OCS Advisory Board and its committees, on a regional and national basis. Meetings of the OCS Advisory Board shall be held on specific issues as required by the Board's charter.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982; 47 FR 50684, Nov. 9, 1982]

### § 256.20 Consideration of coastal zone management program.

In the development of the leasing program, consideration shall be given to the coastal zone management program being developed or administered by an affected coastal State under section 305 or 306 of the Coastal Zone Management Act of 1972 as amended, (16 U.S.C. 1454, 1455). Information concerning the relationship between a State's coastal zone management program and OCS oil and gas activity shall be requested from the Governors of the affected coastal States and from the Secretary of Commerce prior to the development of the proposed leasing program at the time information is requested under §256.16 of this part.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982; 47 FR 50684, Nov. 9, 1982]

## Subpart C—Reports From Federal Agencies

#### § 256.22 General.

For oil and gas lease sales shown in an approved leasing schedule and as the need arises for other mineral leasing, the Director shall prepare a report describing the general geology and potential mineral resources of the area under consideration. The Director may request other interested Federal Agencies to prepare reports describing, to the extent known, any other valuable resources contained within the general area and the potential effect of mineral operations upon the resources or upon the total environment or other uses of the area.

[51 FR 6107, Feb. 20, 1986]

#### Subpart D—Call for Information and Nominations

#### § 256.23 Information on areas.

(a) The Director may receive and consider indications of interest in areas for mineral leasing.

(b) In accordance with an approved program and schedule for the leasing of OCS lands which may contain oil and gas, the Director shall issue Calls for Information and Nominations on areas for leasing of such minerals in specified areas. The Call for Information and Nominations shall be published in the FEDERAL REGISTER and may be published in other publications as desirable. Information on areas shall be addressed to the appropriate regional Minerals Manager of the Minerals Management Service with a copy to any other office which may be specified in the Call. The Director shall also request comments on areas which should receive special concern and analysis. For an oil and gas lease sale Call Area, the Director may request comments concerning geological conditions, including bottom hazards; archaeological sites on the seabed or nearshore; multiple uses of the proposed leasing area, including navigation, recreation, and fisheries; and other socioeconomic, biological, and environmental informa-

[47 FR 25970, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982 and amended at 51 FR 21345, June 12, 1986; 59 FR 53094, Oct. 21, 1994]

#### § 256.25 Areas near coastal States.

- (a) At the time information is solicited for leasing of areas within 3 geographical miles seaward of the seaward boundary of any coastal State, the Secretary shall provide the Governor of that State information required under section 8(g)(1) of the Act. The Director shall furnish information identifying the areas for leasing as well as all relevant available environmental data for such areas (See 30 CFR 251.14).
- (b) After receipt of information on areas within the area described in paragraph (a) of this section, the Secretary shall inform the Governor of those areas that are to be given further consideration for leasing. The Secretary shall enter into consultation with the Governor to determine whether the area may contain oil or gas pools or fields underlying both the OCS and lands subject to the jurisdiction of the State.
- (c) After selection for leasing of those tracts which may have oil or gas pools or fields underlying both the OCS

and lands under State jurisdiction, the Secretary shall offer the Governor an opportunity to enter into an agreement for the equitable disposition of revenues from such tracts under section 8(g)(2) of the Act.

(d) If no agreement can be reached within 90 days of the Secretary's offer, the tracts may be leased and all revenues deposited in a separate Treasury account pending equitable disposition of the revenues under sections 8(g) (3) and (4) of the Act.

[44 FR 38276, June 29, 1979, as amended at 47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982]

## Subpart E—Area Identification and Tract Size

#### § 256.26 General.

(a) The Director, in consultation with appropriate Federal Agencies, shall recommend to the Secretary areas identified for environmental analysis and consideration for leasing. The Director, on his/her own motion, may include in the recommendation areas in which interest has not been indicated in response to a call. In making a recommendation, the Director shall consider all available environmental information, multiple-use conflicts, resource potential, industry interest and other relevant information. Comments received from States and local governments and interested parties in response to calls for information and nominations shall be considered in making recommendations. For supplemental sales provided for by §256.12 of this part, the Director's recommendation shall be replaced by a statement describing the results of the Director's consideration of the factors specified above in this section.

(b) The Director shall evaluate fully the potential effect of leasing on the human, marine and coastal environments, and develop measures to mitigate adverse impacts, including lease stipulations. The views and recommendations of Federal agencies, State agencies, local governments, organizations, industries and the general public shall be used as appropriate. The Director may hold public hearings on the environmental analysis after appropriate notice.

(c) In general, the Director shall seek to inform the public as soon as possible of additions or deletions that occur after the identification of areas.

[47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982 and amended at 51 FR 21345, June 12, 1986; 53 FR 29886, Aug. 9, 1988]

#### §256.28 Tract size.

- (a) A tract selected for oil and gas leasing shall consist of a compact area not exceeding 5,760 acres, unless the authorized officer finds that a larger area is necessary to comprise a reasonable economic production unit.
- (b) The tract size for the leasing of other minerals shall be specified in the notice of sale.

[47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982]

#### Subpart F—Lease Sales

#### § 256.29 Proposed notice of sale.

- (a) The Director shall in consultation with appropriate Federal agencies develop measures, including lease stipulations and conditions, to mitigate adverse impacts on the environments. For oil and gas lease sales, appropriate proposed stipulations and conditions shall be contained or referenced in the proposed notice of lease sale.
- (b) A proposed notice of lease sale shall be submitted to the Secretary for approval. All comments and recommendations received and the Director's findings or actions thereon, shall also be forwarded to the Secretary.
- (c) Upon approval by the Secretary, the proposed Notice of Sale shall be sent to the Governor of any affected State and a notice of its availability shall be published in the FEDERAL REGISTER.

[44 FR 38276, June 29, 1979, as amended at 47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982, and amended at 51 FR 37178, Oct. 20, 1986]

#### § 256.31 State comments.

(a) Within 60 days after notice of a proposed lease sale, a Governor of any affected State or any affected local government in such State may submit recommendations to the Secretary regarding the size, timing or location of

the proposed lease sale. Prior to submitting recommendations to the Secretary, any affected local government shall forward such recommendation to the Governor.

- (b) The Secretary shall accept such recommendations of the Governor and may accept recommendations of any affected local government if he determines, after having provided the opportunity for consultation, that they provide for a reasonable balance between the national interest and the wellbeing of the citizens of the affected State. A determination of the national interest shall be based on the findings, purposes and policies of the Act.
- (c) The Secretary shall communicate to the Governor, in writing, the reasons for his determination to accept or reject such Governor's recommendations, or to implement any alternative means identified in consultation with the Governor to provide for a reasonable balance between the national interest and the well-being of the citizens of the affected State.

#### § 256.32 Notice of sale.

- (a) Upon approval of the Secretary, the Director shall publish the notice of lease sale in the FEDERAL REGISTER as the official publication, and may publish the notice in other publications. The publication in the FEDERAL REGISTER shall be at least 30 days prior to the date of the sale. The notice shall state the place and time at which bids shall be filed, and the place, date and hour at which bids shall be opened. The notice shall contain or reference a description of the areas to be offered for lease and any stipulations, terms and conditions of the sale.
- (b) Tracts shall be offered for lease by competitive sealed bidding under conditions specified in the notice of lease sale and in accordance with all applicable laws and regulations. A suggested format for bidder submissions appears in appendix A of this part.
- (c) The notice of lease sale shall contain a reference to the OCS lease form which shall be issued to successful bidders.
- (d) With the approval of the Secretary, the Director may defer any part of the payment of the cash bonus according to a schedule announced at the

time of the notice of lease sale. Payment shall be made no later than 5 years after the date of the lease sale. The schedule shall contain provisions for guaranteed payment of a deferred bonus.

(e) In order to obtain statistical information to determine which bidding alternatives best accomplish the purposes and policies of the Act, the Director may, until September 18, 1983, require each bidder to submit bids for any OCS area in accordance with more than one of the bidding systems described in section 8(a)(1) of the Act. No more than 10 percent of the tracts offered each year shall contain such a requirement. Leases may be awarded using a bidding alternative selected at random for statistical purposes, if it is otherwise consistent with the purposes and policies of the Act.

[44 FR 38276, June 29, 1979. Redesignated and amended at 47 FR 25971, June 16, 1982. Further redesignated at 47 FR 47006, Oct. 22, 1982]

#### Subpart G—Issuance of Leases

#### § 256.35 Qualifications of lessees.

- (a) In accordance with section 8 of the Act, leases shall be awarded only to the highest responsible qualified bidder.
- (b) Mineral leases issued pursuant to section 8 of the Act may be held only by: (1) Citizens and nationals of the United States, (2) aliens lawfully admitted for permanent residence in the United States as defined in 8 U.S.C. 1101(a)(20); (3) private, public or municipal corporations organized under the laws of the United States or of any State or of the District of Columbia or territory thereof, or (4) associations of such citizens, nationals, resident aliens, or private, public, or municipal corporations, States, or political subdivisions of States.
- (c) MMS may disqualify you from acquiring any new leaseholdings or lease assignments if your operating performance is unacceptable according to 30 CFR 250.135.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982, as amended at 64 FR 72795, Dec. 28, 1999]

#### §256.37 Lease term.

- (a)(1) All oil and gas leases shall be issued for an initial period of 5 years, or not to exceed 10 years where the authorized officer finds that such longer period is necessary to encourage exploration and development in areas because of unusually deep water or other unusually adverse conditions.
- (2) If your oil and gas lease is in water depths between 400 and 800 meters, it will have an initial lease term of 8 years unless MMS establishes a different lease term under paragraph (a)(1) of this section.
- (3) For leases issued with an initial term of 8 years, you must begin an exploratory well within the first 5 years of the term to avoid lease cancellation.
- (b) An oil and gas lease shall continue after such initial period for as long as oil or gas is produced from the lease in paying quantities, or drilling or well reworking operations as approved by the Secretary are conducted. The term of an oil and gas lease is subject to further extension as provided in § 256.73 of this part.
- (c) Sulphur leases shall be issued for a term not to exceed 10 years and so long thereafter as sulphur is produced from the leasehold in paying quantities, or drilling, well reworking, plant construction, or other operations for the production of sulphur, as approved by the Secretary, are conducted thereon.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982 and amended at 50 FR 49043, Nov. 29, 1985; 54 FR 2049, Jan. 18, 1989; 61 FR 55889, Oct. 30, 1996]

#### § 256.38 Joint bidding provisions.

#### § 256.40 Definitions.

The following definitions apply to §§ 256.38 through 256.44 of this part.

- (a) Single bid means a bid submitted by one person for an oil and gas lease under section 8(a) of the Act.
- (b) *Joint bid* means a bid submitted by two or more persons for an oil and gas lease under section 8(a) of the Act.
- (c) Average daily production is the total of all production in an applicable production period which is chargeable under §256.43 of this title divided by the exact number of calendar days in the applicable production period.

- (d) Barrel means 42 U.S. gallons.
- (e) Crude oil means a mixture of liquid hydrocarbons including condensate that exists in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities, but does not include liquid hydrocarbons produced from tar sand, gilsonite, oil shale, or coal.
- (f) An economic interest means any right to, or any right dependent upon, production of crude oil, natural gas, or liquefied petroleum products and shall include, but not be limited to, a royalty interest, or overriding royalty interest, whether payable in cash or in kind, a working interest, a net profits interest, a production payment, or a carried interest.
- (g) Liquefied petroleum products means natural gas liquid products including the following: ethane, propane, butane, pentane, natural gasoline, and other natural gas products recovered by a process of absorption, adsorption, compression, or refrigeration cycling, or a combination of such processes.
- (h) Natural gas means a mixture of hydrocarbons and varying quantities of nonhydrocarbons that exist in the gaseous phase.
- (i) Oil and gas lease means an oil and gas lease either offered or issued pursuant to the provisions of the Act.
  - (j) Owned means:
- (1) With respect to crude oil— having either an economic interest in or a power of disposition over the production of crude oil;
- (2) With respect to natural gas—having either an economic interest in or a power of disposition over the production of natural gas; and
- (3) With respect to liquefied petroleum products— having either an economic interest in or a power of disposition over any liquefied petroleum product at the time of completion of the liquefaction process.
- (k) Prior production period means the continuous six month period of January 1 through June 30 preceding November 1 through April 30 for joint bids submitted during the six month biding period from November 1 through April 30, and means the continuous six month period of July 1 through December 31 preceding May 1 through October

- 31 for joint bids submitted during the six month bidding period from May 1 through October 31.
- (l) Production—(1) Of crude oil means the volume of crude oil produced worldwide from reservoirs during the prior production period. The amount of such crude oil production shall be established by measurement of volumes delivered at the point of custody transfer (e.g., from storage tanks to pipelines, trucks, tankers, or other media for transport to refineries or terminals) with adjustments for:
- (i) Net differences between opening and closing inventories, and
  - (ii) Basic sediment and water;
- (2) Of natural gas means the volume of natural gas produced worldwide from natural oil and gas reservoirs during the prior production period, with adjustments, where applicable, to reflect
- (i) The volume of gas returned to natural reservoirs; and
- (ii) The reduction of volume resulting from the removal of natural gas liquids and nonhydrocarbon gases.
- (3) Of liquefied petroleum products means the volume of natural gas liquids produced from reservoir gas and liquefied at surface separators, field facilities, or gas processing plants worldwide during the prior production period; these liquefied petroleum products include the following:
- (i) *Condensate* natural gas liquids recovered from gas well gas (associated and non-associated) in separators or field facilities;
- (ii) Gas plant products—natural gas liquids recovered from natural gas in gas processing plants and from field facilities. Gas plant products shall include the following as classified according to the standards of the Natural Gas Processors Association (NGPA) or the American Society for Testing and Materials (ASTM):
  - (A) Ethane—C<sub>2</sub> H<sub>6</sub>
  - (B) Propane-C<sub>3</sub> H<sub>8</sub>
- (C) Butane— $C_4$   $H_{10}$  including all products covered by NGPA specifications for commercial butane.
  - (1) Isobutane,
  - (2) Normal butane,
- (3) Other butanes—all butanes not included as isobutane or normal butane;

- (D) Butane-Propane Mixtures—All products covered by NGPA specifications for butane-propane mixtures;
- (E) Natural Gasoline—A mixture of hydrocarbons extracted from natural gas, which meet vapor pressure, end point, and other specifications for natural gasoline set by NGPA;
- (F) Plant Condensate—A natural gas plant product recovered and separated as a liquid at gas inlet separators or scrubbers in processing plants or field facilities; and
- (G) Other Natural Gas Plant Products meeting refined product standards (i.e., gasoline, kerosene, distillate, etc.).
- (m) Six month bidding period means the six month period of time
- (1) From May 1 through October 31; or
- (2) From November 1 through April 30, respectively.

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982, as amended at 66 FR 11518, Feb. 23, 2001]

#### § 256.41 Joint bidding requirements.

(a) Any person who submits a joint bid for any oil and gas lease during a 6month bidding period, and who was chargeable for the prior production period with an average daily production in excess of 1.6 million barrels of crude oil, natural gas and liquified petroleum products, shall have filed under oath with the Director, a Statement of Production of crude oil, natural gas and liquified petroleum products, hereinafter referred to as a Statement of Production, no later than 45 days prior to the commencement of the applicable 6month bidding period of May 1 through October 31, and November 1 through April 30. Statements of Production shall be submitted to the Director, MMS (Attention: Offshore Leasing Management Division), Washington, DC 20240. The Statement of Production shall indicate that the person was chargeable, in accordance with §256.43 of this part, with an average daily production in excess of 1.6 million barrels of crude oil, natural gas and liquified petroleum products for the prior production period. The Director shall publish semi-annually in the FEDERAL REGISTER a "List of Restricted Joint Bidders" to be effective immediately

upon publication and to continue in force and effect until a subsequent list is published. The "List of Restricted Joint Bidders" shall consist of those persons, who in the judgment of the Director, based on information available to him, including, but not limited to, sworn Statements of Production, are chargeable under §256.43 of this part with an average daily production in excess of 1.6 million barrels of crude oil, natural gas and liquified petroleum products for the prior production period.

- (b) When a person is placed on the List of Restricted Joint Bidders the Director shall serve that person either personally or by certified mail, return receipt requested, with a copy of the Director's Order placing that person on the List of Restricted Joint Bidders. Any appeal from that Order or from an adverse effect of that Order shall be made in accordance with the provisions of 43 CFR part 4.
- (c) The submission of a Statement of Production or of a detailed Report of Production under §256.46(g) of this part which misrepresents the chargeable production of the reporting person shall constitute failure to comply with these regulations and any lease awarded in reliance on that Statement or Report of Production may be canceled, pursuant to section 8(o) of the Act and regulations issued thereunder as having been obtained by fraud or misrepresention.
- (d) The Secretary may exempt a person from the provisions of §§256.41(a), 256.44, 256.46(g) and 256.62(b) of this part if it is found, on the record, after an opportunity for an agency hearing, that lands being offered have extremely high cost exploration and development problems and that exploration and development will not occur on such lands unless the exemption is granted.

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979, as amended at 45 FR 69174, Oct. 17, 1980; 47 FR 25971, June 16, 1982. Redesignated and amended at 47 FR 47006, 47007, Oct. 22, 19821

#### § 256.43 Chargeability for production.

(a) As used in this section the following definitions shall control:

- (1) *Person* means a natural person or company.
- (2) Company means a corporation, a partnership, an association, a joint-stock company, a trust, a fund, or any group of persons whether incorporated or not; it also means any receiver, trustee in bankruptcy, or similar official acting for such a company.
- (3) Subsidiary means a company 50 percent or more of whose stock or other interest having power to vote for the election of directors, trustees, or other similar controlling body of the company is directly or indirectly owned, controlled, or held with the power to vote by another company; a subsidiary shall be deemed a subsidiary of the other company owning, controlling, or holding 50 percent or more of the stock or other voting interest.
- (4) Security or securities means any note, stock, treasury stock, bond, debenture, evidence of indebtedness, certificate of interest or participation in any profit-sharing agreement, collateral-trust certificate, pre-organization certificate or subscription, transferable share, investment contract, votingtrust certificate, certificate of deposit for a security, fractional undivided interest in oil, gas, or other mineral rights, or, in general, any interest or instrument commonly known as a "security" or any certificate of interest or participation in, temporary or interim certificate for, receipt for, guarantee of, or warrant or right to subscribe to or purchase any of the foregoing.
- (b) A person filing a Statement of Production under §256.41 of this part shall be charged with the following production during the applicable prior production period:
- (1) The average daily production in barrels of crude oil, natural gas, and liquefied petroleum products which it owned worldwide;
- (2) The average daily production in barrels of crude oil, natural gas, and liquefied petroleum products owned worldwide by every subsidiary of the reporting person;
- (3) The average daily production in barrels of crude oil, natural gas, and liquefied petroleum products owned worldwide by any person or persons of which the reporting person is a subsidiary; and

- (4) The average daily production in barrels of crude oil, natural gas, and liquefied petroleum products owned worldwide by any subsidiary, other than the reporting person, of any person or persons of which the reporting person is a subsidiary.
- (c) A person filing a Statement of Production shall be charged with, in addition to the production chargeable under paragraph (b) of this section, but in duplication thereof, its proportionate share of the average daily production in barrels of crude oil, natural gas, and liquefied petroleum products owned worldwide by every person:
- (1) Which has an interest in the reporting person, and
- (2) In which the reporting person has an interest, whether the interest referred to in paragraphs (c) (1) and (2) of this section is by virtue of ownership of securities or other evidence of ownership, or by participation in any contract, agreement, or understanding respecting the control of any person or of any person's production of crude oil, natural gas, or liquefied petroleum products, equal to said interest. As used in paragraph (c) of this section "interest" means an interest of at least 5 percent of the ownership or control of a person.
- (d) All measurements of crude oil and liquefied petroleum products under this section shall be at 60 °F.
- (e)(1) For purposes of computing production of natural gas under §256.41 of this part, chargeability under this section, and reporting under §256.46(g) of this part, 5,626 cubic feet of natural gas at 14.73 pounds per square inch (msl) shall equal one barrel.
- (2) For purposes of computing production of liquefied petroleum products under \$256.41 of this part, chargeability under \$256.46(g) of this part, 1.454 barrels of natural gas liquids at 60 °F shall equal one barrel of crude oil.

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979, as amended at 47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, 47007, Oct. 22, 1982]

#### $\S 256.44$ Bids disqualified.

The following bids for any oil and gas lease shall be disqualified and rejected in their entirety:

- (a) A joint bid submitted by 2 or more persons who are on the effective List of Restricted Joint Bidders; or
- (b)(1) A joint bid submitted by two or more persons when 1 or more of those persons is chargeable for the prior production period with an average daily production in excess of 1.6 million barrels of crude oil, natural gas and liquified petroleum products and has not filed a Statement of Production as required by §256.41 of this part for the applicable 6-month bidding period, or
- (2) Any of those persons have failed or refused to file a detailed report of production when required to do so under §256.46(g) of this part, or
- (c) A single or joint bid submitted pursuant to an agreement (whether written or oral, formal or informal, entered into or arranged prior to or simultaneously with the submission of such single or joint bid, or prior to or simultaneously with the award of the bid upon the tract) which provides:
- (1) For the assignment, transfer, sale, or other conveyance of less than a 100 percent interest in the entire tract on which the bid is submitted, by a person or persons on the List of Restricted Joint Bidders, effective on the date of submission of the bid, to another person or persons on the same List of Restricted Joint Bidders; or
- (2) For the assignment, sale, transfer or other conveyance of less than a 100 percent interest in any fractional interest in the entire tract (which fractional interest was originally acquired by the person making the assignment, sale, transfer or other conveyance, under the provisions of the act) by a person or persons on the List of Restricted Joint Bidders, effective on the date of submission of the bid, to another person or persons on the same List of Restricted Joint Bidders; or
- (3) For the assignment, sale, transfer, or other conveyance of any interest in a tract by a person or persons not on the List of Restricted Joint Bidders, effective on the date of submission of the bid, to 2 or more persons on the same List of Restricted Joint Bidders; or
- (4) For any of the types of conveyances described in paragraphs (c) (1), (2) or (3) of this section where any party to the conveyance is chargeable for the prior production period with an

average daily production in excess of 1.6 million barrels of crude oil, natural gas and liquified petroleum products and has not filed a Statement of Production pursuant to §256.41 of this part for the applicable 6-month bidding period. Assignments expressly required by law, regulation, lease or stipulation to lease shall not disqualify an otherwise qualified bid; or

(d) À bid submitted by or in conjunction with a person who has filed a false, fraudulent or otherwise intentionally false or misleading detailed Report of Production

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979, as amended at 45 FR 69175, Oct. 17, 1980; 47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982]

#### § 256.46 Submission of bids.

- (a) A separate sealed bid shall be submitted for each tract unit bid upon as described in the notice of lease sale. A bid may not be submitted for less than an entire tract.
- (b) MMS requires a deposit for each bid. The notice of sale will specify the bid deposit amount and method of payment.
- (c) If the bidder is an individual a statement of citizenship shall accompany the bid.
- (d) If the bidder is an association (including a partnership), the bid shall be accompanied by a certified statement indicating the State in which it is registered and that it is authorized to hold mineral leases on the OCS, or appropriate reference to statements or records previously submitted to an MMS OCS office (including material submitted in compliance with prior regulations).
- (e) If the bidder is a corporation, the following information shall be submitted with the bid:
- (1) A statement certified by the corporate Secretary or Assistant Secretary over the corporate seal showing the State in which it was incorporated and that it is authorized to hold mineral leases on the OCS, or appropriate reference to statements or records previously submitted to an MMS OCS office (including material submitted in compliance with prior regulations).
- (2) Evidence of authority of persons signing to bind the corporation. Such

evidence may be in the form of either a certified copy of the minutes of the board of directors or of the bylaws indicating that the person signing has authority to do so; or a certificate to that effect signed by the Secretary or Assistant Secretary of the corporation over the corporate seal, or appropriate reference to statements or records previously submitted to an MMS OCS office (including material submitted in compliance with prior regulations). Bidders are advised to keep their filings current.

- (3) The bid shall be executed in conformance with corporate requirements.
- (f) Bidders should be aware of the provisions of 18 U.S.C. 1860, prohibiting unlawful combination or intimidation of bidders.
- (g) To verify the accuracy of any statement submitted pursuant to §256.41 of this part, the Director may require the person submitting such information to:
- (1) Submit no later than 30 days after receipt of the request by the Director, a detailed Report of Production which shall list, in barrels, the average daily production of crude oil, natural gas and liquefied petroleum products chargeable to the reporting person in accordance with §256.43 of this part for the prior production period, and
- (2) Permit the inspection and copying by an official of the Department of the Interior of such documents, records of production of crude oil, natural gas and liquified petroleum products, analyses and other material as are necessary to demonstrate the accuracy of any statement or information contained in any Report of Production.
- (h) No bid for a lease may be submitted if the Secretary finds, after notice and hearing, that the bidder is not meeting due diligence requirements on other OCS leases.

[44 FR 38276, June 29, 1979, as amended at 45 FR 69175, Oct. 17, 1980; 47 FR 25971, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982, as amended at 64 FR 40767, July 28, 1999]

#### § 256.47 Award of leases.

(a) Sealed bids received in response to the notice of lease sale shall be opened at the place, date and hour specified in the notice. The opening of bids is for the sole purpose of publicly announcing and recording the bids received and no bids shall be accepted or rejected at that time.

- (b) The United States reserves the right to reject any and all bids received for any tract, regardless of the amount offered.
- (c) In the event the highest bids are tie bids, the tie bidders (unless they would be disqualified under § 256.35(b) of this part, or disqualified under § 256.44 of this part if their bids had been joint bids) may file with the Director, within 15 days after notification, an agreement to accept the lease jointly; otherwise all bids shall be rejected.
- (d) Pursuant to section 8(c) of the Act, the Attorney General may review the results of the lease sale prior to the acceptance of bids and issuance of leases
- (e)(1) The decision of the authorized officer on bids shall be the final action of the Department, subject only to reconsideration by the Secretary, pursuant to written request, of the rejection of the high bid. The delegation of review authority to the Office of Hearings and Appeals shall not be applicable to decisions on high bids for leases on the Outer Continental Shelf.
- (2) The authorized officer must accept or reject the bid within 90 days. The authorized officer may extend the time period for acceptance or rejection of a bid for 15 working days or longer, if circumstances warrant. Any bid not accepted within the prescribed time period, including any extension thereof, is deemed rejected.
- (3) Any high bidder whose bid is rejected by the authorized officer may, within 15 days of such rejection, file with the Secretary, with a copy to the authorized officer, a written request for reconsideration accompanied by a statement of reasons. The Secretary shall respond in writing either affirming or reversing the decision of the authorized officer.
- (f) Written notice of the authorized officer's action shall be transmitted promptly to those bidders whose deposits have been held. If a bid is accepted, such notice shall transmit three copies of the lease to the successful bidder. As provided in §218.155, the bidder shall, not later than the 11th business day after receipt of the lease, execute the

lease, pay the first-year's rental, and unless deferred, pay the balance of the bonus bid. The bidder must also file a bond as required in §256.52 of this title. Deposits and any interest accrued shall be refunded on high bids subsequently rejected.

- (g) If the successful bidder fails to execute the lease within the prescribed time or otherwise comply with the applicable regulations the deposit shall be forfeited and disposed of as other receipts under the Act.
- (h) If, before the lease is executed on behalf of the United States, the land which would be subject to the lease is withdrawn or restricted from leasing, all deposits and any interest due shall be refunded.
- (i) If the awarded lease is executed by an agent acting on behalf of the bidder, the lease shall be accompanied by evidence that the bidder authorized the agent to execute the lease. When three copies of the lease are executed and returned to the authorized officer, the lease shall be executed on behalf of the United States, and one fully executed copy shall be transmitted to the successful bidder.
- (j) No lease or permit shall be issued for any area within 15 statute miles of the boundaries of the Point Reyes Wilderness in California unless the State of California allows exploration, development or production activities in the adjacent navigable waters of the State under section 11(h) of the Act.

[44 FR 38276, June 29, 1979, as amended at 47 FR 25972, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982, and amended at 49 FR 8606, Mar. 8, 1984; 49 FR 10056, Mar. 16, 1984; 50 FR 47378, Nov. 18, 1985; 61 FR 34732, July 3, 1996; 62 FR 27955, May 22, 1997]

#### § 256.49 Lease form.

Oil and gas leases and leases for sulphur shall be issued on forms approved by the Director. Other mineral leases shall be issued on such forms as may be prescribed by the Secretary.

[47 FR 25972, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982]

#### § 256.50 Dating of leases.

All leases issued under the regulations in this part shall be dated and become effective as of the first day of the month following the date leases are

signed on behalf of the lessor. When prior written request is made, a lease may be dated and become effective as of the first day of the month within which it is so signed.

## Subpart H—Rentals and Royalties [Reserved]

#### Subpart I—Bonding

### §256.52 Bond requirements for an oil and gas or sulphur lease.

This section establishes bond requirements for the lessee of an OCS oil and gas or sulphur lease.

- (a) Before MMS will issue a new lease or approve the assignment of an existing lease to you as lessee, you or another record title owner for the lease must:
- (1) Maintain with the Regional Director a \$50,000 lease bond that guarantees compliance with all the terms and conditions of the lease; or
- (2) Maintain a \$300,000 areawide bond that guarantees compliance with all the terms and conditions of all your oil and gas and sulphur leases in the area where the lease is located; or
- (3) Maintain a lease or areawide bond in the amount required in §256.53(a) or (b) of this part.
- (b) For the purpose of this section, there are three areas. The area offshore the Atlantic Coast is included in the Gulf of Mexico. Areawide bonds issued in the Gulf of Mexico will cover oil and gas or sulphur operations offshore the Atlantic Coast. The three areas are:
- (1) The Gulf of Mexico and the area offshore the Atlantic Coast.
- (2) The area offshore the Pacific Coast States of California, Oregon, Washington, and Hawaii; and
- (3) The area offshore the Coast of Alaska.
- (c) The requirement to maintain a lease bond (or substitute security instruments) under paragraph (a)(1) of this section and §256.53 (a) and (b) is satisfied if your operator provides a lease bond in the required amount that guarantees compliance with all the terms and conditions of the lease. Your operator may use an areawide bond under this paragraph to satisfy your bond obligation.

(d) If a surety makes payment to the United States under a bond or alternative form of security maintained under this section, the surety's remaining liability under the bond or alternative form of security is reduced by the amount of that payment. See paragraph (e) of this section for the requirement to replace the reduced bond coverage.

(e) If the value of your surety bond or alternative security is reduced because of a default, or for any other reason, you must provide additional bond coverage sufficient to meet the security required under this subpart within 6 months, or such shorter period of time as the Regional Director may direct.

(f) You may pledge U.S. Department of the Treasury (Treasury) securities instead of a bond. The Treasury securities you pledge must be negotiable for an amount of cash equal to the value of the bond they replace.

(1) If you pledge Treasury securities under this paragraph (f), you must monitor their value. If their market value falls below the level of bond coverage required under this subpart, you must pledge additional Treasury securities to raise the value of the securities pledged to the required amount.

(2) If you pledge Treasury securities, you must include authority for the Regional Director to sell them and use the proceeds when the Regional Director determines that you fail to satisfy any lease obligation.

(g) You may pledge alternative types of security instruments instead of providing a bond if the Regional Director determines that the alternative security protects the interests of the United States to the same extent as the required bond.

(1) If you pledge an alternative type of security under this paragraph, you must monitor the security's value. If its market value falls below the level of bond coverage required under this subpart, you must pledge additional securities to raise the value of the securities pledged to the required amount.

(2) If you pledge an alternative type of security, you must include authority for the Regional Director to sell the security and use the proceeds when the Regional Director determines that you failed to satisfy any lease obligation.

- (h) If you fail to replace a deficient bond or to provide additional bond coverage upon demand, the Regional Director may:
- (1) Assess penalties under part 250, subpart N of this chapter;
- (2) Suspend production and other operations on your leases in accordance with §250.110 of this chapter; and
- (3) Initiate action to cancel your lease.

[62 FR 27955, May 22, 1997; 64 FR 9066, Feb. 24, 1999, as amended at 66 FR 60150, Dec. 3, 2001]

#### § 256.53 Additional bonds.

- (a) This paragraph explains what bonds the lessee must provide before lease exploration activities commence.
- (1)(i) You must furnish the Regional Director a \$200,000 bond that guarantees compliance with all the terms and conditions of the lease by the earliest of:
- (A) The date you submit a proposed Exploration Plan (EP) for approval;
- (B) The date you submit a request for approval of the assignment of a lease on which an EP has been approved; or
- (C) December 8, 1997, for any lease for which an EP has been approved.
- (ii) The Regional Director may authorize you to submit the \$200,000 lease exploration bond after you submit an EP but before he/she approves drilling activities under the EP.
- (iii) You may satisfy the bond requirement of this paragraph (a) by providing a new bond or by increasing the amount of your existing bond.
- (2) A \$200,000 lease exploration bond pursuant to paragraph (a)(1) of this section need not be submitted and maintained if the lessee either:
- (i) Furnishes and maintains an areawide bond in the sum of \$1 million issued by a qualified surety and conditioned on compliance with all the terms and conditions of oil and gas and sulphur leases held by the lease on the OCS for the area in which the lessee is situated; or
- (ii) Furnishes and maintains a bond pursuant to paragraph (b)(2) of this section
- (b) This paragraph explains what bonds you (the lessee) must provide before lease development and production activities commence.

- (1)(i) You must furnish the Regional Director a \$500,000 bond that guarantees compliance with all the terms and conditions of the lease by the earliest of:
- (A) The date you submit a proposed Development and Production Plan (DPP) or Development Operations Coordination Document (DOCD) for approval;
- (B) The date you submit a request for approval of the assignment of a lease on which a DPP or DOCD has been approved; or
- (C) December 8, 1997, for any lease for which a DPP or DOCD has been approved.
- (ii) The Regional Director may authorize you to submit the \$500,000 lease development bond after you submit a DPP or DOCD, but before he/she aproves the installation of a platform or the commencement of drilling activities under the DPP or DOCD.
- (iii) You may satisfy the bond requirement of this paragraph by providing a new bond or by increasing the amount of your existing bond.
- (2) The lessee need not submit and maintain a \$500,000 lease development bond pursuant to paragraph (b)(1) of this section if the lessee furnishes and maintains an areawide bond in the sum of \$3 million issued by a qualified surety and conditioned on compliance with all the terms and conditions of oil and gas and sulphur leases held by the lessee on the OCS for the area in which the lease is situated.
- (c) When a lessee can demonstrate to the satisfaction of the authorized officer that wells and platforms can be abandoned and removed and the drilling and platform sites cleared of obstructions for less than the amount of lease bond coverage required under paragraph (b)(1) of this section, the authorized officer may accept a lease surety bond in an amount less than the prescribed amount but not less than the amount of the cost for well abandonment, platform removal, and site clearance.
- (d) The Regional Director may determine that additional security (i.e., security above the amounts prescribed in §§ 256.52(a) and 256.53 (a) and (b) of this part) is necessary to ensure compliance

with the obligations under your lease and the regulations in this chapter.

- (1) The Regional Director's determination will be based on his/her evaluation of your ability to carry out present and future financial obligations demonstrated by:
- (i) Financial capacity substantially in excess of existing and anticipated lease and other obligations, as evidenced by audited financial statements (including auditor's certificate, balance sheet, and profit and loss sheet);
- (ii) Projected financial strength significantly in excess of existing and future lease obligations based on the estimated value of your existing OCS lease production and proven reserves of future production;
- (iii) Business stability based on 5 years of continuous operation and production of oil and gas or sulphur in the OCS or in the onshore oil and gas industry;
- (iv) Reliability in meeting obligations based on:
  - (A) Credit rating(s); or
- (B) Trade references, including names and addresses of other lessees, drilling contractors, and suppliers with whom you have dealt; and
- (v) Record of compliance with laws, regulations, and lease terms.
- (2) You may satisfy the Regional Director's demand for additional security by increasing the amount of your existing bond or by providing a supplemental bond or bonds.
- (e) The Regional Director will determine the amount of supplemental bond required to guarantee compliance. The Regional Director will consider potential underpayment of royalty and cumulative obligations to abandon wells, remove platforms and facilities, and clear the seafloor of obstructions in the Regional Director's case-specific analysis.
- (f) If your cumulative potential obligations and liabilities either increase or decrease, the Regional Director may adjust the amount of supplemental bond required.
- (1) If the Regional Director proposes an adjustment, the Regional Director will:
- (i) Notify you and the surety of any proposed adjustment to the amount of bond required; and

- (ii) Give you an opportunity to submit written or oral comment on the adjustment.
- (2) If you request a reduction of the amount of supplemental bond required, you must submit evidence to the Regional Director demonstrating that the projected amount of royalties due the Government and the estimated costs of lease abandonment and cleanup are less than the required bond amount. If the Regional Director finds that the evidence you submit is convincing, he/she may reduce the amount of supplemental bond required.

[58 FR 45262, Aug. 27, 1993. Redesignated and amended at 62 FR 27956, May 22, 1997]

### § 256.54 General requirements for bonds.

- (a) Any bond or other security that you, as lessee or operator, provide under this part must:
- (1) Be payable upon demand to the Regional Director;
- (2) Guarantee compliance with all of your obligations under the lease and regulations in this chapter; and
- (3) Guarantee compliance with the obligations of all lessees, operating rights owners and operators on the lease.
- (b) All bonds and pledges you furnish under this part must be on a form or in a form approved by the Associate Director for Offshore Minerals Management. Surety bonds must be issued by a surety that the Treasury certifies as an acceptable surety on Federal bonds and that is listed in the current Treasury Circular No. 570. You may obtain a copy of the current Treasury Circular No. 570 from the Surety Bond Branch, Financial Management Service, Department of the Treasury, East-West Highway, Hyattsville, MD 20782.
- (c) You and a qualified surety must execute your bond. When either party is a corporation, an authorized official for the party must sign the bond and attest to it by an imprint of the corporate seal.
- (d) Bonds must be noncancellable, except as provided in §256.58 of this part. Bonds must continue in full force and effect even though an event occurs that could diminish, terminate, or cancel a surety obligation under State surety law.

- (e) Lease bonds must be:
- (1) A surety bond;
- (2) Treasury securities as provided in §256.52(f);
- (3) Another form of security approved by the Regional Director; or
- (4) A combination of these security methods.
- (f) You may submit a bond to the Regional Director executed on a form approved under paragraph (b) of this section that you have reproduced or generated by use of a computer. If you do this, and if the document omits terms or conditions contained on the form approved by the Associate Director for Offshore Minerals Management the bond you submit will be deemed to contain the omitted terms and conditions.

[62 FR 27956, May 22, 1997]

#### § 256.55 Lapse of bond.

(a) If your surety becomes bankrupt, insolvent, or has its charter or license suspended or revoked, any bond coverage from that surety terminates immediately. In that event, you must promptly provide a new bond in the amount required under §§256.52 and 256.53 of this part to the Regional Director and advise the Regional Director of the lapse in your previous bond.

(b) You must notify the Regional Director of any action filed alleging that you, your surety, or guarantor are insolvent or bankrupt. You must notify the Regional Director within 72 hours of learning of such an action. All bonds must require the surety to provide this information to you and directly to MMS.

[62 FR 27957, May 22, 1997]

### § 256.56 Lease-specific abandonment accounts.

- (a) The Regional Director may authorize you to establish a lease-specific abandonment account in a federally insured institution in lieu of the bond required under §256.53(d). The account must provide that, except as provided in paragraph (a)(3) of this section, funds may not be withdrawn without the written approval of the Regional Director.
- (1) Funds in a lease-specific abandonment account must be payable upon demand to MMS and pledged to meet the

lessee's obligations under §250.1703 of this chapter.

- (2) You must fully fund the lease-specific abandonment account to cover all the costs of lease abandonment and site clearance as estimated by MMS within the timeframe the Regional Director prescribes.
- (3) You must provide binding instructions under which the institution managing the account is to purchase Treasury securities pledged to MMS under paragraph (d) of this section.
- (b) Any interest paid on funds in a lease-specific abandonment account will be treated as other funds in the account unless the Regional Director authorizes in writing the payment of interest to the party who deposits the funds.
- (c) The Regional Director may allow you to pledge Treasury securities that are made payable upon demand to the Regional Director to satisfy your obligation to make payments into a leasespecific abandonment account.
- (d) Before the amount of funds in a lease-specific abandonment account equals the maximum insurable amount as determined by the Federal Deposit Insurance Corporation or the Federal Savings and Loan Insurance Corporation, the institution managing the account must use the funds in the account to purchase Treasury securities pledged to MMS under paragraph (c) of this section. The institution managing the lease specific-abandonment account will join with the Regional Director to establish a Federal Reserve Circular 154 account to hold these Treasury securities, unless the Regional Director authorizes the managing institution to retain the pledged Treasury securities in a separate trust account. You may obtain a copy of the current Treasury Circular No. 154 from the Surety Bond Branch, Financial Management Service, Department of the Treasury, East-West Highway, Hyattsville, MĎ 20782
- (e) The Regional Director may require you to create an overriding royalty or production payment obligation for the benefit of a lease-specific account pledged for the abandonment and clearance of a lease. The required obligation may be associated with oil and gas or sulphur production from a lease

#### § 256.57

other than the lease bonded through the lease-specific abandonment ac-

[62 FR 27957, May 22, 1997; 64 FR 9066, Feb. 24, 1999, as amended at 67 FR 35412, May 17, 2002]

### § 256.57 Using a third-party guarantee instead of a bond.

- (a) When the Regional Director may accept a third-party guarantee. The Regional Director may accept a third-party guarantee instead of an additional bond under §256.53(d) if:
- (1) The guarantee meets the criteria in paragraph (c) of this section;
- (2) The guarantee includes the terms specified in paragraph (d) of this section:
- (3) The guarantor's total outstanding and proposed guarantees do not exceed 25 percent of its unencumbered net worth in the United States; and
- (4) The guarantor submits an indemnity agreement meeting the criteria in paragraph (e) of this section.
- (b) What to do if your guarantor becomes unqualified. If, during the life of your third-party guarantee, your guarantor no longer meets the criteria of paragraphs (a)(3) and (c)(3) of this section, you must:
- (1) Notify the Regional Director immediately; and
- (2) Cease production until you comply with the bond coverage requirements of this subpart.
- (c) Criteria for acceptable guarantees. If you propose to furnish a third party's guarantee, that guarantee must ensure compliance with all lessees' lease obligations, the obligations of all operating rights owners, and the obligations of all operators on the lease. The Regional Director will base acceptance of your third-party guarantee on the following criteria:
- (1) The period of time that your third-party guarantor (guarantor) has been in continuous operation as a business entity where:
- (i) Continuous operation is the time that your guarantor conducts business immediately before you post the guarantee; and
- (ii) Continuous operation excludes periods of interruption in operations that are beyond your guarantor's control and that do not affect your guarantor's likelihood of remaining in busi-

ness during exploration, development, production, abandonment, and clearance operations on your lease.

- (2) Financial information available in the public record or submitted by your guarantor, on your guarantor's own initiative, in sufficient detail to show to the Regional Director's satisfaction that your guarantor is qualified based on:
- (i) Your guarantor's current rating for its most recent bond issuance by either Moody's Investor Service or Standard and Poor's Corporation;
- (ii) Your guarantor's net worth, taking into account liabilities under its guarantee of compliance with all the terms and conditions of your lease, the regulations in this chapter, and your guarantor's other guarantees;
- (iii) Your guarantor's ratio of current assets to current liabilities, taking into account liabilities under its guarantee of compliance with all the terms and conditions of your lease and the regulations in this chapter and your guarantor's other guarantees; and
- (iv) Your guarantor's unencumbered fixed assets in the United States.
- (3) When the information required by paragraph (c) of this section is not publicly available, your guarantor may submit the information in the following table. Your guarantor must update the information annually within 90 days of the end of the fiscal year or by the date prescribed by the Regional Director.

The guarantor should sub- mit—	that—
(i) Financial statements for the most recently com- pleted fiscal year.	Include a report by an inde- pendent certified public ac- countant containing the ac- countant's audit opinion or review opinion of the state- ments. The report must be prepared in conformance with generally accepted ac- counting principles and contain no adverse opin- ion.
<ul><li>(ii) Financial statements for completed quarters in the current fiscal year.</li></ul>	Your guarantor's financial of- ficer certifies to be correct.
<ul><li>(iii) Additional information as requested by the Regional Director.</li></ul>	Your guarantor's financial of- ficer certifies to be correct.

(d) Provisions required in all third-party guarantees. Your third-party guarantee must contain each of the following provisions.

- (1) If you, your operator, or an operating rights owner fails to comply with any lease term or regulation, your guarantor must either:
  - (i) Take corrective action; or
- (ii) Be liable under the indemnity agreement to provide, within 7 calendar days, sufficient funds for the Regional Director to complete corrective action.
- (2) If your guarantor complies with paragraph (d)(1) of this section, this compliance will not reduce its liability.
- (3) If your guarantor wishes to terminate the period of liability under its guarantee, it must:
- (i) Notify you and the Regional Director at least 90 days before the proposed termination date;
- (ii) Obtain the Regional Director's approval for the termination of the period of liability for all or a specified portion of your guarantor's guarantee; and
- (iii) Remain liable for all work and workmanship performed during the period that your guarantor's guarantee is in effect.
- (4) You must provide a suitable replacement security instrument before the termination of the period of liability under your third-party guarantee.
- (e) Required criteria for indemnity agreements. If the Regional Director approves your third-party guarantee, the guarantor must submit an indemnity agreement.
- (1) The indemnity agreement must be executed by your guarantor and all persons and parties bound by the agreement.
- (2) The indemnity agreement must bind each person and party executing the agreement jointly and severally.
- (3) When a person or party bound by the indemnity agreement is a corporate entity, two corporate officers who are authorized to bind the corporation must sign the indemnity agreement.
- (4) Your guarantor and the other corporate entities bound by the indemnity agreement must provide the Regional Director copies of:
- (i) The authorization of the signatory corporate officials to bind their respective corporations;

- (ii) An affidavit certifying that the agreement is valid under all applicable laws; and
- (iii) Each corporation's corporate authorization to execute the indemnity agreement.
- (5) If your third-party guarantor or another party bound by the indemnity agreement is a partnership, joint venture, or syndicate, the indemnity agreement must:
- (i) Bind each partner or party who has a beneficial interest in your guarantor; and
- (ii) Provide that, upon demand by the Regional Director under your third-party guarantee, each partner is jointly and severally liable for compliance with all terms and conditions of your lease.
- (6) When forfeiture is called for under §256.59 of this part, the indemnity agreement must provide that your guarantor will either:
- (i) Bring your lease into compliance; or
- (ii) Provide, within 7 calendar days, sufficient funds to permit the Regional Director to complete corrective action.
- (7) The indemnity agreement must contain a confession of judgment. It must provide that, if the Regional Director determines that you, your operator, or an operating rights owner is in default of the lease, the guarantor:
- (i) Will not challenge the determination; and
  - (ii) Will remedy the default.
- (8) Each indemnity agreement is deemed to contain all terms and conditions contained in this paragraph (e), even if the guarantor has omitted them.

[62 FR 27957, May 22, 1997]

## § 256.58 Termination of the period of liability and cancellation of a bond.

This section defines the terms and conditions under which MMS will terminate the period of liability of a bond or cancel a bond. Terminating the period of liability of a bond ends the period during which obligations continue to accrue but does not relieve the surety of the responsibility for obligations that accrued during the period of liability. Canceling a bond relieves the surety of all liability. The liabilities that accrue during a period of liability

### § 256.58

include obligations that started to accrue prior to the beginning of the period of liability and had not been met and obligations that begin accruing during the period of liability.

- (a) When the surety under your bond requests termination:
- (1) The Regional Director will terminate the period of liability under your bond within 90 days after MMS receives the request; and
- (2) If you intend to continue operations, or have not met all end of lease obligations, you must provide a replacement bond of an equivalent amount.
- (b) If you provide a replacement bond, the Regional Director will cancel your previous bond and the surety that provided your previous bond will not retain any liability, provided that:
- (1) The new bond is equal to or greater than the bond that was terminated, or you provide an alternative form of security, and the Regional Director determines that the alternative form of security provides a level of security equal to or greater than that provided for by the bond that was terminated;
- (2) For a base bond submitted under §256.52(a) or under §256.53(a) or (b), the surety issuing the new bond agrees to

assume all outstanding liabilities that accrued during the period of liability that was terminated; and

- (3) For supplemental bonds submitted under §256.53(d), the surety issuing the new supplemental bond agrees to assume that portion of the outstanding liabilities that accrued during the period of liability which was terminated and that the Regional Director determines may exceed the coverage of the base bond, and of which the Regional Director notifies the provider of the bond.
- (c) This paragraph applies if the period of liability is terminated for a bond but the bond is not replaced by a bond of an equivalent amount. The surety that provided your terminated bond will continue to be responsible for accrued obligations:
- (1) Until the obligations are satisfied; and
- (2) For additional periods of time in accordance with paragraph (d) of this section.
- (d) When your lease expires or is terminated, the surety that issued a bond will continue to be responsible, and the Regional Director will retain other forms of security as shown in the following table:

For the following type of bond	The period of liability will end	Your bond will be cancelled
(1) Base bonds submitted under § 256.52(a), § 256.53(a), or (b).	When the Regional Director determines that you have met all of your obligations under the lease.	Seven years after the termination of the lease, 6 years after completion of all bonded obligations, or at the conclusion of any appeals or litigation related to your bonded obligation, whichever is the latest. The Regional Director will reduce the amount of your bond or return a portion of your security if the Regional Director determines that you need less than the full amount of the base bond to meet any possible future problems.
(2) Supplemental bonds sub- mitted under § 256.53(d).	When the Regional Director determines that you have met all your obligations covered by the supplemental bond.	When you meet your bonded obligations, unless the Regional Director:  (i) Determines that the future potential liability resulting from any undetected problems is greater than the amount of the base bond; and  (ii) Notifies the provider of the bond that the Regional Director will wait 7 years before cancelling all or a part of the bond (or longer period as necessary to complete any appeals or judicial litigation related to your bonding obligation).

- (e) For all bonds, the Regional Director may reinstate your bond as if no cancellation or release had occurred if:
- (1) A person makes a payment under the lease and the payment is rescinded or must be repaid by the recipient because the person making the payment is insolvent, bankrupt, subject to reorganization, or placed in receivership; or
- (2) The responsible party represents to MMS that it has discharged its obligations under the lease, and the representation was materially false when the bond was canceled or released.

[66 FR 60150, Dec. 3, 2001]

### § 256.59 Forfeiture of bonds and/or other securities.

This section explains how a bond or other security may be forfeited.

- (a) The Regional Director will call for forfeiture of all or part of the bond, other form of security, or guarantee you provide under this part if:
- (1) You (the party who provided the bond) refuse, or the Regional Director determines that you are unable, to comply with any term or condition of your lease; or
- (2) You default under one of the conditions under which the Regional Director accepts your bond, third-party guarantee, and/or other form of security.
- (b) The Regional Director may pursue forfeiture of your bond without first making demands for performance against any lessee, operating rights owner, or other person authorized to perform lease obligations.
  - (c) The Regional Director will:
- (1) Notify you, the surety on your bond or other form of security, and any third-party guarantor, of his/her determination to call for forfeiture of the bond, security, or guarantee under this section.
- (i) This notice will be in writing and will provide the reasons for the forfeiture and the amount to be forfeited.
- (ii) The Regional Director must base the amount he/she determines is forfeited upon his/her estimate of the total cost of corrective action to bring your lease into compliance.
- (2) Advise you, your third-party guarantor, and any surety, that you, your guarantor, and any surety may avoid forfeiture if, within 5 working days:
- (i) You agree to, and demonstrate that you will, bring your lease into compliance within the timeframe that the Regional Director prescribes;
- (ii) Your third-party guarantor agrees to, and demonstrates that it will, complete the corrective action to bring your lease into compliance within the timeframe that the Regional Director prescribes; or
- (iii) Your surety agrees to, and demonstrates that it will, bring your lease into compliance within the timeframe that the Regional Director prescribes, even if the cost of compliance exceeds

the face amount of the bond or other surety instrument.

- (d) If the Regional Director finds you are in default, he/she may cause the forfeiture of any bonds and other security deposited as your guarantee of compliance with the terms and conditions of your lease and the regulations in this chapter.
- (e) If the Regional Director determines that your bond and/or other security is forfeited, the Regional Director will:
  - (1) Collect the forfeited amount; and
- (2) Use the funds collected to bring your leases into compliance and to correct any default.
- (f) If the amount the Regional Director collects under your bond and other security is insufficient to pay the full cost of corrective actions he/she may:
- (1) Take or direct action to obtain full compliance with your lease and the regulations in this chapter; and
- (2) Recover from you, any co-lessee, operating rights owner, and/or any third-party guarantor responsible under this subpart all costs in excess of the amount he/she collects under your forfeited bond and other security.
- (g) The amount that the Regional Director collects under your forfeited bond and other security may exceed the costs of taking the corrective actions required to obtain full compliance with the terms and conditions of your lease and the regulations in this chapter. In this case, the Regional Director will return the excess funds to the party from whom they were collected.

[62 FR 27958, May 22, 1997]

### Subpart J—Assignments, Transfers, and Extensions

### § 256.62 Assignment of lease or interest in lease.

This section explains how to assign record title and other interests in OCS oil and gas or sulphur leases.

- (a) MMS may approve the assignment to you of the ownership of the record title to a lease or any undivided interest in a lease, or an officially designated subdivision of a lease, only if:
- (1) You qualify to hold a lease under §256.35(b);

### § 256.64

- (2) You provide the bond coverage required under subpart I of this part; and
- (3) The Regional Director approves the assignment.
- (b) An assignment shall be void if it is made pursuant to any prelease agreement described in §256.44(c) of this part that would cause a bid to be disqualified.
- (c) Any approved assignment shall be deemed to be effective on the first day of the lease month following its filing in the appropriate office of the MMS, unless at the request of the parties, an earlier date is specified in the approval.
- (d) You, as assignor, are liable for all obligations that accrue under your lease before the date that the Regional Director approves your request for assignment of the record title in the lease. The Regional Director's approval of the assignment does not relieve you of accrued lease obligations that your assignee, or a subsequent assignee, fails to perform.
- (e) Your assignee and each subsequent assignee are liable for all obligations that accrue under the lease after the date that the Regional Director approves the governing assignment. They must:
- (1) Comply with all the terms and conditions of the lease and all regulations issued under the Act; and
- (2) Remedy all existing environmental problems on the tract, properly abandon all wells, and reclaim the lease site in accordance with part 250, subpart Q.
- (f) If your assignee, or a subsequent assignee, fails to perform any obligation under the lease or the regulations in this chapter, the Regional Director may require you to bring the lease into compliance to the extent that the obligation accrued before the Regional Director approved the assignment of your interest in the lease.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982, and amended at 58 FR 45262, Aug. 27, 1993; 62 FR 27959, May 22, 1997; 67 FR 35412, May 17, 2002]

### $\S 256.64$ How to file transfers.

This section explains how to file instruments with MMS that create and/or transfer interests in OCS oil and gas or sulphur leases.

- (a) You must submit to the Regional Director for approval all instruments that create or transfer ownership of a lease interest.
- (1) You must submit two copies of the instruments that create or transfer an interest. Each instrument that creates or transfers an interest must describe by officially designated subdivision the interest you propose to create or transfer.
- (2) You must submit your proposal to create or transfer an interest, or create or transfer separate operating rights, subleases, and record title interests within 90 days of the last date that a party executes the transfer agreement.
- (3) The transferee must meet the citizenship and other qualification criteria specified in §256.35 of this part. When you submit an instrument to create or transfer an interest as an association, you must include a statement signed by the transferee about the transferee's citizenship and qualifications to own a lease.
- (4) Your instrument to create or transfer an interest must contain all of the terms and conditions to which you and the other parties agree.
- (5) You do not gain a release of any nonmonetary obligation under your lease or the regulations in this chapter by creating a sublease or transferring operating rights.
- (6) You do not gain a release from any accrued obligation under your lease or the regulations in this chapter by assigning your record title interest in the lease.
- (7) You may create or transfer carried working interests, overriding royalty interests, or payments out of production without obtaining the Regional Director's approval. However, you must file instruments creating or transferring carried working interests, overriding royalty interests, or payments out of production with the Regional Director for record purposes.
- (8) A nonrefundable filing fee of \$185 must accompany an application for approval of any instrument of transfer required to be filed. MMS periodically will amend the filing fee based on its experience with the costs for administering lease transfer applications. If the costs increase by more than the CPI "U," MMS will provide notice and

opportunity for comment before changing the filing fee. For lesser cost increases or cost reductions MMS will change the fee without such procedures. Any document not required to be filed by these regulations but submitted for record purposes shall be accompanied by a nonrefundable fee of \$25 per lease affected. Such documents may be rejected at the discretion of the authorized officer.

- (b) An attorney in fact, in behalf of the holder of a lease, operating rights or sublease, shall furnish evidence of authority to execute the assignment or application for approval and the statement required by §256.46 of this part.
- (c) When you request approval for an assignment that assigns all your record title interest in a lease or that creates a segregated lease, your assignee must furnish a bond in the amount prescribed in §§ 256.52 and 256.53 of this part.
- (d) When you request approval for an assignment that assigns less than all the record title of a lease and that does not create a separate lease, the assignee may, with the surety's consent, become a joint principal on the surety instrument that guarantees compliance with all the terms and conditions of the lease.
- (e) An heir or devisee of a deceased holder of a lease, or any interest therein, shall be recognized as the lawful successor to such lease or interest, if evidence of status as an heir or devisee is furnished in the form of:
- (1) A certified copy of an appropriate order or decree of the court having jurisdiction of the distribution of the estate or.
- (2) If no court action is necessary, the statements of two disinterested parties having knowledge of the facts or a certified copy of the will.
- (f) In addition to the requirements of paragraph (d) of this section, the heirs or devisees shall file statements that they are the persons named as successors to the estate with evidence of their qualifications as provided in §256.46 of this part.
- (g) In the event an heir or devisee is unable to qualify to hold the lease or interest, the heir or devisee shall be recognized as the lawful successor of the deceased and be entitled to hold

the lease for a period of not to exceed 2 years from the date of death of the predecessor in interest.

- (h) Your heirs, executors, administrators, successors, and assigns are bound to comply with each obligation under any lease and under the regulations in this chapter.
- (1) You are jointly and severally liable for the performance of each nonmonetary obligation under the lease and under the regulations in this chapter with each prior lessee and with each operating rights owner holding an interest at the time the obligation accrued, unless this chapter provides otherwise.
- (2) Sublessees and operating rights owners are jointly and severally liable for the performance of each nonmonetary obligation under the lease and under the regulations in this chapter to the extent that:
- (i) The obligation relates to the area embraced by the sublease;
- (ii) Those owners held their respective interest at the time the obligation accrued; and
- (iii) This chapter does not provide otherwise
- (i) Where the proposed assignment or transfer is by a person who, at the time of acquisition of an interest in the lease, was on the List of Restricted Joint Bidders, and that assignment or transfer is of less than the entire interest of the assignor or transferor, to a person or persons on the same List of Restricted Joint Bidders, the assignor or transferor shall file a copy, prior to approval of the assignment, of all agreements applicable to the acquisition of that lease or a fractional interest.

[44 FR 38276, June 29, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982, as amended at 62 FR 27959, May 22, 1997; 62 FR 39775, July 24, 1997]

#### § 256.65 Attorney General review.

Prior to the approval of an assignment or transfer, the Secretary shall consult with and give due consideration to the views of the Attorney General. The Secretary may act on an assignment or transfer if the Attorney General has not responded to the request for consultation within 30 days of said request.

### § 256.67

### § 256.67 Separate filings for assignments

A separate instrument of assignment shall be filed for each lease. When transfers to the same person, association or corporation, involving more than one lease are filed at the same time for approval, one request for approval and one showing as to the qualifications of the assignee shall be sufficient.

### § 256.68 Effect of assignment of a particular tract.

(a) When an assignment is made of all the record title to a portion of the acreage in a lease, the assigned and retained portions become segregated into separate and distinct leases. In such a case, the assignee becomes a lessee of the Government as to the segregated tract that is the subject of assignment, and is bound by the terms of the lease as though the lease had been obtained from the United States in the assignee's own name, and the assignment, after its approval, shall be the basis of a new record. Royalty, minimum royalty and rental provisions of the original lease shall apply separately to each segregated portion.

(b) For assignments of a portion of an oil and gas lease approved after the effective date of ths section, each segregated lease shall continue in full force and effect for the primary term of the original lease and so long thereafter as oil or gas is produced from that segregated portion of the leased area in paying quantities or drillng or well reworking operations as approved by the Secretary are conducted.

(c) For those assignments approved prior to the effective date of this section, each segregated lease shall continue in full force and effect for the primary term of the original lease and so long thereafter as oil and gas may be produced from the original leased area in paying quantities or drilling or well reworking operations, as approved by the Secretary, are conducted.

### § 256.70 Extension of lease by drilling or well reworking operations.

The term of a lease shall be extended beyond the primary term so long as drilling or well reworking operations are approved by the Secretary according to the conditions set forth in 30 CFR 250.180.

[44 FR 38276, June 29, 1979, as amended at 55 FR 32908, Aug. 13, 1990; 64 FR 9066, Feb. 24, 1999; 64 FR 72795, Dec. 28, 1999]

#### §256.71 Directional drilling.

In accordance with an approved exploration plan or development and production plan, a lease may be maintained in force by directional wells drilled under the leased area from surface locations on adjacent or adjoining land not covered by the lease. In such circumstances, drilling shall be considered to have commenced on the leased area when drilling is commenced on the adjacent or adjoining land for the purpose of directional drilling under the leased area through any directional well surfaced on adjacent or adjoining land. Production, drillling or reworking of any such directional well shall be considered production or drilling or reworking operations on the leased area for all purposes of the lease.

### § 256.72 Compensatory payments as production.

If an oil and gas lessee makes compensatory payments and if the lease is not being maintained in force by other production of oil or gas in paying quantities or by other approved drilling or reworking operations, such payments shall be considered as the equivalent of production in paying quantities for all purposes of the lease.

 $[44\ FR\ 38276,\ June\ 29,\ 1979.\ Redesignated\ at\ 47\ FR\ 47006,\ Oct.\ 22,\ 1982,\ and\ amended\ at\ 54\ FR\ 50617,\ Dec.\ 8,\ 1989]$ 

### $\S\,256.73$ Effect of suspensions on lease term.

- (a) A suspension may extend the term of a lease (see 30 CFR 250.171) with the extension being the length of time the suspension is in effect except as provided in paragraph (b) of this section.
- (b) A Directed Suspension does not extend the lease term when the Regional Supervisor directs a suspension because of:
- (1) Gross negligence; or (2) A willful violation of a provision of the lease or governing regulations.
- (c) MMS may issue suspensions for a period of up to 5 years per suspension.

The Regional Supervisor will set the length of the suspension based on the conditions of the individual case involved. MMS may grant consecutive suspensions. For more information on suspension of operations or production refer to the section under the heading "Suspensions" in 30 CFR part 250, subpart A.

[64 FR 72795, Dec. 28, 1999]

### Subpart K—Termination of Leases

### § 256.76 Relinquishment of leases or parts of leases.

A lease or any officially designated subdivision thereof may be surrendered by the record title holder by filing a written relinquishment, in triplicate, with the appropriate OCS office of the MMS. No filing fee is required. A relinquishment shall take effect on the date it is filed subject to the continued obligation of the lessee and the surety to make all payments due, including any accrued rentals, royalties and deferred bonuses and to abandon all wells and condition or remove all platforms and other facilities on the land to be relinquished to the satisfaction of the Director.

#### § 256.77 Cancellation of leases.

- (a) Any nonproducing lease issued under the act may be cancelled by the authorized officer whenever the lessee fails to comply with any provision of the act or lease or applicable regulations, if such failure to comply continues for 30 days after mailing of notice by registered or certified letter to the lease owner at the owner's record post office address. Any such cancellation is subject to judicial review as provided in section 23(b) of the Act.
- (b) Producing leases issued under the Act may be cancelled by the Secretary whenever the lessee fails to comply with any provision of the Act, applicable regulations or the lease only after judicial proceedings as prescribed by section 5(d) of the Act.
- (c) Any lease issued under the Act, whether producing or not, shall be canceled by the authorized officer upon proof that it was obtained by fraud or misrepresentation, and after notice and

opportunity to be heard has been afforded to the lessee.

- (d) Pursuant to section 5(a) of the Act, the Secretary may cancel a lease when:
- (1) Continued activity pursuant to such lease would probably cause serious harm or damage to life, property, any mineral, national security or defense, or to the marine, coastal or human environment:
- (2) The threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time; and
- (3) The advantages of cancellation outweigh the advantages of continuing such lease or permit in force. Procedures and conditions contained in 30 CFR 250.182 shall apply as appropriate.

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982; 64 FR 13343, Mar. 18, 1999; 64 FR 72795, Dec. 28, 1999]

### Subpart L—Section 6 Leases

### §256.79 Effect of regulations on lease.

- (a) All regulations in this part, insofar as they are applicable, shall supersede the provisions of any lease which is maintained under section 6(a) of the Act. However, the provisions of a lease relating to area, minerals, rentals, royalties (subject to sections 6(a) (8) and (9) of the Act), and term (subject to section 6(a)(10) of the Act and, as to sulfur, subject to section 6(b)(2) of the Act) shall continue in effect, and, in the event of any conflict or inconsistency, shall take precedence over these regulations.
- (b) A lease maintained under section 6(a) of the Act shall also be subject to all operating and conservation regulations applicable to the OCS. In addition, the regulations relating to geophysical and geological exploratory operations and to pipeline rights-of-way are applicable, to the extent that those regulations are not contrary to or inconsistent with the lease provisions relating to area, the minerals, rentals, royalties and term. The lessee shall comply with any provision of the lease as validated, the subject matter of

#### § 256.80

which is not covered in the regulations in this part.

[44 FR 38276, June 29, 1979; 44 FR 55380, Sept. 26, 1979. Redesignated at 47 FR 47006, Oct. 22, 1982]

#### § 256.80 Leases of other minerals.

The existence of a lease that meets the requirements of section 6(a) of the Act shall not preclude the issuance of other leases of the same area for deposits of other minerals. However, no other lease of minerals shall authorize or permit the lessee thereunder unreasonably to interfere with or endanger operations under the existing lease. No sulphur leases shall be granted by the United States on any area while such area is included in a lease covering sulphur under section 6(b) of the Act.

### Subpart M—Studies

#### § 256.82 Environmental studies.

(a) The Director shall conduct a study of any area or region included in any lease sale in order to establish information needed for assessment and management of impacts on the human, marine and coastal environments which may be affected by OCS oil and gas activities in such area or region. Any study shall, to the extent practicable, be designed to predict environmental impacts of pollutants introduced into the environments and of the impacts of offshore activities on the seabed and affected coastal areas.

(b) Studies shall be planned and carried out in cooperation with the affected States and interested parties and, to the extent possible, shall not duplicate studies done under other laws. Where appropriate, the Director shall, to the maximum extent practicable, enter into agreements with the National Oceanic and Atmospheric Administration in executing the environmental studies responsibilities. By agreement, the Director may also utilize services, personnel or facilities of any Federal, State or local government agency in the conduct of such study.

(c) Any study of an area or region required by paragraph (a) of this section for a lease sale shall be commenced not later than six months prior to holding a lease sale for that area. The Director may utilize information collected in

any prior study. The Director may initiate studies for areas or regions not identified in the leasing program.

(d) After the leasing and developing of any area or region, the Director shall conduct such studies as are deemed necessary to establish additional information and shall monitor the human, marine and coastal environments of such area or region in a manner designed to provide information which can be compared with the results of studies conducted prior to OCS oil and gas development. This shall be done to identify any significant changes in the quality and productivity of such environments, to establish trends in the areas studies, and to design experiments identifying the causes of such changes. Findings from such studies shall be used to recommend modifications in practices which are employed to mitigate the effects of OCS activities and to enhance the data/information base for predicting impacts which might result from a single lease sale or cumulative OCS activities.

(e) Information available or collected by the studies program shall, to the extent practicable, be provided in a form and in a timeframe that can be used in the decision-making process associated with a specific leasing action or with longer term OCS minerals management responsibilities.

### APPENDIX A TO PART 256—OIL AND GAS CASH BONUS BID

The following bid is submitted for an oil and gas lease on the area of the Outer Continental Shelf specified below:

٠	Tract No.*	Total amount bid	Amount per acre (or per hectare)	Amount of cash submitted with bid

\*Or, if tract numbers are not used, Protraction Diagram or Leasing Map and block number.

Bidder qualification No.	Proportionate interest of company(s) submitting bid	Name and address of bidding company
Misc. No		

Authorized signatory's name and title.

[47 FR 25972, June 16, 1982. Redesignated at 47 FR 47006, Oct. 22, 1982]

### PART 259—MINERAL LEASING: DEFINITIONS

Sec.

259.001 Purpose and scope.

259.002 Definitions.

AUTHORITY: Pub. L. 83-212, 67 Stat. 462, 43 U.S.C. 1331 *et seq.*, as amended by Pub. L. 95-372, 92 Stat. 629.

### §259.001 Purpose and scope.

The purpose of this part 259 is to define various terms appearing in parts 260, 261 and 262 of this chapter.

[48 FR 1182, Jan. 11, 1983]

#### § 259.002 Definitions.

For purposes of parts 260, 261, and 262 of this chapter:

Area or region means the geographic area or region over which the MMS designated official has jurisdiction, unless the context in which those words are used indicates that a different meaning is intended.

Designated official means a representative of DOI subject to the direction and supervisory authority of the Director, MMS, and the appropriate Regional Manager of the MMS authorized and empowered to supervise and direct all oil and gas operations and to perform other duties prescribed in 30 CFR part 250 (offshore).

Director means Director, MMS, DOI.

*DOI* means the Department of the Interior, including the Secretary of the Interior, or his or her delegate.

Federal lease means an agreement which, for any consideration, including, but not limited to, bonuses, rents or royalties conferred, and convenants to be observed, authorizes a person to explore for, or develop, or produce (or to do any or all of these) oil and gas, coal, oil shale, tar sands, and goethermal resources on lands or interests in lands under Federal jurisdiction.

Gas means natural gas as defined by the Federal Energy Regulatory Commission.

*MMS* means Minerals Management Service.

OCS means the Outer Continental Shelf, which includes all submerged lands (1) that lie seaward outside of the area of lands beneath navigable waters as defined in the Submerged Lands Act (Pub. L. 31-35, 67 Stat. 29, (43 U.S.C. 1301)) and (2) of which the subsoil and seabed appertain to the United States are subject to its jurisdiction and control.

OCSLA means the Outer Continental Shelf Lands Act, as amended (Act of August 7, 1953, Ch. 345, 67 Stat. 462, 43 U.S.C. 1331 et seq., as amended by Pub. L. 95–372, 92 Stat. 629).

Oil means a mixture of hydrocarbons that exists in a liquid or gaseous phase in an underground reservoir and which remains or becomes liquid at atmospheric pressure after passing through surface separating facilities, including condensate recovered by means other than a manufacturing process.

[48 FR 1182, Jan. 11, 1983]

formation?

### PART 260—OUTER CONTINENTAL SHELF OIL AND GAS LEASING

### Subpart A—General Provisions

Sec.

260.1 What is the purpose of this part?

260.2 What definitions apply to this part? 260.3 What is MMS's authority to collect in-

### Subpart B—Bidding Systems

GENERAL PROVISIONS

260.101 What is the purpose of this subpart?
260.102 What definitions apply to this subpart?

260.110 What bidding systems may MMS use?

260.111 What conditions apply to the bidding systems that MMS uses?

#### ELIGIBLE LEASES

260.112 How do royalty suspension volumes apply to eligible leases?

apply to eligible leases?
260.113 When does an eligible lease qualify for a royalty suspension volume?

260.114 How does MMS assign and monitor royalty suspension volumes for eligible leases?

260.115 How long will a royalty suspension volume for an eligible lease be effective? 260.116 How do I measure natural gas pro-

duction on my eligible lease?

260.117 What other provisions apply to royalty suspension volumes for eligible leases?

#### § 260.1

ROYALTY SUSPENSION (RS) LEASES

- 260.120 How does royalty suspension apply to leases issued in a sale held after November 2000?
- 260.121 When does a lease issued in a sale held after November 2000 get a royalty suspension?
- 260.122 How long will a royalty suspension volume be effective for a lease issued in a sale held after November 2000?
- 260.123 How do I measure natural gas production for a lease issued in a sale held after November 2000?
- 260.124 How will royalty suspension apply if MMS assigns a lease issued in a sale held after November 2000 to a field that has an eligible or pre-Act lease?

BIDDING SYSTEM SELECTION CRITERIA

260.130 What criteria does MMS use for selecting bidding systems and bidding system components?

#### Subpart C [Reserved]

#### Subpart D-Joint Bidding

260.301 What is the purpose of this subpart? 260.302 What definitions apply to this subpart?

260.303 What are the joint bidding requirements?

AUTHORITY: 43 U.S.C. 1331 et seq.

SOURCE: 66 FR 11518, Feb. 23, 2001, unless otherwise noted.

### **Subpart A—General Provisions**

### § 260.1 What is the purpose of this part?

Part 260 implements the Outer Continental Shelf Lands Act (OCSLA), 43 U.S.C. 1331 *et seq.*, as amended, by providing regulations to foster competition including, but not limited to:

- (a) Implementing alternative bidding systems;
- (b) Prohibiting joint bidding for development rights by certain types of joint ventures; and
- (c) Establishing diligence requirements for Federal OCS leases.

### § 260.2 What definitions apply to this part?

OCS lease means a Federal lease for oil and gas issued under the OCSLA.

OCSLA means the Outer Continental Shelf Lands Act, (43 U.S.C. 1331 et seq.), as amended.

Person includes, in addition to a natural person, an association, a State, or a private, public, or municipal corporation.

We means the Minerals Management Service (MMS). You means the lessee or operating

You means the lessee or operating rights holder.

### § 260.3 What is MMS's authority to collect information?

The Paperwork Reduction Act of 1995 (PRA) requires us to inform you that we may not conduct or sponsor and you are not required to respond to a collection of information unless it displays a currently valid OMB control number. OMB approved the information collection requirements in part 260 under 4 U.S.C. 3501 et seq. and assigned OMB control number 1010–0143. The PRA also requires us to inform you of the following:

- (a) We use the information collected under §§260.114(a)(2), (c)(1) and 260.124 (a)(2):
- (1) To make decisions on requests for reconsideration of our assignment of a lease that has a qualifying well to an existing field or designate a new field under §§ 260.114(a) and 260.124(a), and
- (2) To ensure that the royalty suspension volume is properly allocated among constituent leases in a field under § 260.117.
- (b) Respondents are Federal OCS oil and gas lessees and operating rights holders. Responses are required to obtain or retain a benefit. We will protect proprietary information under applicable law and part 250 of this chapter.
- (c) You may send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

### Subpart B—Bidding Systems

GENERAL PROVISIONS

### § 260.101 What is the purpose of this subpart?

This subpart establishes the bidding systems that we may use to offer and sell Federal leases for the exploration, development, and production of oil and gas resources located on the OCS.

### § 260.102 What definitions apply to this subpart?

Act means the Outer Continental Shelf Deep Water Royalty Relief Act, Pub. L. 104-58, 43 U.S.C. 1337(3).

Eligible lease means a lease that:

- (1) Is issued as part of an OCS lease sale held after November 28, 1995, and before November 28, 2000;
- (2) Is located in the Gulf of Mexico in water depths of 200 meters or deeper;
- (3) Lies wholly west of 87 degrees, 30 minutes West longitude; and
- (4) Is offered subject to a royalty suspension volume.

Field means an area consisting of a single reservoir or multiple reservoirs all grouped on, or related to, the same general geological structural feature and/or stratigraphic trapping condition. Two or more reservoirs may be in a field, separated vertically by intervening impervious strata, or laterally by local geologic barriers, or by both.

Highest responsible qualified bidder means a person who has met the appropriate requirements of 256, subpart G of this title, and has submitted a bid higher than any other bids by qualified bidders on the same tract.

Highest royalty rate means the highest percent rate payable to the United States, as specified in the lease, in the amount or value of the production saved, removed, or sold.

Lease period means the time from lease issuance until relinquishment, expiration, or termination.

Lowest royalty rate means the lowest percent rate payable to the United States, as specified in the lease, in the amount or value of the production saved, removed, or sold.

OCS lease sale means the Department of the Interior (DOI) proceeding by which leases for certain OCS tracts are offered for sale by competitive bidding and during which bids are received, announced, and recorded.

Pre-Act lease means a lease that:

- (1) Is issued as part of an OCS lease sale held before November 28, 1995;
- (2) Is located in the Gulf of Mexico in water depths of 200 meters or deeper; and

(3) Lies wholly west of 87 degrees, 30 minutes West longitude. (See part 203 of this title.)

Production period means the period during which the amount of oil and gas produced from a tract (or, if the tract is unitized, the amount of oil and gas as allocated under a unitization formula) will be measured for purposes of determining the amount of royalty payable to the United States

Qualified bidder means a person who has met the appropriate requirements of §256, subpart G of this title.

Royalty rate means the percentage of the amount or value of the production saved, removed, or sold that is due and payable to the United States Government.

Royalty suspension (RS) lease means a lease that:

- (1) Is issued as part of an OCS lease sale held after November 28, 2000;
- (2) Is in locations or planning areas specified in a particular Notice of OCS Lease Sale: and
- (3) Is offered subject to a royalty suspension specified in a Notice of OCS Lease Sale published in the FEDERAL REGISTER.

Tract means a designation assigned solely for administrative purposes to a block or combination of blocks that are identified by a leasing map or an official protraction diagram prepared by the DOI.

Value of production means the value of all oil and gas production saved, removed, or sold from a tract (or, if the tract is unitized, the value of all oil and gas production saved, removed, or sold and credited to the tract under a unitization formula) during a period of production. The value of production is determined under part 206 of this title.

### § 260.110 What bidding systems may MMS use?

We will apply a single bidding system selected from those listed in this section to each tract included in an OCS lease sale. The following table lists bidding systems, the bid variables, and characteristics.

### § 260.110

For the bidding system—	The bid variable is the—	And the characteristics are—
(a) Cash bonus bid with a fixed royalty rate of not less than 12.5 percent.	Cash bonus	The highest responsible qualified bidder will pay a royalty rate of not less than 12.5 percent at the beginning of the lease period. We will specify the royalty rate for each tract offered in the Notice of OCS Lease Sale published in the Federal Register.
(b) Royalty rate bid with fixed cash bonus.	Royalty rate	We will specify the fixed amount of cash bonus the highest re- sponsible qualified bidder must pay in the Notice of OCS Lease Sale published in the <b>Federal Register</b> .
(c) Cash bonus bid with a slid- ing royalty rate of not less than 12.5 percent at the be- ginning of the lease period.	Cash bonus	(1) We will calculate the royalty rate the highest responsible qualified bidder must pay using either: (i) A sliding-scale formula, which relates the royalty rate to the adjusted value or volume of production, or (ii) A schedule that establishes the royalty rate that we will apply to specified ranges of the adjusted value or volume of production.  (2) We will determine the adjusted value of production by applying an inflation factor to the actual value of production.  (3) If you are the successful high bidder, your lease will include the sliding-scale formula or schedule and will specify the lowest and highest royalty rates that will apply.  (4) You will pay a royalty rate of not less than 12.5 percent at the beginning of the lease period.  (5) We will include the sliding-scale royalty formula or schedule, inflation factor and procedures for making the inflation adjustment and determining the value or amount of production in the Notice of OCS Lease Sale published in the Federal Register.
(d) Cash bonus bid with fixed share of the net profits of no less than 30 percent.	Cash bonus	(1) If we award you a lease as the highest responsible qualified bidder, you will determine the amount of the net profit share payment to the United States for each month by multiplying the net profit share base times the net profit share rate, according to §220.022. You will calculate the net profit share base according to §220.021. (2) You will pay a net profit share of not less than 30 percent. (3) We will specify the capital recovery factor, as described in §220.020, and the net profit share rate, both of which may vary from tract to tract, in the Notice of OCS Lease Sale published in the Federal Register.
(e) Cash bonus with variable royalty rate(s) during one or more periods of production.	Cash bonus	(1) We may suspend or defer royalty for a period, volume, or value of production. Notwithstanding suspensions or deferrals, we may impose a minimum royalty. The suspensions or deferrals may vary based on prices or price changes of oil and/or gas.  (2) You may pay a royalty rate less than 12.5 percent on production but not less than zero percent.  (3) We will specify the applicable royalty rates(s) and suspension or deferral magnitudes, formulas, or relationships in the Notice of OCS Lease Sale published in the Federal Register.
(f) Cash bonus with royalty rate(s) based on formula(s) or schedule(s) during one or more periods of production.	Cash bonus	We will base the royalty rate on formula(s) or schedule(s) speci- fied in the Notice of OCS Lease Sale published in the <b>Federal</b> <b>Register</b> .
(g) Cash bonus with a fixed royalty rate of not less than 12.5 percent, at the beginning of the lease period, suspension of royalties for a period, volume, or value of production, or depending upon selected characteristics of extraction, and with suspensions that may vary based on the price of production.	Cash bonus	Except for periods of royalty suspension, you will pay a fixed royalty rate of not less than 12.5 percent. If we award to you a lease under this system, you must calculate the royalty due during the designated period using the rate, formula, or schedule specified in the lease. We will specify the royalty rate, formula, or schedule in the Notice of OCS Lease Sale published in the Federal Register.

### § 260.111 What conditions apply to the bidding systems that MMS uses?

- (a) For each of the bidding systems in \$260.110, we will include an annual rental fee. Other fees and provisions may apply as well. The Notice of OCS Lease Sale published in the FEDERAL REGISTER will specify the annual rental and any other fees the highest responsible qualified bidder must pay and any other provisions.
- (b) If we use any deferment or schedule of payments for the cash bonus bid, we will specify and include it in the Notice of OCS Lease Sale published in the FEDERAL REGISTER.
- (c) For the bidding systems listed in this subpart, if the bid variable is a cash bonus bid, the highest bid by a qualified bidder determines the amount of cash bonus to be paid. We will include the minimum bid level(s) in the Notice of OCS Lease Sale published in the FEDERAL REGISTER.
- (d) For the bidding systems listed in this subpart, if the bid variable is the royalty rate, the highest bid by a qualified bidder determines the royalty rate to be paid. We will include the minimum royalty rate(s) in the Notice of OCS Lease Sale published in the FEDERAL REGISTER.
- (e) We may, by rule, add to or modify the bidding systems listed in §260.110, according to the procedural requirements of the OCSLA, 43 U.S.C. 1331 *et seq.*, as amended by Public Law 95–372, 92 Stat. 629.

#### ELIGIBLE LEASES

### § 260.112 How do royalty suspension volumes apply to eligible leases?

Royalty suspension volumes, as specified in section 304 of the Act, apply to eligible leases that meet the criteria in § 260.113. For purposes of this section and §§ 260.113 through 260.117:

- (a) Any volumes of production that are not normally royalty-bearing under the lease or the regulations (e.g., fuel gas) do not count against royalty suspension volumes; and
- (b) Production includes volumes allocated to a lease under an approved unit agreement.

# § 260.113 When does an eligible lease qualify for a royalty suspension volume?

- (a) Your eligible lease may receive a royalty suspension volume only if it is in a field where no current lease produced oil or gas (other than test production) before November 28, 1995. For eligible leases, the bidding system in § 260.110(g) applies only to leases in fields that meet this condition.
- (b) You may receive a royalty suspension volume only if your entire lease is west of 87 degrees, 30 minutes West longitude. A field that lies on both sides of that meridian will receive a royalty suspension volume only for those eligible leases lying entirely west of the meridian.

# § 260.114 How does MMS assign and monitor royalty suspension volumes for eligible leases?

- (a) We will assign your lease that has a qualifying well (under part 250, subpart A of this title) to an existing field or designate a new field and will notify you and other affected lessees and operating rights holders in the field of that assignment.
- (1) Within 15 days of that notification, you or any of the other affected lessees or operating rights holders may file a written request with the Director of MMS (Director) for reconsideration accompanied by a "Statement of Reasons"
- (2) The Director will respond in writing either affirming or reversing the assignment decision. The Director's decision is the final action of the Department of the Interior and is not subject to appeal to the Interior Board of Land Appeals under part 290 of this title and 43 CFR part 4.
- (b) We have specified the water depth for each eligible lease in the final Notice of OCS Lease Sale. Our determination of water depth for each lease is final once we issue the lease. We have specified in the Notice the royalty suspension volume applicable to each water depth. The minimum royalty suspension volumes for fields in million barrels of oil equivalent (MMBOE) are shown in the following table:

### § 260.115

Water depth	Minimum royalty suspension volume
(1) 200 to 400 meters	17.5 MMBOE 52.5 MMBOE 87.5 MMBOE

- (c) Before commencing production, you must:
- (1) Notify the MMS Regional Supervisor for Production and Development of your intention to start production; and
- (2) Request confirmation of the size of the royalty suspension volume that applies to your eligible lease.
- (d) When production (other than test production) first occurs from any of the eligible leases in a field, we will determine what royalty suspension volume applies to the lease(s) in that field. We base the determination for eligible lease(s) on the royalty suspension volumes specified in paragraph (b) of this section and the water depths of eligible leases specified in §260.117(a).
- (e) Your eligible lease may obtain more than one royalty suspension volume. If a new field is discovered on your eligible lease that already benefits from the royalty suspension volume from another field, production from that new field receives a separate royalty suspension.

[ $66\ FR\ 11518,\ Feb.\ 23,\ 2001,\ as\ amended\ at\ 67\ FR\ 57739,\ Sept.\ 12,\ 2002]$ 

# § 260.115 How long will a royalty suspension volume for an eligible lease be effective?

A royalty suspension volume for an eligible lease will continue through the end of the month in which cumulative production from the leases in a field entitled to share the royalty suspension volume reaches that volume or the lease period ends.

### § 260.116 How do I measure natural gas production on my eligible lease?

You must measure natural gas production on your eligible lease subject to the royalty suspension volume as follows: 5.62 thousand cubic feet of natural gas, measured according to part 250, subpart L of this title, equals one barrel of oil equivalent.

# § 260.117 What other provisions apply to royalty suspension volumes for eligible leases?

In addition to the provisions in §§ 260.111 through 260.116, the provisions in this section apply to royalty suspension volumes on eligible leases.

(a) If a new field consists of eligible leases in different water-depth categories, the royalty suspension volume associated with the eligible lease in the deepest water applies.

(b) If your eligible lease is the only eligible lease in a field, you do not owe royalty on the production from your lease up to the applicable royalty suspension volume.

(c) If a field consists of more than one eligible lease:

(1) Payment of royalties on the eligible leases' initial production is suspended until cumulative production equals the field's established royalty suspension volume;

(2) Only production from leases entitled to share in the field's royalty suspension volume counts as part of this cumulative production; and

(3) The royalty suspension volume for each eligible lease is equal to each lease's actual production (or production allocated under an approved unit agreement) until the field's royalty suspension volume is reached.

(d) This paragraph applies if we add an eligible lease to a field that has an established royalty suspension volume that we approved under part 203 of this title. This paragraph also applies to a field that has an established royalty suspension volume as a result of production starting from one or more eligible leases in the field. In situations covered by this paragraph:

(1) The field's royalty suspension volume will not change, even if the added lease is in deeper water;

(2) If we granted a royalty suspension volume under part 203 of this title that is larger than the minimum specified for that water depth, the added eligible lease may share in the larger suspension volume;

(3) The eligible lease may receive a royalty suspension volume only to the extent of its production before the cumulative production equals the field's previously established royalty suspension volume; and

- (4) Only production from leases entitled to share in the field's previously established royalty suspension volume counts as part of this cumulative production.
- (e) A pre-Act lease may receive a royalty suspension volume under part 203 of this title for a field that already has a royalty suspension volume due to eligible leases. If this happens, then:
- (1) The eligible and pre-Act leases share a single royalty suspension vol-
- (2) The field's royalty suspension volume is the larger of the volume for the eligible leases or the volume MMS grants in response to the pre-Act leases' application; and
- (3) The suspension volume for each eligible lease is its actual production from the lease until cumulative production from all leases in the field entitled to share in the field-based suspension volume equals the suspension volume.
- (f) If we reassign a well on an eligible lease to another field, the past production from that well:
- (1) Will count toward the royalty suspension volume, if any, specified for the field to which it is reassigned; and
- (2) Will not count toward the royalty suspension volume, if any, for the field from which it was reassigned.

ROYALTY SUSPENSION (RS) LEASES

# § 260.120 How does royalty suspension apply to leases issued in a sale held after November 2000?

We may issue leases with suspension of royalties for a period, volume or value of production, as authorized in section 303 of the Act. For purposes of this section and §§ 260.121 through 260.124:

- (a) Any volumes of production that are not normally royalty-bearing under the lease or the regulations (e.g., fuel gas) do not count against royalty suspension volumes; and
- (b) Production includes volumes allocated to a lease under an approved unit agreement.

# § 260.121 When does a lease issued in a sale held after November 2000 get a royalty suspension?

(a) We will specify any royalty suspension for your RS lease in the Notice

- of OCS Lease Sale published in the FEDERAL REGISTER for the sale in which you acquire the RS lease and will repeat it in the lease document. In addition:
- (1) Your RS lease may produce royalty-free the royalty suspension we specify for your lease, even if the field to which we assign it is producing.
- (2) The royalty suspension we specify in the Notice of OCS Lease Sale for your lease does not apply to any other leases in the field to which we assign your RS lease.
- (b) You may apply for a supplemental royalty suspension for a project under part 203 of this title, if your lease lies:
  - (1) In the Gulf of Mexico,
  - (2) In water 200 meters or deeper, and
- (3) Wholly west of 87 degrees, 30 minutes West longitude.
- (c) Your RS lease retains the royalty suspension with which we issued it even if we deny your application for more relief.

#### § 260.122 How long will a royalty suspension volume be effective for a lease issued in a sale held after November 2000?

- (a) The royalty suspension volume for your RS lease will continue through the end of the month in which cumulative production from your lease reaches the applicable royalty suspension volume or the lease period ends.
- (b)(1) Notwithstanding any royalty suspension under this subpart, you must pay royalty at the lease stipulated rate on:
- (i) Any oil produced for any period stipulated in the lease during which the arithmetic average of the daily closing prices on the New York Mercantile Exchange (NYMEX) for light sweet crude oil exceeds a threshold price stipulated in the lease, or
- (ii) Any natural gas produced for any period stipulated in the lease during which the arithmetic average of the daily closing prices on the NYMEX for natural gas exceeds a threshold price stipulated in the lease.
- (2) You must pay any royalty due under this paragraph, plus late payment interest under §218.54 of this title, no later than 90 days after the end of the period for which royalty is owed.

### § 260.123

(3) Any production on which you must pay royalty under this paragraph will count toward the production volume determined under §§ 260.120 through 260.124.

(c) If you must pay royalty on any product (either oil or natural gas) for any period under paragraph (b), you must continue to pay royalty on that product during the next succeeding period of the same length until the arithmetic average of the daily closing NYMEX prices for that product for that period can be determined. If the arithmetic average of the daily closing prices for that product for that period is less than the threshold price stipulated in the lease, you are entitled to a credit or refund of royalties paid for that period with interest under applicable law.

(d) MMS will adjust the threshold oil and gas prices referred to in paragraph (b) for any period stipulated in the lease by the percentage, if any, by which the implicit price deflator for the gross domestic product changed during the preceding period.

# § 260.123 How do I measure natural gas production for a lease issued in a sale held after November 2000?

You must measure natural gas production subject to the royalty suspension volume for your lease as follows: 5.62 thousand cubic feet of natural gas, measured according to part 250, subpart L of this title, equals one barrel of oil equivalent.

#### § 260.124 How will royalty suspension apply if MMS assigns a lease issued in a sale held after November 2000 to a field that has an eligible or pre-Act lease?

(a) We will assign your lease that has a qualifying well (under part 250, subpart A of this title) to an existing field or designate a new field and will notify you and other affected lessees and operating rights holders in the field of that assignment.

(1) Within 15 days of the final notification, you or any of the other affected lessees or operating rights holders may file a written request with the Director for reconsideration, accompanied by a Statement of Reasons.

(2) The Director will respond in writing either affirming or reversing the

assignment decision. The Director's decision is the final action of the Department of the Interior and is not subject to appeal to the Interior Board of Land Appeals under part 290 of this title and 43 CFR part 4.

(b) If we establish a royalty suspension volume for a field, either as a result of an approved application for royalty relief submitted for a pre-Act lease under part 203 of this title or as the result of production starting from one or more eligible leases in the field, then:

(1) Royalty-free production from your RS lease shares from and counts as part of any royalty suspension volume under §260.114(d) for the field to which we assign your lease; and

(2) Your RS lease may continue to produce royalty-free up to the royalty suspension we specified for your lease, even if the field to which we assign your RS lease has produced all of its royalty suspension volume.

(c) Your lease may share in a suspension volume larger than the royalty suspension with which we issued it and to the extent we grant a larger volume in response to an application by a pre-Act lease submitted under part 203 of this title. To share in any larger royalty suspension volume, you must file an application described in §§ 203.71 and 203.83. In no case will royalty-free production for your RS lease be less than the royalty suspension specified for your lease.

[66 FR 11518, Feb. 23, 2001, as amended at 67 FR 57739, Sept. 12, 2002]

BIDDING SYSTEM SELECTION CRITERIA

# § 260.130 What criteria does MMS use for selecting bidding systems and bidding system components?

In analyzing the application of one of the bidding systems listed in §260.110 to tracts selected for any OCS lease sale, we may, at our discretion, consider the following purposes and policies. We recognize that each of the purposes and policies may not be specifically applicable to the selection process for a particular bidding system or tract, or may present a conflict that we will have to resolve in the process of bidding system selection. The order of listing does not denote a ranking.

- (a) Providing fair return to the Federal Government;
  - (b) Increasing competition;
- (c) Ensuring competent and safe operations:
  - (d) Avoiding undue speculation;
- (e) Avoiding unnecessary delays in exploration, development, and production;
- (f) Discovering and recovering oil and gas;
- (g) Developing new oil and gas resources in an efficient and timely manner:
- (h) Limiting the administrative burdens on Government and industry; and
- (i) Providing an opportunity to experiment with various bidding systems to enable us to identify those most appropriate for the satisfaction of the objectives of the United States in OCS lease sales.

### Subpart C [Reserved]

### Subpart D—Joint Bidding

#### §260.301 What is the purpose of this subpart?

The purpose of this subpart is to encourage participation in OCS oil and gas lease sales by limiting the requirement for filing "Statements of Production" to certain joint bidders.

#### § 260.302 What definitions apply to this subpart?

For the purposes of this subpart, all terms used are defined as in §256.40 of this title.

#### §260.303 What are the joint bidding requirements?

- (a) You must file a Statement of Production with the Director, according to the requirements of §§ 256.38 through 256.44 of this title if:
- (1) You submit a joint bid for any OCS oil and gas lease during a 6-month bidding period; and
- (2) You were chargeable for the prior production period with an average daily production from all sources in excess of 1.6 million barrels of crude oil, natural gas equivalents, and liquefied petroleum products.
- (b) The Statement of Production that you file under paragraph (a) of this section must state that you are charge-

able for the prior production period with an average daily production in excess of the quantities listed in paragraph (a) of this section.

(c) If your average daily production in the prior production period met or exceeded the quantities specified in paragraph (a) of this section, you may not submit a joint bid for any OCS oil and gas lease during the applicable 6month bidding period with any other person similarly chargeable. We will disqualify and reject these bids.

(d) If your average daily production in the prior production period met or exceeded the quantities specified in paragraph (a) of this section, you may not enter into an agreement prior to a lease sale that would result in two or more persons, similarly chargeable, acquiring or holding any interest in the tract for which the bid is submitted. We will disqualify and reject these bids.

### PART 270—NONDISCRIMINATION IN THE OUTER CONTINENTAL SHELF

270.1 Purpose.

270.2 Application of this part.

270.3 Definitions.

270.4 Discrimination prohibited.

270.5 Complaint.

270.6 Process.

270.7 Remedies

AUTHORITY: Sec. 604, Pub. L. 95-372, 92 Stat. 695 (43 U.S.C. 1863)

SOURCE: 50 FR 21048, May 22, 1985, unless otherwise noted.

### § 270.1 Purpose.

The purpose of this part is to implement the provisions of section 604 of the OCSLA of 1978 which provides that "no person shall, on the grounds of race, creed, color, national origin, or sex, be excluded from receiving or participating in any activity, sale, or employment, conducted pursuant to the provisions of . . . the Outer Continental Shelf Lands Act.'

### § 270.2 Application of this part.

This part applies to any contract or subcontract entered into by a lessee or by a contractor or subcontractor of a lessee after the effective date of these regulations to provide goods, services,

#### § 270.3

facilities, or property in an amount of \$10,000 or more in connection with any activity related to the exploration for or development and production of oil, gas, or other minerals or materials in the OCS under the Act.

#### § 270.3 Definitions.

As used in this part, the following terms shall have the meanings given below:

Contract means any business agreement or arrangement (in which the parties do not stand in the relationship of employer and employee) between a lessee and any person which creates an obligation to provide goods, services, facilities, or property.

Lessee means the party authorized by a lease, grant of right-of-way, or an approved assignment thereof to explore, develop, produce, or transport oil, gas, or other minerals or materials in the OCS pursuant to the Act and this part.

Person means a person or company, including but not limited to, a corporation, partnership, association, joint stock venture, trust, mutual fund, or any receiver, trustee in bankruptcy, or other official acting in a similar capacity for such company.

Subcontract means any business agreement or arrangement (in which the parties do not stand in the relationship of employer and employee) between a lessee's contractor and any person other than a lessee that is in any way related to the performance of any one or more contracts.

### § 270.4 Discrimination prohibited.

No contract or subcontract to which this part applies shall be denied to or withheld from any person on the grounds of race, creed, color, national origin, or sex.

### §270.5 Complaint.

(a) Whenever any person believes that he or she has been denied a contract or subcontract to which this part applies on the grounds of race, creed, color, national origin, or sex, such person may complain of such denial or withholding to the Regional Director of the OCS Region in which such action is alleged to have occurred. Any complaint filed under this part must be submitted in writing to the appropriate

Regional Director not later than 180 days after the date of the alleged unlawful denial of a contract or subcontract which is the basis of the complaint.

(b) The complaint referred to in paragraph (a) of this section shall be accompanied by such evidence as may be available to a person and which is relevant to the complaint including affidavits and other documents.

(c) Whenever any person files a complaint under this part, the Regional Director with whom such complaint is filed shall give written notice of such filing to all persons cited in the complaint no later than 10 days after receipt of such complaint. Such notice shall include a statement describing the alleged incident of discrimination, including the date and the names of persons involved in it.

#### § 270.6 Process.

Whenever a Regional Director determines on the basis of any information. including that which may be obtained under §270.5 of this title, that a violation of or failure to comply with any provision of this subpart probably occurred, the Regional director shall undertake to afford the complainant and the person(s) alleged to have violated the provisions of this part an opportunity to engage in informal consultations, meetings, or any other form of communications for the purpose of resolving the complaint. In the event such communications or consultations result in a mutually satisfactory resolution of the complaint, the complainant and all persons cited in the complaint shall notify the Regional Director in writing of their agreement to such resolution. If either the complainant or the person(s) alleged to have wrongfully discriminated fail to provide such written notice within a reasonable period of time, the Regional Director shall proceed in accordance with the provisions of §§ 250.500, 250.501, 250.502, and 250.510 of this title.

[50 FR 21048, May 22, 1985; 64 FR 9066, Feb. 24, 1999]

### § 270.7 Remedies.

In addition to the penalties available under 30 CFR part 250, subpart N of this title, the Director may invoke any

### Minerals Management Service, Interior

other remedies available to him or her under the Act or regulations for the lessee's failure to comply with provisions of the Act, regulations, or lease. [50 FR 21048, May 22, 1985; 64 FR 9066, Feb. 24,

# PART 280—PROSPECTING FOR MINERALS OTHER THAN OIL, GAS, AND SULPHUR ON THE OUTER CONTINENTAL SHELF

### Subpart A—General Information

Sec.

280.1 What definitions apply to this part?

280.2 What is the purpose of this part?

280.3 What requirements must I follow when I conduct prospecting or research activities?

280.4 What activities are not covered by this part?

### Subpart B—How to Apply for a Permit or File a Notice

280.10 What must I do before I may conduct prospecting activities?

280.11 What must I do before I may conduct scientific research?

280.12 What must I include in my application or notification?

280.13 Where must I send my application or notification?

#### Subpart C—Obligations Under This Part

PROHIBITIONS AND REQUIREMENTS

280.20 What must I not do in conducting Geological and Geophysical (G&G) prospecting or scientific research?

280.21 What must I is

280.21 What must I do in conducting G&G prospecting or scientific research?

280.22 What must I do when seeking approval for modifications?

280.23 How must I cooperate with inspection activities?

280.24 What reports must I file?

### INTERRUPTED ACTIVITIES

280.25 When may MMS require me to stop activities under this part?

280.26 When may I resume activities?

280.27 When may MMS cancel my permit?

280.28 May I relinquish my permit?

### ENVIRONMENTAL ISSUES

280.29 Will MMS monitor the environmental effects of my activity?

280.30 What activities will not require environmental analysis?

280.31 Whom will MMS notify about environmental issues?

#### PENALTIES AND APPEALS

280.32 What penalties may I be subject to?

280.33 How can I appeal a penalty?

280.34 How can I appeal an order or decision?

#### Subpart D—Data Requirements

GEOLOGICAL DATA AND INFORMATION

280.40 When do I notify MMS that geological data and information are available for submission, inspection, and selection?

280.41 What types of geological data and information must I submit to MMS?

280.42 When geological data and information are obtained by a third party, what must we both do?

#### GEOPHYSICAL DATA AND INFORMATION

280.50 When do I notify MMS that geophysical data and information are available for submission, inspection, and selection?

280.51 What types of geophysical data and information must I submit to MMS?

280.52 When geophysical data and information are obtained by a third party, what must we both do?

### REIMBURSEMENT

280.60 Which of my costs will be reimbursed?

280.61 Which of my costs will not be reimbursed?

#### PROTECTIONS

280.70 What data and information will be protected from public disclosure?

280.71 What is the timetable for release of data and information?

280.72 What procedure will MMS follow to disclose acquired data and information to a contractor for reproduction, processing, and interpretation?

280.73 Will MMS share data and information with coastal States?

### Subpart E—Information Collection

280.80 Paperwork Reduction Act statement—information collection.

AUTHORITY: 43 U.S.C. 1331 et seq., 42 U.S.C. 4332 et seq.

Source:  $67 \ FR \ 46858$ , July 17, 2002, unless otherwise noted.

### Subpart A—General Information

### § 280.1 What definitions apply to this part?

Definitions in this part have the following meaning:

#### § 280.1

Act means the OCS Lands Act, as amended (43 U.S.C. 1331 et seq.).

Adjacent State means with respect to any activity proposed, conducted, or approved under this part, any coastal State(s):

- (l) That is used, or is scheduled to be used, as a support base for geological and geophysical (G&G) prospecting or scientific research activities; or
- (2) In which there is a reasonable probability of significant effect on land or water uses from such activity.

Analyzed geological information means data collected under a permit or a lease that have been analyzed. Some examples of analysis include, but are not limited to, identification of lithologic and fossil content, core analyses, laboratory analyses of physical and chemical properties, well logs or charts, results from formation fluid tests, and descriptions of mineral occurrences or hazardous conditions.

Archaeological interest means capable of providing scientific or humanistic understandings of past human behavior, cultural adaptation, and related topics through the application of scientific or scholarly techniques, such as controlled observation, contextual measurement, controlled collection, analysis, interpretation, and explanation.

Archaeological resource means any material remains of human life or activities that are at least 50 years of age and are of archaeological interest.

Coastal environment means the physical, atmospheric, and biological components, conditions, and factors that interactively determine the productivity, state, condition, and quality of the terrestrial ecosystem from the shoreline inward to the boundaries of the coastal zone.

Coastal zone means the coastal waters (including the lands therein and thereunder) and the adjacent shorelands (including the waters therein and thereunder) that are strongly influenced by each other and in proximity to the shorelands of the several coastal States. The coastal zone includes islands, transition and intertidal areas, salt marshes, wetlands, and beaches. The coastal zone extends seaward to the outer limit of the United States territorial sea and extends inland from

the shorelines to the extent necessary to control shorelands, the uses of which have a direct and significant impact on the coastal waters, and the inward boundaries of which may be identified by the several coastal States, under the authority in section 305(b)(1) of the Coastal Zone Management Act of 1972.

Coastal Zone Management Act means the Coastal Zone Management Act of 1972, as amended (16 U.S.C. 1451 et seq.).

Data means facts and statistics, measurements, or samples that have not been analyzed, processed, or interpreted.

Deep stratigraphic test means drilling that involves the penetration into the sea bottom of more than 500 feet (152 meters).

*Director* means the Director of the Minerals Management Service, U.S. Department of the Interior, or an official authorized to act on the Director's behalf.

Geological data and information means data and information gathered through or derived from geological and geochemical techniques, e.g., coring and test drilling, well logging, bottom sampling, or other physical sampling or chemical testing process.

Geological and geophysical (G&G) prospecting activities means the commercial search for mineral resources other than oil, gas, or sulphur. Activities classified as prospecting include, but are not limited to:

- (1) Geological and geophysical marine and airborne surveys where magnetic, gravity, seismic reflection, seismic refraction, or the gathering through coring or other geological samples are used to detect or imply the presence of hard minerals; and
- (2) Any drilling, whether on or off a geological structure.

Geological and geophysical (G&G) scientific research activities means any investigations related to hard minerals that are conducted on the OCS for academic or scientific research. These investigations would involve gathering and analyzing geological, geochemical, or geophysical data and information that are made available to the public for inspection and reproduction at the earliest practical time. The term does

not include commercial G&G exploration or commercial G&G prospecting activities.

Geological sample means a collected portion of the seabed, the subseabed, or the overlying waters acquired while conducting prospecting or scientific research activities.

Geophysical data and information means any data or information gathered through or derived from geophysical measurement or sensing techniques (e.g., gravity, magnetic, or seismic).

Governor means the Governor of a State or the person or entity lawfully designated by or under State law to exercise the powers granted to a Governor under the Act.

Hard minerals means any minerals found on or below the surface of the seabed except for oil, gas, or sulphur.

Interpreted geological information means the knowledge, often in the form of schematic cross sections, 3-dimensional representations, and maps, developed by determining the geological significance of geological data and analyzed and processed geologic information.

Interpreted geophysical information means knowledge, often in the form of seismic cross sections, 3-dimensional representations, and maps, developed by determining the geological significance of geophysical data and processed geophysical information.

Lease means, depending upon the requirements of the context, either:

- (1) An agreement issued under section 8 or maintained under section 6 of the Act that authorizes mineral exploration, development and production; or
- (2) The area covered by an agreement specified in paragraph (1) of this definition.

Material remains means physical evidence of human habitation, occupation, use, or activity, including the site, location, or context in which evidence is situated.

Minerals means all minerals authorized by an Act of Congress to be produced from "public lands" as defined in section 103 of the Federal Land Policy and Management Act of 1976 (43 U.S.C. 1702). The term includes oil, gas, sulphur, geopressured-geothermal and associated resources.

*Notice* means a written statement of intent to conduct G&G scientific research that is:

- (1) Related to hard minerals on the OCS; and
  - (2) Not covered under a permit.
- *Oil, gas, and sulphur* means oil, gas, and sulphur, geopressured-geothermal and associated resources, including gas hydrates.

Outer Continental Shelf (OCS) means all submerged lands:

- (1) That lie seaward and outside of the area of lands beneath navigable waters as defined in section 2 of the Submerged Lands Act (43 U.S.C. 1301); and
- (2) Whose subsoil and seabed belong to the United States and are subject to its jurisdiction and control.

*Permit* means the contract or agreement, other than a lease, issued under this part. The permit gives a person the right, under appropriate statutes, regulations, and stipulations, to conduct on the OCS:

- (1) Geological prospecting for hard minerals;
- (2) Geophysical prospecting for hard minerals;
  - (3) Geological scientific research; or
  - (4) Geophysical scientific research.

*Permittee* means the person authorized by a permit issued under this part to conduct activities on the OCS.

Person means:

- (1) A citizen or national of the United States;
- (2) An alien lawfully admitted for permanent residence in the United States as defined in section 8 U.S.C. 1101(a)(20);
- (3) A private, public, or municipal corporation organized under the laws of the United States or of any State or territory thereof, and association of such citizens, nationals, resident aliens or private, public, or municipal corporations, States, or political subdivisions of States; or
- (4) Anyone operating in a manner provided for by treaty or other applicable international agreements. The term does not include Federal agencies.

Processed geological or geophysical information means data collected under a permit and later processed or reprocessed.

#### § 280.2

elements.

- (1) Processing involves changing the form of data as to facilitate interpretation. Some examples of processing operations may include, but are not limited to:
- (i) Applying corrections for known perturbing causes;
- (ii) Rearranging or filtering data; and (iii) Combining or transforming data
- (2) Reprocessing is the additional processing other than ordinary processing used in the general course of evaluation. Reprocessing operations may include varying identified parameters for the detailed study of a specific problem area.

Secretary means the Secretary of the Interior or a subordinate authorized to act on the Secretary's behalf.

Shallow test drilling means drilling into the sea bottom to depths less than those specified in the definition of a deep stratigraphic test.

Significant archaeological resource means those archaeological resources that meet the criteria of significance for eligibility of the National Register of Historic Places as defined in 36 CFR 60.4, or its successor.

Third party means any person other than the permittee or a representative of the United States, including all persons who obtain data or information acquired under a permit from the permittee, or from another third party, by sale, trade, license agreement, or other means

You means a person who applies for and/or obtains a permit, or files a notice to conduct G&G prospecting or scientific research related to hard minerals on the OCS.

### § 280.2 What is the purpose of this part?

The purpose of this part is to:

- (a) Allow you to conduct prospecting activities or scientific research activities on the OCS in Federal waters related to hard minerals on unleased lands or on lands under lease to a third party.
- (b) Ensure that you carry out prospecting activities or scientific research activities in a safe and environmentally sound manner so as to prevent harm or damage to, or waste of, any natural resources (including any

hard minerals in areas leased or not leased), any life (including fish and other aquatic life), property, or the marine, coastal, or human environment.

- (c) Inform you and third parties of your legal and contractual obligations.
  - (d) Inform you and third parties of:
- (1) The U.S. Government's rights to access G&G data and information collected under permit on the OCS;
- (2) Reimbursement we will make for data and information that are submitted; and
- (3) The proprietary terms of data and information that we retain.

#### § 280.3 What requirements must I follow when I conduct prospecting or research activities?

You must conduct G&G prospecting activities or scientific research activities under this part according to:

- (a) The Act;
- (b) The regulations in this part;
- (c) Orders of the Director/Regional Director (RD); and
- (d) Other applicable statutes, regulations, and amendments.

### § 280.4 What activities are not covered by this part?

This part does not apply to:

- (a) G&G prospecting activities conducted by, or on behalf of, the lessee on a lease on the OCS;
  - (b) Federal agencies;
- (c) Postlease activities for mineral resources other than oil, gas, and sulphur, which are covered by regulations at 30 CFR part 282; and
- (d) G&G exploration or G&G scientific research activities related to oil, gas, and sulphur, including gas hydrates, which are covered by regulations at 30 CFR part 251.

### Subpart B—How to Apply for a Permit or File a Notice

### § 280.10 What must I do before I may conduct prospecting activities?

You must have an MMS-approved permit to conduct G&G prospecting activities, including deep stratigraphic tests, for hard minerals. If you conduct both G&G prospecting activities, you must have a separate permit for each.

### § 280.11 What must I do before I may conduct scientific research?

You may conduct G&G scientific research activities related to hard minerals on the OCS only after you obtain an MMS-approved permit or file a notice

- (a) *Permit.* You must obtain a permit if the research activities you want to conduct involve:
  - (1) Using solid or liquid explosives;
- (2) Drilling a deep stratigraphic test; or
- (3) Developing data and information for proprietary use or sale.
- (b) Notice. If you conduct research activities (including federally-funded research) not covered by paragraph (a) of this section, you must file a notice with the regional director at least 30 days before you begin. If you cannot file a 30-day notice, you must provide oral notification before you begin and follow up in writing. You must also inform MMS in writing when you conclude your work.

### § 280.12 What must I include in my application or notification?

(a) *Permits.* You must submit to the RD a signed original and three copies of the permit application (form MMS-134) at least 30 days before the startup date for activities in the permit area. If unusual circumstances prevent you from meeting this deadline, you must immediately contact the RD to arrange an acceptable deadline. The form includes names of persons, type, location, purpose, and dates of activity, as well as environmental and other information.

- (b) Disapproval of permit application. If we disapprove your application for a permit, the RD will explain the reasons for the disapproval and what you must do to obtain approval.
- (c) Notices. You must sign and date a notice that includes:
- (1) The name(s) of the person(s) who will conduct the proposed research;
- (2) The name(s) of any other person(s) participating in the proposed research, including the sponsor;
- (3) The type of research and a brief description of how you will conduct it;
- (4) A map, plat, or chart, that shows the location where you will conduct research:
- (5) The proposed projected starting and ending dates for your research activity:
- (6) The name, registry number, registered owner, and port of registry of vessels used in the operation;
- (7) The earliest practical time you expect to make the data and information resulting from your research activity available to the public;
- (8) Your plan of how you will make the data and information you collect available to the public;
- (9) A statement that you and others involved will not sell or withhold the data and information resulting from your research; and
- (10) At your option, the nonexclusive use agreement for scientific research attachment to form MMS-134. (If you submit this agreement, you do not have to submit the material required in paragraphs (c)(7), (c)(8), and (c)(9) of this section.)

### § 280.13 Where must I send my application or notification?

You must apply for a permit or file a notice at one of the following locations:

For the OCS off the * * *	Apply to * * *
(1) State of Alaska	Regional Supervisor for Resource Evaluation, Minerals Management Service, Alaska OCS Region, 949 East 36th Avenue, Anchorage, AK 99508-4363.
(2) Atlantic Coast, Gulf of Mexico, Puerto Rico, or U.S. territories in the Caribbean Sea.	Regional Supervisor for Resource Evaluation, Minerals Management Service, Gulf of Mexico OCS Region, 1201 Elmwood Park Boulevard, New Orleans, LA 70123–2394.
(3) States of California, Oregon, Washington, Hawaii, or U.S. territories in the Pacific Ocean.	Regional Supervisor for Resource Evaluation, Minerals Management Service, Pacific OCS Region, 770 Paseo Camarillo, Camarillo, CA 93010–6064.

#### § 280.20

### Subpart C—Obligations Under This Part

PROHIBITIONS AND REQUIREMENTS

# § 280.20 What must I not do in conducting Geological and Geophysical (G&G) prospecting or scientific research?

While conducting G&G prospecting or scientific research activities under a permit or notice, you must not:

- (a) Interfere with or endanger operations under any lease, right-of-way, easement, right-of-use, notice, or permit issued or maintained under the Act:
- (b) Cause harm or damage to life (including fish and other aquatic life), property, or the marine, coastal, or human environment;
- (c) Cause harm or damage to any mineral resources (in areas leased or not leased);
  - (d) Cause pollution;
  - (e) Disturb archaeological resources;
- (f) Create hazardous or unsafe conditions;
- (g) Unreasonably interfere with or cause harm to other uses of the area; or
- (h) Claim any oil, gas, sulphur, or other minerals you discover while conducting operations under a permit or notice.

# § 280.21 What must I do in conducting G&G prospecting or scientific research?

While conducting G&G prospecting or scientific research activities under a permit or notice, you must:

- (a) Immediately report to the RD if you:
- (1) Detect hydrocarbon or any other mineral occurrences;
- (2) Detect environmental hazards that imminently threaten life and property; or
- (3) Adversely affect the environment, aquatic life, archaeological resources, or other uses of the area where you are prospecting or conducting scientific research activities.
- (b) Consult and coordinate your G&G activities with other users of the area for navigation and safety purposes.
- (c) If you conduct shallow test drilling or deep stratigraphic test drilling activities, you must use the best avail-

able and safest technologies that the RD considers economically feasible.

### § 280.22 What must I do when seeking approval for modifications?

Before you begin modified operations, you must submit a written request describing the modifications and receive the RD's oral or written approval. If circumstances preclude a written request, you must make an oral request and follow up in writing.

### § 280.23 How must I cooperate with inspection activities?

- (a) You must allow our representatives to inspect your G&G prospecting or any scientific research activities that are being conducted under a permit. They will determine whether operations are adversely affecting the environment, aquatic life, archaeological resources, or other uses of the area.
- (b) MMS will reimburse you for food, quarters, and transportation that you provide for our representatives if you send in your reimbursement request to the region that issued the permit within 90 days of the inspection.

### § 280.24 What reports must I file?

- (a) You must submit status reports on a schedule specified in the permit and include a daily log of operations.
- (b) You must submit a final report of G&G prospecting or scientific research activities under a permit within 30 days after you complete acquisition activities under the permit. You may combine the final report with the last status report and must include each of the following:
- (1) A description of the work performed.
- (2) Charts, maps, plats and digital navigation data in a format specified by the RD, showing the areas and blocks in which any G&G prospecting or permitted scientific research activities were conducted. Identify the lines of geophysical traverses and their locations including a reference sufficient to identify the data produced during each activity.
- (3) The dates on which you conducted the actual prospecting or scientific research activities.
  - (4) A summary of any:

- (i) Hard mineral, hydrocarbon, or sulphur occurrences encountered;
  - (ii) Environmental hazards; and
- (iii) Adverse effects of the G&G prospecting or scientific research activities on the environment, aquatic life, archaeological resources, or other uses of the area in which the activities were conducted.
- (5) Other descriptions of the activities conducted as specified by the RD.

#### INTERRUPTED ACTIVITIES

### § 280.25 When may MMS require me to stop activities under this part?

- (a) We may temporarily stop prospecting or scientific research activities under a permit when the RD determines that:
- (1) Activities pose a threat of serious, irreparable, or immediate harm. This includes damage to life (including fish and other aquatic life), property, and any minerals (in areas leased or not leased), to the marine, coastal, or human environment, or to an archaeological resource;
- (2) You failed to comply with any applicable law, regulation, order or provision of the permit. This would include our required submission of reports, well records or logs, and G&G data and information within the time specified;
- (3) Stopping the activities is in the interest of national security or defense.
- (b) The RD will advise you either orally or in writing of the procedures to temporarily stop activities. We will confirm an oral notification in writing and deliver all written notifications by courier or certified/registered mail. You must stop all activities under a permit as soon as you receive an oral or written notification.

### § 280.26 When may I resume activities?

The RD will advise you when you may start your permit activities again.

### § 280.27 When may MMS cancel my permit?

The RD may cancel a permit at any time.

(a) If we cancel your permit, the RD will advise you by certified or registered mail 30 days before the can-

cellation date and will state the reason.

(b) After we cancel your permit, you are still responsible for proper abandonment of any drill site according to the requirements of 30 CFR 251.7(b)(8). You must comply with all other obligations specified in this part or in the permit.

#### § 280.28 May I relinquish my permit?

- (a) You may relinquish your permit at any time by advising the RD by certified or registered mail 30 days in advance
- (b) After you relinquish your permit, you are still responsible for proper abandonment of any drill sites according to the requirements of 30 CFR 251.7(b)(8). You must also comply with all other obligations specified in this part or in the permit.

#### ENVIRONMENTAL ISSUES

### § 280.29 Will MMS monitor the environmental effects of my activity?

We will evaluate the potential of proposed prospecting or scientific research activities for adverse impact on the environment to determine the need for mitigation measures.

### § 280.30 What activities will not require environmental analysis?

We anticipate that activities of the type listed below typically will not cause significant environmental impact and will normally be categorically excluded from additional environmental analysis. The types of activities include:

- (a) Gravity and magnetometric observations and measurements;
- (b) Bottom and subbottom acoustic profiling or imaging without the use of explosives;
- (c) Hard minerals sampling of a limited nature such as shallow test drilling;
- (d) Water and biotic sampling, if the sampling does not adversely affect shellfish beds, marine mammals, or an endangered species or if permitted by the National Marine Fisheries Service or another Federal agency;
- (e) Meteorological observations and measurements, including the setting of instruments;

#### § 280.31

- (f) Hydrographic and oceanographic observations and measurements, including the setting of instruments;
- (g) Sampling by box core or grab sampler to determine seabed geological or geotechnical properties;
- (h) Television and still photographic observation and measurements;
- (i) Shipboard hard mineral assaying and analysis; and
- (j) Placement of positioning systems, including bottom transponders and surface and subsurface buoys reported in Notices to Mariners.

### § 280.31 Whom will MMS notify about environmental issues?

- (a) In cases where Coastal Zone Management Act consistency review is required, the Director will notify the Governor of each adjacent State with a copy of the application for a permit immediately upon the submission for approval.
- (b) In cases where an environmental assessment is to be prepared, the Director will invite the Governor of each adjacent State to review and provide comments regarding the proposed activities. The Director's invitation to provide comments will allow the Governor a specified period of time to comment.
- (c) When a permit is issued, the Director will notify affected parties including each affected coastal State, Federal agency, local government, and special interest organization that has expressed an interest.

### PENALTIES AND APPEALS

### § 280.32 What penalties may I be subject to?

- (a) Penalties for noncompliance under a permit. You are subject to the penalty provisions of section 24 of the Act (43 U.S.C. 1350) and the procedures contained in 30 CFR part 250, subpart N for noncompliance with:
  - (1) Any provision of the Act:
- (2) Any provisions of a G&G or drilling permit; or
- (3) Any regulation or order issued under the Act.
- (b) Penalties under other laws and regulations. The penalties prescribed in this section are in addition to any other penalty imposed by any other law or regulation.

#### § 280.33 How can I appeal a penalty?

See 30 CFR §250.1409 and 30 CFR part 290, subpart A, for instructions on how to appeal any decision assessing a civil penalty under 43 U.S.C. 1350 and 30 CFR part 250, subpart A.

### § 280.34 How can I appeal an order or decision?

See 30 CFR part 290, subpart A, for instructions on how to appeal an order or decision.

### Subpart D—Data Requirements

GEOLOGICAL DATA AND INFORMATION

#### § 280.40 When do I notify MMS that geological data and information are available for submission, inspection, and selection?

- (a) You must notify the RD, in writing, when you complete the initial analysis, processing, or interpretation of any geological data and information. Initial analysis and processing are the stages of analysis or processing where the data and information first become available for in-house interpretation by the permittee or become available commercially to third parties via sale, trade, license agreement, or other means
- (b) The RD may ask if you have further analyzed, processed, or interpreted any geological data and information. When asked, you must respond to us in writing within 30 days.
- (c) The RD may ask you or a third party to submit the analyzed, processed, or interpreted geologic data and information for us to inspect or permanently retain. You must submit the data and information within 30 days after such a request.

## § 280.41 What types of geological data and information must I submit to

Unless the RD specifies otherwise, you must submit geological data and information that include:

- (a) An accurate and complete record of all geological (including geochemical) data and information describing each operation of analysis, processing, and interpretation;
- (b) Paleontological reports identifying by depth any microscopic fossils

collected, including the reference datum to which paleontological sample depths are related and, if the RD requests, washed samples, that you maintain for paleontological determinations:

- (c) Copies of well logs or charts in a digital format, if available;
- (d) Results and data obtained from formation fluid tests;
- (e) Analyses of core or bottom samples and/or a representative cut or split of the core or bottom sample;
- (f) Detailed descriptions of any hydrocarbons or other minerals or hazardous conditions encountered during operations, including near losses of well control, abnormal geopressures, and losses of circulation; and
- (g) Other geological data and information that the RD may specify.

# § 280.42 When geological data and information are obtained by a third party, what must we both do?

A third party may obtain geological data and information from a permittee, or from another third party, by sale, trade, license agreement, or other means. If this happens:

- (a) The third-party recipient of the data and information assumes the obligations under this part, except for the notification provisions of §280.40(a) and is subject to the penalty provisions of §280.32(a)(1) and 30 CFR part 250, subpart N; and
- (b) A permittee or third party that sells, trades, licenses, or otherwise provides data and information to a third party must advise the recipient, in writing, that accepting these obligations is a condition precedent of the sale, trade, license, or other agreement; and
- (c) Except for license agreements, a permittee or third party that sells, trades, or otherwise provides data and information to a third party must advise the RD in writing within 30 days of the sale, trade, or other agreement, including the identity of the recipient of the data and information; or
- (d) For license agreements, a permittee or third party that licenses data and information to a third party must, within 30 days of a request by the RD, advise the RD, in writing, of the license agreement, including the iden-

tity of the recipient of the data and information.

GEOPHYSICAL DATA AND INFORMATION

#### § 280.50 When do I notify MMS that geophysical data and information are available for submission, inspection, and selection?

- (a) You must notify the RD in writing when you complete the initial processing and interpretation of any geophysical data and information. Initial processing is the stage of processing where the data and information become available for in-house interpretation by the permittee, or become available commercially to third parties via sale, trade, license agreement, or other means.
- (b) The RD may ask whether you have further processed or interpreted any geophysical data and information. When asked, you must respond to us in writing within 30 days.
- (c) The RD may request that the permittee or third party submit geophysical data and information before making a final selection for retention. Our representatives may inspect and select the data and information on your premises, or the RD can request delivery of the data and information to the appropriate regional office for review.
- (d) You must submit the geophysical data and information within 30 days of receiving the request, unless the RD extends the delivery time.
- (e) At any time before final selection, the RD may review and return any or all geophysical data and information. We will notify you in writing of any data the RD decides to retain.

# § 280.51 What types of geophysical data and information must I submit to MMS?

Unless the RD specifies otherwise, you must include:

- (a) An accurate and complete record of each geophysical survey conducted under the permit, including digital navigational data and final location maps;
- (b) All seismic data collected under a permit presented in a format and of a quality suitable for processing;

### § 280.52

- (c) Processed geophysical information derived from seismic data with extraneous signals and interference removed, presented in a quality format suitable for interpretive evaluation, reflecting state-of-the-art processing techniques; and
- (d) Other geophysical data, processed geophysical information, and interpreted geophysical information including, but not limited to, shallow and deep subbottom profiles, bathymetry, sidescan sonar, gravity and magnetic surveys, and special studies such as refraction and velocity surveys.

# § 280.52 When geophysical data and information are obtained by a third party, what must we both do?

A third party may obtain geophysical data, processed geophysical information, or interpreted geophysical information from a permittee, or from another third party, by sale, trade, license agreement, or other means. If this happens:

- (a) The third-party recipient of the data and information assumes the obligations under this part, except for the notification provisions of §280.50(a) and is subject to the penalty provisions of §280.32(a)(1) and 30 CFR 250, subpart N; and
- (b) A permittee or third party that sells, trades, licenses, or otherwise provides data and information to a third party must advise the recipient, in writing, that accepting these obligations is a condition precedent of the sale, trade, license, or other agreement; and
- (c) Except for license agreements, a permittee or third party that sells, trades, or otherwise provides data and information to a third party must advise the RD, in writing within 30 days of the sale, trade, or other agreements, including the identity of the recipient of the data and information; or
- (d) For license agreements, a permittee or third party that licenses data and information to a third party must, within 30 days of a request by the RD, advise the RD, in writing, of the license agreement, including the identity of the recipient of the data and information.

#### REIMBURSEMENT

### § 280.60 Which of my costs will be reimbursed?

- (a) We will reimburse you or a third party for reasonable costs of reproducing data and information that the RD requests if:
- (1) You deliver G&G data and information to us for the RD to inspect or select and retain (according to §§ 280.40 and 280.50);
- (2) We receive your request for reimbursement and the RD determines that the requested reimbursement is proper; and
- (3) The cost is at your lowest rate (or a third party's) or at the lowest commercial rate established in the area, whichever is less.
- (b) We will reimburse you or the third party for the reasonable costs of processing geophysical information (which does not include cost of data acquisition) if, at the request of the RD, you processed the geophysical data or information in a form or manner other than that used in the normal conduct of business.

### § 280.61 Which of my costs will not be reimbursed?

- (a) When you request reimbursement, you must identify reproduction and processing costs separately from acquisition costs.
- (b) We will not reimburse you or a third party for data acquisition costs or for the costs of analyzing or processing geological information or interpreting geological or geophysical information.

### PROTECTIONS

# § 280.70 What data and information will be protected from public disclosure?

In making data and information available to the public, the RD will follow the applicable requirements of:

- (a) The Freedom of Information Act (5 U.S.C. 552);
- (b) The implementing regulations at 43 CFR part 2;
  - (c) The Act; and
- (d) The regulations at 30 CFR parts 250 and 252.
- (1) If the RD determines that any data or information is exempt from

disclosure under the Freedom of Information Act, we will not disclose the data and information unless either:

- (i) You and all third parties agree to the disclosure: or
- (ii) A provision of  $30\ CFR$  parts  $250\ and\ 252$  allows us to make the disclosure.
- (2) We will keep confidential the identity of third-party recipients of data and information collected under a permit. We will not release the identity unless you and the third parties agree to the disclosure.
- (3) When you detect any significant hydrocarbon occurrences or environmental hazards on unleased lands dur-

ing drilling operations, the RD will immediately issue a public announcement. The announcement must further the national interest without unduly damaging your competitive position.

### § 280.71 What is the timetable for release of data and information?

We will release data and information that you or a third party submits and we retain according to paragraphs (a) and (b) of this section.

(a) If the data and information are not related to a deep stratigraphic test, we will release them to the public according to items (1), (2), and (3) in the following table:

If you or a third party submits and we retain * * *	The Regional Director will disclose them to the public * * *	
(1) Geological data and information (2) Geophysical data (3) Geophysical information (4) Data and information related to a deep stratigraphic test.	10 years after issuing the permit. 50 years after you or a third party submit the data. 25 years after you or a third party submit the information 25 years after you complete the test, unless the provisions of paragraph (b) of this section apply.	

- (b) This paragraph applies if you are covered by paragraph (a)(4) of this section and a lease sale is held or a noncompetitive agreement is negotiated after you complete a test well. We will release the data and information related to the deep stratigraphic test at the earlier of the following times:
- (1) Twenty-five years after you complete the test; or
- (2) Sixty calendar days after we issue a lease, located partly or totally within 50 geographic miles (92.7 kilometers) of the test.

#### § 280.72 What procedure will MMS follow to disclose acquired data and information to a contractor for reproduction, processing, and interpretation?

- (a) When practical, the RD will advise the person who submitted data and information under §§280.40 or 280.50 of the intent to provide the data or information to an independent contractor or agent for reproduction, processing, and interpretation.
- (b) The person notified will have at least five working days to comment on the action.
- (c) When the RD advises the person who submitted the data and information, all other owners of the data or in-

formation will be considered to have been notified.

(d) The independent contractor or agent must sign a written commitment not to sell, trade, license, or disclose data or information to anyone without the RD's consent.

### § 280.73 Will MMS share data and information with coastal States?

- (a) We can disclose proprietary data, information, and samples submitted to us by permittees or third parties that we receive under this part to the Governor of any adjacent State that requests it according to paragraphs (b), (c), and (d) of this section. The permittee or third parties who submitted proprietary data, information, and samples will be notified about the disclosure and will have at least five working days to comment on the action.
- (b) We will make a disclosure under this section only after the Governor and the Secretary have entered into an agreement containing all of the following provisions:
- (1) The confidentiality of the information will be maintained.
- (2) In any action taken for failure to protect the confidentiality of proprietary information, neither the Federal

#### § 280.80

Government nor the State may raise as a defense:

- (i) Any claim of sovereign immunity; or
- (ii) Any claim that the employee who revealed the proprietary information was acting outside the scope of his/her employment in revealing the information.
- (iii) The State agrees to hold the Federal Government harmless for any violation by the State or its employees or contractors of the agreement to protect the confidentiality of proprietary data and information and samples.
- (iv) The materials containing the proprietary data, information, and samples will remain the property of the Federal Government.
- (c) The data, information, and samples available for reproduction to the State(s) under an agreement must be related to leased lands. Data and information on unleased lands may be viewed but not copied or reproduced.
- (d) The State must return to us the materials containing the proprietary data, information, and samples when we ask for them or when the State no longer needs them.
- (e) Information received and knowledge gained by a State official under paragraph (d) of this section is subject to confidentiality requirements of:
  - (1) The Act; and
- (2) The regulations at 30 CFR parts 280, 281, and 282.

### Subpart E—Information Collection

### § 280.80 Paperwork Reduction Act statement—information collection.

- (a) The Office of Management and Budget (OMB) has approved the information collection requirements in this part under 44 U.S.C. 3501 et seq. and assigned OMB control number 1010–0072. The title of this information collection is "30 CFR Part 280, Prospecting for Minerals other than Oil, Gas, and Sulphur on the Outer Continental Shelf."
- (b) We may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number.
- (c) We use the information collected under this part to:

- (1) Evaluate permit applications and monitor scientific research activities for environmental and safety reasons.
- (2) Determine that prospecting does not harm resources, result in pollution, create hazardous or unsafe conditions, or interfere with other users in the area.
- (3) Approve reimbursement of certain expenses.
- (4) Monitor the progress and activities carried out under an OCS prospecting permit.
- (5) Inspect and select G&G data and information collected under an OCS prospecting permit.
- (d) Respondents are Federal OCS permittees and notice filers. Responses are mandatory or are required to obtain or retain a benefit. We will protect information considered proprietary under applicable law and under regulations at §280.70 and 30 CFR part 281.
- (e) Send comments regarding any aspect of the collection of information under this part, including suggestions for reducing the burden, to the Information Collection Clearance Officer, Minerals Management Service, Mail Stop 4230, 1849 C Street, NW., Washington, DC 20240.

### PART 281—LEASING OF MINERALS OTHER THAN OIL, GAS, AND SUL-PHUR IN THE OUTER CONTI-NENTAL SHELF

#### Subpart A—General

Sec.

281.0 Authority for information collection.

281.1 Purpose and applicability.

281.2 Authority.

281.3 Definitions.

281.4 Qualifications of lessees.

281.5 False statements.

281.6 Appeals.

281.7 Disclosure of information to the public.

281.8 Rights to minerals.

281.9 Jurisdictional controversies.

### Subpart B—Leasing Procedures

281.11 Unsolicited request for a lease sale.

281.12 Request for OCS mineral information and interest.

281.13 Joint State/Federal coordination.

281.14 OCS mining area identification.

281.15 Tract size.

281.16 Proposed leasing notice.

281.17 Leasing notice.

### Minerals Management Service, Interior

- 281.18 Bidding system.
- 281.19 Lease term.
- Submission of bids. 281 20
- 281 21 Award of leases.
- 281.22 Lease form.
- 281.23 Effective date of leases.

### Subpart C—Financial Considerations

- 281.26 Payments.
- 281 27 Annual rental
- 281.28 Royalty.
- 281.29 Royalty valuation.
- 281.30 Minimum royalty.
- 281.31 Overriding royalties.
- 281.32 Waiver, suspension, or reduction of rental, minimum royalty, or production royalty. 281.33 Bonds and bonding requirements.

#### Subpart D—Assignments and Lease **Extensions**

- 281.40 Assignment of leases or interests therein.
- 281.41 Requirements for filing for transfers. 281.42 Effect of assignment on particular lease.
- 281.43 Effect of suspensions on lease term.

### Subpart E—Termination of Leases

- 281.46 Relinquishment of leases or parts of leases.
- 281.47 Cancellation of leases.

AUTHORITY: 43 U.S.C. 1331 et seq.

SOURCE: 54 FR 2049, Jan. 18, 1989, unless  $otherwise\ noted.$ 

### Subpart A—General

### §281.0 Authority for information col-

The information collection requirements contained in part 281 have been approved by the Office of Management and Budget under 44 U.S.C. 3507 and assigned clearance number 1010-0082. The information is being collected to determine if the applicant for a lease on the Outer Continental Shelf (OCS) is qualified to hold such a lease or to determine if a requested action is warranted. The information will be used to make those determinations. The obligation to respond is mandatory.

### §281.1 Purpose and applicability.

The purpose of these regulations is to establish procedures under which the Secretary of the Interior (Secretary) will exercise the authority granted to administer a leasing program for minerals other than oil, gas, and sulphur in the OCS. The rules in this part apply exclusively to leasing activities for minerals other than oil, gas, and sulphur in the OCS pursuant to the Act.

#### § 281.2 Authority.

The Act authorizes the Secretary to grant leases for any mineral other than oil, gas, and sulphur in any area of the OCS to the qualified persons offering the highest cash bonuses on the basis of competitive bidding upon such royalty, rental, and other terms and conditions as the Secretary may prescribe at the time of offering the area for lease (43 U.S.C. 1337(k)). The Secretary is to administer the leasing provisions of the Act and prescribe the rules and regulations necessary to carry out those provisions (43 U.S.C. 1334(a)).

#### § 281.3 Definitions.

When used in this part, the following terms shall have the meaning given

Act means the OCS Lands Act, as amended (43 U.S.C. 1331 et seq.).

Adjacent State means with respect to any activity proposed, conducted, or approved under this part, any coastal State-

- (1) That is, or is proposed to be, receiving for processing, refining, or transshipping OCS mineral resources commercially recovered from the seabed:
- (2) That is used, or is scheduled to be used, as a support base for prospecting, exploration, testing, and mining activi-
- (3) In which there is a reasonable probability of significant effect on land or water uses from such activity.

Director means the Director of the Minerals Management Service (MMS) of the U.S. Department of the Interior or an official authorized to act on the Director's behalf.

Governor means the Governor of a State or the person or entity designated by, or pursuant to, State law to exercise the powers granted to such Governor pursuant to the Act.

Lease means any form of authorization which is issued under section 8 of

#### § 281.4

the Act and which authorizes exploration for, and development and production of, minerals, or the area covered by that authorization, whichever is required by the context.

Lessee means the person authorized by a lease, or an approved assignment thereof, to explore for and develop and produce the leased deposits in accordance with the regulations in this chapter. The term includes all persons holding that authority by or through the lessee.

OCS mineral means a mineral deposit or accretion found on or below the surface of the seabed but does not include oil, gas, sulphur; salt or sand and gravel intended for use in association with the development of oil, gas, or sulphur; or source materials essential to production of fissionable materials which are reserved to the United States pursuant to section 12(e) of the Act.

Outer Continental Shelf means all submerged lands lying seaward and outside of the area of lands beneath navigable waters as defined in section 2 of the Submerged Lands Act (43 U.S.C. 1301) and of which the subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.

Overriding royalty means a royalty created out of the lessee's interest which is over and above the royalty reserved to the lessor in the original lease.

Person means a citizen or national of the United States; an alien lawfully admitted for permanent residency in the United States as defined in 8 U.S.C. 1101(a)(20); a private, public, or municipal corporation organized under the laws of the United States or of any State or territory thereof; an association of such citizens, nationals, resident aliens or private, public, or municipal corporations, States, or political subdivisions of States; or anyone operating in a manner provided for by treaty or other applicable national agreements. The term does not include Federal Agencies.

*Secretary* means the Secretary of the Interior or an official authorized to act on the Secretary's behalf.

#### §281.4 Qualifications of lessees.

- (a) In accordance with section 8(k) of the Act, leases shall be awarded only to qualified persons offering the highest cash bonus bid.
- (b) Mineral leases issued pursuant to section 8 of the Act may be held only by:
- (1) Citizens and nationals of the United States;
- (2) Aliens lawfully admitted for permanent residence in the United States as defined in 8 U.S.C. 1101(a)(20);
- (3) Private, public, or municipal corporations organized under the laws of the United States or of any State or of the District of Columbia or territory thereof; or
- (4) Associations of such citizens, nationals, resident aliens, or private, public, or municipal corporations, States, or political subdivisions of States.

### §281.5 False statements.

Under the provisions of 18 U.S.C. 1001, it is a crime punishable by up to 5 years imprisonment or a fine of \$10,000, or both, for anyone knowingly and willfully to submit or cause to be submitted to any Agency of the United States any false or fraudulent statement(s) to any matters within the Agency's jurisdiction.

### §281.6 Appeals.

Any party adversely affected by a decision of an MMS official made pursuant to the provisions of this part shall have the right of appeal pursuant to part 290 of this title, except as provided otherwise in §281.21 of this part.

### § 281.7 Disclosure of information to the public.

The Secretary shall make data and information available to the public in accordance with the requirements and subject to the limitations of the Act, the Freedom of Information Act (5 U.S.C. 552), and the implementing regulations (30 CFR parts 280 and 282 and 43 CFR part 2).

#### §281.8 Rights to minerals.

- (a) Unless otherwise specified in the leasing notice, a lease for OCS minerals shall include rights to all minerals within the leased area except the following;
- (1) Minerals subject to rights granted by existing leases;
  - (2) Oil;
  - (3) Gas;
  - (4) Sulphur;
- (5) Minerals produced in direct association with oil, gas, or sulphur;
- (6) Salt deposits which are identified in the leasing notice as being reserved;
- (7) Sand and gravel deposits which are identified in the leasing notice as being reserved; and
- (8) Source materials essential to production of fissionable materials which are reserved pursuant to section 12(a) of the Act.
- (b) When an OCS mineral lease issued under this part limits the minerals to which rights are granted, such lease shall include rights to minerals produced in direct association with the OCS mineral specified in the lease but not the rights to minerals specifically reserved.
- (c) The existence of an OCS mineral, oil and gas, or sulphur lease shall not preclude the issuance of a lease(s) for other OCS minerals in the same area. However, no OCS mineral lease shall authorize or permit the lessee thereunder to unreasonably interfere with or endanger operations under an existing OCS mineral, oil and gas, or sulphur lease.

### § 281.9 Jurisdictional controversies.

In the event of a controversy between the United States and a State as to whether certain lands are subject to Federal or State jurisdiction (43 U.S.C. 1336), either the Governor or the Secretary may initiate negotiations in an attempt to settle the jurisdictional controversy. With the concurrence of the Attorney General, the Secretary may enter into an agreement with a State with respect to OCS mineral activities under the Act or under State authority and to payment and impounding of rents, royalties, and other sums and with respect to the offering of lands for lease pending settlement of the controversy.

### **Subpart B—Leasing Procedures**

### § 281.11 Unsolicited request for a lease sale.

- (a) Any person may at any time request that OCS minerals be offered for lease. A request that OCS minerals be offered for lease shall be submitted to the Director and shall contain the following information:
  - (1) The area to be offered for lease.
- (2) The OCS minerals of primary interest.
- (3) The available OCS mineral resource and environmental information pertaining to the area of interest to be offered for lease which supports the request.
- (b) Within 45 days after receipt of a request submitted under paragraph (a) of this section, the Director shall either initiate steps leading to the offer of OCS minerals for lease and notify the applicant of the action taken or inform the applicant of the reasons for not initiating steps leading to the offer of OCS minerals for lease.
- (c) Any interested party may at any time submit information to the Director concerning the scheduling of proposed lease sales of OCS minerals in any area of the OCS. Such information may include but not be limited to any of the following:
- (1) Benefits of conducting a lease sale in an area.
- (2) Costs of conducting a lease sale in an area.
- (3) Geohazards which could be encountered in an area.
- (4) Geological information about an area and mineral resource potential.
- (5) Environmental information about an area.
- (6) Information about known archaeological resources in an area.

### § 281.12 Request for OCS mineral information and interest.

(a) When considering whether to offer OCS minerals for lease, the Secretary, upon the Department of the Interior's own initiative or as a result of a submission under §281.11, may request indications of interest in the leasing of a specific OCS mineral, a group of OCS minerals, or all OCS minerals in the area being considered for lease. Requests for information and interest

#### §281.13

shall be published in the FEDERAL REGISTER and may be published elsewhere.

(b) States and local governments, industry, other Federal Agencies, and all interested parties (including the public) may respond to a request for information and interest. All information provided to the Secretary will be considered in the decision whether to proceed with additional steps leading to the offering of OCS minerals for lease.

(c) The Secretary may request specific information concerning the offering of a specific OCS mineral, a group of OCS minerals, or all OCS minerals in a broad area for lease or the offering of one or more discrete tracts which represent a minable orebody. The Secretary's request may ask for comments on OCS areas which have been determined to warrant special consideration and analysis. Requests may be for comments concerning geological conditions or archaeological resources on the seabed: multiple uses of the area proposed for leasing, including navigation, recreation and fisheries; and other socioeconomic, biological, and environmental information relating to the area proposed for leasing.

 $[54\ FR\ 2049,\ Jan.\ 18,\ 1989,\ as\ amended\ at\ 59\ FR\ 53094,\ Oct.\ 21,\ 1994]$ 

### § 281.13 Joint State/Federal coordination.

(a) The Secretary may invite the adjacent State Governor(s) to join in, or the adjacent State Governor(s) may request that the Secretary join in, the establishment of a State/Federal task force or some other joint planning or coordination arrangement when industry interest exists for OCS mineral leasing or geological information appears to support the leasing of OCS minerals in specific areas. Participation in joint State/Federal task forces or other arrangements will afford the adjacent State Governor(s) opportunity for access to available data and information about the area; knowledge of progress made in the leasing process and of the results of subsequent exploration and development activities; facilitate the resolution of issues of mutual interest; and provide a mechanism for planning, coordination, consultation, and other activities which the Secretary and the Governor(s) may

identify as contributing to the leasing process.

(b) State/Federal task forces or other such arrangement are to be constituted pursuant to such terms and conditions (consistent with Federal law and these regulations) as the Secretary and the adjacent State Governor(s) may agree.

(c) State/Federal task forces or other such arrangements will provide a forum which the Secretary and adjacent State Governor(s) may use for planning, consultation, and coordination on concerns associated with the offering of OCS minerals other than oil, gas, or sulphur for lease.

(d) With respect to the activities authorized under these regulations each State/Federal task force may make recommendations to the Secretary and adjacent State Governor(s) concerning:

(1) The identification of areas in which OCS minerals might be offered for lease:

(2) The potential for conflicts between the exploration and development of OCS mineral resources, other users and uses of the area, and means for resolution or mitigation of these conflicts;

(3) The economic feasibility of developing OCS mineral resources in the area proposed for leasing;

(4) Potential environmental problems and measures that might be taken to mitigate these problems;

(5) Development of guidelines and procedures for safe, environmentally responsible exploration and development practices; and

(6) Other issues of concern to the Secretary and adjacent State Governor(s).

(e) State/Federal task forces or other such arrangements might also be used to conduct or oversee research, studies, or reports (e.g., Environmental Impact Statements).

### § 281.14 OCS mining area identification.

The Secretary, after considering the available OCS mineral resources and environmental data and information, the recommendation of any joint State/Federal task force established pursuant to §281.13 of this part, and the comments received from interested parties, shall select the tracts to be considered for offering for lease. The selected

tracts will be considered in the environmental analysis conducted for the proposed lease offering.

### § 281.15 Tract size.

The size of the tracts to be offered for lease shall be as determined by the Secretary and specified in the leasing notice. It is intended that tracts offered for lease be sufficiently large to include potentially minable OCS mineral orebodies. When the presence of any minable orebody is unknown and additional prospecting is needed to discover and delineate OCS minerals, the size of tracts specified in the leasing notice may be relatively large.

### §281.16 Proposed leasing notice.

- (a) Prior to offering OCS minerals in an area for lease, the Director shall assess the available information including recommendations of any joint State/Federal task force established pursuant to §281.13 of this part to determine lease sale procedures to be prescribed and to develop a proposed leasing notice which sets out the proposed primary term of the OCS mineral leases to be offered; lease stipulations including measures to mitigate potentially adverse impacts on the environment; and such rental, royalty, and other terms and conditions as the Secretary may prescribe in the leasing notice.
- (b) The proposed leasing notice shall be sent to the Governor(s) of any adjacent State(s), and a Notice of its availability shall be published in the FEDERAL REGISTER at least 60 days prior to the publication of the leasing notice.
- (c) Written comments of the adjacent State Governor(s) submitted within 60 days after publication of the Notice of Availability of the proposed leasing notice shall be considered by the Secretary.
- (d) Prior to publication of the leasing notice, the Secretary shall respond in writing to the comments of the adjacent State Governor(s) stating the reasons for accepting or rejecting the Governor's recommendations, or for implementing any alternative mutually acceptable approach identified in consultation with the Governor(s) as a means to provide a reasonable balance between the national interest and the

well being of the citizens of the adjacent State.

#### § 281.17 Leasing notice.

- (a) The Director shall publish the leasing notice in the FEDERAL REG-ISTER at least 30 days prior to the date that OCS minerals will be offered for lease. The leasing notice shall state whether oral or sealed bids or a combination thereof will be used; the place, date, and time at which sealed bids shall be filed; and the place, date, and time at which sealed bids shall be opened and/or oral bids received. The leasing notice shall contain or reference a description of the tract(s) to be offered for lease; specify the mineral(s) to be offered for lease (if less than all OCS minerals are being offered); specify the period of time the primary term of the lease shall cover: and any stipulation(s), term(s), and condition(s) of the offer to lease (43 U.S.C. 1337(k)).
- (b) The leasing notice shall contain a reference to the OCS minerals lease form which shall be issued to successful bidders.
- (c) The leasing notice shall specify the terms and conditions governing the payment of the winning bid.

### § 281.18 Bidding system.

- (a) The OCS minerals shall be offered by competitive, cash bonus bidding under terms and conditions specified in the leasing notice and in accordance with all applicable laws and regulations.
- (b) (1) When the leasing notice specifies the use of sealed bids, such bids received in response to the leasing notice shall be opened at the place, date, and time specified in the leasing notice. The sole purpose of opening bids is to publicly announce and record the bids received, and no bids shall be accepted or rejected at that time.
- (2) The Secretary reserves the right to reject any and all sealed bids received for any tract, regardless of the amount offered.
- (3) In the event the highest bids are tie bids when using sealed bidding procedures, the tied bidders may be permitted to submit oral bids to determine the highest cash bonus bidder.

### §281.19

- (c)(1) When the leasing notice specifies the use of oral bids, oral bids shall be received at the place, time, and date and in accordance with the procedures specified in the leasing notice.
- (2) The Secretary reserves the right to reject all oral bids received for any tract, regardless of the amount offered.
- (d) When the leasing notice specifies the use of deferred cash bonus bidding, bids shall be received in accordance with paragraph (b) or (c) of this section, as appropriate. The high bid will be determined based upon the net present value of each total bid. The appropriate discount rate will be specified in the leasing notice. High bidders using the deferred bonus option shall pay a minimum of 20 percent of the cash bonus bid prior to lease issuance. At least a total of 60 percent of the cash bonus bid shall be due on or before the 5th anniversary of the lease, and payment of the remainder of the cash bonus bid shall be due on the 10th anniversary of the lease. The lessee shall submit a bond guaranteeing payment of the deferred portion of the bonus, in accordance with §281.33.

### § 281.19 Lease term.

An OCS mineral lease for OCS minerals other than sand and gravel shall be for a primary term of not less than 20 years as stipulated in the leasing notice. The primary lease term for each OCS mineral shall be determined based on exploration and development requirements for the OCS minerals being offered by the Secretary. An OCS mineral lease for sand and gravel shall be for a primary term of 10 years unless otherwise stipulated in the leasing notice. A lease will continue beyond the specified primary term for so long thereafter as leased OCS minerals are being produced in accordance with an approved mining operation or the lessee is otherwise in compliance with provisions of the lease and the regulations in this chapter under which a lessee can earn continuance of the OCS mineral lease in effect.

### § 281.20 Submission of bids.

(a) If the bidder is an individual, a statement of citizenship shall accompany the bid.

- (b) If the bidder is an association (including a partnership), the bid shall be accompanied by a certified statement indicating the State in which it is registered and that the association is authorized to hold mineral leases on the OCS, or appropriate reference to statements or records previously submitted to an MMS OCS office (including material submitted in compliance with prior regulations).
- (c) If the bidder is a corporation, the bid shall be accompanied by the following information:
- (1) Either a statement certified by the corporate Secretary or Assistant Secretary over the corporate seal showing the State in which it was incorporated and that it is authorized to hold mineral leases on the OCS or appropriate reference to statements or record previously submitted to an MMS OCS office (including material submitted in compliance with prior regulations).
- (2) Evidence of authority of persons signing to bind the corporation. Such evidence may be in the form of a certified copy of either the minutes of the board of directors or of the bylaws indicating that the person signing has authority to do so, or a certificate to that effect signed by the Secretary or Assistant Secretary of the corporation over the corporate seal, or appropriate reference to statements or records previously submitted to an MMS OCS office (including material submitted in compliance with prior regulations). Bidders are advised to keep their filings current.
- (3) The bid shall be executed in conformance with corporate requirements.
- (d) Bidders should be aware of the provisions of 18 U.S.C. 1860, which prohibits unlawful combination or intimidation of bidders.
- (e) When sealed bidding is specified in the leasing notice, a separate sealed bid shall be submitted for each bid unit that is bid upon as described in the leasing notice. A bid may not be submitted for less than a bidding unit identified in the leasing notice.
- (f) When oral bidding is specified in the leasing notice, information which must accompany a bid pursuant to paragraph (a), (b), or (c) of this section,

shall be presented to MMS at the lease sale prior to the offering of an oral bid.

#### § 281.21 Award of leases.

- (a)(1) The decision of the Director on bids shall be the final action of the Department, subject only to reconsideration by the Secretary, pursuant to a written request in accordance with paragraph (a)(2) of this section. The delegation of review authority to the Office of Hearings and Appeals shall not be applicable to decisions on high bids for leases in the OCS.
- (2) Any bidder whose bid is rejected by the Director may file a written request for reconsideration with the Secretary within 15 days of notice of rejection, accompanied by a statement of reasons with a copy to the Director. The Secretary shall respond in writing either affirming or reversing the decision.
- (b) Written notice of the Director's action in accepting or rejecting bids shall be transmitted promptly to those bidders whose deposits have been held. If a bid is accepted, such notice shall transmit three copies of the lease form to the successful bidder. As provided in §281.26 of this part, the bidder shall, not later than the 10th business day after receipt of the lease, execute the lease, pay the first year's rental, and unless payment of a portion of the bid is deferred, pay the balance of the bonus bid. When payment of a portion of the bid is deferred, the successful bidder shall also file a bond to guarantee payment of the deferred portion as required in §281.33. Deposits shall be refunded on high bids subsequently rejected. When three copies of the lease have been executed by the successful bidder and returned to the Director, the lease shall be executed on behalf of the United States; and one fully executed copy shall be transmitted to the successful bidder.
- (c) If the successful bidder fails to execute the lease within the prescribed time or to otherwise comply with the applicable regulations, the successful bidder's deposit shall be forfeited and disposed of in the same manner as other receipts under the Act.
- (d) If, before the lease is executed on behalf of the United States, the land which would be subject to the lease is

withdrawn or restricted from leasing, the deposit shall be refunded.

(e) If the awarded lease is executed by an agent acting on behalf of the bidder, the bidder shall submit with the executed lease, evidence that the agent is authorized to act on behalf of the bidder.

### §281.22 Lease form.

The OCS mineral leases shall be issued on the lease form prescribed by the Secretary in the leasing notice.

#### § 281.23 Effective date of leases.

Leases issued under the regulations in this part shall be dated and become effective as of the first day of the month following the date leases are signed on behalf of the lessor except that, upon written request, a lease may be dated and become effective as of the first day of the month within which it is signed on behalf of the lessor.

### Subpart C—Financial Considerations

### §281.26 Payments.

- (a) For sealed bids, a bonus bid deposit of a specified percentage of the total amount bid is required to be submitted with the bid. The percentage of bonus bid required to be deposited will be specified in the leasing notice. The remittance may be made in cash or by Federal Reserve check, commerical check, bank draft, money order, certified check, or cashier's check made payable to "Department of the Interior—MMS." Payment of this portion of the bonus bid may not be made by Electronic Funds Transfer.
- (b) For oral bids, a bonus bid deposit of a specified percentage of the total amount bid must be submitted to the official designated in the leasing notice following the completion of the oral bidding. The percentage of bonus bid required to be deposited will be specified in the leasing notice. Payment of this portion of the bonus bid shall be made by Electronic Fund Transfer within the timeframe specified in the leasing notice.
- (c) The deposit received from high bidders will be placed in a Treasury account pending acceptance or rejection of the bid. Other bids submitted under

### § 281.27

paragraph (a) of this section will be returned to the bidders. If the high bid is subsequently rejected, an amount equal to that deposited with the high bid will be returned according to applicable regulations.

(d) The balance of the winning bonus bid and all rentals and royalties must be paid in accordance with the terms and conditions of this part, the Leasing Notice, and Subchapter A of this chapter.

(e) For each lease issued pursuant to this subpart, there shall be one person identified who shall be solely responsible for all payments due and payable under the provisions of the lease. The single responsible person shall be designated as the payor for the lease and shall be so identified on the Solid Minerals Payor Information Form (MMS-4030) in accordance with §210.201 of this title. The designated person shall be responsible for all bonus, rental, and royalty payments.

(f) Royalty shall be computed at the rate specified in the leasing notice, and paid in value unless the Secretary elects to have the royalty delivered in kind.

(g) For leases which provide for minimum royalty payments, each lessee shall pay the minimum royalty specified in the lease at the end of each lease year beginning with the lease year in which production royalty is paid (whether the full amount specified in the lease or ½ the amount specified in the lease pursuant to  $\S281.28(b)$  on this part) of OCS minerals produced (sold, transferred, used, or otherwise disposed of) from the leasehold.

(h) Unless stated otherwise in the lease, product valuation will be in accordance with the regulations of this chapter. The value used in the computation of royalty shall be determined by the Director. The value, for royalty purposes, shall be the gross proceeds received by the lessee for produced substances at the point the product is produced and placed in its first marketable condition, consistent with prevailing practices in the industry. In establishing the value, the Director shall consider, in this order: (1) The price received by the lessee; (2) commodity and spot market transactions; (3) any other valuation method proposed by the lessee and approved by the Director; and (4) value or cost netback. For nonarm's length transactions, the first benchmark will only be accepted if it is not less than the second benchmark.

(i) All payors must submit payments and payment information forms and maintain auditable records in accordance with the following Royalty Management regulations of this title:

Section 210.200—Required recordkeeping. Section 210.201—Solid minerals payor information form.

Section 210.202—Report of sales and royalty remittance—solid minerals.

Section 210.203—Special forms and reports. Section 212.200-Maintenance of and access to records.

Section 217.250—Audits.

Section 218.40—Assessments for incorrect or late reports and failure to report.

Section 218.50—Timing of payment.

Section 218.51—Method of payment.

Section 218.52—Designated payor.

Section 218.56—Definitions.

Section 218.150—Royalties, net profit shares, and rental payments.

Section 218.151—Rentals. Section 218.155—Method of payment.

Section 218.202-Late payment or underpayment charges.

Section 241.20—Civil penalties authorized by statutes other than the Federal Oil and Gas Royalty Management Act of 1982.

#### §281.27 Annual rental.

- (a) The annual lease rental shall be due and payable in accordance with the provisions of this section. No rental shall be due or payable under a lease commencing with the first lease anniversary date following the commencement of royalty payments on leasehold production computed on the basis of the royalty rate specified in the lease except that annual rental shall be due for any year in which production from the leasehold is not subject to royalty pursuant to §281.28.
- (b) Unless otherwise specified in the leasing notice and subsequently issued lease, no annual rental payment shall be due during the first 5 years in the life of a lease.
- (c) The leasee shall pay an annual rental in the amount specified in the leasing notice and subsequently issued lease not later than the last day prior to the commencement of the rental vear.

(d) A rental adjustment schedule and amount may be specified in a leasing notice and subsequently issued lease when a variance is warranted by geologic, geographic, technical, or economic conditions.

#### §281.28 Royalty.

(a) The royalty due the lessor on OCS minerals produced (i.e., sold, transferred, used, or otherwise disposed of) from a lease shall be set out in a separate schedule attached to and made a part of each lease and shall be as specified in the leasing notice. The royalty due on production shall be based on a percentage of the value or amount of the OCS mineral(s) produced, a sum assessed per unit of product, or other such method as the Secretary may prescribe in the leasing notice. When the royalty specified is a sum assessed per unit of product, the amount of the royalty shall be subject to an annual adjustment based on changes in the appropriate price index, when specified in the leasing notice. When the royalty is specified as a percentage of the value or amount of the OCS minerals produced, the Secretary will notify the lessee when and where royalty is to be delivered in kind.

(b) When prescribed in the leasing notice and subsequently issued lease, royalty due on OCS minerals produced from a leasehold will be reduced for up to any 5 consecutive years, as specified by the lessee prior to the commencement of production, during the 1st through 15th year in the life of the lease. No royalty shall be due in any year of the specified 5-year period that occurs during the 1st through 10th years in the life of the lease, and a royalty of one-half the amount specified in the lease shall be due in any year of the specified 5-year period that occurs in the 11th through 15th year in the life of the lease. The lessee shall pay the amount specified in the lease rental for any royalty free year. The minimum royalty specified in the lease shall apply during any year of reduced royalty.

### §281.29 Royalty valuation.

The method of valuing the product from a leasehold shall be in accordance with regulations of this chapter and procedures prescribed in the leasing notice and subsequently issued lease.

#### § 281.30 Minimum royalty.

Unless otherwise specified in the leasing notice, each lease issued pursuant to the regulations in this part shall require the payment of a specified minimum annual royalty beginning with the year in which OCS minerals are produced (sold, transferred, used, or otherwise disposed of) from the leasehold except that the annual rentals shall apply during any year that royalty free production is in effect pursuant to §281.28(b). Minimum royalty payments shall be offset by royalty paid on production during the lease year. Minimum royalty payments are due at the beginning of the lease year and payable by the end of the month following the end of the lease year for which they are due.

### §281.31 Overriding royalties.

(a) Subject to the approval of the Secretary, an overriding royalty interest may be created by an assignment pursuant to section 8(e) of the Act. The Secretary may deny approval of an assignment which creates an overriding royalty on a lease whenever that denial is determined to be in the interest of conservation, necessary to prevent premature abandonment of a producing mine, or to make possible the mining of economically marginal or low-grade ore deposits. In any case, the total of applicable overriding royalties may not exceed 2.5 percent or one-half the base royalty due the Federal Government, whichever is less.

(b) No transfer or agreement may be made which creates an overriding royalty interest unless the owner of that interest files an agreement in writing that such interest is subject to the limitations provided in §281.30 of this part, paragraph (a) of this section, and §281.32 of this part.

# §281.32 Waiver, suspension, or reduction of rental, minimum royalty or production royalty.

(a) The Secretary may waive, suspend, or reduce the rental, minimum royalty, and/or production royalty prescribed in a lease for a specified time period when the Secretary determines

#### § 281.33

that it is in the national interest, it will result in the conservation of natural resources of the OCS, it will promote development, or the mine cannot be successfully operated under existing conditions.

- (b) An application for waiver, suspension, or reduction of rental, minimum royalty, or production royalty under paragraph (a) of this section shall be filed in duplicate with the Director. The application shall contain the serial number(s) of the lease(s), the name of the lessee(s) of record, and the operator(s) if applicable. The application shall either:
- (1)(i) Show the location and extent of all mining operations and a tabulated statement of the minerals mined and subject to royalty for each of the last 12 months immediately prior to filing the application:
- (ii) Contain a detailed statement of expenses and costs of operating the lease, the income from the sale of any lease products, and the amount of all overriding royalties and payments out of production paid to others than the United States; and
- (iii) All facts showing whether or not the mine(s) can be successfully operated under the royalty fixed in the lease; or
- (2) If no production has occurred from the lease, show that the lease cannot be successfully operated under the rental, royalty, and other conditions specified in the lease.
- (c) The applicant for a waiver, suspension, or reduction under this section shall file documentation that the lessee and the royalty holders agree to a reduction of all other royalties from the lease so that the aggregate of all other royalties does not exceed one-half the amount of the reduced royalties that would be paid to the United States.

### § 281.33 Bonds and bonding requirements.

(a) When the leasing notice specifies that payment of a portion of the bonus bid can be deferred, the lessee shall be required to submit a surety or personal bond to guarantee payment of a deferred portion of the bid. Upon the payment of the full amount of the cash

bonus bid, the lessee's bond will be released.

- (b) All bonds to guarantee payment of the deferred portion of the high cash bonus bid furnished by the lessee must be in a form or on a form approved by the Associate Director for Offshore Minerals Management. A single copy of the required form is to be executed by the principal or, in the case of surety bonds, by both the principal and an acceptable surety.
- (1) Only those surety bonds issued by qualified surety companies approved by the Department of the Treasury shall be accepted. (See Department of the Treasury Circular No. 570 and any supplemental or replacement circulars.)
- (2) Personal bonds shall be accompanied by a cashier's check, certified check, or negotiable U.S. Treasury bonds of an equal value to the amount specified in the bond. Negotiable Treasury bonds shall be accompanied by a proper conveyance of full authority to the Director to sell such securities in case of default in the performance of the terms and conditions of the lease.
- (c) Prior to the commencement of any activity on a lease(s), the lessee shall submit a surety or personal bond as described in §282.40 of this title. Prior to the approval of a Delineation, Testing, or Mining Plan, the bond amount shall be adjusted, if appropriate, to cover the operations and activities described in the proposed plan.

[54 FR 2049, Jan. 18, 1989, as amended at 62 FR 27960, May 22, 1997]

### Subpart D—Assignments and Lease Extensions

### §281.40 Assignment of leases or interests therein.

- (a) Subject to the approval of the Secretary, a lease may be assigned, in whole or in part, pursuant to section 8(e) of the Act to anyone qualified to hold a lease.
- (b) Any approved assignment shall be deemed to be effective on the first day of the lease month following the date that it is submitted to the Director for approval unless by written request the parties request that the effective date be the first of the month in which the Director approves the assignment.

- (c) The assignor shall be liable for all obligations under the lease occurring prior to the effective date of an assignment.
- (d) The assignee shall be liable for all obligations under the lease occurring on or after the effective date of an assignment and shall comply with all terms and conditions of the lease and applicable regulations issued under the Act.

### §281.41 Requirements for filing for transfers.

- (a)(1) All instruments of transfer of a lease or of an interest therein including subleases and assignments of record interest shall be filed in triplicate for approval within 90 days from the date of final execution. They shall include a statement over the transferee's own signature with respect to citizenship and qualifications similar to that required of a lessee and shall contain all of the terms and conditions agreed upon by the parties thereto.
- (2) An application for approval of any instrument required to be filed shall not be accepted unless accompanied by a nonrefundable fee of \$50. Any document not required to be filed by these regulations but submitted for record purposes shall be accompanied by a nonrefundable fee of \$50 per lease affected. Such documents may be rejected at the discretion of the authorized officer.
- (b) An attorney in fact signing on behalf of the holder of a lease or sublease, shall furnish evidence of authority to execute the assignment or application for approval and the statement required by §281.20 of this part.
- (c) Where an assignment creates separate leases, a bond shall be furnished for each of the resulting leases in the amount prescribed in §282.40 of this title. Where an assignment does not create separate leases, the assignee, if the assignment so provides and the surety consents, may become a joint principal on the bond with the assignor.
- (d) An heir or devisee of a deceased holder of a lease or any interest therein shall be recognized as the lawful successor to such lease or interest if evidence of status as an heir or devisee is furnished in the form of:

- (1) A certified copy of an appropriate order or decree of the court having jurisdiction over the distribution of the estate, or
- (2) If no court action is necessary, the statement of two disinterested persons having knowledge of the fact or a certified copy of the will.
- (e) The heirs or devisee shall file statements that they are the persons named as successors to the estate with evidence of their qualifications to hold such lease or interest therein.
- (f) In the event an heir or devisee is unable to qualify to hold the lease or interest, the heir or devisee shall be recognized as the lawful successor of the deceased and be entitled to hold the lease for a period not to exceed 2 years from the date of death of the predecessor in interest.
- (g) Each obligation under any lease and under the regulations in this part shall inure to the heirs, executors, administrators, successors, or assignees of the lease.

### § 281.42 Effect of assignment on particular lease.

- (a) When an assignment is made of all the record title to a portion of the acreage in a lease, the assigned and retained portions of the lease area become segregated into separate and distinct leases. In such a case, the assignee becomes a lessee of the Government as to the segregated tract that is the subject of the assignment and is bound by the terms of the lease as though the lease had been obtained from the United States in the assignee's own name, and the assignment, after its approval, shall be the basis of a new record. Royalty, minimum royalty, and annual rental provisions of the lease shall apply separately to each segregated portion.
- (b) Each lease of an OCS mineral created by the segregation of a lease under paragraph (a) of this section shall continue in full force and effect for the remainder of the primary term of the original lease and so long thereafter as minerals are produced from the portion of the lease created by segregation in accordance with operations approved by the Director or the lessee is otherwise in compliance with provisions of the lease or regulations for

#### § 281.43

earning the continuation of the lease in effect.

### § 281.43 Effect of suspensions on lease term.

- (a) If the Director orders the suspension of either operations or production, or both, with respect to any lease in its primary term, the primary term of the lease shall be extended by a period of time equivalent to the period of the directed suspension.
- (b) If the Director orders or approves the suspension of either operations or production, or both, with respect to any lease that is in force beyond its primary term, the term of the lease shall not be deemed to expire so long as the suspension remains in effect.

### Subpart E—Termination of Leases

### § 281.46 Relinquishment of leases or parts of leases.

- (a) A lease or any part thereof may be surrendered by the record title holder by filing a written relinquishment with the Director. A relinquishment shall take effect on the date it is filed subject to the continued obligation of the lessee and the surety to:
- (1) Make all payments due, including any accrued rentals and royalties; and
- (2) Abandon all operations, remove all facilities, and clear the land to be relinquished to the satisfaction of the Director.
- (b) Upon relinquishment of a lease, the data and information submitted under the lease will no longer be held confidential and will be available to the public.

### §281.47 Cancellation of leases.

(a) Whenever the owner of a nonproducing lease fails to comply with any of the provisions of the Act, the lease, or the regulations issued under the Act, and the default continues for a period of 30 days after mailing of notice by registered or certified letter to the lease owner at the owner's record post office address, the Secretary may cancel the lease pursuant to section 5(c) of the Act, and the lessee shall not be entitled to compensation. Any such cancellation is subject to judicial review as provided by section 23(b) of the Act.

- (b) Whenever the owner of any producing lease fails to comply with any of the provisions of the Act, the lease, or the regulations issued under the Act, the Secretary may cancel the lease only after judicial proceedings pursuant to section 5(d) of the Act, and the lessee shall not be entitled to compensation.
- (c) Any lease issued under the Act, whether producing or not, may be canceled by the Secretary upon proof that it was obtained by fraud or misrepresentation and after notice and opportunity to be heard has been afforded to the lessee.
- (d) The Secretary may cancel a lease in accordance with the following:
- (1) Cancellation may occur at any time if the Secretary determines after a hearing that:
- (i) Continued activity pursuant to such lease would probably cause serious harm or damage to life (including fish and other aquatic life), to property, to any mineral (in areas leased or not leased), to the national security or defense, or to the marine, coastal, or human environment;
- (ii) The threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time; and
- (iii) The advantages of cancellation outweigh the advantages of continuing such lease in force:
- (2) Cancellation shall not occur unless and until operations under such lease shall have been under suspension or temporary prohibition by the Secretary, with due extension of any lease term continuously for a period of 5 years, or for a lesser period upon request of the lessee; and
- (3) Cancellation shall entitle the lessee to receive such compensation as is shown to the Secretary as being equal to the lesser of:
- (i) The fair value of the canceled rights as of the date of cancellation, taking into account both anticipated revenues from the lease and anticipated costs, including costs of compliance with all applicable regulations and operating orders, liability for cleanup costs or damages, or both, and all other costs reasonably anticipated on the lease, or

### Minerals Management Service, Interior

- (ii) The excess, if any, over the lessee's revenues from the lease (plus interest thereon from the date of receipt to date of reimbursement) of all consideration paid for the lease and all direct expenditures made by the lessee after the date of issuance of such lease and in connection with exploration or development, or both, pursuant to the lease (plus interest on such consideration and such expenditures from date of payment to date of reimbursement), except that in the case of joint leases which are canceled due to the failure of one or more partners to exercise due diligence, the innocent parties shall have the right to seek damages for such loss from the responsible party or parties and the right to acquire the interests of the negligent party or parties and be issued the lease in question.
- (iii) The lessee shall not be entitled to compensation where one of the following circumstances exists when a lease is canceled:
- (A) A producing lease is forfeited or is canceled pursuant to section (5)(d) of the Act:
- (B) A Testing Plan or Mining Plan is disapproved because of the lessee's failure to demonstrate compliance with the requirements of applicable Federal Law; or
- (C) The lessee(s) of a nonproducing lease fails to comply with a provision of the Act, the lease, or regulations issued under the Act, and the noncompliance continues for a period of 30 days or more after the mailing of a notice of noncompliance by registered or certified letter to the lessee(s).

# PART 282—OPERATIONS IN THE OUTER CONTINENTAL SHELF FOR MINERALS OTHER THAN OIL, GAS, AND SULPHUR

### Subpart A—General

Sec.

282.0 Authority for information collection.

282.1 Purpose and authority.

282.2 Scope.

282.3 Definitions.

282.4 Opportunities for review and comment.

282.5 Disclosure of data and information to the public.

282.6 Disclosure of data and information to an adjacent State.

282.7 Jurisdictional controversies

### Subpart B—Jurisdiction and Responsibilities of Director

282.10 Jurisdiction and responsibilities of Director.

282.11 Director's authority.

282.12 Director's responsibilities.

282.13 Suspension of production or other operations.

282.14 Noncompliance, remedies, and penalties.

282.15 Cancellation of leases.

### Subpart C—Obligations and Responsibilities of Lessees

282.20 Obligations and responsibilities of lessees.

282.21 Plans, general.

282.22 Delineation Plan.

282.23 Testing Plan.

282.24 Mining Plan.

282.25 Plan Modification.

282.26 Contingency Plan.

282.27 Conduct of operations.282.28 Environmental protection measures.

282.29 Reports and records.

282.30 Right of use and easement.

282.31 Suspension of production or other operations.

### Subpart D—Payments

282.40 Bonds. 282.41 Method

Methods of royalty calculation.

282.42 Payments.

#### Subpart E—Appeals

282.50 Appeals.

AUTHORITY: 43 U.S.C. 1331 et seq.

SOURCE: 54 FR 2067, Jan. 18, 1989, unless otherwise noted.

### Subpart A—General

### § 282.0 Authority for information collection.

The information collection requirements in this part have been approved by the Office of Management and Budget under 44 U.S.C. 3507 and assigned clearance number 1010–0081. The information is being collected to inform the Minerals Management Service (MMS) of general mining operations in the Outer Continental Shalf (OCS). The information will be used to ensure that operations are conducted in a safe and environmentally responsible manner in compliance with governing laws and

regulations. The requirement to respond is mandatory.

### § 282.1 Purpose and authority.

- (a) The Act authorizes the Secretary to prescribe such rules and regulations as may be necessary to carry out the provisions of the Act (43 U.S.C. 1334). The Secretary is authorized to prescribe and amend regulations that the Secretary determines to be necessary and proper in order to provide for the prevention of waste, conservation of the natural resources of the OCS, and the protection of correlative rights therein. In the enforcement of safety, environmental, and conservation laws and regulations, the Secretary is authorized to cooperate with adjacent States and other Departments and Agencies of the Federal Government.
- (b) Subject to the supervisory authority of the Secretary, and unless otherwise specified, the regulations in this part shall be administered by the Director of the MMS.

### § 282.2 Scope.

The rules and regulations in this part apply as of their effective date to all operations conducted under a mineral lease for OCS minerals other than oil, gas, or sulphur issued under the provisions of section 8(k) of the Act.

#### § 282.3 Definitions.

When used in this part, the following terms shall have the meaning given below:

Act means the OCS Lands Act, as amended (43 U.S.C. 1331 et seq.).

Adjacent State means with respect to any activity proposed, conducted, or approved under this part, any coastal State—

- (1) That is, or is proposed to be, receiving for processing, refining, or transshipment OCS mineral resources commercially recovered from the seabed;
- (2) That is used, or is scheduled to be used, as a support base for prospecting, exploration, testing, or mining activities; or
- (3) In which there is a reasonable probability of significant effect on land or water uses from such activity.

Contingency Plan means a plan for action to be taken in emergency situations.

Data means geological and geophysical (G&G) facts and statistics or samples which have not been analyzed, processed, or interpreted.

Development means those activities which take place following the discovery of minerals in paying quantities including geophysical activities, drilling, construction of offshore facilities, and operation of all onshore support facilities, which are for the purpose of ultimately producing the minerals discovered.

*Director* means the Director of MMS of the U.S. Department of the Interior or an official authorized to act on the Director's behalf.

*Exploration* means the process of searching for minerals on a lease including:

- (1) Geophysical surveys where magnetic, gravity, seismic, or other systems are used to detect or imply the presence of minerals;
- (2) Any drilling including the drilling of a borehole in which the discovery of a mineral other than oil, gas, or sulphur is made and the drilling of any additional boreholes needed to delineate any mineral deposits; and
- (3) The taking of sample portions of a mineral deposit to enable the lessee to determine whether to proceed with development and production.

Geological sample means a collected portion of the seabed, the subseabed, or the overylying waters (when obtained for geochemical analysis) acquired while conducting postlease mining activities

Governor means the Governor of a State or the person or entity designated by, or pursuant to, State law to exercise the power granted to a Governor.

*Information* means G&G data that have been analyzed, processed, or interpreted.

Lease means one of the following, whichever is required by the context: Any form of authorization which is issued under section 8 or maintained under section 6 of the Acts and which authorizes exploration for, and development and production of, specific

minerals; or the area covered by that authorization.

Lessee means the person authorized by a lease, or an approved assignment thereof, to explore for and develop and produce the leased deposits in accordance with the regulations in this chapter. The term includes all parties holding that authority by or through the lessee.

Major Federal action means any action or proposal by the Secretary which is subject to the provisions of section 102(2)(C) of the National Environmental Policy Act (NEPA) (i.e., an action which will have a significant impact on the quality of the human environment requiring preparation of an Environmental Impact Statement (EIS) pursuant to section 102(2)(C) of NEPA).

Marine environment means the physical, atmospheric, and biological components, conditions, and factors which interactively determine the productivity, state, condition, and quality of the marine ecosystem, including the waters of the high seas, the contiguous zone, transitional and intertidal areas, salt marshes, and wetlands within the coastal zone and on the OCS.

Minerals includes oil, gas, sulphur, geopressured-geothermal and associated resources, and all other minerals which are authorized by an Act of Congress to be produced from "public lands" as defined in section 103 of the Federal Land Policy and Management Act of 1976.

OCS mineral means any mineral deposit or accretion found on or below the surface of the seabed but does not include oil, gas, or sulphur; salt or sand and gravel intended for use in association with the development of oil, gas, or sulphur; or source materials essential to production of fissionable materials which are reserved to the United States pursuant to section 12(e) of the Act.

Operator means the individual, partnership, firm, or corporation having control or management of operations on the lease or a portion thereof. The operator may be a lessee, designated agent of the lessee, or holder of rights under an approved operating agreement.

Outer Continental Shelf means all submerged lands lying seaward and outside of the area of lands beneath navigable waters as defined in section 2 of Submerged Lands Act (43 U.S.C. 1301) and of which the subsoil and seabed appertain to the United States and are subject to its jurisdiction and control.

Person means a citizen or national of the United States; an alien lawfully admitted for permanent residency in the United States as defined in 8 U.S.C. 1101(a)(20); a private, public, or municipal corporation organized under the laws of the United States or of any State or territory thereof; an association of such citizens, nationals, resident aliens or private, public, or municipal corporations, States, or political subdivisions of States; or anyone operating in a manner provided for by treaty or other applicable international agreements. The term does not include Federal Agencies.

*Secretary* means the Secretary of the Interior or an official authorized to act on the Secretary's behalf.

Testing means removing bulk samples for processing tests and feasibility studies and/or the testing of mining equipment to obtain information needed to develop a detailed Mining Plan.

### § 282.4 Opportunities for review and comment.

(a) In carrying out MMS's responsibilities under the Act and regulations in this part, the Director shall provide opportunities for Governors of adjacent States, State/Federal task forces, lessees and operators, other Federal Agencies, and other interested parties to review proposed activities described in a Delineation, Testing, or Mining Plan together with an analysis of potential impacts on the environment and to provide comments and recommendations for the disposition of the proposed plan.

(b)(1) For Delineation Plans, the adjacent State Governor(s) shall be notified by the Director within 15 days following the submission of a request for approval of a Delineation Plan. Notification shall include a copy of the proposed Delineation Plan and the accompanying environmental information. The adjacent State Governor(s) who

wishes to comment on a proposed Delineation Plan may do so within 30 days of the receipt of the proposed plan and the accompanying information.

(2) In cases where an Environmental Assessment is to be prepared, the Director's invitation to provide comments may allow the adjacent State Governor(s) more than 30 days following receipt of the proposed plan to provide comments.

(3) The Director shall notify Federal Agencies, as appropriate, with a copy of the proposed Delineation Plan and the accompanying environmental information within 15 days following the submission of the request. Agencies that wish to comment on a proposed Delineation Plan shall do so within 30 days following receipt of the plan and the accompanying information.

(c)(1) For Testing Plans, the adjacent State Governor(s) shall be notified by the Director within 20 days following submission of a request for approval of a proposed Testing Plan. Notification shall include a copy of the proposed Testing Plan and the accompanying environmental information. The adjacent State Governor(s) who wishes to comment on a proposed Testing Plan may do so within 60 days of the receipt of a plan and the accompanying informa-

(2) In cases where an EIS is to be prepared, the Director's invitation to provide comments may allow the adjacent State Governor(s) more than 60 days following receipt of the proposed plan to provide comments.

(3) The Director shall notify Federal Agencies, as appropriate, with a copy of the proposed Testing Plan and the accompanying environmental information within 20 days following the submission of the request. Agencies that wish to comment on a proposed Testing Plan shall do so within 60 days following receipt of the plan and the accompanying information.

(d)(1) For Mining Plans, the adjacent State Governor(s) shall be notified by the Director within 20 days following the submission of a request for approval of a proposed Mining Plan. Notification shall include a copy of the proposed Mining Plan and the accompanying environmental information. The adjacent State Governor(s) who

wishes to comment on a proposed Mining Plan may do so within 60 days of the receipt of a plan and the accompanying information.

(2) In cases where an EIS is to be prepared, the Director's invitation to provide comments may allow the adjacent State Governor(s) more than 60 days following receipt of the proposed plan

to provide comments.

(3) The Director shall notify Federal Agencies, as appropriate, with a copy of the proposed Mining Plan and the accompanying environmental information within 20 days following the submission of the request. Agencies that wish to comment on a proposed Mining Plan shall do so within 60 days following receipt of the plan and the accompanying information.

(e) When an adjacent State Governor(s) has provided comments pursuant to paragraphs (b), (c), and (d) of this section, the Governor(s) shall be given, in writing, a list of recommendations which are adopted and the reasons for rejecting any of the recommendations of the Governor(s) or for implementing any alternative means identified during consultations with the Governor(s).

### § 282.5 Disclosure of data and information to the public.

(a) The Director shall make data, information, and samples available in accordance with the requirements and subject to the limitations of the Act, the Freedom of Information Act (5 U.S.C. 552), and the implementing regulations (43 CFR part 2).

(b) Geophysical data, processed G&G information, interpreted G&G information, and other data and information submitted pursuant to the requirements of this part shall not be available for public inspection without the consent of the lessee so long as the lease remains in effect, unless the Director determines that earlier limited release of such information is necessary for the unitization of operations on two or more leases, to ensure proper Mining Plans for a common orebody, or to promote operational safety. When the Director determines that early limited release of data and information is necessary, the data and information shall be shown only to persons with a

direct interest in the affected lease(s), unitization agreement, or joint Mining Plan.

(c) Geophysical data, processed geophysical information and interpreted geophysical information collected on a lease with high resolution systems (including, but not limited to, bathymetry, side-scan sonar, subbottom profiler, and magnetometer) in compliance with stipulations or orders concerning protection of environmental aspects of the lease may be made available to the public 60 days after submittal to the Director, unless the lessee can demonstrate to the satisfaction of the Director that release of the information or data would unduly damage the lessee's competitive position.

#### § 282.6 Disclosure of data and information to an adjacent State.

- (a) Proprietary data, information, and samples submitted to MMS pursuant to the requirements of this part shall be made available for inspection by representatives of adjacent State(s) upon request by the Governor(s) in accordance with paragraphs (b), (c), and (d) of this section.
- (b) Disclosure shall occur only after the Governor has entered into an agreement with the Secretary providing that:
- (1) The confidentiality of the information shall be maintained:
- (2) In any action commenced against the Federal Government or the State for failure to protect the confidentiality of proprietary information, the Federal Government or the State, as the case may be, may not raise as a defense any claim of sovereign immunity or any claim that the employee who revealed the proprietary information, which is the basis of the suit, was acting outside the scope of the person's employment in revealing the information;
- (3) The State agrees to hold the United States harmless for any violation by the State or its employees or contractors of the agreement to protect the confidentiality of proprietary data, information, and samples; and
- (c) The data, information, and samples available for inspection by representatives of adjacent State(s) pursu-

ant to an agreement shall be related to leased lands.

#### § 282.7 Jurisdictional controversies.

In the event of a controversy between the United States and a State as to whether certain lands are subject to Federal or State jurisdiction, either the Governor of the State or the Secretary may initiate negotiations in an attempt to settle the jurisdictional controversy. With the concurrence of the Attorney General, the Secretary may enter into an agreement with a State with respect to OCS mineral activities and to payment and impounding of rents, royalties, and other sums and with respect to the issuance or nonissuance of new leases pending settlement of the controversy.

### Subpart B—Jurisdiction and Responsibilities of Director

### § 282.10 Jurisdiction and responsibilities of Director.

Subject to the authority of the Secretary, the following activities are subject to the regulations in this part and are under the jurisdiction of the Director: Exploration, testing, and mining operations together with the associated environmental protection measures needed to permit those activities to be conducted in an environmentally responsible manner; handling, measurement, and transportation of OCS minerals; and other operations and activities conducted pursuant to a lease issued under part 281 of this chapter, or pursuant to a right of use and easement granted under this part, by or on behalf of a lessee or the holder of a right of use and easement.

### § 282.11 Director's authority.

(a) In the exercise of jurisdiction under §282.10, the Director is authorized and directed to act upon the requests, applications, and notices submitted under the regulations in this part; to issue either written or oral orders to govern lease operations; and to require compliance with applicable laws, regulations, and lease terms so that all operations conform to sound conservation practices and are conducted in a manner which is consistent with the following:

- (1) Make such OCS minerals available to meet the nation's needs in a timely manner:
- (2) Balance OCS mineral resource development with protection of the human, marine, and coastal environments:
- (3) Ensure the public a fair and equitable return on OCS minerals leased on the OCS; and
- (4) Foster and encourage private enterprise.
- (b)(1) The Director is to be provided ready access to all OCS mineral resource data and all environmental data acquired by the lessee or holder of a right of use and easement in the course of operations on a lease or right of use and easement and may require a lessee or holder to obtain additional environmental data when deemed necessary to assure adequate protection of the human, marine, and coastal environments.
- (2) The Director is to be provided an opportunity to inspect, cut, and remove representative portions of all samples acquired by a lessee in the course of operations on the lease.
- (c) In addition to the rights and privileges granted to a lessee under any lease issued or maintained under the Act, on request, the Director may grant a lessee, subject to such conditions as the Director may prescribe, a right of use and easement to construct and maintain platforms, artificial islands, and/or other installations and devices which are permanently or temporarily attached to the seabed and which are needed for the conduct of leasehold exploration, testing, development, production, and processing activities or other leasehold related operations whether on or off the lease.
- (d)(1) The Director may approve the consolidation of two or more OCS mineral leases or portions of two or more OCS mineral leases into a single mining unit requested by lessees, or the Director may require such consolidation when the operation of those leases or portions of leases as a single mining unit is in the interest of conservation of the natural resources of the OCS or the prevention of waste. A mining unit may also include all or portions of one or more OCS mineral leases with all or portions of one or more adjacent State

leases for minerals in a common orebody. A single unit operator shall be responsible for submission of required Delineation, Testing, and Mining Plans covering OCS mineral operations for an approved mining unit.

- (2) Operations such as exploration, testing, and mining activities conducted in accordance with an approved plan on any lease or portion of a lease which is subject to an approved mining unit shall be considered operations on each of the leases that is made subject to the approved mining unit.
- (3) Minimum royalty paid pursuant to a Federal lease, which is subject to an approved mining unit, is creditable against the production royalties allocated to that Federal lease during the lease year for which the minimum royalty is paid.
- (4) Any OCS minerals produced from State and Federal leases which are subject to an approved mining unit shall be accounted for separately unless a method of allocating production between State and Federal leases has been approved by the Director and the appropriate State official.

### § 282.12 Director's responsibilities.

- (a) The Director is responsible for the regulation of activities to assure that all operations conducted under a lease or right of use and easement are conducted in a manner that protects the environment and promotes orderly development of OCS mineral resources. Those activities are to be designed to prevent serious harm or damage to, or waste of, any natural resource (including OCS mineral deposits and oil, gas, and sulphur resources in areas leased or not leased), any life (including fish and other aquatic life), property, or the marine, coastal, or human environment.
- (b)(1) In the evaluation of a Delineation Plan, the Director shall consider whether the plan is consistent with:
  - (i) The provisions of the lease;
  - (ii) The provisions of the Act;
- (iii) The provisions of the regulations prescribed under the Act;
- (iv) Other applicable Federal law; and
- (v) Requirements for the protection of the environment, health, and safety.

- (2) Within 30 days following the completion of an environmental assessment or other NEPA document prepared pursuant to the regulations implementing NEPA or within 30 days following the comment period provided in §282.4(b) of this part, the Director shall:
- (i) Approve any Delineation Plan which is consistent with the criteria in paragraph (b)(1) of this section;
- (ii) Require the lessee to modify any Delineation Plan that is inconsistent with the criteria in paragraph (b)(1) of this section: or
- (iii) Disapprove a Delineation Plan when it is determined that an activity proposed in the plan would probably cause serious harm or damage to life (including fish and other aquatic life); to property; to natural resources of the OCS including mineral deposits (in areas leased or not leased); or to the marine, coastal, or human environment, and the proposed activity cannot be modified to avoid the conditions.
- (3) The Director shall notify the lessee in writing of the reasons for disapproving a Delineation Plan or for requiring modification of a plan and the conditions that must be met for plan approval.
- (c)(1) In the evaluation of a Testing Plan, the Director shall consider whether the plan is consistent with:
  - (i) The provisions of the lease;
  - (ii) The provisions of the Act;
- (iii) The provisions of the regulations prescribed under the Act;
  - (iv) Other applicable Federal law;
- (v) Environmental, safety, and health requirements; and
- (vi) The statutory requirement to protect property, natural resources of the OCS, including mineral deposits (in areas leased or not leased), and the national security or defense.
- (2) Within 60 days following the release of a final EIS prepared pursuant to NEPA or within 60 days following the comment period provided in §282.4(c) of this part, the Director shall:
- (i) Approve any Testing Plan which is consistent with the criteria in paragraph (c)(1) of this section;
- (ii) Require the lessee to modify any Testing Plan which is inconsistent

with the criteria in paragraph (c)(1) of this section; or

- (iii) Disapprove any Testing Plan when the Director determines the existence of exceptional geological conditions in the lease area, exceptional resource values in the marine or coastal environment, or other exceptional circumstances and that (A) implementation of the activities described in the plan would probably cause serious harm and damage to life (including fish and other aquatic life), to property, to any mineral deposit (in areas leased or not leased), to the national security or defense, or to the marine, coastal, or human environments; (B) that the threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time; and (C) the advantages of disapproving the Testing Plan outweigh the advantages of development and production of the OCS mineral resources.
- (3) The Director shall notify the lessee in writing of the reason(s) for disapproving a Testing Plan or for requiring modification of a Testing Plan and the conditions that must be met for approval of the plan.
- (d)(1) In the evaluation of a Mining Plan, the Director shall consider whether the plan is consistent with:
  - (i) The provisions of the lease;
  - (ii) The provisions of the Act;
- (iii) The provisions of the regulations prescribed under the Act;
  - (iv) Other applicable Federal law;
- (v) Environmental, safety, and health requirements; and
- (vi) The statutory requirements to protect property, natural resources of the OCS, including mineral deposits (in areas leased or not leased), and the national security or defense.
- (2) Within 60 days following the release of a final EIS prepared pursuant to NEPA or within 60 days following the comment period provided in §282.4(d) of this part, the Director shall:
- (i) Approve any Mining Plan which is consistent with the criteria in paragraph (d)(1) of this section;
- (ii) Require the lessee to modify any Mining Plan which is inconsistent with the criteria in paragraph (d)(1) of this section; or

- (iii) Disapprove any Mining Plan when the Director determines the existence of exceptional geological conditions in the lease area, exceptional resource values in the marine or coastal environment, or other exceptional circumstances, and that—
- (A) Implementation of the activities described in the plan would probably cause serious harm and damage to life (including fish and other aquatic life), to property, to any mineral deposit (in areas leased or not leased), to the national security or defense, or to the marine, coastal, or human environments;
- (B) That the threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time; and
- (C) The advantages of disapproving the Mining Plan outweigh the advantages of development and production of the OCS mineral resources.
- (3) The Director shall notify the lessee in writing of the reason(s) for disapproving a Mining Plan or for requiring modification of a Mining Plan and the conditions that must be met for approval of the plan.
- (e) The Director shall assure that a scheduled onsite compliance inspection of each facility which is subject to regulations in this part is conducted at least once a year. The inspection shall be to determine that the lessee is in compliance with the requirements of the law; provisions of the lease; the approved Delineation, Testing, or Mining Plan; and the regulations in this part. Additional unscheduled onsite inspections shall be conducted without advance notice to the lessee to assure compliance with the provisions of applicable law; the lease; the approved Delineation, Testing, or Mining Plan; and the regulations in this part.
- (f)(1) The Director shall, after completion of the technical and environmental evaluations, approve, disapprove, or require modification of the lessee's requests, applications, plans, and notices submitted pursuant to the provisions of this part; issue orders to govern lease operations; and require compliance with applicable provisions of the law, the regulations, the lease, and the approved Delineation, Testing, or Mining Plans. The Director may

give oral orders or approvals whenever prior approval is required before the commencement of an operation or activity. Oral orders or approvals given in response to a written request shall be confirmed in writing within 3 working days after issuance of the order or granting of the oral approval.

- (2) The Director shall, after completion of the technical and environmental evaluations, approve, disapprove, or require modification, as appropriate, of the design plan, fabrication plan, and installation plan for platforms, artificial islands, and other installations and devices permanently or temporarily attached to the seabed. The approval, disapproval, or requirement to modify such plans may take the form of a condition of granting a right of use and easement under paragraph (a) of this section or as authorized under any lease issued or maintained under the Act.
- (g) The Director shall establish practices and procedures to govern the collection of all rents, royalties, and other payments due the Federal Government in accordance with terms of the leasing notice, the lease, and the applicable Royalty Management regulations listed in §281.26(i) of this chapter.
- (h) The Director may prescribe or approve, in writing or orally, departures from the operating requirements of the regulations of this part when such departures are necessary to facilitate the proper development of a lease; to conserve natural resources; or to protect life (including fish and other aquatic life), property, or the marine, coastal, or human environment.

### § 282.13 Suspension of production or other operations.

- (a) The Director may direct the suspension or temporary prohibition of production or any other operation or activity on all or any part of a lease when it has been determined that such suspension or temporary prohibition is in the national interest to:
- (1) Facilitate proper development of a lease including a reasonable time to develop a mine and construct necessary support facilities, or
- (2) Allow for the construction or negotiation for use of transportation facilities.

- (b) The Director may also direct or, at the request of the lessee, approve a suspension or temporary prohibition of production or any other operation or activity, if:
- (1) The lessee failed to comply with a provision of applicable law, regulation, order, or the lease;
- (2) There is a threat of serious, irreparable, or immediate harm or damage to life (including fish and other aquatic life), property, any mineral deposit, or the marine, coastal, or human environment;
- (3) The suspension or temporary prohibition is in the interest of national security or defense;
- (4) The suspension or temporary prohibition is necessary for the initiation and conduct of an environmental evaluation to define mitigation measures to avoid or minimize adverse environmental impacts.
- (5) The suspension or temporary prohibition is necessary to facilitate the installation of equipment necessary for safety of operations and protection of the environment;
- (6) The suspension or temporary prohibition is necessary to allow for undue delays encountered by the lessee in obtaining required permits or consents, including administrative or judicial challenges or appeals;
- (7) The Director determines that continued operations would result in premature abandonment of a producing mine, resulting in the loss of otherwise recoverable OCS minerals;
- (8) The Director determines that the lessee cannot successfully operate a producing mine due to market conditions that are either temporary in nature or require temporary shutdown and reinvestment in order for the lessee to adapt to the conditions; or
- (9) The suspension or temporary prohibition is necessary to comply with judicial decrees prohibiting production or any other operation or activity, or the permitting of those activities, effective the date set by the court for that prohibition.
- (c) When the Director orders or approves a suspension or a temporary prohibition of operation or activity including production on all of a lease pursuant to paragraph (a) or (b) of this section, the term of the lease shall be

extended for a period of time equal to the period of time that the suspension or temporary prohibition is in effect, except that no lease shall be so extended when the suspension or temporary prohibition is the result of the lessee's gross negligence or willful violation of a provision of the lease or governing regulations.

(d) The Director may, at any time within the period prescribed for a suspension or temporary prohibition issued pursuant to paragraph (b)(2) of this section, require the lessee to submit a Delineation, Testing, or Mining Plan for approval in accordance with the requirements for the approval of

such plans in this part.

- (e)(1) When the Director orders or issues a suspension or a temporary prohibition pursuant to paragraph (b)(2) of this section, the Director may require the lessee to conduct site-specific studies to identify and evaluate the cause(s) of the hazard(s) generating the suspension or temporary prohibition, the potential for damage from the hazard(s), and the measures available for mitigating the hazard(s). The nature, scope, and content of any study shall be subject to approval by the Director. The lessee shall furnish copies and all results of any such study to the Director. The cost of the study shall be borne by the lessee unless the Director arranges for the cost of the study to be borne by a party other than the lessee. The Director shall make results of any such study available to interested parties and to the public as soon as practicable after the completion of the study and submission of the results thereof.
- (2) When the Director determines that measures are necessary, on the basis of the results of the studies conducted in accordance with paragraph (e)(1) of this section and other information available to and identified by the Director, the lessee shall be required to take appropriate measures to mitigate, avoid, or minimize the damage or potential damage on which the suspension or temporary prohibition is based. When deemed appropriate by the Director, the lessee shall submit a revised Delineation, Testing, or Mining Plan to incorporate the mitigation measures required by the Director. In choosing

between alternative mitigation measures, the Director shall balance the cost of the required measures against the reduction or potential reduction in damage or threat of damage or harm to life (including fish and other aquatic life), to property, to any mineral deposits (in areas leased or not leased), to the national security or defense, or to the marine, coastal, or human environment

(f)(1) If under the provisions of paragraphs (b) (2), (3), and (4) of this section, the Director, with respect to any lease, directs the suspension of production or other operations on the entire leasehold, no payment of rental or minimum royalty shall be due for or during the period of the directed suspension and the time for the lessee specify royalty free period of a period of reduced royalty pursuant to §281.28(b) of this subchapter will be extended for the period of directed suspension. If under the provisions of paragraphs (b) (2), (3), and (4) of this section the Director, with respect to a lease on which there has been no production, directs the suspension of operations on the entire leasehold, no payment of rental shall be due during the period of the directed suspension.

(2) If under the provisions of this section, the Director grants the request of a lessee for a suspension of production or other operations, the lessee's obligations to pay rental, minimum royalty, or royalty shall continue to apply during the period of the approved suspension, unless the Director's approval of the lessee's request for suspension authorizes the payment of a lesser amount during the period of approved suspension. If under the provision of this section, the Director grants a lessee's request for a suspension of production or other operations for a lease which includes provisions for a time period which the lessee may specify during which production from the leasehold would be royalty free or subject to a reduced royalty obligation pursuant to §281.28(b) of this subchapter, the time during which production from a leasehold may be royalty free or subject to a reduced royalty obligation shall not be extended unless the Director's approval of the suspension specifies otherwise.

(3) If the lease anniversary date falls within a period of suspension for which no rental or minimum royalty payments are required under paragraph (a) of this section, the prorated rentals or minimum royalties are due and payable as of the date the suspension period terminates. These amounts shall be computed and notice thereof given the lessee. The lessee shall pay the amount due within 30 days after receipt of such notice. The anniversary date of a lease shall not change by reason of any period of lease suspension or rental or royalty relief resulting therefrom.

### § 282.14 Noncompliance, remedies, and penalties.

(a)(1) If the Director determines that a lessee has failed to comply with applicable provisions of law; the regulations in this part; other applicable regulations; the lease; the approved Delineation, Testing, or Mining Plan; or the Director's orders or instructions, and the Director determines that such noncompliance poses a threat of immediate, serious, or irreparable damage to the environment, the mine or the deposit being mined, or other valuable mineral deposits or other resources, the Director shall order the lessee to take immediate and appropriate remedial action to alleviate the threat. Any oral orders shall be followed up by service of a notice of noncompliance upon the lessee by delivery in person to the lessee or agent, or by certified or registered mail addressed to the lessee at the last known address.

(2) If the Director determines that the lessee has failed to comply with applicable provisions of law; the regulations in this part; other applicable regulations; the lease; the requirements of an approved Delineation, Testing, or Mining Plan; or the Director's orders or instructions, and such noncompliance does not pose a threat of immediate, serious, or irreparable damage to the environment, the mine or the deposit being mined, or other valuable mineral deposits or other resources, the Director shall serve a notice of noncompliance upon the lessee by delivery in person to the lessee or agent

or by certified or registered mail addressed to the lessee at the last known address.

- (b) A notice of noncompliance shall specify in what respect(s) the lessee has failed to comply with the provisions of applicable law; regulations; the lease; the requirements of an approved Delineation, Testing, or Mining Plan; or the Director's orders or instructions, and shall specify the action(s) which must be taken to correct the noncompliance and the time limits within which such action must be taken.
- (c) Failure of a lessee to take the actions specified in the notice of noncompliance within the time limit specified shall be grounds for a suspension of operations and other appropriate actions, including but not limited to the assessment of a civil penalty of up to \$10,000 per day for each violation that is not corrected within the time period specified (43 U.S.C. 1350(b)).
- (d) Whenever the Director determines that a violation of or failure to comply with any provision of the Act; or any provision of a lease, license, or permit issued pursuant to the Act; or any provision of any regulation promulgated under the Act probably occurred and that such apparent violation continued beyond notice of the violation and the expiration of the reasonable time period allowed for corrective action, the Director shall follow the procedures concerning remedies and penalties in subpart N, Remedies and Penalties, of part 250 of this title to determine and assess an appropriate penalty.
- (e) The remedies and penalties prescribed in this section shall be concurrent and cumulative, and the exercise of one shall not preclude the exercise of the other. Further, the remedies and penalties prescribed in this section shall be in addition to any other remedies and penalties afforded by any other law or regulation (43 U.S.C. 1350(e)).

#### § 282.15 Cancellation of leases.

(a) Whenever the owner of a nonproducing lease fails to comply with any of the provisions of the Act, the lease, or the regulations issued under the Act, and the default continues for a period of 30 days after mailing of notice

- by registered or certified letter to the lease owner at the owner's record post office address, the Secretary may cancel the lease pursuant to section 5(c) of the Act, and the lessee shall not be entitled to compensation. Any such cancellation is subject to judicial review as provided by section 23(b) of the Act.
- (b) Whenever the owner of any producing lease fails to comply with any of the provisions of the Act, the lease, or the regulations issued under the Act, the Secretary may cancel the lease only after judicial proceedings pursuant to section 5(d) of the Act, and the lessee shall not be entitled to compensation.
- (c) Any lease issued under the Act, whether producing or not, may be canceled by the Secretary upon proof that it was obtained by fraud or misrepresentation and after notice and opportunity to be heard has been afforded to the lessee.
- (d) The Secretary may cancel a lease in accordance with the following:
- (1) Cancellation may occur at any time if the Secretary determines after a hearing that—
- (i) Continued activity pursuant to such lease would probably cause serious harm or damage to life (including fish and other aquatic life), to property, to any mineral (in areas leased or not leased), to the national security or defense, or to the marine, coastal, or human environment:
- (ii) The threat of harm or damage will not disappear or decrease to an acceptable extent within a reasonable period of time: and
- (iii) The advantages of cancellation outweigh the advantages of continuing such lease in force.
- (2) Cancellation shall not occur unless and until operations under such lease shall have been under suspension or temporary prohibition by the Secretary, with due extension of any lease term continuously for a period of 5 years or for a lesser period upon request of the lessee;
- (3) Cancellation shall entitle the lessee to receive such compensation as is shown to the Secretary as being equal to the lesser of—
- (i) The fair value of the canceled rights as of the date of cancellation,

taking account of both anticipated revenues from the lease and anticipated costs, including costs of compliance with all applicable regulations and operating orders, liability for cleanup costs or damages, or both, and all other costs reasonably anticipated on the lease, or

- lease, or
  (ii) The excess, if any, over the lessee's revenue from the lease (plus interest thereon from the date of receipt to date of reimbursement) of all consideration paid for the lease and all direct expenditures made by the lessee after the date of issuance of such lease and in connection with exploration or development, or both, pursuant to the lease (plus interest on such consideration and such expenditures from date of payment to date of reimbursement), except that in the case of joint leases which are canceled due to the failure of one or more partners to exercise due diligence, the innocent parties shall have the right to seek damages for such loss from the responsible party or parties and the right to acquire the interests of the negligent party or parties and be issued the lease in question.
- (iii) The lessee shall not be entitled to compensation where one of the following circumstances exists when a lease is canceled:
- (A) A producing lease is forfeited or is canceled pursuant to section (5)(d) of the Act;
- (B) A Testing Plan or Mining Plan is disapproved because the lessee's failure to demonstrate compliance with the requirements of applicable Federal law; or
- (C) The lessee of a nonproducing lease fails to comply with a provision of the Act, the lease, or regulations issued under the Act, and the noncompliance continues for a period of 30 days or more after the mailing of a notice of noncompliance by registered or certified letter to the lessee.

### Subpart C—Obligations and Responsibilities of Lessees

### § 282.20 Obligations and responsibilities of lessees.

(a) The lessee shall comply with the provisions of applicable laws; regulations; the lease; the requirements of the approved Delineation, Testing, or

Mining Plans; and other written or oral orders or instructions issued by the Director when performing exploration, testing, development, and production activities pursuant to a lease issued under part 281 of this title. The lessee shall take all necessary precautions to prevent waste and damage to oil, gas, sulphur, and other OCS mineral-bearing formations and shall conduct operations in such manner that does not cause or threaten to cause harm or damage to life (including fish and other aquatic life); to property; to the national security or defense; or to the marine, coastal, or human environment (including onshore air quality). The lessee shall make all mineral resource data and information and all environmental data and information acquired by the lessee in the course of exploration, testing, development, and production operations on the lease available to the Director for examination and copying at the lease site or an onshore location convenient to the Director.

- (b) In all cases where there is more than one lease owner of record, one person shall be designated payor for the lease. The payor shall be responsible for making all rental, minimum royalty, and royalty payments.
- (c) In all cases where lease operations are not conducted by the sole lessee, a "designation of operator" shall be submitted to and accepted by the Director prior to the commencement of leasehold operations. This designation when accepted will be recognized as authority for the designee to act on behalf of the lessees and to fulfill the lessees' obligations under the Act, the lease, and the regulations of this part. All changes of address and any termination of a designation of operator shall be reported immediately, in writing, to the Director. In the case of a termination of a designation of operator or in the event of a controversy between the lessee and the designated operator, both the lessee and the designated operator will be responsible for the protection of the interests of the lessor.
- (d) When required by the Director or at the option of the lessee, the lessee

shall submit to the Director the designation of a local representative empowered to receive notices, provide access to OCS mineral and environmental data and information, and comply with orders issued pursuant to the regulations of this part. If there is a change in the designated representative, the Director shall be notified immediately.

(e) Before beginning operations, the lessee shall inform the Director in writing of any designation of a local representative under paragraph (d) of this section and the address of the mine office responsible for the exploration, testing, development, or production activities; the lessee's temporary and permanent addresses; or the name and address of the designated operator who will be responsible for the operations, and who will act as the local representative of the lessee. The Director shall also be informed of each change thereafter in the address of the mine office or in the name or address of the local representative.

(f) The holder of a right of use and easement shall exercise its rights under the right of use and easement in accordance with the regulations of this

(g) A lessee shall submit reports and maintain records in accordance with §282.29 of this part.

(h) When an oral approval is given by MMS in response to an oral request under these regulations, the oral request shall be confirmed in writing by the lessee or holder of a right of use and easement within 72 hours

(i) The lessee is responsible for obtaining all permits and approvals from MMS or other Agencies needed to carry out exploration, testing, development, and production activities under a lease issued under part 281 of this title.

### § 282.21 Plans, general.

(a) No exploration, testing, development, or production activities, except preliminary activities, shall be commenced or conducted on any lease except in accordance with a plan submitted by the lessee and approved by the Director. Plans will not be approved before completion of comprehensive technical and environmental evaluations to assure that the activities described will be carried out in a safe and environmentally responsible manner. Prior to the approval of a plan, the Director will assure that the lessee is prepared to take adequate measures to prevent waste; conserve natural resources of the OCS; and protect the environment, human life, and correlative rights. The lessee shall demonstrate to the satisfaction of the Director that the lease is in good standing, the lessee is authorized and capable of conducting the activities described in the plan, and that an acceptable bond has been provided.

(b) Plans shall be submitted to the Director for approval. The lessee shall submit the number of copies prescribed by the Director. Such plans shall describe in detail the activities that are to be conducted and shall demonstrate that the proposed exploration, testing, development, and production activities will be conducted in an operationally safe and environmentally responsible manner that is consistent with the provisions of the lease, applicable laws, and regulations. The Governor of an affected State and other Federal Agencies shall be provided an opportunity to review and provide comments on proposed Delineation, Testing, and Mining Plans and any proposal for a significant modification to an approved plan. Following review, including the technical and environmental evaluations, the Director shall either approve, disapprove, or require the lessee to modify its proposed plan.

(c) Lessees are not required to submit a Delineation or Testing Plan prior to submittal of a proposed Testing or Mining Plan if the lessee has sufficient data and information on which to base a Testing or Mining Plan without carrying out postlease exploration and/or testing activities. A Mining Plan may include proposed exploration or testing activities where those activities are needed to obtain additional data and information on which to base plans for future mining activities. A Testing Plan may include exploration activities when those activities are needed to obtain additional data or information on which to base plans for future test-

ing or mining activities.

(d) Preliminary activities are bathymetric, geological, geophysical, mapping, and other surveys necessary to

develop a comprehensive Delineation, Testing, or Mining Plan. Such activities are those which have no significant adverse impact on the natural resources of the OCS. The lessee shall give notice to the Director at least 30 days prior to initiating the proposed preliminary activities on the lease. The notice shall describe in detail those activities that are to be conducted and the time schedule for conducting those activities.

(e) Leasehold activities shall be carried out with due regard to conservation of resources, paying particular attention to the wise management of OCS mineral resources, minimizing waste of the leased resource(s) in mining and processing, and preventing damage to unmined parts of the mineral deposit and other resources of the OCS.

#### § 282.22 Delineation Plan.

All exploration activities shall be conducted in accordance with a Delineation Plan submitted by the lessee and approved by the Director. The Delineation Plan shall describe the proposed activities necessary to locate leased OCS minerals, characterize the quantity and quality of the minerals, and generate other information needed for the development of a comprehensive Testing or Mining Plan. A Delineation Plan at a minimum shall include the following:

- (a) The OCS mineral(s) or primary interest.
- (b) A brief narrative description of the activities to be conducted and how the activities will lead to the discovery and evaluation of a commercially minable deposit on the lease.
- (c) The name, registration, and type of equipment to be used, including vessel types as well as their navigation and mobile communication systems, and transportation corridors to be used between the lease and shore.
- (d) Information showing that the equipment to be used (including the vessel) is capable of performing the intended operation in the environment which will be encountered.
- (e) Maps showing the proposed locations of test drill holes, the anticipated depth of penetration of test drill holes, the locations where surficial sample

were taken, and the location of proposed geophysical survey lines for each surveying method being employed.

- (f) A description of measures to be taken to avoid, minimize, or otherwise mitigate air, land, and water pollution and damage to aquatic and wildlife species and their habitats; any unique or special features in the lease area; aquifers; other natural resources of the OCS; and hazards to public health, safety, and navigation.
- (g) A schedule indicating the starting and completion dates for each proposed exploration activity.
- (h) A list of any known archaeological resources on the lease and measures to assure that the proposed exploration activities do not damage those resources.
- (i) A description of any potential conflicts with other uses and users of the area.
- (j) A description of measures to be taken to monitor the effects of the proposed exploration activities on the environment in accordance with §282.28(c) of this part.
- (k) A detailed description of practices and procedures to effect the abandonment of exploration activities, e.g., plugging of test drill holes. The proposed procedures shall indicate the steps to be taken to assure that test drill holes and other testing procedures which penetrate the seafloor to a significant depth are properly sealed and that the seafloor is left free of obstructions or structures that may present a hazard to other uses or users of the OCS such as navigation or commercial fishing.
- (l) A detailed description of the cycle of all materials, the method for discharge and disposal of waste and refuse, and the chemical and physical characteristics of waste and refuse.
- (m) A description of the potential environmental impacts of the proposed exploration activities including the following:
- (1) The location of associated port, transport, processing, and waste disposal facilities and affected environment (e.g., maps, land use, and layout);
- (2) A description of the nature and degree of environmental impacts and the domestic socioeconomic effects of

construction and operation of the associated facilities, including waste characteristics and toxicity;

- (3) Any proposed mitigation measures to avoid or minimize adverse impacts on the environment;
- (4) A certificate of consistency with the federally approved State coastal zone management program, where applicable; and
- (5) Alternative sites and technologies considered by the lessee and the reasons why they were not chosen.
- (n) Any other information needed for technical evaluation of the planned activity, such as sample analyses to be conducted at sea, and the evaluation of potential environmental impacts.

### § 282.23 Testing Plan.

All testing activities shall be conducted in accordance with a Testing Plan submitted by the lessee and approved by the Director. Where a lessee needs more information to develop a detailed Mining Plan than is obtainable under an approved Delineation Plan, to prepare feasibility studies, to carry out a pilot program to evaluate processing techniques or technology or mining equipment, or to determine environmental effects by a pilot test mining operation, the lessee shall submit a comprehensive Testing Plan for the Director's approval. Any OCS minerals acquired during activities conducted under an approved Testing Plan will be subject to the payment of royalty pursuant to the governing lease terms. A Testing Plan at a minimum shall include the following:

(a) The nature and purpose of the proposed testing program.

(b) A comprehensive description of the activities to be performed including descriptions of the proposed methods for analysis of samples taken.

(c) A narrative description and maps showing water depths and the locations of the proposed pilot mining or other testing activities.

- (d) A comprehensive description of the method and manner in which testing activities will be conducted and the results the lessee expects to obtain as a result of those activities.
- (e) The name, registration, and type of equipment to be used, including vessel types together with their naviga-

tion and mobile communication systems, and transportation corridors to be used between the lease and shore.

- (f) Information showing that the equipment to be used (including the vessel) is capable of performing the intended operation in the environment which will be encountered.
- (g) A schedule specifying the starting and completion dates for each of the testing activities.
- (h) A list of known archaeological resources on the lease and measures to be used to assure that the proposed testing activities do not damage those resources.
- (i) A description of any potential conflicts with other uses and users of the area.
- (j) A description of measures to be taken to avoid, minimize, or otherwise mitigate air, land, and water pollution and damage to aquatic and wildlife species and their habitat; any unique or special features in the lease area, other natural resources of the OCS; and hazards to public health, safety, and navigation.
- (k) A description of the measures to be taken to monitor the impacts of the proposed testing activities in accordance with §282.28(c) of this part.
- (l) A detailed description of the cycle of all materials including samples and wastes, the method for discharge and disposal of waste and refuse, and the chemical and physical characteristics of such waste and refuse.
- (m) A detailed description of practices and procedures to effect the abandonment of testing activities, e.g., abandonment of a pilot mining facility. The proposed procedures shall indicate the steps to be taken to assure that mined areas do not pose a threat to the environment and that the seafloor is left free of obstructions and structures that may present a hazard to other uses or users of the OCS such as navigation or commercial fishing.
- (n) A description of potential environmental impacts of testing activities including the following:
- (1) The location of associated port, transport, processing, and waste disposal facilities and affected environment (e.g., maps, land use, and layout);

- (2) A description of the nature and degree of potential environmental impacts of the proposed testing activities and the domestic socioeconomic effects of construction and operation of the proposed testing facilities, including waste characteristics and toxicity;
- (3) Any proposed mitigation measures to avoid or minimize adverse impacts on the environment:
- (4) A certificate of consistency with the federally approved State coastal zone management program, where applicable; and
- (5) Alternate sites and technologies considered by the lessee and the reasons why they were not selected.
- (o) Any other information needed for technical evaluation of the planned activities and for evaluation of the impact of those activities on the human, marine, and coastal environments.

#### §282.24 Mining Plan.

- All OCS mineral development and production activities shall be conducted in accordance with a Mining Plan submitted by the lessee and approved by the Director. A Mining Plan shall include comprehensive detailed descriptions, illustrations, and explanations of the proposed OCS mineral development, production, and processing activities and accurately present the lessee's proposed plan of operation. A Mining Plan at a minimum shall include the following:
- (a) A narrative description of the mining activities including:
- (1) The OCS mineral(s) or material(s) to be recovered;
- (2) Estimates of the number of tons and grade(s) of ore to be recovered;
  - (3) Anticipated annual production;
- (4) Volume of ocean bottom expected to be disturbed (area and depth of disruption) each year; and
- (5) All activities of the mining cycle from extraction through processing and waste disposal.
- (b) Maps of the lease showing water depths, the outline of the mineral deposit(s) to be mined with cross sections showing thickness, and the area(s) anticipated to be mined each year.
- (c) The name, registration, and type of equipment to be used, including vessel types as well as their navigation and mobile communication systems,

- and transportation corridors to be used between the lease and shore.
- (d) Information showing that the equipment to be used (including the vessel) is capable of performing the intended operation in the environment which will be encountered.
- (e) A description of equipment to be used in mining, processing, and transporting of the ore.
- (f) A schedule indicating the anticipated starting and completion dates for each activity described in the plan.
- (g) For onshore processing, a description of how OCS minerals are to be processed and how the produced OCS minerals will be weighed, assayed, and royalty determinations made.
- (h) For at-sea processing, additional information including type and size of installation or structures and the method of tailings disposal.
- (i) A list of known archaeological resources on the lease and the measures to be taken to assure that the proposed mining activities do not damage those resources.
- (j) Description of any potential conflicts with other uses and users of the area.
- (k) A detailed description of the nature and occurrence of the OCS mineral deposit(s) in the leased area with adequate maps and sections.
- (l) A detailed description of development and mining methods to be used, the proposed sequence of mining or development, the expected production rate, the method and location of the proposed processing operation, and the method of measuring production.
- (m) A detailed description of the method of transporting the produced OCS minerals from the lease to shore and adequate maps showing the locations of pipelines, conveyors, and other transportation facilities and corridors.
- (n) A detailed description of the cycle of all materials including samples and wastes, the method of discharge and disposal of waste and refuse, and the chemical and physical characteristics of the waste and refuse.
- (o) A description of measures to be taken to avoid, minimize, or otherwise mitigate air, land, and water pollution and damage to aquatic and wildlife species and their habitats; any unique or special features in the lease area,

aquifers, or other natural resources of the OCS; and hazards to public health, safety, and navigation.

- (p) A detailed description of measures to be taken to monitor the impacts of the proposed mining and processing activities on the environment in accordance with §282.28(c) of this part.
- (q) A detailed description of practices and procedures to effect the abandonment of mining and processing activities. The proposed procedures shall indicate the steps to be taken to assure that mined areas on tailing deposits do not pose a threat to the environment and that the seafloor is left free of obstructions and structures that present a hazard to other users or uses of the OCS such as navigation or commercial fishing.
- (r) A description of potential environmental impacts of mining activities including the following:
- (1) The location of associated port, transport, processing, and waste disposal facilities and the affected environment (e.g., maps, land use, and layout);
- (2) A description of the nature and degree of potential environmental impacts of the proposed mining activities and the domestic socioeconomic effects of construction and operation of the associated facilities, including waste characteristics and toxicity;
- (3) Any proposed mitigation measures to avoid or minimize adverse impacts on the environment;
- (4) A certificate of consistency with the federally approved State coastal zone management program, where applicable; and
- (5) Alternative sites and technologies considered by the lessee and the reasons why they were not chosen.
- (s) Any other information needed for technical evaluation of the proposed activities and for the evaluation of potential impacts on the environment.

### § 282.25 Plan modification.

Approved Delineation, Testing, and Mining Plans may be modified upon the Director's approval of the changes proposed. When circumstances warrant, the Director may direct the lessee to modify an approved plan to adjust to changed conditions. If the lessee requests the change, the lessee shall

submit a detailed, written statement of the proposed modifications, potential, impacts, and the justification for the proposed changes. Revision of an approved plan whether initiated by the lessee or ordered by the Director shall be submitted to the Director for approval. When the Director determines that a proposed revision could result in significant change in the impacts previously identified and evaluated or requires additional permits, the proposed plan revision shall be subject to the applicable review and approval procedures of §§ 282.21, 282.22, 282.23, and 282.24 of this part.

#### § 282.26 Contingency Plan.

- (a) When required by the Director, a lessee shall include a Contingency Plan as part of its request for approval of a Delineation, Testing, or Mining Plan. The Contingency Plan shall comply with the requirements of §282.28(e) of this part.
- (b) The Director may order or the lessee may request the Director's approval of a modification of the Contingency Plan when such a change is necessary to reflect any new information concerning the nature, magnitude, and significance of potential equipment or procedural failures or the effectiveness of the corrective actions described in the Contingency Plan.

### § 282.27 Conduct of operations.

- (a) The lessee shall conduct all exploration, testing, development, and production activities and other operations in a safe and workmanlike manner and shall maintain equipment in a manner which assures the protection of the lease and its improvements, the health and safety of all persons, and the conservation of property, and the environment.
- (b) Nothing in this part shall preclude the use of new or alternative technologies, techniques, procedures, equipment, or activities, other than those prescribed in the regulations of this part, if such other technologies, techniques, procedures, equipment, or activities afford a degree of protection, safety, and performance equal to or better than that intended to be achieved by the regulations of this part, provided the lessee obtains the

written approval of the Director prior to the use of such new or alternative technologies, techniques, procedures, equipment, or activities.

- (c) The lessee shall immediately notify the Director when there is a death or serious injury; fire, explosion, or other hazardous event which threatens damage to life, a mineral deposit, or equipment; spills of oil, chemical reagents, or other liquid pollutants which could cause pollution; or damage to aquatic life or the environment associated with operations on the lease. As soon as practical, the lessee shall file a detailed report on the event and action(s) taken to control the situation and to mitigate any further damage.
- (d)(1) Lessees shall provide means, at all reasonable hours either day or night, for the Director to inspect or investigate the conditions of the operation and to determine whether applicable regulations; terms and conditions of the lease; and the requirements of the approved Delineation, Testing, or Mining Plan are being met.
- (2) A lessee shall, on request by the Director, furnish food, quarters, and transportation for MMS representatives to inspect its facilities. Upon request, the lessee will be reimbursed by the United States for the actual costs which it incurs as a result of its providing food, quarters, and transportation for an MMS representative's stay of more than 10 hours. Request for reimbursement must be submitted within 60 days following the cost being incurred.
- (e) Mining and processing vessels, platforms, structures, artificial islands, and mobile drilling units which have helicopter landing facilities shall be identified with at least one sign using letters and figures not less than 12 inches in height. Signs for structures without helicopter landing facilities shall be identified with at least one sign using letters and figures not less than 3 inches in height. Signs shall be affixed at a location that is visible to approaching traffic and shall contain the following information which may be abbreviated:
  - (1) Name of the lease operator;
- (2) The area designation based on Official OCS Protraction Diagrams;

- (3) The block number in which the facility is located; and
- (4) Vessel, platform, structure, or rig name.
- (f)(1) *Drilling*.(i) When drilling on lands valuable or potentially valuable for oil and gas or geopressured or geothermal resources, drilling equipment shall be equipped with blowout prevention and control devices acceptable to the Director before penetrating more than 500 feet unless a different depth is specified in advance by the Director.
- (ii) In cases where the Director determines that there is sufficient liklihood of encountering pressurized hydrocarbons, the Director may require that the lessee comply with all or portions of the requirements in part 250, subpart D, of this title.
- (iii) Before drilling any hole which may penetrate an aquifer, the lessee shall follow the procedures included in the approved plan for the penetration and isolation of the aquifer during the drilling operation, during use of the hole, and for subsequent abandonment of the hole.
- (iv) Cuttings from holes drilled on the lease shall be disposed of and monitored in accordance with the approved plan.
- (v) The use of muds in drilling holes on the lease and their subsequent disposition shall be according to the approved plan.
- (2) All drill holes which are susceptible to logging shall be logged, and the lessee shall prepare a detailed lithologic log of each drill hole. Drill holes which are drilled deeper than 500 feet shall be drilled in a manner which permits logging. Copies of logs of cores and cuttings and all in-hole surveys such as electronic logs, gamma ray logs, neutron density logs, and sonic logs shall be provided to the Director.
- (3) Drill holes for exploration, testing, development, or production shall be properly plugged and abandoned to the satisfaction of the Director in accordance with the approved plan and in such a manner as to protect the surface and not endanger any operation; any freshwater aquifer; or deposit of oil, gas, or other mineral substance.
- (g) The use of explosives on the lease shall be in accordance with the approved plan.

- (h)(1) Any equipment placed on the seabed shall be designed to allow its recovery and removal upon abandonment of leasehold activities.
- (2) Disposal of equipment, cables, chains, containers, or other materials into the ocean is prohibited.
- (3) Materials, equipment, tools, containers, and other items used on the OCS which are of such shape or configuration that they are likely to snag or damage fishing devices shall be handled and marked as follows:
- (i) All loose materials, small tools, and other small objects shall be kept in a suitable storage area or a marked container when not in use or in a marked container before transport over OCS waters:
- (ii) All cable, chain, or wire segments shall be recovered after use and securely stored;
- (iii) Skid-mounted equipment, portable containers, spools or reels, and drums shall be marked with the owner's name prior to use or transport over OCS waters; and
- (iv) All markings must clearly identify the owner and must be durable enough to resist the effects of the environmental conditions to which they are exposed.
- (4) Any equipment or material described in paragraphs (h)(2), (h)(3)(ii), and (h)(3)(iii) of this section that is lost overboard shall be recorded on the daily operations report of the facility and reported to the Director and to the U.S. Coast Guard.
- (i) Any bulk sampling or testing that is necessary to be conducted prior to submission of a Mining Plan shall be in accordance with an approved Testing Plan. The sale of any OCS minerals acquired under an approved Testing Plan shall be subject to the payment of the royalty specified in the lease to the United States.
- (j) Installations and structures.(1) The lessee shall design, fabricate, install, use, inspect, and maintain all installations and structures, including platforms on the OCS, to assure the structural integrity of all installations and structures for the safe conduct of exploration, testing, mining, and processing activities considering the specific environmental conditions at the

location of the installation or structure.

- (2) All fixed or bottom-founded platforms or other structures, e.g., artificial islands shall be designed, fabricated, installed, inspected, and maintained in accordance with the provisions of part 250, subpart I, of this title.
- (k) The lessee shall not produce any OCS mineral until the method of measurement and the procedures for product valuation have been instituted in accordance with the approved Testing or Mining Plan. The lessee shall enter the weight or quantity and quality of each mineral produced in accordance with §282.29 of this title.
- (l) The lessee shall conduct OCS mineral processing operations in accordance with the approved Testing or Mining Plan and use due diligence in the reduction, concentration, or separation of mineral substances by mechanical or chemical processes, by evaporation, or other means, so that the percentage of concentrates or other mineral substances are recovered in accordance with the practices approved in the Testing or Mining Plan.
- (m) No material shall be discharged or disposed of except in accordance with the approved disposal practice and procedures contained in the approved Delineation, Testing, or Mining Plan.

### § 282.28 Environmental protection measures.

(a) Exploration, testing, development, production, and processing activities proposed to be conducted under a lease will only be approved by the Director upon the determination that the adverse impacts of the proposed activities can be avoided, minimized, or otherwise mitigated. The Director shall take into account the information contained in the sale-specific environmental evaluation prepared in association with the lease offering as well as the site- and operational-specific environmental evaluations prepared in association with the review and evaluation of the approved Delineation, Testing, or Mining Plan. The Director's review of the air quality consequences of proposed OCS activities will follow the practices and procedures specified in §§ 250.194, 250.203(b) (19), 250.204(b) (12), and 250.303 of this title.

(b) If the baseline data available are judged by the Director to be inadequate to support an environmental evaluation of a proposed Delineation, Testing, or Mining Plan, the Director may require the lessee to collect additional environmental baseline data prior to the approval of the activities proposed.

- (c)(1) The lessee shall monitor activities in a manner that develops the data and information necessary to enable the Director to assess the impacts of exploration, testing, mining, and processing activities on the environment on and off the lease; develop and evaluate methods for mitigating adverse environmental effects; validate assessments made in previous environmental evaluations; and ensure compliance with lease and other requirements for the protection of the environment.
- (2) Monitoring of environmental effects shall include determination of the spatial and temporal environmental changes induced by the exploration, testing, development, production, and processing activities on the flora and fauna of the sea surface, the water column, and/or the seafloor.
- (3) The Director may place observers onboard exploration, testing, mining, and processing vessels; installations; or structures to ensure that the provisions of the lease, the approved plan, and these regulations are followed and to evaluate the effectiveness of the approved monitoring and mitigation practices and procedures in protecting the environment.
- (4) The Director may order or the lessee may request a modification of the approved monitoring program prior to the startup of testing activities or commercial-scale recovery, and at other appropriate times as necessary, to reflect accurately the proposed operations or to incorporate the results of recent research or improved monitoring techniques.
- (5) When prototype test mining is proposed, the lessee shall include a monitoring strategy for assessing the impacts of the testing activities and for developing a strategy for monitoring commercial-scale recovery and mitigating the impacts of commercialscale recovery more effectively. At a minimum, the proposed monitoring ac-

tivities shall address specific concerns expressed in the lease-sale environmental analysis.

- (6) When required, the monitoring plan shall specify:
- (i) The sampling techniques and procedures to be used to acquire the needed data and information;
- (ii) The format to be used in analysis and presentation of the data and information:
- (iii) The equipment, techniques, and procedures to be used in carrying out the monitoring program; and
- (iv) The name and qualifications of person(s) designated to be responsible for carrying out the environmental monitoring.
- (d) Lessees shall develop and conduct their operations in a manner designed to avoid, minimize, or otherwise mitigate environmental impacts and to demonstrate the effectiveness of efforts to that end. Based upon results of the monitoring program, the Director may specify particular procedures for mitigating environmental impacts.
- (e) In the event that equipment or procedural failure might result in significant additional damage to the environment, the lessee shall submit a Contingency Plan which specifies the procedures to be followed to institute corrective actions in response to such a failure and to minimize adverse impacts on the environment. Such procedures shall be designed for the site and mining activities described in the approved Delineation, Testing, or Mining Plan.

[54 FR 2067, Jan. 18, 1989; 64 FR 9066, Feb. 24, 1999, as amended at 64 FR 72795, Dec. 28, 1999]

### § 282.29 Reports and records.

(a) A report of the amount and value of each OCS mineral produced from each lease shall be made by the payor for the lease for each calendar month, beginning with the month in which approved testing, development, or production activities are initiated and shall be filed in duplicate with the Director on or before the 20th day of the succeeding month, unless an extension of time for the filing of such report is granted by the Director. The report shall disclose accurately and in detail all operations conducted during each month and present a general summary

of the status of leasehold activities. The report shall be submitted each month until the lease is terminated or relinquished unless the Director authorizes omission of the report during an approved suspension of production. The report shall show for each calendar month the location of each mining and processing activity; the number of days operations were conducted; the identity, quantity, quality, and value of each OCS mineral produced, sold, transferred, used or otherwise disposed of; identity, quantity, and quality of an inventory maintained prior to the point of royalty determination; and other information as may be required by the Director.

- (b) The lessee shall submit a status report on exploration and/or testing activities under an approved Delineation or Testing Plan to the Director within 30 days of the close of each calendar quarter which shall include:
- (1) A summary of activities conducted;
- (2) A listing of all geophysical and geochemical data acquired and developed such as acoustic or seismic profiling records;
- (3) A map showing location of holes drilled and where bottom samples were taken; and
- (4) Identification of samples analyzed.
- (c) Each lessee shall submit to the Director a report of exploration and/or testing activities within 3 months after the completion of operations. The final report of exploration and/or testing activities conducted on the lease shall include:
  - (1) A description of work performed;
- (2) Charts, maps, or plats depicting the area and leases in which activities were conducted specifically identifying the lines of geophysical traverses and/or the locations where geological activity was conducted and/or the locations of other exploration and testing activities;
- (3) The dates on which the actual operations were performed;
- (4) A narrative summary of any mineral occurrences; environmental hazards; and effects of the activities on the environment, aquatic life, archaeological resources, or other uses and

users of the area in which the activities were conducted;

- (5) Such other descriptions of the activities conducted as may be specified by the Director; and
- (6) Records of all samples from core drilling or other tests made on the lease. The records shall be in such form that the location and direction of the samples can be accurately located on a map. The records shall include logs of all strata penetrated and conditions encountered, such as minerals, water, gas, or unusual conditions, and copies of analyses of all samples analyzed.
- (d) The lessee shall report the results of environmental monitoring activities required in §282.28 of this part and shall submit such other environmental data as the Director may require to conform with the requirements of these regulations.
- (e)(1) All maps shall be appropriately marked with reference to official lease boundaries and elevations marked with reference to sea level. When required by the Director, vertical projections and cross sections shall accompany plan views. The maps shall be kept current and submitted to the Director annually, or more often when required by the Director. The accuracy of maps furnished shall be certified by a professional engineer or land surveyor.
- (2) The lessee shall prepare such maps of the leased lands as are necessary to show the geological conditions as determined from G&G surveys, bottom sampling, drill holes, trenching, dredging, or mining. All excavations shall be shown in such manner that the volume of OCS minerals produced during a royalty period can be accurately ascertained.
- (f) Any lessee who acquires rock, mineral, and core samples under a lease shall keep a representative split of each geological sample and a quarter longitudinal segment of each core for 5 years during which time the samples shall be available for inspection at the convenience of the Director who may take cuts of such cores, cuttings, and samples.
- (g)(1) The lessee shall keep all original data and information available for inspection or duplication, by the Director at the expense of the lessor, as long as the lease continues in force. Should

the lessee choose to dispose of original data and information once the lease has expired, said data and information shall be offered to the lessor free of costs and shall, if accepted, become the property of the lessor.

(2) Navigation tapes showing the location(s) where samples were taken and test drilling conducted shall be retained for as long as the lease con-

tinues in force.

- (h) Lessees shall maintain records in which will be kept an accurate account of all ore and rock mined; all ore put through a mill; all mineral products produced; all ore and mineral products sold, transferred, used, or otherwise disposed of and to whom sold or transferred, and the inventory weight, assay value, moisture content, base sales price, dates, penalties, and price received. The percentage of each of the mineral products recovered and the percentages lost shall be shown. The records associated with activities on a lease shall be available to the Director for auditing.
- (i) When special forms or reports other than those referred to in the regulations in this part may be necessary, instructions for the filing of such forms or reports will be given by the Director.

### § 282.30 Right of use and easement.

(a) A right of use and easement that includes any area subject to a lease issued or maintained under the Act shall be granted only after the lessee has been notified by the requestor and afforded the opportunity to comment on the request. A holder of a right under a right of use and easement shall exercise that right in accordance with the requirements of the regulations in this part. A right of use and easement shall be exercised only in a manner which does not interfere unreasonably with operations of any lessee on its lease

(b) Once a right of use and easement has been exercised, the right shall continue, beyond the termination of any lease on which it may be situated, as long as it is demonstrated to the Director that the right of use and easement is being exercised by the holder of the right and that the right of use and easement continues to serve the pur-

pose specified in the grant. If the right of use and easement extends beyond the termination of any lease on which the right may be situated or if it is situated on an unleased portion of the OCS, the rights of all subsequent lessees shall be subject to such right. Upon termination of a right of use and easement, the holder of the right shall abandon the premises in the same manner that a lessee abandons activities on a lease to the satisfaction of the Director.

### § 282.31 Suspension of production or other operations.

A lessee may submit a request for a suspension of production or other operations. The request shall include justification for granting the requested suspension, a schedule of work leading to the initiation or restoration of production or other operations, and any other information the Director may require.

### **Subpart D—Payments**

#### § 282.40 Bonds.

- (a) Pursuant to the requirements for a bond in §281.33 of this title, prior to the commencement of any activity on a lease, the lessee shall submit a surety or personal bond to cover the lessee's royalty and other obligations under the lease as specified in this section.
- (b) All bonds furnished by a lessee or operator must be in a form approved by the Associate Director for Offshore Minerals Management. A single copy of the required form is to be executed by the principal or, in the case of surety bonds, by both the principal and an acceptable surety.
- (c) Only those surety bonds issued by qualified surety companies approved by the Department of the Treasury shall be accepted. (See Department of Treasury Circular No. 570 and any supplemental or replacement circulars.)
- (d) Personal bonds shall be accompanied by a cashier's check, certified check, or negotiable U.S. Treasury bonds of an equal value to the amount specified in the bond. Negotiable Treasury bonds shall be accompanied by a proper conveyance of full authority to the Director to sell such securities in

case of default in the performance of the terms and conditions of the lease.

- (e) A bond in the minimum amount of \$50,000 to cover the lessee's obligations under the lease shall be submitted prior to the commencement of any activity on a leasehold. A \$50,000 bond shall not be required on a lease if the lessee already maintains or furnishes a \$300,000 bond conditioned on compliance with the terms of leases for OCS minerals other than oil, gas, and sulphur held by the lessee on the OCS for the area in which the lease is located. A bond submitted pursuant to §256.58(a) of this chapter may be amended to include the aforementioned condition for compliance. Prior to approval of a Delineation, Testing, or Mining Plan, the bond amount shall be adjusted, if appropriate, to cover the operations and activities described in the proposed plan.
- (f) For the purposes of this section there are four areas:
  - (1) The Gulf of Mexico:
- (2) The area offshore the Pacific Coast States of California, Oregon, Washington, and Hawaii;
- (3) The area offshore the coast of Alaska; and
- (4) The area offshore the Atlantic
- (g) A separate bond shall be required for each area. An operator's bond may be submitted for a specific lease(s) in the same amount as the lessee's bond(s) applicable to the lease(s) involved.
- (h) Where, upon a default, the surety makes a payment to the United States of an obligation incurred under a lease, the face amount of the surety bond and the surety's liability thereunder shall be reduced by the amount of such payment.

- (i) After default, the principal shall, within 6 months after notice or within such shorter period as may be fixed by the Director, either post a new bond or increase the existing bond to the amount previously held. In lieu thereof, the principal may, within that time, file separate or substitute bonds for each lease. Failure to meet these requirements may result in a suspension of operations including production on leases covered by such bonds.
- (j) The Director shall not consent to termination of the period of liability of any bond unless an acceptable alternative bond has been filed or until all the terms and conditions of the lease covered by the bond have been met.

[54 FR 2067, Jan. 18, 1989, as amended at 62 FR 27960, May 22, 1997]

### § 282.41 Method of royalty calculation.

In the event that the provisions of royalty management regulations do not apply to the specific commodities produced under regulations in this part, the lessee shall comply with procedures specified in the leasing notice.

### §282.42 Payments.

Rentals, royalties, and other payments due the Federal Government on leases for OCS minerals shall be paid and reports submitted by the payor for a lease in accordance with §281.26 of this title.

### Subpart E—Appeals

### $\S\,282.50$ Appeals.

See 30 CFR part 290 for instructions on how to appeal any order or decision that we issue under this part.

[65 FR 3857, Jan. 25, 2000]

### SUBCHAPTER C—APPEALS

### PART 290—APPEAL PROCEDURES

### Subpart A—Offshore Minerals **Management Appeal Procedures**

Sec.

290.1 What is the purpose of this subpart?

290.2 Who may appeal?

290.3 What is the time limit for filing an appeal? 290.4 How do I file an appeal?

290.5 Can I obtain an extension for filing my Notice of Appeal?

290.6 Are informal resolutions permitted?

290.7 Do I have to comply with the decision or order while my appeal is pending?

290.8 How do I exhaust my administrative remedies?

#### Subpart B—Appeals of Royalty Management Program and Delegated State Orders

290.100 What is the purpose of this subpart? 290.101 What leases are subject to this subpart?

290.102 What definitions apply to this subpart?

290.103 Who may file an appeal?

290.104 What may I not appeal under this subpart?

290.105 How do I appeal an order?

290.106 How do lessees join a designee's appeal and how does joinder affect the appeal?

290.107 Where are the rules concerning the effect of the Department not issuing a decision in my appeal within the statutory time frame?

290.108 How do I appeal to the IBLA?

290.109 How do I request an extension of time?

290.110 How do I exhaust administrative remedies?

290.111 How will MMS and delegated States serve official correspondence?

AUTHORITY: 5 U.S.C. 301 et seq.; 43 U.S.C.

Source: 64 FR 26257, May 13, 1999, unless otherwise noted.

### Subpart A—Offshore Minerals **Management Appeal Procedures**

### § 290.1 What is the purpose of this sub-

The purpose of this subpart is to explain the procedures for appeals of Minerals Management Service (MMS) Offshore Minerals Management (OMM)

decisions and orders issued under subchapter B.

### § 290.2 Who may appeal?

If you are adversely affected by an OMM official's final decision or order issued under 30 CFR chapter II, subchapter B, you may appeal that decision or order to the Interior Board of Land Appeals (IBLA). Your appeal must conform with the procedures found in this subpart and 43 CFR part 4, subpart E. A request for reconsideration of an MMS decision concerning a lease bid, authorized in 30 CFR 256.47(e)(3) and 281.21(a)(1), or a deep water field determination, authorized in 30 CFR 203.79(a) and 30 CFR 260.110(d)(2), is not subject to the procedures found in this part.

### § 290.3 What is the time limit for filing an appeal?

You must file your appeal within 60 days after you receive OMM's final decision or order. The 60-day time period applies rather than the time period provided in 43 CFR 4.411(a). A decision or order is received on the date you sign a receipt confirming delivery or, if there is no receipt, the date otherwise documented.

### § 290.4 How do I file an appeal?

For your appeal to be filed, MMS must receive all of the following within 60 days after you receive the decision or order:

(a) A written Notice of Appeal together with a copy of the decision or order you are appealing in the office of the OMM officer that issued the decision or order. You cannot extend the 60-day period for that office to receive your Notice of Appeal; and

(b) A nonrefundable processing fee of \$150 paid with the Notice of Appeal.

(1) Identify the order you are appealing on the check or other form of payment you use to pay the processing fee.

(2) You cannot extend the 60-day period for payment of the processing fee.

(3) You must pay the processing fee to MMS following the requirements for making payments found in 30 CFR 218.51. You are not required to use Electronic Funds Transfer (EFT) for these payments.

### § 290.5 Can I obtain an extension for filing my Notice of Appeal?

You cannot obtain an extension of time to file the Notice of Appeal. See 43 CFR 4.411(c).

### $\S 290.6$ Are informal resolutions permitted?

- (a) You may seek informal resolution with the issuing officer's next level supervisor during the 60-day period established in § 290.3.
- (b) Nothing in this subpart precludes resolution by settlement of any appeal or matter pending in the administrative process after the 60-day period established in § 290.3.

# § 290.7 Do I have to comply with the decision or order while my appeal is pending?

- (a) The decision or order is effective during the 60-day period for filing an appeal under § 290.3 unless:
- (1) OMM notifies you that the decision or order, or some portion of it, is suspended during this period because there is no likelihood of immediate and irreparable harm to human life, the environment, any mineral deposit, or property; or
- (2) You post a surety bond under 30 CFR 250.1409 pending the appeal challenging an order to pay a civil penalty.
- (b) This section applies rather than 43 CFR 4.21(a) for appeals of OMM orders.
- (c) After you file your appeal, IBLA may grant a stay of a decision or order under 43 CFR 4.21(b); however, a decision or order remains in effect until IBLA grants your request for a stay of the decision or order under appeal.

### § 290.8 How do I exhaust my administrative remedies?

- (a) If you receive a decision or order issued under chapter II, subchapter B, you must appeal that decision or order to IBLA under 43 CFR part 4, subpart E to exhaust administrative remedies.
- (b) This section does not apply if the Assistant Secretary for Land and Minerals Management or the IBLA makes a decision or order immediately effective notwithstanding an appeal.

### Subpart B—Appeals of Royalty Management Program and Delegated States Orders

### § 290.100 What is the purpose of this subpart?

This subpart tells you how to appeal Minerals Management Service (MMS) or delegated State orders concerning reporting to the MMS Royalty Management Program (RMP) and the payment of royalties and other payments due under leases subject to this subpart.

### § 290.101 What leases are subject to this subpart?

This subpart applies to:

- (a) All Federal mineral leases onshore and on the Outer Continental Shelf (OCS); and
- (b) All federally-administered mineral leases on Indian tribal and individual Indian mineral owners' lands, regardless of the statutory authority under which the lease was issued or maintained.

### § 290.102 What definitions apply to this subpart?

Assessment means any fee or charge levied or imposed by the Secretary or a delegated State other than:

- (1) The principal amount of any royalty, minimum royalty, rental, bonus, net profit share or proceed of sale;
  - (2) Any interest; or
  - (3) Any civil or criminal penalty.

Delegated State means a State to which MMS has delegated authority to perform royalty management functions under an agreement or agreements under regulations at 30 CFR part 227.

Designee means the person designated by a lessee under 30 CFR 218.52 to make all or part of the royalty or other payments due on a lease on the lessee's behalf.

 $\emph{IBLA}$  means the Interior Board of Land Appeals.

Indian lessor means an Indian tribe or individual Indian mineral owner with a beneficial or restricted interest in a property that is subject to a lease issued or administered by the Secretary on behalf of the tribe or individual Indian mineral owner.

Lease means any agreement authorizing exploration for or extraction of any mineral, regardless of whether the

#### § 290.103

instrument is expressly denominated as a "lease," including any:

- (1) Contract;
- (2) Net profit share arrangement;
- (3) Joint venture; or
- (4) Agreement the Secretary approves under the Indian Mineral Development Act, 25 U.S.C. 2101 et seq.

Lessee means any person to whom the United States, or the United States on behalf of an Indian tribe or individual Indian mineral owner, issues a lease subject to this subpart, or any person to whom all or part of the lessee's interest or operating rights in a lease subject to this subpart has been assigned.

Notice of Order means the notice that MMS or a delegated State issues to a lessee that informs the lessee that MMS or the delegated State has issued an order to the lessee's designee.

Obligation means:

- (1) A lessee's, designee's or payor's duty to:
- (i) Deliver oil or gas royalty in kind;
- (ii) Make a lease-related payment, including royalty, minimum royalty, rental, bonus, net profit share, proceeds of sale, interest, penalty, civil penalty, or assessment; and
  - (2) The Secretary's duty to:
  - (i) Take oil or gas royalty-in-kind; or
- (ii) Make a lease-related payment, refund, offset, or credit, including royalty, minimum royalty, rental, bonus, net profit share, proceeds of sale, or interest.
- (3) The obligations identified in paragraphs (1)(i) and (2)(i) of this definition are nonmonetary obligations. The obligations identified in paragraphs (1)(ii) and (2)(ii), including the requirement to compute the amount of such obligations, are monetary obligations.

Order for purposes of this subpart only, means any document issued by the MMS Director, MMS RMP, or a delegated State that contains mandatory or ordering language that requires the recipient to do any of the following for any lease subject to this subpart: report, compute, or pay royalties or other obligations, report production, or provide other information.

(1) Order includes:

(i) An order to pay or to compute and pay; and

(ii) An MMS or delegated State decision to deny a lessee's, designee's, or payor's written request that asserts an obligation due the lessee, designee or payor.

(2) Order does not include:

(i) A non-binding request, information, or guidance, such as:

(A) Advice or guidance on how to report or pay, including a valuation determination, unless it contains mandatory or ordering language; and

(B) A policy determination;

(ii) A subpoena;

(iii) An order to pay that MMS issues to a refiner or other person involved in disposition of royalty taken in kind; or

(iv) A Notice of Noncompliance or a Notice of Civil Penalty issued under 30 U.S.C. 1719 and 30 CFR part 241, or a decision of an administrative law judge or of the IBLA following a hearing on the record on a Notice of Noncompliance or Notice of Civil Penalty.

Party means MMS, any person who files a Notice of Appeal, and any person who files a Notice of Joinder in an appeal under this subpart.

### § 290.103 Who may file an appeal?

- (a) If you receive an order that adversely affects you or your lessee, you may appeal that order except as provided under §290.104.
- (b) If you are a lessee and you receive a Notice of Order, and if you contest the order, you may either appeal the order or join in your designee's appeal under § 290.106.

### § 290.104 What may I not appeal under this subpart?

You may not appeal:

- (a) An action that is not an order, as defined in this subpart; or
- (b) A determination of the surety amount or financial solvency under 30 CFR part 243, subparts B or C.

#### §290.105 How do I appeal an order?

- (a) You may appeal an order to the Director, Minerals Management Service (MMS Director), by filing a Notice of Appeal in the office of the official issuing the order within 30 days from service of the order.
- (1) Within the same 30-day period, you must file in the office of the official issuing the order a statement of

reasons or written arguments or briefs that include the arguments on the facts or laws that you believe justify reversal or modification of the order.

- (2) If you are a designee, when you file your Notice of Appeal you must serve your Notice of Appeal on the lessees for the leases in the order you appealed.
- (b) You may not request and will not receive an extension of time for filing the Notice of Appeal.
- (c) If the office of the official issuing the order does not receive the Notice of Appeal within the time provided in paragraph (a) of this section, the Notice of Appeal will be considered timely if the office of the official issuing the order receives:
- (1) The Notice of Appeal not later than 10 days after the required filing date: and
- (2) The officer with whom the Notice of Appeal must be filed determines that the Notice of Appeal was transmitted to the proper office before the filing deadline in paragraph (a) of this section.
- (d) If the Notice of Appeal is filed after the grace period provided in paragraph (c) of this section and was not transmitted to the proper office before the filing deadline in paragraph (a) of this section, the MMS Director will not consider the Notice of Appeal and the case will be closed.
- (e) The officer with whom the Notice of Appeal is filed will send the appeal and accompanying papers to the MMS Director.
- (f) The MMS Director will review the record and render a decision in the case.
- (g) If an order involves Indian leases, the Deputy Commissioner of Indian Affairs will exercise the functions vested in the MMS Director.

## § 290.106 How do lessees join a designee's appeal and how does joinder affect the appeal?

(a) If you are a lessee, and your designee files an appeal under §290.103, you may join in that appeal within 30 days after you receive your designee's Notice of Appeal under §290.105(a)(2) by filing a Notice of Joinder with the office or official that issued the order.

- (b) If you join in an appeal under paragraph (a) of this section, you are deemed to appeal the order jointly with the designee, but the designee must fulfill all requirements imposed on appellants under this subpart and 43 CFR part 4, subparts E and J. You may not file submissions or pleadings separately from the designee.
- (c) If you are a lessee and you neither appeal nor join in your designee's appeal under this section, your designee's actions with respect to the appeal and any decisions in the appeal bind you.
- (d) If you are a designee and you decide to discontinue participation in the appeal, you must serve written notice within 30 days before the next submission or pleading is due on:
- (1) All lessees who have joined in the appeal under paragraph (a) of this section:
- (2) The office or officer with whom any subsequent submissions or pleadings must be filed, including the IBLA; and
  - (3) All other parties to the appeal.
- (e) If you have joined in the appeal under paragraph (a) of this section, and if the designee notifies you under paragraph (d) of this section that it declines to further pursue the appeal, you become an appellant and must then meet all requirements of this subpart and 43 CFR part 4, subparts E and J, as the appellant.

#### § 290.107 Where are the rules concerning the effect of the Department not issuing a decision in my appeal within the statutory time frame?

If your appeal involves monetary or nonmonetary obligations under Federal oil and gas leases, the rules concerning the effect of the Department not issuing a final decision in your appeal within the 33-month period prescribed under 30 U.S.C. 1724(h) are located in 43 CFR part 4, subpart J.

### § 290.108 How do I appeal to the IBLA?

Any party to a case adversely affected by a final decision of the MMS Director or the Deputy Commissioner of Indian Affairs under this subpart shall have a right of appeal to the IBLA under the procedures provided in 43 CFR part 4, subpart E.

### § 290.109

### § 290.109 How do I request an extension of time?

- (a) If you are a party to an appeal under this subpart, and you need additional time after the appeal commences under 43 CFR 4.904 for any purpose:
- (1) You may obtain an extension of time under this section; and
- (2) You must submit a written request for an extension of time to:
- (i) The office or official with whom you must file a document before the required filing date; or
- (ii) If you are not seeking an extension of time to file a document, to the office or official before whom the appeal is pending.
- (b) If you are an appellant, and if your appeal involves monetary or non-monetary obligations under Federal oil and gas leases, you must agree in writing in your request to extend the period in which the Department must usue a final decision in your appeal under 30 U.S.C. 1724(h) and 43 CFR 4.906, by the amount of time for which you are requesting an extension.
- (c) If you are any other party to an appeal involving monetary or non-monetary obligations under Federal oil and gas leases, the office or official with whom you must file the request may require you to submit a written agreement signed by the appellant to extend the period in which the Department must issue a final decision in the appeal under 43 CFR 4.906, by the amount of time for which you are requesting an extension.
- (d) The office or official with whom you must file your request may decline any request for an extension of time.
- (e) You must serve your request on all parties to the appeal.

### § 290.110 How do I exhaust administrative remedies?

- (a) To exhaust administrative remedies, you must appeal an MMS Royalty Management Program (RMP) or delegated State order:
- (1) To the MMS Director (or the Deputy Commissioner of Indian Affairs when Indian lands are involved); and
- (2) Subsequently to the Interior Board of Land Appeals under 30 CFR part 290, subpart B, and 43 CFR part 4.

- (b) This section does not apply if an order was made effective by:
  - (1) The Director;
- (2) The Assistant Secretary for Land and Minerals Management;
- (3) The Assistant Secretary for Indian Affairs; or
- (4) The Interior Board of Land Appeals under 43 CFR part 4.

[64 FR 50753, Sept. 20, 1999]

### § 290.111 How will MMS and delegated States serve official correspondence?

- (a) Method of service. The Royalty Management Program (RMP) or a delegated State will serve official correspondence by sending the document by certified or registered mail, return receipt requested, to the addressee of record established in paragraph (b) of this section. Instead of certified or registered mail, RMP or a delegated State may deliver the document personally to the addressee of record and obtain a signature acknowledging the addressee's receipt of the document. Official correspondence includes all orders that are appealable under this subpart.
- (b) Addressee of record. (1) The addressee of record for administrative correspondence for refiners participating in the Government's Royalty-in-Kind (RIK) Program is the position title, department name and address, or individual name and address identified in the executed royalty oil sale contract. The refiner/purchaser may identify, in writing, a different position title, department name and address, or individual name and address for billing purposes. The refiner must notify MMS, in writing, of all addressee changes.
- (2) The addressee of record for serving official correspondence on anyone required to report energy and mineral resources removed from Federal and Indian leases to the RMP Production Accounting and Auditing System is the most recent position title, department name and address, or individual name and address that RMP has in its records for the reporter/payor. The reporter/payor is responsible for notifying RMP, in writing, of any addressee changes.
- (3) The addressee of record for serving official correspondence concerning

onshore Federal leases is the current lessee of record with the Bureau of Land Management. For Indian leases, the addressee of record is the current lessee of record with the Bureau of Indian Affairs. For offshore leases, the addressee of record is the current lessee of record with the MMS Offshore Minerals Management Program. The lessee is responsible for notifying the appropriate Government office of any addressee changes.

(4) The addressee of record for serving official correspondence in connection with reviews and audits of payor records is the position title, department name and address, or individual name and address designated, in writing, by the company at the initiation of the audit, or the most recent addressee that was specified, in writing,

by the payor.

(5) The addressee of record for serving official correspondence relating to reporting on the "Report of Sales and Royalty Remittance" (Form MMS-2014) is the most recent position title, department name and address, or individual name and address specified, in writing, by the payor. The payor is responsible for notifying RMP, in writing, of any addressee changes.

(6) The addressee of record for serving official correspondence in connection with remittances pertaining to rental and bonuses from nonproducing Federal leases is the most recent position title, department name and address, or individual name and address maintained in RMP records. The payor is responsible for notifying RMP, in writing, of any addressee changes.

(7) The addressee of record for serving official correspondence including orders, demands, invoices, or decisions, and other actions identified with payors reporting to the RMP Auditing

and Financial System not identified above is the position title, department name and address or individual name and address for the payor identified on the most recent Payor Confirmation Report (Report No. RPI140R1) of a Payor Information Form (PIF) (Form MMS-4025 or Form MMS-4030) returned by RMP to the payor for the Federal or Indian lease (see 30 CFR 210.51 and 210.201).

- (8) If correspondence applies to more than one category identified in paragraphs (b)(1) through (7) of this section, MMS may serve the official correspondence in accordance with the requirements of any one paragraph.
- (c) Dates of service. Except as provided in paragraph (d) of this section, MMS considers official correspondence as served on the date that it is received at the address of record established under paragraph (b) of this section. A receipt signed by any person at that address is evidence of service. If official correspondence is served both personally and by registered or certified mail, the date of service is the earlier of the two dates, if they are different.
- (d) Constructive service. (1) If delivery cannot be made after reasonable effort at the address of record established under paragraph (b) of this section, MMS deems official correspondence as constructively served 7 days after the date that the document is mailed.
- (2) This provision covers such situations as nondelivery because the addressee has moved without filing a forwarding address, the forwarding order had expired, delivery was expressly refused, or the document was unclaimed where the attempt to deliver is substantiated by U.S. Postal Service authorities.

[64 FR 50753, Sept. 20, 1999]